

PIXMA PRO-200

YOUR TRUE COLOURS, PRINTED TO PERFECTION

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



- **Impressive high-quality photographs**
With a superior 8-colour dye-based ink system, you're guaranteed exceptional reproduction, richer colours, and vibrant professional printing, every time.
- **Pick paper that suits you**
With versatile media handling and customisable printing sizes, you can enhance your photographs on a variety of paper including fine art, borderless and panoramic.
- **Quick and easy to use**
The built-in 3-inch LCD display lets you check ink levels, perform printer maintenance, and access printer instructions at a glance – for excellent results with ease.
- **Perfect printing every time**
With 3 paper feed options and auto paper skew correction function, you can bid farewell to misalignment and printing fails, no matter what paper you're using.
- **One seamless process**
Canon's user-friendly PPL software means you can shoot and send photos with ease from popular photography programs for a one-stop edit-to-print experience.



8 Individual Inks



Borderless Photo Printing



3.0" (7.5cm) LCD



Compact size



High-speed printing



Connectivity

PRODUCT RANGE



imagePROGRAF PRO-300

imagePROGRAF PRO-300

PIXMA PRO-200

PIXMA IP8750 (for EUR regions)

PIXMA IP8740 (for MEA regions)



PIXMA PRO-200



PIXMA IP8750 (for EUR regions)

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Print Head / Ink Type	Permanent		
Number of Nozzles	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8)		
Ink Tank	8-color = Y/M/C/PC/PM/Gy/LGY/BK		
Maximum Printing Resolution	4800 (horizontal) ¹ x 2400 (vertical) dpi		
Print Speed			
Photo (11"x14" image on A3+ with Border)²			
Color/PT-101	approx.1 m 30s		L/KG(4"x6") = 20 LTR/A4 /A3/5x7/2L/8"x10" = 10 10"x12"/A3+ = 1
Black/PT-101	approx.2 m 55s		L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1
Maximum Printable Paper Size			LTR/A4/B5 = 80 B4 = 50 A3 = 20 A3+ = 1
Top Tray (width)	Top Tray: 322.2mm (12.7 inch), Borderless Printing : 329 mm (A3+)(13 inch)		
Manual Feed (width)	Manual Feed: 322.2mm (12.7 inch), Borderless Printing: 329 mm (13 inch)		
Custom (length) Printable Area	990.60mm (bordered)		
Borderless Printing	Top/Bottom/Right/Left margin: each 0 mm		
Bordered Printing	Top margin: 3 mm, Bottom margin: 5 mm / Left/Right margin: each 3.4 mm (LTR/LGL: Left: 6.4 mm, Right: 6.3 mm) Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm		
Support Media			
Top Tray	Plain Paper/ Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) / Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Photo Stickers (PS-101) / Hagaki/ Lightweight Photo Paper (BOX)/Japanese Paper Washi (BOX)/ Canvas (BOX)/ Red Label Superior 80 g/m2(WOP111)/ Canon Océ Office Colour Paper 80 g/m2(SAT213)/ Heavyweight Fine Art Paper(BOX)/ Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208) ,High Resolution Paper (HR-101N),Photo Paper Glossy (GP-501), Envelope,T-Shirt Transfer,Light Fabric Iron Transfers(LF-101),Dark Fabric Iron Transfers (DF 101)		
Manual Feed	Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) /Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Lightweight Photo Paper (BOX)/ Heavyweight Photo Paper (BOX)/ Japanese Paper Washi (BOX)/ Canvas (BOX)/ Photo Paper Pro Premium Matte (PM-101) / Heavyweight Fine Art Paper (BOX)/ Extra Heavyweight Fine Art Paper (BOX)/Premium Fine Art Rough/Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), Photo Paper Glossy (GP-501), Light Fabric Iron Transfers(LF-101), Dark Fabric Iron Transfers (DF 101) Printable Nail Sticker (NL-101) / Printable Disk		
Multi-purpose Tray Paper Size			
Top Tray	A3+/A3/A4/A5/B4/B5/LTR/LGL/Ledger/Hagaki/7"x10"/12x12 L(3.5"x5")/KG(4"x6") /2L(5"x7")/8"x10"/10"x12"/ Square(127 mm) /210 x594 mm Custom size (width 89 mm - 329 mm, length 127 mm - 990.6 mm) Envelopes (DL, COM10)		L/KG(4"x6") = 20 LTR/A3/A4/2L/8"x10" = 10 A3+ = 1 LTR/A4 /A3 = 10 A3+ = 1
Manual Feed	A3+/A3/A4/A5/B4/LTR/LGL/Ledger/12x12 8"x10"/10"x12"/210x594 mm Custom size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm) 120x120 mm		L/KG(4"x6") = 20 LTR/A4 /A3/5x7/2L/8"x10" = 10 10"x12"/A3+ = 1
Multi-purpose Tray Paper Size (Borderless)	A3+/A3/A4/A5/LTR/Ledger/Hagaki/7x10/12x12/5x7/L (3.5"x5")/KG (4"x6")/2L(5"x7")/8"x10"/10"x12"/Square (127 mm)/210 x594 mm		
Paper Handling (Top Tray) (Maximum Number)			
Plain Paper	LTR/A4/A5/B5 = 100 B4/A3/LGL/LDR = 50		
Photo Paper Pro Platinum (PT-101)	L/KG(4"x6") = 20 LTR/A3/A4/2L/8"x10" = 10 10"x12"/A3+ = 1		L/KG(4"x6") = 20 LTR/A4 /A3/5x7/2L/8"x10" = 10 10"x12"/A3+ = 1 L/KG(4"x6") = 20 LTR/A4 /A3 = 10 A3+ = 1 LTR/A4/B5 = 80 B4 = 50 A3 = 20 A3+ = 1 A4 = 1 PS-101/PS-201/PSHRS = 1 20 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 A4 = 80 A4 = 80 LTR/A4/A3/A3+/LDR/210x594 mm = 1 LTR/A4/12x12 = 1 LTR/A4/12x12 = 1 10 LTR/A4/7"x10" = 1 LTR/A4 /12"x12" = 1 A3/A4/LTR/8"x10" /10"x12"/A3+ = 1 LTR/A4/A3/A3+ = 1 LTR/A4/A3/A3+ = 1 LTR/A4/A3/8"x10" /10"x12"/A3+ = 1 LTR/A4/A3/A3+ = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+/LDR/210 x 594 mm = 1 LTR/A4/A3/A3+ = 1 LTR/A4/12x12 = 1 LTR/A4/12x12 = 1 LTR/A4/7"x10" = 1 LTR/A4 /12"x12" = 1 1 (Multi-purpose Tray) Plain Paper: 64-105 g/m ² Canon Genuine paper (maximum): approx. 380 g/m Canon Genuine paper (maximum): approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less Dot count Auto/Manual
Paper Handling (Top Tray) (Maximum Number)			
Plain Paper	LTR/A4/A5/B5 = 100 B4/A3/LGL/LDR = 50		
Photo Paper Pro Platinum (PT-101)	L/KG(4"x6") = 20 LTR/A3/A4/2L/8"x10" = 10 10"x12"/A3+ = 1		
Photo Paper Plus Glossy II (PP-201)			
Photo Paper Glossy (GP-501)			
Photo Paper Pro Luster (LU-101)			
Photo Paper Plus Semi-gloss (SG-201)			
Matte Photo Paper (MP-101)			
High Resolution Paper (HR-101N)			
T-Shirt Transfer			
Photo Stickers (PS-101)			
Hagaki			
Lightweight Photo Paper			
Japanese Paper Washi			
Canvas			
Red Label Superior 80 g/m2(WOP111)			
Canon Océ Office Colour Paper 80 g/m2(SAT213)			
Heavyweight Fine Art Paper			
Light Fabric Iron Transfers (LF-101)			
Dark Fabric Iron Transfers (DF 101)			
Envelopes(DL, COM10)			
Inkjet Greeting Card			
Cardstock			
Paper Handling (Manual Feed) (Maximum Number)			
Photo Paper Pro Platinum (PT-101)			
Photo Paper Plus Glossy II (PP-201)			
Photo Paper Pro Luster (LU-101)			
Photo Paper Glossy (GP-501)			
Photo Paper Plus Semi-gloss (SG-201)			
Matte Photo Paper (MP-101)			
Lightweight Photo Paper			
Heavyweight Photo Paper			
Japanese Paper Washi			
Canvas			
Photo Paper Pro Premium Matte (PM-101)			
Heavyweight Fine Art Paper			
Extra Heavyweight Fine Art Paper			
Premium Fine Art Rough (FA-RG1)			
Light Fabric Iron Transfers (LF-101)			
Dark Fabric Iron Transfers (DF 101)			
Inkjet Greeting Card			
Cardstock			
Paper Handling (Multi-purpose Tray) (Maximum Number)			
Paper Weight			
Top Tray			
Manual Feed			
Ink End Sensor			
Print Head Alignment			



TECHNICAL SPECIFICATIONS

PIXMA PRO-200

N/W		GENERAL SPECIFICATIONS	
Protocol		Operation Panel	
Wired LAN		Display	3.0 inch/7.5cm LCD(Display Panel, Color)
Network Type	SNMP/ HTTP/TCP/IP(IPv4/IPv6)	Language	33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese
Data Rate	IEEE 802.3 10base-T	Interface	
Security	IEEE 802.3u 100base-TX	USB B Port	Hi-Speed USB
Wireless LAN	10Mbps/100Mbps(Auto switching)	PictBridge	
Network Type	IEEE 802.1x(EAP-TLS/EAP-TLTS/PEAP)	Wireless LAN	Available
Frequency Band	IEEE802.11n/IEEE802.11g/IEEE802.11b	Operating Environment ¹²	Temperature: 5~35 °C Humidity: 10~90 %RH (no dew condensation)
Channel ³	IEEE802.11a	Recommended Environment ¹³	Temperature: 15~30 °C Humidity: 10~80 %RH (no dew condensation)
	2.4GHz / 5GHz	Storage Environment	Temperature: 0~40 °C Humidity: 5~95 %RH (no dew condensation)
	2.4GHz: 1-13 (US*: 1-11)	Quiet Mode	Available
	5GHz: W52 /W53 /W56 /W58	Acoustic Noise (PC Print)	Approx. 42.5db
	*Infrastructure mode and direct mode cannot be used simultaneously in the 5 GHz band.	Plain Paper(A4, Color) ¹⁴	Approx. 42.5db
	*Direct mode cannot use the 5 GHz band.	Photo Paper Pro Platinum (PT-101) (L,Color, borderless)	Approx. 42.2db
Range	Indoor 50 m ※depends on the transmission speed and conditions	Photo Paper Pro Platinum (PT-101) (4x6, Color, borderless)	Approx. 42.2db
Security	WEP (64/128bit)	Power	AC 100-240 V 50 /60 Hz
	WPA-PSK (TKIP/AES)	Power Consumption	
	WPA2-PSK (TKIP/AES)	Standby (scanning lamp is off)	Approx 1.0W
Direct connection (Wireless LAN)	Available	USB connection to PC OFF	Approx. 0.2W
PRINTING SOLUTIONS		Printing USB connection to PC	approx 1.6W
Canon PRINT Inkjet/SELPHY (for iOS/Android)	Available	Standby (all ports connected, scanning lamp is off)	approx. 2.5W
Layout		<EU only - for ErP Lot 26 regulation>	
1-up(borderless/borderless¹⁴)	A4,Letter,A3,A3+,11"x17", Ledger,L,KG(4"x6"), 2L(5"x7"), Square (127"x127"), 7"x10",8"x10", Hagaki	Time to enter Standby mode <EU only - for ErP Lot 26 regulation>	approx. 3 min
1-up(borderless only)	B5,A5,Legal,B4	Environment	
AirPrint	Available	Regulation	RoHS (EU, China)*, WEEE (EU)* *To be fixed
Layout		Eco-Label	Energy Star* *To be fixed (except for EUR)
1-up(borderless/borderless¹⁴)	A4,Letter,A3,A3+,11"x17",Ledger,L,KG(4"x6"),2L(5"x7"), Square (127"x127"), 7"x10",8"x10",10"x12", 12"x12",210x594, Hagaki	Dimension(WxDxH)	
1-up(borderless only)	B5,A5,Legal,B4,Envelopes(DL, COM10), Disk, Custom paper size	Factory configuration	
Print Quality ¹⁵	Draft/Standard/High	mm	approx. 639 x 379 x 200 mm
Mopria ¹⁶	Available	inch	approx. 25.2 x 15 x 7.9 inch
Layout		Output/ADF trays extended	
1-up (bordered/borderless¹⁴)	A4,Letter,A3,A3+,11"x17",Ledger,L,KG(4"x6"),2L(5"x7"), Square (127"x127"), 7"x10",8"x10",10"x12" (10x12), 12x12,210x594, Hagaki	mm	approx. 639 x 837 x 416 mm
1-up(borderless only)	B5,A5, Legal, B4, Envelopes(DL, COM10), Disk, Custom paper size	inch	approx. 25.2 x 33 x 16.4 inch
Print Quality ¹⁵	Draft/Standard/High	Weight	
Canon Print Service (for Android)	Available	kg	approx. 14.1kg
Windows 10 Mobile	Available	lb	approx. 32lb
PIXMA Cloud Link			
From smartphone or tablet	Available		
Camera Direct Spec.			
Media size	LTR/A4/L/2L(5"x7")/KG (4"x6"/8"x10"/10"x12"/A3/A3+ /Square (127"x127")/Hagaki		
Compatible Digital Camera	"PictBridge" compliant digital cameras, camcorders and camera phones		
Connecting type	WLAN		
File Format	JPEG (Exif ver.2.2/2.21/2.3 compliant) ¹⁷ , PNG		
Layout ¹⁸			
1-up(borderless¹⁴)	Available		
1-up(borderless¹⁴)	Available		
Photo Index	Available		
Print with shooting information	Available		
20-up print with shooting information	Available		
35-up contact print	Available		
Disc Label	Available ¹⁰		
File number & date print	Available ¹¹		

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA PRO-200

Footnotes: -

- [1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- [2] Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.
Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- [3] 1-11 in US, CND, LTN, BRA, TW and HK.
- [4] The amount of image extension beyond the paper cannot be adjusted.
- [5] Resolution may be changed between Direct print and printing from PC.
- [6] They are list of papers which the printer is capable of. The paper type printable from Mopria depends on the Mopria's capability.
- [7] Image data taken by DCF (Ver.1.0/2.0) -compliant digital cameras, camcorders or camera phones and recorded in JPEG (Exif-compliant) format.
- [8] Function depends on the connected digital cameras, camcorders or camera phones.
- [9] Plain paper is printed bordered automatically, regardless of the camera settings.
- [10] Not supported for 'Printable Printable Printable Nail Stickers'.
- [11] Non-support for 2/4/9/16-up in sticker printing as well as date/file number printing in disc label printing.
- [12] The performance of the printer may be reduced under certain temperature and humidity conditions.
- [13] For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- [14] Acoustic Noise is measured based on ISO7779 standard with default setting.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2020

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.

Sales Start Date: November 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA PRO-200	4280C008AA	4549292160734	£449.99/€499.99

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CLI-65 BK EUR/OCN	4215C001AA	4549292159226	TBC
CLI-65 C EUR/OCN	4216C001AA	4549292159257	TBC
CLI-65 M EUR/OCN	4217C001AA	4549292159288	TBC
CLI-65 Y EUR/OCN	4218C001AA	4549292159318	TBC
CLI-65 GY EUR/OCN	4219C001AA	4549292159349	TBC
CLI-65 PC EUR/OCN	4220C001AA	4549292159370	TBC
CLI-65 PM EUR/OCN	4221C001AA	4549292159417	TBC
CLI-65 LGY EUR/OCN	4222C001AA	4549292159448	TBC

Live for the story_

YOUR TRUE COLOURS, PRINTED TO PERFECTION

PIXMA PRO-200

The aspiring photographer's A3+ printer of choice. Versatile, compact and easy to use, PIXMA PRO-200 prints vibrant, high-quality photos to be proud of.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200	4280C008AA	Individual	1	735	473.5	342.5	18.9	14.8
		Pallet (Upper)	6	745	955.5	1032	114.3	88.8
		Pallet (Bottom)	6	745	955.5	1032	114.3	88.8

What's in the box?

- PIXMA PRO-200 EUM/EMB
- Power cord UK type
- Power cord Pan-European type
- CD-Printing Tray
- Setup software & User's manual CD*
*only for Windows
- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- Russian Warranty sheet

Canon

Live for the story_