

A1020 Boom Arm

Part Number: K87652WW | UPC Code: 0 85896 87652 6

A versatile mount for your video conferencing accessories. The Kensington A1020 Boom Arm is a flexible mounting solution for microphones, webcams and lighting systems the perfect accessory for keeping your video conferencing setup organised and professional. Accommodating a variety of desks, microphones, camera angles and lighting needs, the A1020 supports a tidy and productive workspace.

Features include:

- Built for Video Conferencing
- Adjustable Arm with Internal Springs
- 360° Swivel Base
- Professional Grade C-Clamp
- Cable Management Channel
- Kensington Ecosystem Compatible
- Wipe Down Protection
- Industry Leading 2-Year Warranty

Kensington

A1020 Boom Arm

Part Number: K87652WW | UPC Code: 0 85896 87652 6



Built for Video Conferencing

A flexible mounting solution for microphones, webcams and lights with 3/8", 1/4" and 5/8" thread mounting options.



Adjustable Arm with Internal Springs Easily adjusts to your specific height, reach and swivel needs.



360° Swivel Base Easily rotate the entire boom arm.



Professional Grade C-Clamp Ensures a stable experience for any connected accessories.



Cable Management System Keeps your workspace organised.

Kensington

A1020 Boom Arm

Part Number: K87652WW | UPC Code: 0 85896 87652 6

Material Specifications

ArmsBlack coated aluminium, black plasticCable Management ClipsBlack plasticJoint AdjustmentSteel/black PlasticInternal SpringsSteelAdaptersGalvanised SteelProduct DimensionsC-ClampC-Clamp76 x 54 x 216mm (3 x 2.1 x 8.5")Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, proVC insert.Country of Origin, Regulatory and WarrantyCountry of Origin, Regulatory and WarrantyCountry of Origin, Regulatory of OriginChina Certifications & ComplianceACCO RSL, Amazon ISTA 6A Warranty2-Year Limited - worldwide		C-clamp Brackets	Black Powder coated steel, black plastic, galvanised steel
Joint AdjustmentSteel/black PlasticInternal SpringsSteelAdaptersGalvanised SteelProduct DimensionsC-ClampColl Camp76 x 54 x 216mm (3 x 2.1 x 8.5")Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Packaging DimensionsPackaging StylePackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 5/8" thread mount adapter, 3/8" to 5/8" thread mount adapter, 3/8" to 5/8" thread mount adapter, 		Arms	Black coated aluminium, black plastic
Internal SpringsSteelAdaptersGalvanised SteelProduct DimensionsC-ClampC-Clamp76 x 54 x 216mm (3 x 2.1 x 8.5")Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging Dimensions645 x 340 x 105mm (2.5.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (2.5.4 x 13.4 x 4.1")Packaging ContentClamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screew mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and WarrantyChina Certifications & ComplianceCountry of OriginChina Certifications & Compliance		Cable Management Clips	Black plastic
AdaptersGalvanised SteelProduct DimensionsC-Clamp76 x 54 x 216mm (3 x 2.1 x 8.5")Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging ContentC Clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and WarrantyCountry of OriginCountry of Origin & China Certifications & ComplianceChina		Joint Adjustment	Steel/black Plastic
Product Dimensions C-Clamp C-Clamp 76 x 54 x 216mm (3 x 2.1 x 8.5") Desktop Size Support 10 to 60mm (0.4 to 2.3") Arms 46 x 23 x 950mm (1.8 x 0.9 x 37.4") Unit Dimensions 61 x 71 x 1095mm (2.4 x 2.8 x 43.1") Unit Weight 1.36kg (3lbs) Packaging Dimensions Packaging Style Packaging Style Packaging Dimensions 645 x 340 x 105mm (25.4 x 13.4 x 4.1") Packaging Weight 447.5g (15.8oz) Packaging Content C clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 1/4" thread mount adapter 3/8" to 1		Internal Springs	Steel
C-Clamp76 x 54 x 216mm (3 x 2.1 x 8.5")Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging Dimensions645 x 340 x 105mm (2.4 x 1.3 4 x 4.1")Packaging Dimensions645 x 340 x 105mm (2.5 4 x 1.3 4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and WarrantyCountry of OriginCountry of OriginChinaCertifications & ComplianceACCO RSL, Amazon ISTA 6A		Adapters	Galvanised Steel
Desktop Size Support10 to 60mm (0.4 to 2.3")Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging DimensionsB2B Brown Box; Non-FSCPackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and WarrantyCountry of OriginCountry of Origin & China Certifications & ComplianceChinaCountry of Origin & China Certifications & ComplianceACCO RSL, Amazon ISTA 6A	Product Dimensions		
Arms46 x 23 x 950mm (1.8 x 0.9 x 37.4")Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging DimensionsB2B Brown Box; Non-FSCPackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging DimensionsC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 4/8" to 5/8" thread mount adapter 4/		C-Clamp	76 x 54 x 216mm (3 x 2.1 x 8.5")
Unit Dimensions61 x 71 x 1095mm (2.4 x 2.8 x 43.1")Unit Weight1.36kg (3lbs)Packaging DimensionsB2B Brown Box; Non-FSCPackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and WarrantyCountry of OriginCountry of Origin & China Certifications & ComplianceChinaCountry of Origin & China Certifications & ComplianceACCO RSL, Amazon ISTA 6A		Desktop Size Support	10 to 60mm (0.4 to 2.3")
Unit Weight1.36kg (3lbs)Packaging DimensionsB2B Brown Box; Non-FSCPackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter mounting plate, instruction guide, warranty, ProVC insert.Country of Origin, Regulatory and Warranty1000 x 275 x 285mm (39.4 x 10.8 x 11.2")Country of OriginChina Certifications & ComplianceACCO RSL, Amazon ISTA 6A		Arms	46 x 23 x 950mm (1.8 x 0.9 x 37.4")
Packaging Dimensions Packaging Style B2B Brown Box; Non-FSC Packaging Dimensions 645 x 340 x 105mm (25.4 x 13.4 x 4.1") Packaging Weight 447.5g (15.8oz) Packaging Content C clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert. Master Carton 1000 x 275 x 285mm (39.4 x 10.8 x 11.2") Country of Origin, Regulatory and Warranty China Country of Origin & China Certifications & Compliance		Unit Dimensions	61 x 71 x 1095mm (2.4 x 2.8 x 43.1")
Packaging StyleB2B Brown Box; Non-FSCPackaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Master Carton1000 x 275 x 285mm (39.4 x 10.8 x 11.2")Country of Origin, Regulatory and WarrantyCountry of Origin Certifications & ComplianceCountry of OSL, Amazon ISTA 6A		Unit Weight	1.36kg (3lbs)
Packaging Dimensions645 x 340 x 105mm (25.4 x 13.4 x 4.1")Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Master Carton1000 x 275 x 285mm (39.4 x 10.8 x 11.2")Country of Origin, Regulatory and WarrantyChina Certifications & ComplianceCountry of OriginChinaCertifications & ComplianceACCO RSL, Amazon ISTA 6A	Packaging Dimensio	ns	
Packaging Weight447.5g (15.8oz)Packaging ContentC clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert.Master Carton1000 x 275 x 285mm (39.4 x 10.8 x 11.2")Country of Origin, Regulatory and WarrantyChinaCountry of OriginChinaCertifications & ComplianceACCO RSL, Amazon ISTA 6A		Packaging Style	B2B Brown Box; Non-FSC
Packaging Content C clamp, boom arm, clip-on cable holder, 3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert. Master Carton 1000 x 275 x 285mm (39.4 x 10.8 x 11.2") Country of Origin, Regulatory and Warranty China Country of Origin China Certifications & Compliance ACCO RSL, Amazon ISTA 6A		Packaging Dimensions	645 x 340 x 105mm (25.4 x 13.4 x 4.1")
3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty, ProVC insert. Master Carton 1000 x 275 x 285mm (39.4 x 10.8 x 11.2") Country of Origin, Regulatory and Warranty Country of Origin Country of Origin China Certifications & Compliance ACCO RSL, Amazon ISTA 6A		Packaging Weight	447.5g (15.8oz)
Country of Origin, Regulatory and Warranty China Country of Origin China Certifications & Compliance ACCO RSL, Amazon ISTA 6A		Packaging Content	3/8" to 1/4" thread mount adapter 3/8" to 5/8" thread mount adapter, mounting screw mounting plate, instruction guide, warranty,
Country of Origin China Certifications & Compliance ACCO RSL, Amazon ISTA 6A		Master Carton	1000 x 275 x 285mm (39.4 x 10.8 x 11.2")
Certifications & Compliance ACCO RSL, Amazon ISTA 6A	Country of Origin, Re	egulatory and Warranty	
Certifications & Compliance ACCO RSL, Amazon ISTA 6A		Country of Origin	China
Warranty 2-Year Limited - worldwide		, ,	ACCO RSL, Amazon ISTA 6A
		Warranty	2-Year Limited - worldwide



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT36668EN

Kensington The Professionals' Choice"