



SD5560T Thunderbolt™ 3 and USB-C Dual 4K Docking Station with 96W Power Delivery

Part Number: K37010EU, EAN Code: 5028252633888 | Part Number: K37010UK, EAN Code: 5028252633895

Speed, power
and flexibility.

The latest generation of ultra-thin laptops and devices often lack enough ports to allow users to be truly productive. The SD5560T docking station offers a wealth of connectivity options and requires no drivers or downloads. Working with both Windows and macOS, SD5560T is compatible with Thunderbolt 3, Thunderbolt 4 and USB-C devices.

SD5560T supports up to two external displays via HDMI and USB-C for Thunderbolt-enabled devices. Remain connected and productive with 2 x USB-C ports, 4 x USB-A ports, 1 x Gigabit Ethernet port, 1 x Audio Combo jack, 1 x HDMI 2.0 port and an additional Thunderbolt 3 port.*

All backed by data transfer speeds up to 40Gbps and 96W Power Delivery to keep your device charged - via a single connection.

Features include:


- True universal compatibility
- Thunderbolt technology
- Single or Dual 4K video output for Thunderbolt-enabled devices
- 96W Power Delivery
- Productive desktop setup
- 40Gbps data transfer speeds
- Horizontal and vertical placement options
- Free Kensington DockWorks™ software
- Three-year warranty

* When used with USB-C Alt Mode laptops, this Thunderbolt 3 port is downgraded to USB 2.0 and does not support video or daisy chaining features.


SD5560T Thunderbolt™ 3 and USB-C Dual 4K Docking Station with 96W Power Delivery

Part Number: K37010EU, EAN Code: 5028252633888 | Part Number: K37010UK, EAN Code: 5028252633895

Front



Back



SD5560T Thunderbolt™ 3 and USB-C Dual 4K Docking Station with 96W Power Delivery

Part Number: K37010EU, EAN Code: 5028252633888 | Part Number: K37010UK, EAN Code: 5028252633895



Universal Compatibility

Works with Thunderbolt 3, Thunderbolt 4 and USB-C laptops running Windows or macOS. Perfect for hot-desking, mixed deployment environments and home office use.

Thunderbolt™ Technology

Allows users to transfer up to 40Gbps of data, video and audio (10Gbps for USB-C 3.2 Gen2 laptops and 5Gbps for USB-C 3.2 Gen1 laptops) using the included 0.8m (2.6') Thunderbolt 3 cable, for a powerful plug-and-play experience.



Single or Dual 4K Video Output for Thunderbolt-Enabled Devices

Extend visual productivity with the resolution, contrast and colour depth of Ultra HD (Single or Dual 4K @ 60Hz) via 1 x HDMI 2.0 port and 1 x additional Thunderbolt 3 port. USB-C Alt Mode devices support a single monitor via the HDMI port (DP1.2 at 4K/30Hz and DP1.4 at 4K/60Hz).



96W Power Delivery

Charge any Thunderbolt 3, Thunderbolt 4 or USB-C-enabled laptop quickly and easily (USB-C laptops must support Power Delivery).



Productive Desktop Setup

This 10-port universal docking features multiple ports for connecting peripherals and accessories.



Flexible Placement Options

Designed to support horizontal and vertical placement on the desktop.



Free Kensington DockWorks™ Software

For the best connection, performance and security from your Kensington dock.



Three-Year Warranty

Rest assured knowing you're covered by Kensington.

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Docking Station with 96W Power Delivery

Part Number: K37010EU, EAN Code: 5028252633888 | Part Number: K37010UK, EAN Code: 5028252633895

System Requirements

Systems Supported	Supports Thunderbolt 4, Thunderbolt 3, USB4, and USB-C devices
Operating Systems Supported	Windows 10 or later / macOS 11 or later
Plug & Play	Yes
Software	For Windows, need to enable Intel Thunderbolt software
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel HD Graphics 620 or above
Additional Software Information	Kensington DockWorks compatible
USB-C Power Delivery	5V/9V/15V@3A & 20V@4.8A

USB Interface

Type of USB Connector	USB-C Connector
Host Connector	Support Thunderbolt 4 / Thunderbolt 3 / USB4 / USB-C

Connections

Ports	<p>Front Panel :</p> <ul style="list-style-type: none"> 1 x USB-A 3.2 Gen1 (5V/0.9A) 2 x USB-C 3.2 Gen2 (1 X up to 9V/2.2A, 1 x up to 5V/1.5A) 1 x 3.5mm Audio Combo Jack <p>Back Panel :</p> <ul style="list-style-type: none"> 1 x Thunderbolt 3 Host Port (up to 96W charging) 1 x Thunderbolt 3 Downstream Facing Port 1 x HDMI 2.0 1 x USB-A 3.2 Gen2 (up to 10Gbps and 5V/0.9A charging) 2 x USB-A 3.2 Gen1 (up to 5Gbps and 5V/0.9A charging) 1 x Ethernet 10/100/1000Mbps 1 x DC Jack
-------	---

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000Mbps

Host Connectivity

Host Docking Connector	1 x Thunderbolt 3 upstream port (PD 96W, 5V/9V/15V@3A & 20V@4.8A)
------------------------	--

Video Connections

Video Connectors	1 x Thunderbolt 3 + 1x HDMI 2.0
Maximum Resolution Supported	<p>Thunderbolt 3 / Thunderbolt 4 (with HBR3 DP1.4)</p> <p>Single Monitor : 4K@60Hz</p> <p>Dual Monitor : 4K@60Hz</p> <p>USB-C Alt Mode</p> <p>Single Monitor (HDMI only) : 4K @ 30Hz (HBR2 DP1.2)</p> <p>4K @ 60Hz (HBR3 DP1.4)</p>

SD5560T Thunderbolt™ 3 and USB-C Dual 4K Docking Station with 96W Power Delivery

Part Number: K37010EU, EAN Code: 5028252633888 | Part Number: K37010UK, EAN Code: 5028252633895

Audio Connections

Audio Connectors	1 x 3.5mm audio combo jack
Audio Channels Supported	Stereo LR

LED Indicator

White LED	Power LED
-----------	-----------

Material Specifications

Exterior and Bottom	Aluminium
Product Colour	Pantone Cool Grey 3C / Light Blue

Product Dimensions

Unit Weight	0.84kg (1.85lbs)
Unit Dimensions w/o Peripherals	145 x 100 x 50mm (5.7 x 3.93 x 1.96")
Enclosure Colour & Material	OTS Cool Grey 3C / Light Blue, Aluminium CNC

Packaging Dimensions

Packaging Style	Brown box
Packaging Dimensions	210 x 135 x 120mm (8.26 x 5.31 x 4.72")
Packaging Weight	2.0kg (4.4lbs)
Packaging Content	1 x SD5560T Docking Station 1 x Thunderbolt™ 3 passive cable (0.8m) 1 x Power Supply Unit (180W) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
Master Carton	4

Power & Environmental

Power Adapter Rating	Input: 100-240V, 3.5A / Output: 21V DC 8.57A (180W)
Relative Humidity	55% RH operating temperature @ 25°C
Operating Temperature	0° to 45°
Storage Temperature	0° to 60°

Country of Origin, Regulatory and Warranty

Country of Origin	Vietnam
Certifications & Compliance	FCC, IC, CE, UKCA, RCM, VCCI, CB, RoHS, ACCO RSL
Warranty	3-Year Limited - worldwide

Special Notes

Multiple SKUs	Brown Box packaging
---------------	---------------------



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT37798EN

Kensington
The Professionals' Choice™