

Professional desktop PC connectable label printer with Wi-Fi

PT-P900Wc

www.brother.co.uk/labelling



Professional PC connectable label printer with integrated Wi-Fi

Create customised, durable labels in many colour combinations and widths with this feature-rich, high-speed label printer.

Design labels on your PC, Mac, tablet or smartphone then print using USB or Wi-Fi. Include barcodes, logos and other images, frames and text, and link to existing data in your spreadsheet to easily batch print labels at once.

Advanced cutter with easy peel feature ensures efficient labelling. Optional rechargeable battery base offers a complete mobile labelling solution.

PT-P900Wc



Key features:

- Integrated Wi-Fi to print labels from several devices at once, including tablets and smartphones
- High speed and high resolution printing
- Create durable labels up to 36mm wide
- Advanced cutter with easy label peel function
- Connect to data contained in spreadsheets to batch print many labels at once
- Include images, barcodes and frames on your labels

The professional label printer designed for any labelling task

With a wide range of colour combinations and tape widths up to 36mm, near borderless printing and high speed, high resolution print capabilities, the PT-P900Wc is ideal for facilities management and manufacturing environments, document archiving, asset labelling and creating on-demand labels whenever and wherever required.

Print from smartphones or tablets

Instantly create and print simple labels from your smartphone or tablet without needing to fire up your PC.

The Brother iPrint&Label app wirelessly connects to the PT-P900Wc to let you design and print labels from your iOS or Android device.

Or if you need to identify electrical cables and equipment, use the specialised Brother Pro Label Tool app to print labels for wrapping around cables or for sticking to faceplates, electrical distribution boards and other specialist equipment.

TZe tapes for P-touch label printers



3.5mm	6mm	9mm	12mm	18mm	24mm	36mm
Standard laminated - 8m						
	TZe-111	TZe-121	TZe-131	TZe-141	TZe-151	TZe-161
			TZe-132			
			TZe-133			
			TZe-135	TZe-145		
	TZe-211	TZe-221	TZe-231	TZe-241	TZe-251	TZe-261
			TZe-231S*			
		TZe-222	TZe-232	TZe-242	TZe-252	TZe-262
		TZe-223	TZe-233	TZe-243	TZe-253	TZe-263
			TZe-334	TZe-344	TZe-354	
	TZe-315	TZe-325	TZe-335	TZe-345	TZe-355	TZe-365
		TZe-421	TZe-431	TZe-441	TZe-451	TZe-461
			TZe-431S*			
			TZe-435			
		TZe-521	TZe-531	TZe-541	TZe-551	TZe-561
			TZe-535		TZe-555	
	TZe-611	TZe-621	TZe-631	TZe-641	TZe-651	TZe-661
		TZe-721	TZe-731	TZe-741	TZe-751	
Fluorescent laminated - 5m						
			TZe-B31		TZe-B51	
			TZe-C31		TZe-C51	
Matt laminated - 4m						
			TZe-M31**			
			TZe-MQL35			
			TZe-MQP35			
			TZe-MQG35			
Metallic laminated - 8m						
			TZe-M931		TZe-M951	TZe-M961
Premium laminated - 8m						
			TZe-PR831		TZe-PR851	
			TZe-PR935		TZe-PR955	
Non-laminated - 8m						
	TZe-N201	TZe-N221	TZe-N231	TZe-N241	TZe-N251	
Fabric - 3m						
			TZe-FA3			
Security laminated - 8m						
				TZe-SE4		

Actual tape colours may differ slightly from the printed colours. *Tape length is 8m. **Tape length is 5m.

Pro Tape widths and colours

TZe Strong adhesive laminated - 8m	6mm	9mm	12mm	18mm	24mm	36mm
Black on white	TZe-S211	TZe-S221	TZe-S231	TZe-S241	TZe-S251	TZe-S261
Black on transparent		TZe-S121	TZe-S131	TZe-S141	TZe-S151	
Black on yellow		TZe-S621	TZe-S631	TZe-S641	TZe-S651	

TZe Flexible ID laminated - 8m	6mm	9mm	12mm	18mm	24mm	36mm
Black on white	TZe-FX211	TZe-FX221	TZe-FX231	TZe-FX241	TZe-FX251	TZe-FX261
Black on yellow	TZe-FX611	TZe-FX621	TZe-FX631	TZe-FX641	TZe-FX651	TZe-FX661

TZe Self-laminating* - 8m	6mm	9mm	12mm	18mm	24mm	36mm
Black on white					TZe-SL251	TZe-SL261
Black on yellow					TZe-SL651	TZe-SL661

TZe Security laminated - 8m	6mm	9mm	12mm	18mm	24mm	36mm
Black on white				TZe-SE4	TZe-SE5	


STe Stencil - 3m	6mm	9mm	12mm	18mm	24mm	36mm
Black on white				STe-141	STe-151	STe-161

FLe Flag (die-cut) - 72 labels

Black on white	FLe-2511**
Black on yellow	FLe-6511**
Black on green	FLe-7511**

HSe Heat shrink tube - 1.5m	5.2mm	9.0mm	11.2mm	21.0mm	31.0mm
Black on white	HSe-211E	HSe-221E	HSe-231E	HSe-251E	HSe-261E
Black on yellow	HSe-611E	HSe-621E	HSe-631E	HSe-651E	HSe-661E

*Feature available on PT-E550W, PT-P900W, PT-P950NW and PT-D800W. Firmware update is required. Download at <https://support.brother.com/>
 **Labels are: 45mm x 21mm when printed. 45mm x 10.5mm once applied.



General

Carton contents

- PT-P900Wc label printer
- 36mm TZe black on white tape cassette (8m)
- AC adaptor
- AC power cord
- USB cable
- Documentation

Language support

English, German, French, Dutch, Italian, Spanish, Portuguese, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Brazilian Portuguese, Turkish

Weights and dimensions

Machine only (W) x (D) x (H)

118mm x 192mm x 146mm

Weight (Kg)

1.48Kg

With carton (W) x (D) x (H)

165mm x 266mm x 333mm

Weight (Kg)

2.74Kg

Printing

Supported printer commands

ESC/P
P-touch template
Raster

Printing speed

Up to 60mm/second

Print resolution

360dpi

Maximum tape width

36.0mm

Maximum print height

32mm

Label length

4mm minimum
1000mm maximum

Maximum lines per label

17

Vertical printing

Yes

Mirror printing

Yes

Copies

1 to 999

Numbering

1 to 999

Cutter type

Automatic full and half-cut

Software and app compatibility

P-touch Editor

PC/Mac

iPrint&LabelApp

iOS/Android

Pro Label Tool App

iOS/Android

Connectivity

USB interface

Windows®
(USB 1.1, 2.0, 3.0 protocol)
Mac
(USB 1.0, 2.0 protocol)

Wi-Fi

Wireless Direct: IEEE 802.11n
Infrastructure mode: IEEE
802.11b/g/n
WPS 2.0

Serial

RS-232C (for printing with
ESC/P commands only.
Requires optional serial
adaptor cable)

Operating system support

Windows 10:
10 2012, 2012 R2
Mac:
10.8-10.10

Barcode symbols

Supported

CODE39, ITF (I-2/5), EAN-13, EAN-8, UPC-A, UPC-E, CODABAR, CODE128, GS1-128 (UCC/EAN-128), QR Code, PDF417, Data Matrix, MaxiCode, RSS-14 (Standard, Truncated, Stacked, Stacked Omni), RSS-Limited, RSS Expanded (Standard, Stacked), POSTNET, Aztec, MaxiCode

Memory for label template transfer

Flash memory size

6MB

Memory locations

99 areas

Supplies

Tape types

TZe, HSe, FLe

Tape widths

TZe/HGe: 3.5, 6, 9, 12, 18, 24, 36mm

HSe: 5.2, 9.0, 11.2, 21.0, 31.0 mm

FLe: 21mm (width) x 45mm (length)

Optional accessories

Li-ion battery

PA-BT-4000LI

Serial adaptor cable

PA-SCA-001

Battery base

PA-BB-002

AC adaptor

AD9100ESA



brother

at your side

Contact:

www.brother.co.uk

Brother UK

Brother UK Ltd, Shepley St, Audenshaw,
Manchester M34 5JD

Tel: +44 (0)333 777 4444

Fax: +44(0)161 330 5520

All specifications correct at the time of printing April 2023 and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.