

---

# Rubber Rib Mat


## Short Description


---

Rubber Rib is a low cost, surface protection matting that is suitable for use in a wide variety of applications. The ribbed top surface provides excellent grip for both floor surfaces and work areas alike. It is easy to cut and can be laid loose or glued/ fixed down for a more permanent solution. Available in two different thicknesses, suitable for medium and heavy duty use.

## Product Images

---





## Description

---

- Low cost surface covering, suitable for industrial flooring, aisles, work benches and vehicle interiors
- 100% rubber with fine ribbed surface for sure footing and easy cleaning
- Available in 3mm and 6mm thickness
- Available in rolls or cut lengths

## Additional Information

### Specifications

<b>Wear Resistant</b>	Wear resistant surface to Level 1
<b>Anti-Fatigue</b>	Anti-fatigue protection to Level 1
<b>Slip Resistance</b>	Slip resistance Level 2
<b>Impact Resistant</b>	Impact resistant
<b>Cut to Size</b>	Mats can be cut to bespoke sizes
<b>Cut to Length</b>	Mats can be cut to length
<b>Wheeled Area</b>	Suitable for use by wheeled trolleys
<b>Dry Area</b>	Suitable for use in dry areas
<b>Wet Area</b>	Suitable for use in wet areas

### Environment

<b>Dry Zone</b>	Dry Zone
<b>Wet Zone</b>	Wet Zone

### Tests

- Shore Hardness A +/-5, 70°
- Density SG (g/cm<sup>3</sup>), 1.5
- Tensile (kg/cm<sup>2</sup>), 30
- Elongation at break %, 200
- Abrasion resistance (mm<sup>3</sup>), 300
- Operating Temperature, -30 - +70 (°C)

## Product Options

Length:	1m
	10m
Width:	915mm
	1220mm
Thickness:	3mm
	6mm