

## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	:	MR MUSCLE Drain Cleaner		
1.2 Relevant identified uses of the Use of the Use of the Substance/Mixture		ostance or mixture and uses advised against Washing and cleaning products (including solvent based products)		
Uses advised against	:	None identified		
1.3 Details of the supplier of the safety data sheet	:	SC Johnson Ltd. Frimley Green Camberley Surrey GU16 7AJ		
Telephone	:	+441276852000		
E-mail address	:	ask.uk@scj.com		
1.4 Emergency telephone number	:	Consumer Care Center: UK - 0800 353 353 Ireland - 1800 409 176		

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EU) 1272/2008 with the correlation table 67/548/EEC or 1999/45/EC (Annex VII of CLP)

Hazard classification	Hazard category	Hazards identification
Corrosive to metals	Category 1	May be corrosive to metals.
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Acute aquatic toxicity	Category 1	Very toxic to aquatic life.
Chronic aquatic toxicity	Category 2	Toxic to aquatic life with long lasting effects.
Corrosive to metals	Category 1	May be corrosive to metals.

## 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols

(according to Regulation (EC) No. 1907/2006)



#### MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 300000000000000006629.001



Signal word Danger

#### Hazard statements

(H290) May be corrosive to metals.(H314) Causes severe skin burns and eye damage.(H410) Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P260) Do not breathe fume.
(P280) Wear protective gloves / eye protection.
(P310) Immediately call a POISON CENTER or doctor/ physician.
(P304 + P340) IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
(P303 + P361 + P353) IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
(P301 + P330 + P331) IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
(P405) Store locked up.
(P234) Keep only in original container.
(P264) Wash hands thoroughly after handling.

#### **EUH Statements**

(EUH031) Contact with acids liberates toxic gas.

#### Additional Labelling

Keep container tightly closed in a cool place and store bottle upright. Do not mix with other products. For professional users only. Safety data sheet available for professional user on request.

:

**Detergents regulations** 

Contains

< 5% chlorine-based bleaching agents, soap, amphoteric surfactants,



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

2.3 Other hazards

: None identified

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

#### Hazardous components

Chemical Name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
Sodium hypochlorite	7681-52-9/231- 668-3	-	Skin corrosion Category 1B H314 Acute aquatic toxicity Category 1 H400 Chronic aquatic toxicity Category 1 H410	>= 1.00 - < 5.00
Sodium hydroxide	1310-73-2/215- 185-5	01-2119457892-27	Skin corrosion Category 1A H314	>= 1.00 - < 5.00
Amines, C12-18-alkyldimethyl, N-oxides	68955-55-5/273- 281-2	01-2119489396-21	Skin irritation Category 2 H315 Serious eye damage Category 1 H318 Chronic aquatic toxicity Category 2 H411 Acute aquatic toxicity Category 1 H400 Acute toxicity Category 4 H302	>= 1.00 - < 5.00
Silicic acid, sodium salt	1344-09-8/215- 687-4	-	Corrosive to metals Category 1 H290 Skin corrosion/irritation Category 1B H314 Serious eye damage/eye irritation	>= 0.10 - < 0.50

(according to Regulation (EC) No. 1907/2006)



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

	Category 1 H318 Specific target organ toxicity - single exposure Category 3 H335	
--	---	--

#### Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	:	Move to fresh air. Get medical attention immediately.	
Skin contact	:	Take off all contaminated clothing immediately. Immediately flush skin with large amounts of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.	
Eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. Flush immediately with plenty of water for at least 15 to 20 minutes. In case of accidental exposure to chlorine gas: Get medical attention immediately.	
Ingestion	:	Do NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms and	l effe	cts, both acute and delayed	
Eyes	:	Causes serious eye damage. No adverse effects expected when used as directed.	
Skin effect	:	Causes severe skin burns. No adverse effects expected when used as directed.	
Inhalation	:	May cause respiratory tract irritation. No adverse effects expected when used as directed.	
Ingestion	:	Causes digestive tract burns. No adverse effects expected when used as directed.	
		4/12	

(according to Regulation (EC) No. 1907/2006)



### MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

### 4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable	:	None identified	
5.2 Special hazards arising from the substance or mixture	:	In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.	
Advice for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves. Refer to current EN or National standard as appropriate.	
5.3 Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

6.	ACCIDEN	TAL RELEAS	E MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
6.2 Environmental precautions	:	Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Use appropriate containment to avoid environmental contamination.
6.3 Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean residue from spill site. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	:	For personal protection see section 8.



### MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

For disposal considerations see section 13.

### 7. HANDLING AND STORAGE

7.1 Precautions for safe handling	<ul> <li>For personal protection see section 8.</li> <li>Avoid contact with skin and eyes.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Wear personal protective equipment.</li> <li>Normal measures for preventive fire protection.</li> </ul>
7.2 Conditions for safe storage, : including any incompatibilities	Do not freeze. Keep out of the reach of children. Store away from food, beverages and pet food. No decomposition if stored and applied as directed.
7.3 Specific end use(s) :	Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Washing and cleaning products (including solvent based products)

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Occupational Exposure Limit Values**

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
Sodium hydroxide	1310-73-2	2 mg/m3			UK_WELSTEL

Refer to current EN or National standard as appropriate.

#### 8.2 Exposure controls

Respiratory protection	:	In the case of vapour formation use a respirator with an approved filter.
Hand protection	:	Wear suitable gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.
Eye/face protection	:	Safety glasses
Skin and body protection	:	Wash contaminated clothing before re-use.
Other information	:	Wash hands before breaks and at the end of workday.
Environmental Exposure Controls	:	Refer to section 6.

(according to Regulation (EC) No. 1907/2006)



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties					
Appearance	:	liquid			
Colour	:	natural colour			
Odour	:	Functional			
Odour Threshold	:	no data available			
рН	:	13.4 (undiluted)			
Melting point/freezing point	:	no data available			
Initial boiling point and boiling range	:	no data available			
Flash point	:	> 100 °C			
Evaporation rate	:	no data available			
Flammability (solid, gas)	:	no data available			
Upper/lower flammability or explosive limits	:	no data available			
Vapour pressure	:	no data available			
Vapour density	:	no data available			
Relative density	:	1.1 g/cm3 at 25 °C			
Solubility(ies)	:	completely soluble			
Partition coefficient: n- octanol/water	:	no data available			
Auto-ignition temperature	:	no data available			
Decomposition temperature	:	no data available			
Viscosity, dynamic	:	1,500 mPa.s			
Viscosity, kinematic	:	no data available			
Explosive properties	:	no data available			

7/12

(according to Regulation (EC) No. 1907/2006)



:

### MR MUSCLE Drain Cleaner

Version 1.0		Print Date 05.02.2015
Revision Date 04.06.2014		Specification Number: 350000025014
		SITE FORM Number:
		30000000000006629.001
Oxidizing properties	:	no data available
Other information	:	None identified
10. STABILITY AND REACTIVITY		
10.1 Reactivity	:	No dangerous reaction known under conditions of normal use.
10.2 Chemical stability	:	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	:	None known.
10.4 Conditions to avoid	:	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	:	Do not mix with acids or any other household products. May release dangerous gases (chlorine).
10.6 Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### **11. TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2 g/kg
	estimated		

#### Acute inhalation toxicity

no data available

#### Acute dermal toxicity

no data available

### Acute oral toxicity

Name	Method	Species	Dose
Sodium hypochlorite	EU CLP LD50	rat	1,100 mg/kg
Amines, C12-18-alkyldimethyl, N-oxides	EU CLP LD50	rat	846 mg/kg
Silicic acid, sodium salt	EU CLP LD50	rat	3,400 mg/kg

## Acute inhalation toxicity

(according to Regulation (EC) No. 1907/2006)



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

Name	Method	Species	Dose	Exposure time
Silicic acid, sodium salt	EU CLP LC50 (vapour)	rat	> 2.06 mg/l	4 h

Name		Method	Species	Dose	
Sodium hypochlorite		EU CLP LD50 rabbit > 20,00			
Sodium hydroxide		LD50	rabbit	1,350 mg/kg	
Amines, C12-18-alkyldimet N-oxides	hyl,	EU CLP LD50	rat	> 2,000 mg/kg	
Silicic acid, sodium salt		EU CLP LD50	rat	> 5,000 mg/kg	
Skin corrosion/irritation	:	Causes severe skin bur	rns.		
Serious eye damage/eye rritation	:	Causes serious eye damage.			
Skin sensitisation	:	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	:	Based on available data, the classification criteria are not me			
Carcinogenicity	:	Based on available data, the classification criteria are not met			
Toxicity for reproduction	:	Based on available data, the classification criteria are not met.			
STOT - single exposure	:	Based on available data, the classification criteria are not me			
STOT - repeated exposure	:	Based on available data	, the classification	criteria are not met.	
Aspiration hazard	:	Based on available data	, the classification	criteria are not met.	

### **12. ECOLOGICAL INFORMATION**

Product : The product itself has not been tested.

### 12.1 Toxicity

Components Acute aquatic toxicity		M-Factor	Chronic aquatic toxicity	M-Factor	
Sodium hypochlorite	Very toxic to aquatic life.	10	Very toxic to aquatic life with long lasting effects.	1	
Sodium hydroxide	No classification proposed		No classification proposed		
Amines, C12-18- alkyldimethyl, N-oxides	Very toxic to aquatic life.	1	Toxic to aquatic life with long lasting effects.		

(according to Regulation (EC) No. 1907/2006)



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

Silicic acid, sodium salt No classification	n proposed	No classification proposed	
---	------------	----------------------------	--

#### 12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	The methods for determining biodegradability are not applicable to inorganic substances.		
Sodium hydroxide	no data available		
Amines, C12-18- alkyldimethyl, N-oxides	82 %	28 d	Readily biodegradable.
Silicic acid, sodium salt	no data available		

## 12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	no data available	-3.42
Sodium hydroxide	0.89	-1.38
Amines, C12-18- alkyldimethyl, N-oxides	772	2.69
Silicic acid, sodium salt	no data available	no data available

#### 12.4 Mobility

Component	End point	Value	
Sodium hypochlorite		no data available	
Sodium hydroxide		no data available	
Amines, C12-18- alkyldimethyl, N-oxides	Кос	> 619	
Silicic acid, sodium salt		no data available	

#### 12.5 PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Amines, C12-18- alkyldimethyl, N-oxides	Not fulfilling PBT and vPvB criteria
Silicic acid, sodium salt	Not fulfilling PBT and vPvB criteria

### 12.6 Other adverse effects : None known.

(according to Regulation (EC) No. 1907/2006)



### MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

13. DISPOSAL CONSIDERATIONS 13.1 Waste treatment methods Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation.
		Please recycle empty packaging.
Packaging	:	Do not re-use empty containers.

# **14. TRANSPORT INFORMATION**

	Land transport	Sea transport	Air transport
14.1 UN number	3266	3266	3266
14.2 UN proper shipping	UN 3266 CORROSIVE	UN 3266 CORROSIVE	UN 3266 CORROSIVE
name	LIQUID, BASIC,	LIQUID, BASIC,	LIQUID, BASIC,
	INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, II	INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, II	INORGANIC, N.O.S. (sodium hydroxide, hypochlorite), 8, ll
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	11	П	11
14.5 Environmental hazards			
14.6 Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

## **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture :

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **16. OTHER INFORMATION**



## MR MUSCLE Drain Cleaner

Version 1.0 Revision Date 04.06.2014 Print Date 05.02.2015 Specification Number: 350000025014 SITE FORM Number: 30000000000000006629.001

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

## Further information

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.