

Page 1 of 8 MSDS #: <u>IC1656-0202</u> Product Code: 0896B

cspl_msds@canon.com.sg

Product Name:	Canon Ink Tank PFI-102C	
Product Code:	0896B	Supplier:
Company Name:	Canon Inc.	Canon Singapore Pte Ltd
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan	1 HarbourFront Avenue
Use of the Product:	Ink for Ink Jet Printer	#04-01, Keppel Bay Tower,
		Singapore 098632

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor. Combustible liquid and vapor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea, vomiting and cyanosis. Nitrate may cause effects on the blood, resulting in formation of methemoglobin. However, no ingestion of nitrate at a level which causes such adverse effects is expected under intended use of this product.

Eye:

May cause moderate irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects: Not identified

Medical Conditions Generally known to be Aggravated by Exposure: Not identified



MATERIAL SAFETY DATA SHEET

Page 2 of 8

Product Code:

MSDS #: IC1656-0202 0896B

< Ingredient(s) > Chemical Name /	CAS # /	Weight	EU Symbol/	USA	ACGIH TLV	EU ILV	DFG MAK
Generic Name	EC#	%	R-Phrase	OSHA PEL	ACGIII ILV	EUILV	DFG MAK
Substituted phthalocyanine	Confidential	5 - 10	Xi / R41 R52/53	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Polyethylene glycol	25322-68-3 / Not applicable	1 - 5	None / None	Not established	Not established	Not established	1000 mg/m ³
Nitrate	Confidential	1 - 5	None / None	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



MSDS #:

SECTION 4 FIRST AID MEASURES First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Note to Physicians: None **SECTION 5** FIRE FIGHTING MEASURES **Fire Fighting Measures: Extinguishing Media:** CO₂, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Fire Fighting Procedures:** None **Unusual Fire and Explosion Hazards:** None Fire and Explosive Properties (See also SECTION 9): **Hazardous Combustion Products:** CO, CO₂, NOx and SOx **Other Properties:** None **SECTION 6** ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist. **Environmental Precautions:** Do not release to sewer, surface water or ground water. Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep away from heat and flame.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

Canon		MSDS #:	Page 4 of 8 IC1656-0202
МА	TERIAL SAFETY DATA SHEET	Product Code:	0896B
SECTION 8 EXPOSURE CONT	ROLS / PERSONAL PROTECTION		
Exposure Guidelines: Not establi	shed for this ink. (See also SECTION 3)		
Personal Protection Equipment(s): Respiratory Protection: Require Eye/Face Protection: Require	d 🛛 Not Required		
Skin Protection: Require	1		
SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES		
Appearance:	Cyan liquid		
Odor:	Slight odor		
pH:	7 - 10		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available	· · 11 \	
Flash Point(°C): Flammable (Explosive) Limits:	59.3 (Tag. Closed Cup. Combustion is not Not available	sustainable.)	
Autoignition Temperature(°C):	Not available		
Flammability:	Classified as "combustible liquid" under O Not classified as "flammable" or "combust Not classified as "flammable" under 1999/4	ible" under FHS	A.
Explosive Properties:	None (Estimate)		
Oxidizing Properties:	None (Estimate)		
Vapor Pressure :	Not available		
Vapor Density :	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility :	Not available		
Partition Coefficient (n-Octanol/Water	:):Not available		
Percent Volatile (%):	60 - 80		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND F			
Stability:	🛛 Stable 🗌 Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reduc	ing agents	
Hazardous Decomposition Products:	$\underline{CO, CO_2, NOx and SOx}$		
Hazardous Polymerization:	May Occur Will Not Occur		
Conditions to Avoid:	None		

MSDS #:

Product Code:

SECTION 11	TOXICOLOGICAL INFORMATION		
Acute Toxicity			
Inhalation:			
Not avai	lable		
Ingestion:			
Not avai	lable		
Eye:			
•	ely irritating (rabbit) (Estimate)		
OEC	D Guidelines No.405 (2002), 2004/73/EC Method B5		
Skin:			
Mild irri	tant (rabbit) (Estimate)		
OEC	D Guidelines No.404 (2002), 2004/73/EC Method B4		
Sensitization:			
Non-sen	sitizer (mouse) (Estimate)		
	D Guidelines No.429 (2002), 2004/73/EC Method B42		
Mutagenicity:			
U I	st: Negative (S. typhimurium & E. Coli)		
Reproductive			
Not available			
Carcinogenicit	y:		
Not avai	lable		
Others:			
Not avai	lable		

			Page 6 of 8		
Canon		MSDS #:	IC1656-0202		
Cultur	MATERIAL SAFETY DATA SHEET	Product Code:	0896B		
SECTION 12 E	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence					
/ Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effe	cts: Not available				
SECTION 13 D Method of Disposal	ISPOSAL CONSIDERATIONS				
Disposal should b	be subject to federal, state and local laws.				
SECTION 14 T	RANSPORT INFORMATION				
UN #:	None				
UN Shipping Name	None				
UN Classification:	None				
UN Packing Group:	UN Packing Group: None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ⊠ No				
Special Precautions	None				
SECTION 15 R	EGULATORY INFORMATION				
< EU Information >					
Information on the	Label:				
Symbol & Indic	ation: Not required				
R-Phrase:					
Not required					
S-Phrase: Not required					
Dangerous Com Not required	ponent(s):				
	ons under 1999/45/EC Annex V:				
-	eet available for professional user on request.				
Specific Provisions	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)689/2008:	Not regulated				
Others:	None				

< USA Information >	
Information on the Labelunder OSHA HCS:	
Signal Word: Not required	
Hazard warning: COMBUSTIBLE LIQUID AND VAPOR. VAPOR OR MIST MAY CAUSE RESPIRATORY TRA	CT AND EYE IRRITATION.
Safety Advice: Not required	
Hazardous Component(s): Not required	
SARA Title III §313: Chemical Name	Weight %
"Copper Compounds" (as Cu)	5 - 10 (< 0.35)
"Nitrate compounds"	1 - 5
California Proposition 65: Chemical Name	Weight %
None	
< Canada Information > WHMIS Controlled Product: <u>Not applicable (Manufact</u>	ured article)
< Australia Information > Statement of Hazardous Nature: Not classified as hazardou	us according to criteria of NOHSC.
SECTION 16 OTHER INFORMATION	
<information customers="" eu="" for=""> This safety data sheet (SDS) is not for the professional user SECTION 15)</information>	described under Directive 1999/45/EC. (See
<r list="" phrase=""></r>	

R11: Highly flammable.
R36: Irritating to eyes.
R41: Risk of serious damage to eyes.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version> Entirely revised

<Term explanation> Estimate: Estimate based on data of similar ink or the ingredient(s).

Canon

Page 8 of 8 MSDS #: IC1656-0202

0896B

Product Code:

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)689/2008, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

- EU: European Union.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.