

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

HP Color LaserJet CE263A Magenta Print Cartridge

**Use of the preparation**This product is a magenta toner preparation that is used in HP Color LaserJet CP4525,

CP4025 series printers.

Revision date 16-Oct-2009

Company identification Hewlett-Packard, Ltd.

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

### 2. HAZARDS IDENTIFICATION

Acute health effects

Skin contact Unlikely to cause skin irritation.

Eye contact May cause transient slight irritation.

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use

of this product as intended does not result in inhalation of excessive amounts of dust.

**Ingestion** Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin and eye contact; and

inhalation

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

**Chronic health effects** Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this

product as intended does not result in inhalation of excessive amounts of dust.

Carcinogenicity None of the ingredients have been classified as carcinogens according to EU, IARC, MAK,

NTP, OSHA or ACGIH.

Physical hazards Not classified as a physical hazard.

Health hazards Not classified as a health hazard.

**Environmental hazards** Not classified as an environmental hazard.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU

Directive 1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight EU num	nber EU classification
Styrene acrylate copolymer	Trade secret	< 85	
Wax	Trade secret	< 10	
Pigment	Trade secret	< 7	
Amorphous silica	7631-86-9	< 2 231-545	5-4



4. FIRST AID MEASURES

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

5. FIRE-FIGHTING MEASURES

Flash point and method Not applicable

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Suitable extinguishing media

Extinguishing media which must not be used for safety

reasons

CO2, water, or dry chemical

None known.

Unusual fire & explosion

hazards

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

Specific methods None established.

6. ACCIDENTAL RELEASE MEASURES

**Personal precautions**Minimise dust generation and accumulation.

**Environmental precautions**Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

7. HANDLING AND STORAGE

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Keep tightly closed and dry. Store away from strong

oxidizers. Store at room temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Germany

ComponentsTypeValueFormAmorphous silica (7631-86-9)AGW4 mg/m3Inhalable fraction.

Additional exposure data USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH

(TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige

fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Personal protective equipment

**General** No personal respiratory protective equipment required under normal conditions of use.

Material nameCE263ASDS UKCreation date22-Sep-2009Version number12 / 5



### 9. PHYSICAL AND CHEMICAL PROPERTIES

Fine powder **Appearance** Not available. Physical state

**Form** solid Color Magenta

Odor Slight plastic odor **Odour threshold** Not available. Not applicable Hq **Boiling point** Not applicable Flash point Not applicable Not available. **Flammability** Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not flammable

Vapor pressure Not applicable Relative density Not available.

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Not applicable **Viscosity** Vapor density Not applicable **Evaporation rate** Not applicable Not available. **Melting point** Not available. Freezing point **Auto-ignition temperature** Not applicable 1 - 1.2 (H2O = 1)Specific gravity

Softening point 80 - 130 °C (176 - 266 °F)

### 10. STABILITY AND REACTIVITY

Stability Stable under normal storage conditions.

Conditions to avoid Imaging Drum: Exposure to light

Materials to avoid Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Hazardous polymerization Will not occur.

### 11. TOXICOLOGICAL INFORMATION

Inhalation toxicity No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

LD50/oral/rat >2000mg/kg; (OECD 401); Not harmful.. Not classified for acute oral toxicity **Oral toxicity** 

according to EU Directive 67/548/EEC and 1999/45/EC.

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Eye irritation

Directive 67/548/EEC and as amended.

No information available. **Chronic toxicity** 

Material name CE263A SDS UK Version number 1 Creation date 22-Sep-2009 3/5



Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Carcinogenicity

Regulations (USA), EU Directive, or Proposition 65 (California).

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Mutagenicity Reproductivity

Not classified as toxic according to EU Directive 67/548/EEC and as amended, California

Prop. 65, and DFG (Germany).

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 96.00 Hours, LL50 > 1000 mg/l, rainbow trout

Other adverse effects This product has not been tested for ecological effects.

### 13. DISPOSAL CONSIDERATIONS

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal instructions** 

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

### 14. TRANSPORT INFORMATION

General Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

#### 15. REGULATORY INFORMATION

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

Labeling

**Contains** Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

### 16. OTHER INFORMATION

Hewlett-Packard Company Manufacturer information

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Issue date 16-Oct-2009



### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds