

## **SECTION 1: Identification of the Substance and Company/Undertaking**

1.1	Product Identifier:	Remanufactured Laser Toner HP CF281A Black
		Rev 1 23.11.2015
1.2	Relevant identified uses of the substance and uses advised against	
	Use:	Toner for use in Laser Printers
	Relevant identified uses:	See Above
	Environmental release	ERC8c (Wide dispersive indoor use resulting in inclusion into or onto a
	category:	matrix) ERC11a (Wide dispersive indoor use of long-life articles and materials with low release)
	Mixture supplied to that use in form of:	A Mixture
	Product Categaory by type of chemical:	PC18 (Ink and Toners)
	Sector of end use:	SU3, 21, 22 (Industrial, Consumer and Professional uses)
	Uses advised against:	All other uses
1.3	Details of the supplier of the	e Safety data Sheet
	Address:	Dynamic Cassette International Limited
		Marsh Lane
		Boston
		Lincolnshire
		PE21 7TX
		England
	Telephone Number:	+44 (0)1205 355555
	Email Address:	sales@dci.co.uk
1.4	Emergency Telephone:	+44 (0)1205 355555 or 07901 825565
SEC	TION 2: Hazards Identifi	cation
2.1	Classification of the substan	nce

None

2.1.1 Classification according to

Regulation (EC) No 1272/2008 (including

	amendments):	
2.1.2	Classification according to	None
	EU Directive 67/548/EEC	
	(including amendments):	
	(including amendments).	
2.2	Label elements:	None
۷.۷	Laber elements.	Notice
	C'araba and	None
	Signal word:	None
	Hazard statements:	None
	Precautionary statements:	None
	Prevention:	None
	Storage:	None
	•	
2.3	Other Hazards:	The product is a dry mixture of various ingredients producing only slight risk
		of irritation in their pure state, in particular to the respiratory tract when
		exposed to large amounts of toner dust
		exposed to idige difficulty of toffer dust
2.4	Additional Information:	The product is not classified as hazardous according to EC and National
۷.4	Additional information.	· ·
		Regulations

### **SECTION 3: Composition / Information on Ingredients**

#### 3.1 Substances

Product identifier type in accordance with Article 18(2) of Regulation (EC) No 1272/2008	ldentifier number	Identification name	Weight % content (or range)	EC Number
CAS Number	25036-19-5	Styrene Acrylate Copolymer	25-60%	
CAS Number	1317-61-9	Magnetite	25-60%	
CAS Number	9003-07-0	Polypropylene Wax	2-5%	
CAS Number	112945-52-5	Silicon Dioxide	0.5-3%	

#### **SECTION 4: First-Aid Measures**

#### 4.1 **Description of First Aid Measures**

Ingestion: Rinse mouth with water. Give 2 cups of water, do not induce vomiting; seek

medical advice if symptoms occur

**Skin contact:** Clean affected areas with plenty of water, soap or other non-irritating

		cleanser. If irritation persists consult a physician
	Eye contact:	Flush eyes with plenty of water until clear; remove contact lenses; seek medical advice if irritation persists
	Inhalation:	Move the exposed person to fresh air at once. Seek medical advice if breathing is difficult
	First Aider Protection:	None specific
4.2	Most important symptoms	and effects, both acute and delayed
	Ingestion:	Slight irritation of the gastro-intestinal tract
	Skin contact:	Slight irritation
	Eye contact:	Slight irritation
	Inhalation:	Slight irritation of the respiratory tract
4.3	Indication of immediate me	dical attention and special treatment needed
	General advice:	None specific
5.1	Extinguishing media (sn	nall and large fires)
	Small Fire:	Water, water mist, foam, dry powder, CO2
	Small Fire:	Water, water mist, foam, dry powder, CO2
	Small Fire: Large Fire:	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2
	Small Fire:	Water, water mist, foam, dry powder, CO2
5.2.1	Small Fire: Large Fire:	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2
5.2.1	Small Fire: Large Fire: Avoid:	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2  None  This is a combustible material. May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition. It
5.2.2	Small Fire: Large Fire: Avoid: Specific Hazards:  Protective equipment and advice for fire fighters:	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2  None  This is a combustible material. May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition. It may form dust-explosive mixtures in the air  Self-contained breathing apparatus and full protective clothing
5.2.2	Small Fire: Large Fire: Avoid: Specific Hazards: Protective equipment and	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2  None  This is a combustible material. May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition. It may form dust-explosive mixtures in the air  Self-contained breathing apparatus and full protective clothing
5.2.2	Small Fire:  Large Fire:  Avoid:  Specific Hazards:  Protective equipment and advice for fire fighters:  TION 6: Accidental Rele	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2  None  This is a combustible material. May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition. It may form dust-explosive mixtures in the air  Self-contained breathing apparatus and full protective clothing
5.2.2 SEC	Small Fire:  Large Fire:  Avoid:  Specific Hazards:  Protective equipment and advice for fire fighters:  TION 6: Accidental Rele	Water, water mist, foam, dry powder, CO2  Water, water mist, foam, dry powder, CO2  None  This is a combustible material. May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition. It may form dust-explosive mixtures in the air  Self-contained breathing apparatus and full protective clothing  ase Measures

6.2 **Environmental precautions:** 

Take precautionary measures against discharges into the environment

- 6.3 Methods and material for containment and cleaning up
- 6.3.1 **For containment:** No specific hazards foreseen

6.3.2 For cleaning up: Vacuum spilled toner while minimising dust formation. If vacuum is used,

the motor must be rated as dust tight. A conductive hose bonded to the machine should be used to reduce static build up. Transfer carefully into a sealable waste container. Residue can be removed with cold water and soap. Garments may be washed or dry-cleaned, after removal of any loose

toner.

6.3.3 Other information:

None

6.4 Reference to other

sections:

Section 8

#### **SECTION 7: Handling and Storage**

7.1 Precautions for Safe Handling:

Handle with care

Use with adequate ventilation

Avoid inhalation of dust and contact with eyes and skin

Keep containers closed when not in use

Keep away from sources of heat, sparks and open flames

7.2 Conditions for safe storage, including any incompatibilities:

Store at room temperature in original container, dry and tightly closed. Do not store with oxidisers

7.3 Specific end uses:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, using the toilet, or applying cosmetics

#### **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1 Control Parameters

Substance	Deliberately left empty			
CAS No.				
	Limit value - Eight	hours	Limit value - Short teri	m
	ppm	mg/m³	ppm	mg/m³
USA OSHA		TWA / PEL; 15 mg/m <sup>3</sup> (total dust) TWA / PEL; 5mg/m3 (respirable fraction)		
USA ACGIH		TWA / TLV; 10mg/m3 (inhalable fraction)		

	TWA/TLV; 3MG/M3 (respirable particulate)	
United Kingdom	WEL; 10mg/m3 (inhalable dust) WEL 3mg/m3 (respirable dust)	

8.2

**Exposure controls** 

8.2.1	Engineering controls:	Use in well ventilated areas. Use engineering controls to reduce air contaminants to below permissible limits	
		·	
8.2.2	Personal protective equipment:	Wear dust resistant safety goggles if there is any danger of eye contact. Wear protective gloves to prevent direct skin contact. Wear an approved respirator for dust when exposure exceeds permissible	
		limits	
8.2.3	Environmental exposure controls:	Take precautionary measures against discharges into the environment	
SEC	ΓΙΟΝ 9: Physical and Cl	nemical Properties	
9.1	Information on basic physic	al and chemical properties	
	Appearance:	Black fine powder	
	Odour:	Faint	
	Odour threshold:	N/A	
	pH:	N/A	
	рп.	N/A	
	Melting point:	Softening point; -100 degrees C	
		action and promote and action action and action action and action action and action action action and action actio	
	Initial boiling point and boiling range:	N/A	
	Flash point:	N/A	
	Evaporation rate:	N/A	
	Evaporation rate:	N/A	
	Flammability:	N/A	
	·		
	Upper/lower flammability or explosive limits:	N/A	
	Vapour pressure:	N/A	
	Specific gravity:	1.3-1.8	

Relative density (water=1): N/A

	Solubility:	Negligible in water; partial in toluene and xylene
	Partition coefficient (noctanol/water):	N/A
	Auto-ignition temperature:	N/A
	Decomposition temperature:	N/A
	Viscosity:	N/A
	Explosive properties:	N/A
	Oxidising properties:	N/A
9.2	Other information	
	Critical Temperature:	N/A
SECT	ΓΙΟΝ 10: Stability and R	eactivity
	,,	
10.1	Reactivity:	Product is stable under normal storage and usage conditions
10.2	Chemical stability:	See above
10.3	Possibility of hazardous reactions:	None
10.4	Conditions to Avoid:	Heat, open flames, sparks and other sources of ignition. Keep dust away from ignition sources
10.5	Incompatible materials:	Strong oxidisers
10.6	Hazardous decomposition products:	May create toxic materials, carbon dioxide, carbon monoxide, various hydrocarbons etc. on thermal decomposition
SECT	ΓΙΟΝ 11: Toxicological I	nformation
11.1	Information on toxicologica	I effects
	Acute toxicity:	Tests on toners have indicated that there is no evidence of acute oral toxicity with an LD50 (oral, rat) > 2500 mg/kg
	Skin corrosion/irritation:	Not classified
	Serious eye damage/ irritation:	Not classified

Not classified

Respiratory or skin

	sensitisation:	
	Germ cell mutagenicity:	Ames Test - Negative
	Carcinogenicity:	N/A
	Reproductive toxicity:	Not classified
	STOT-single exposure:	N/A
	STOT-repeated exposure:	N/A
	Aspiration hazard:	N/A
	Further information:	None
SEC.	TION 12: Ecological Info	rmation
SEC	TION 12. Ecological lillo	mation
12.1	Toxicity:	This product has not been tested for environmental effects
12.2	Persistence and degradability:	N/A
12.3	Bioaccumulative potential:	N/A
12.4	Mobility in soil:	N/A
12.5	Results of PBT and vPvB assessment:	The mixture does not contain any ingredients which are PBT, vPvB or Substances of Very high Concern
12.6	Other adverse effects:	N/A
SEC.	TION 13: Disposal Cons	idovationa
SEC	TION 13. Disposal Colls	Iderations
13.1	Waste treatment methods:	Dispose of spilled or waste product in accordance with all local, state and federal regulations
SEC	TION 14: Transport Info	rmation
14.1	UN Number:	Not regulated
14.2	UN proper shipping name:	Not regulated
14.3	Transport hazard class:	Not regulated
14.4	Packing group:	Not regulated
14.5	Environmental hazards:	Not regulated

14.6 Special Precautions for user:

Not regulated

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code:

Not regulated

#### **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation specific for the substance/mixture:

The information contained in this safety data sheet does not constitute the users own assessment of workplace risks as required by other health and safety regulations

This product has been assessed to ensure of compliance to the EU REACH and CLP Regulations

15.2 Chemical Safety Assessment:

The product is determined as not being hazardous

#### **SECTION 16: Other Information**

Methods of evaluation: None specific

None specific

Abbreviations:

References:

 $\label{lem:REACH-Registration} \textbf{REACH-Registration, Evaluation, Authorisation and Restriction of Chemicals}$ 

CLP – Classification, labelling and Packaging of Substances and Mixtures

EC No – European Commission Number

**UN Number - United Nations Committee of Experts** 

WEL – Workplace Exposure Limit STOT – Specific Target Organ Toxicity

PBT – Persistent, Bioaccumulative and Toxic

vPvB - very Persistent and very Bioaccumulative

TWA- Time Weighted Average

OSHA – Occupational Safety and Health Administration

The information contained herein is carefully presented, based on the data we have. However, all precautions described herein are for normal handling, not for special handling. Please establish the safe usage in accordance with your handling procedures by reference to this SDS and applicable laws and guidance. In addition, the description, composition, and physical/chemical properties are typical values and not guaranteed for this product.

#### **Appendix 1: Exposure Scenarios**



Company Registration 175 7389