

PS43 - HV Extreme Ear Defenders High

Collection: Ear Muffs

Range: Hearing Protection

Materials: ABS, PU Foam, Neoprene, Carbon Steel, Nylon, Foam

Outer Carton: 20

Product information

The HV Extreme Ear Defenders are part of our new generation premium Ear Muffs. Featuring a PU padded headband, it provides maximum comfort during long periods of use. Its dual pin adjustable cups offer a secure fit. Excellent attenuation performance provides superior protection against harmful noise and the reflective padded headband provides ultimate comfort.

Ear Muffs

Portwest Hearing protection range includes PPE with different level sound attenuation, to be adapted to various working environments giving the correct protection from dangerous noise, without isolating the workers. New models and colours for earmuffs allow a personalised choice. An updated range of earplugs complete our competitive and performing offer.

Hearing Protection

Hearing problems occur when you are exposed to hazardous working conditions without wearing the correct protective equipment.

Standards

EN 352-1:2002 (SNR 36dB)
ANSI S3.19 (NRR 30dB)



Features

- Excellent attenuation rate
- Padded headband for comfort
- Reflective trim for increased visibility and safety
- Adjustable dual pin system provides multiple positioning for better fit
- Contrast colouring for added style
- CE certified
- CE-CAT III
- UKCA marked
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

PS43 - HV Extreme Ear Defenders High Commodity Code: 6506101000

Test House

ALIENOR CERTIFICATION (Notified Body No.: 2754)

ZA du Sanital
86100, France

Cert No: 2754/1246/159/07/21/0594

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)

SATRA Technology Park
NN16 8SD, United Kingdom

Cert No: AB0321/19872-01/E01-01

Michael & Associates, Inc. (Notified Body No.:)

2766 W. College Ave Suite 1
PA 16801, United States

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	GTIN/DUN14
PS43GRR	Grey	52.0	38.0	53.0	0.3250	0.1047	5036108338283	25036108827019