

## ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



### Description:

Black: Brother HL-1230/1240/1250/1270N Drum

**PRPS PN:** 626011  
**OEM Equiv.:** DR6000  
**OEM Yield Spec.:** 20000

**Black**

Average Continuous  
Composite Crtg Yields

**K**  
20540

### Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	20904	575	20547	21261	20114	21458	21745	21369	20987	20850	20459	20147	21007

**Dates of Test:**

Start Date	End Date
07/05/2012	25/05/2012

**Printer Serial Number:**

Printer 1	Printer 2	Printer 3
E60103J2J948150	E60104M1J462422	E60104A3J289306

**Average Conditions of test T °C / %RH:**

21 °C	47 %
-------	------

Computer model: PC  
Software used/Driver version: PCL 6  
Operating system: Windows 7 32-bit  
Printer model: HP M 506  
Version of PDF Reader: Adobe Reader 11  
Power (off/on) Everyday: Yes  
Number of Cartridges sets Used in Testing: 9  
Number of Cartridges sets Used in Calculations: 9  
Shake Procedure Used? When applicable, at 1st and 2nd fade  
Print Mode: Continuous  
Number of Printers Used in Testing: 3  
Media Used: A4  
Paper Weight: 80 gsm

### Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.