



Manufacturer (trade mark):	PRPS	Type/Model OEM:	TN325BK
Lot/Part number:	4213648	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	4000	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	E68021L2J310292 / E68452A1J160893 / E68452E2J281853		
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions		Test location 2):	SERBIA
Tester 1):	Aleksandar Kojic		
Test date:	29/08/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 4612		Yes	Sample 1
2 4415		Yes	Sample 2
3 4350		Yes	We use for A1 the
4 4512		Yes	MAX, for A2 the
5 4220		Yes	MEDIAN and for A3 the
6 4360		Yes	MIN value of the list at
7 4496		Yes	left
8 4245		Yes	Sample 7
9 4258		Yes	Sample 8
		Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 4000		Yes/no	Yes
2 4000		Yes/no	Yes
3 4000		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	4612	4360	4220	4397
Yield V: $(V1+V2+V3)/3=\bar{V}$	4000	4000	4000	4000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,10

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	22,7		
Average value of the 2 areas F comparing print V1:	22,6		
Difference is not higher than $\Delta \leq 5$ for Monochrom	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	23,9		
Average value of the 2 areas F comparing print V2:	21,9		
Difference is not higher than $\Delta \leq 5$ for Monochrom	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	23,6		
Average value of the 2 areas F comparing print V3:	22,1		
Difference is not higher than $\Delta \leq 5$ for Monochrom	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,5	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,4	62,2	39,4	22,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	4	4,3	0,8
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,4	64,2	42,9	25,9

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	11,8	9,3	4,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,8	7,8	5	4,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	82,4	62,4	43	23,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	6	1,9	1,5	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,1	61,3	43,8	25,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	9,1	8,5	5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	4	7,2	7	4,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	83,7	65,6	46	24,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,3	7,8	6,7	2,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,4	62,7	42,6	24,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	3	10,3	8,5	4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	2,5	1,8	1,9
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	TN325C
Lot/Part number:	4213655	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	3500		
Test device:	E68021L2J310292 / E68452A1J160893 / E68452E2J281853	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	29/08/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	3910	Yes	Sample 1
2	3856	Yes	Sample 2
3	3725	Yes	We use for A1 the
4	3720	Yes	MAX, for A2 the
5	3689	Yes	MEDIAN and for A3 the
6	3705	Yes	MIN value of the list at
7	3830	Yes	left
8	3915	Yes	Sample 7
9	3945	Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	3500	Yes/no	Yes
2	3500	Yes/no	Yes
3	3500	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3945	3830	3689	3821
Yield V: $(V1+V2+V3)/3=\bar{V}$	3500	3500	3500	3500

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,09

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	41,6		
Average value of the 2 areas F comparing print V1:	44,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	43,4		
Average value of the 2 areas F comparing print V2:	44,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	42,2		
Average value of the 2 areas F comparing print V3:	43,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,6	61,8	45,4	42,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	1,9	2,4	2,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,2	65,1	47,7	46,5

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	4,8	4,4	4,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	2,9	2	1,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	86,3	62,1	44,7	44,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,1	2	1,1	1,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,5	61,9	47,7	46,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	1,3	3,5	3,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,7	2,4	2,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	87,1	65	45,9	44,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	6,1	3,6	3,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	86,8	64,1	47	45,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	4,1	3,5	2,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	2	0,1	1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	TN325M
Lot/Part number:	4213662	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	3500		
Test device:	E68021L2J310292 / E68452A1J160893 / E68452E2J281853	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	29/08/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	3950	Yes	Sample 1
2	3847	Yes	Sample 2
3	3625	Yes	We use for A1 the
4	3512	Yes	MAX, for A2 the
5	3693	Yes	MEDIAN and for A3 the
6	3769	Yes	MIN value of the list at
7	3750	Yes	left
8	3805	Yes	Sample 7
9	3946	Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	3500	Yes/no	Yes
2	3500	Yes/no	Yes
3	3500	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3950	3769	3512	3744
Yield V: $(V1+V2+V3)/3=\bar{V}$	3500	3500	3500	3500

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,07

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	48,4		
Average value of the 2 areas F comparing print V1:	47,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	48,5		
Average value of the 2 areas F comparing print V2:	47,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	47,5		
Average value of the 2 areas F comparing print V3:	47,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	85,6	67,7	55,3	49,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	2	3,9	3,7	1,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	82,3	69,3	57,4	49

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	2,3	3,7	3,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	1,6	0	1,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	86,3	66,3	54,8	48,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,9	4,8	3	1,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	82,4	67,2	57,3	48,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	2,7	2,6	1,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,1	0,4	0,7
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	87,9	67,4	55,4	48,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	3,5	3,4	1,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	82,2	68,4	56,7	48,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,1	1,5	2,5	1,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,9	2	0,9	0
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	TN325Y
Lot/Part number:	4213679	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	3500	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	E68021L2J310292 / E68452A1J160893 / E68452E2J281853		
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	29/08/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	3991	Yes	Sample 1
2	3878	Yes	Sample 2
3	3964	Yes	We use for A1 the
4	3615	Yes	MAX, for A2 the
5	3895	Yes	MEDIAN and for A3 the
6	3996	Yes	MIN value of the list at
7	3615	Yes	left
8	3789	Yes	Sample 7
9	3850	Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	3500	Yes/no	Yes
2	3500	Yes/no	Yes
3	3500	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3996	3878	3615	3830
Yield V: $(V1+V2+V3)/3=\bar{V}$	3500	3500	3500	3500

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,09

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	84,2		
Average value of the 2 areas F comparing print V1:	80,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	86,3		
Average value of the 2 areas F comparing print V2:	80		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	6,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	85,9		
Average value of the 2 areas F comparing print V3:	79,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	6	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,4	90	86,6	83
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	0,9	1,5	2,4
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90	87,8	84,2	81

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	1,3	1,6	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	0,4	0,1	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	90,7	90,9	86,6	86,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	0,2	1,7	0,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	87,1	84,7	80,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,3	2,5	2,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	1,1	0,8	1,7
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	90,9	88,2	86,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,4	0,8	0,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	87,4	83,8	80,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	0,7	1,5	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	0,3	0,7	1,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed