## ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges

**Description:** Monochrome: Brother HL-7050



## Monochrome

PRPS PN: 623812

OEM Equiv.: TN5500
OEM Yield Spec.: 12000

Average Continuous Composite Crtg Yields

K

12520

## **Page Yield Information:**

**Brief Technical information** 

	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3	
Color	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	
Black/Monochrome	12723	320	12525	12922	12640	13510	12714	12580	12645	12393	12715	12500	12814	1

 Start Date
 End Date

 Dates of Test:
 10/04/2014
 10/05/2014

 Printer 1
 Printer 2
 Printer 3

 Printer Serial Number:
 E60528K4J134275
 E60528H6HJ147492
 E60555BJJ143947

Average Conditions of test T °C / %RH: 22 °C 46 %

Computer model: PC

Software used/Driver version: PCL 6

Operating system: Windows 7 32-bit

Printer model: HP M 506

Version of PDF Reader: Adobe Reader 11

Power (off/on) Everyday: Yes

Number of Cartridges sets Used in Testing: 9

 $\label{eq:Number of Cartridges sets Used in Calculations: 9}$ 

Shake Procedure Used? When aplicable, at 1st and 2nd fade

Print Mode: Continuous

Number of Printers Used in Testing:  $\,3\,$ 

Media Used: A4
Paper Weight: 80 gsm

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested follo wing these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

## Please note

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.