

TYPE OF TEST: ISO 19752

When cartridge Brother TN-2110 is used in printer Brother HL-2140.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 1900 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 1910 standard pages

Date Tested:

For questions concerning testing contact

13.8.2014 - 15.8.2014

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Brother TN-2110

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63167	63168	62872
Printer Type	Brother HL-2140	Brother HL-2140	Brother HL-2140
Serial Nr.	C0J495067	M7J215290	F0J752144
Driver Version:	1.07	1.07	1.07

Note:

Page yield rounded to 1900 It's 400 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	2114101432 - K001	PHI_14_I0752	1 721	Y
	C				
	Y				
	M				
2nd set	K	2114101432 - K002	PHI_14_I0753	2 347	Y
	C				
	Y				
	M				
3rd set	K	2114101432 - K003	PHI_14_I0754	1 877	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	5 945	1 982	326	1 432	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	2114101432 - K004	PHI_14_I0755	2 135	Y
	C				
	Y				
	M				
2nd set	K	2114101432 - K005	PHI_14_I0756	2 112	Y
	C				
	Y				
	M				
3rd set	K	2114101432 - K006	PHI_14_I0757	2 081	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	6 328	2 109	27	2 064	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	2114101432 - K007	PHI_14_I0758	1 835	Y
	C				
	Y				
	M				
2nd set	K	2114101432 - K008	PHI_14_I0759	2 014	Y
	C				
	Y				
	M				
3rd set	K	2114101432 - K009	PHI_14_I0760	2 130	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	5 979	1 993	149	1 742	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	18 252	2 028	190	1 910	9
	C						
	Y						
	M						

Note:
Statement OEM 1500 pages

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	22,5	Allowed 23
Testing Room - max. running average temp. [°C]	22,8	26
Testing Room - min. running average temp. [°C]	21,6	20

Testing Room average RH. [%]	57,6	Allowed 50
Testing Room - max. running average RH [%]	65,6	65
Testing Room - min. running average RH [%]	44,6	35

Note:

During tests there were exceeded limits set in the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 12.8.2014 10:45 - 15.8.2014 6:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			12.8.2014	10:45	22,5	56,5	N/A	N/A	Yes
			12.8.2014	11:00	22,7	52	N/A	N/A	Yes
			12.8.2014	11:15	22,3	47,1	N/A	N/A	Yes
			12.8.2014	11:30	22,2	51,4	22,4	51,8	Yes
			12.8.2014	11:45	22,7	53,7	22,5	51,1	Yes
			12.8.2014	12:00	22,3	47,1	22,4	49,8	Yes
			12.8.2014	12:15	22,2	54,9	22,4	51,8	Yes
			12.8.2014	12:30	22,6	58,6	22,5	53,6	Yes
			12.8.2014	12:45	22,3	49,3	22,4	52,5	Yes
			12.8.2014	13:00	22,5	59	22,4	55,5	Yes
			12.8.2014	13:15	22,8	57,2	22,6	56,0	Yes
			12.8.2014	13:30	22,4	48,8	22,5	53,6	Yes
			12.8.2014	13:45	22,1	53,7	22,5	54,7	Yes
			12.8.2014	14:00	22,5	59,1	22,5	54,7	Yes
			12.8.2014	14:15	22,8	59,4	22,5	55,3	Yes
			12.8.2014	14:30	22,5	51,8	22,5	56,0	Yes
			12.8.2014	14:45	22	48,9	22,5	54,8	Yes
			12.8.2014	15:00	22	58	22,3	54,5	Yes
			12.8.2014	15:15	22,3	60,1	22,2	54,7	Yes
			12.8.2014	15:30	22,6	59,7	22,2	56,7	Yes
			12.8.2014	15:45	22,7	59,4	22,4	59,3	Yes
			12.8.2014	16:00	22,9	58,7	22,6	59,5	Yes
			12.8.2014	16:15	22,3	53,6	22,6	57,9	Yes
			12.8.2014	16:30	22,4	60,5	22,6	58,1	Yes
			12.8.2014	16:45	22,6	60,9	22,6	58,4	Yes
			12.8.2014	17:00	22,8	60,4	22,5	58,9	Yes
			12.8.2014	17:15	22,7	55	22,6	59,2	Yes
			12.8.2014	17:30	22,3	58,8	22,6	58,8	Yes
			12.8.2014	17:45	22,5	61,9	22,6	59,0	Yes
			12.8.2014	18:00	22,7	61,4	22,6	59,3	Yes
			12.8.2014	18:15	22,9	60,9	22,6	60,8	Yes
			12.8.2014	18:30	22,3	53,8	22,6	59,5	Yes
			12.8.2014	18:45	22,4	61,4	22,6	59,4	Yes
			12.8.2014	19:00	22,6	62,1	22,6	59,6	Yes
			12.8.2014	19:15	22,8	61,5	22,5	59,7	Yes
			12.8.2014	19:30	22,9	58,1	22,7	60,8	Yes
			12.8.2014	19:45	22,2	56,6	22,6	59,6	Yes
			12.8.2014	20:00	22,4	61,9	22,6	59,5	Yes
			12.8.2014	20:15	22,5	62,2	22,5	59,7	Yes
			12.8.2014	20:30	22,7	61,8	22,5	60,6	Yes
			12.8.2014	20:45	22,8	61,5	22,6	61,9	Yes
			12.8.2014	21:00	22,7	54,9	22,7	60,1	Yes
			12.8.2014	21:15	22,1	56,5	22,6	58,7	Yes
			12.8.2014	21:30	22,2	61,9	22,5	58,7	Yes
			12.8.2014	21:45	22,4	62,8	22,4	59,0	Yes
			12.8.2014	22:00	22,6	62,2	22,3	60,9	Yes
			12.8.2014	22:15	22,7	61,7	22,5	62,2	Yes

TEST REPORT

Creation date of report: 19.8.2014

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	12.8.2014	22:30	22,8	61,5	22,6	62,1	Yes
			12.8.2014	22:45	22,9	61,3	22,8	61,7	Yes
			12.8.2014	23:00	22,4	58,5	22,7	60,8	Yes
			12.8.2014	23:15	22,5	62,5	22,7	61,0	Yes
			12.8.2014	23:30	22,6	62,5	22,6	61,2	Yes
			12.8.2014	23:45	22,7	62	22,6	61,4	Yes
			13.8.2014	0:00	22,9	61,7	22,7	62,2	Yes
			13.8.2014	0:15	22,8	57,7	22,8	61,0	Yes
			13.8.2014	0:30	22,4	60,7	22,7	60,5	Yes
			13.8.2014	0:45	22,5	63	22,7	60,8	Yes
			13.8.2014	1:00	22,7	62,5	22,6	61,0	Yes
			13.8.2014	1:15	22,8	62,1	22,6	62,1	Yes
			13.8.2014	1:30	22,9	61,7	22,7	62,3	Yes
			13.8.2014	1:45	22,4	59,3	22,7	61,4	Yes
			13.8.2014	2:00	22,5	63	22,7	61,5	Yes
			13.8.2014	2:15	22,6	62,9	22,6	61,7	Yes
			13.8.2014	2:30	22,8	62,3	22,6	61,9	Yes
			13.8.2014	2:45	22,8	61,9	22,7	62,5	Yes
			13.8.2014	3:00	22,5	54,4	22,7	60,4	Yes
			13.8.2014	3:15	22,4	62,6	22,6	60,3	Yes
			13.8.2014	3:30	22,6	63,3	22,6	60,6	Yes
			13.8.2014	3:45	22,7	62,5	22,6	60,7	Yes
			13.8.2014	4:00	22,8	62,1	22,6	62,6	Yes
			13.8.2014	4:15	22,6	54,9	22,7	60,7	Yes
			13.8.2014	4:30	22,4	62,2	22,6	60,4	Yes
			13.8.2014	4:45	22,5	63,6	22,6	60,7	Yes
			13.8.2014	5:00	22,7	62,8	22,6	60,9	Yes
			13.8.2014	5:15	22,5	53,4	22,5	60,5	Yes
			13.8.2014	5:30	22,3	59,4	22,5	59,8	Yes
			13.8.2014	5:45	22,6	62,8	22,5	59,6	Yes
			13.8.2014	6:00	22,6	54,7	22,5	57,6	Yes
			13.8.2014	6:15	22,3	56,3	22,5	58,3	Yes
			13.8.2014	6:30	22,6	61,8	22,5	58,9	Yes
			13.8.2014	6:45	22,5	53,2	22,5	56,5	Yes
			13.8.2014	7:00	22,4	58	22,5	57,3	Yes
			13.8.2014	7:15	22,6	56,3	22,5	57,3	Yes
			13.8.2014	7:30	22,3	51,9	22,5	54,9	Yes
			13.8.2014	7:45	22,6	60	22,5	56,6	Yes
			13.8.2014	8:00	22,6	52,1	22,5	55,1	Yes
			13.8.2014	8:15	22,1	53	22,4	54,3	Yes
			13.8.2014	8:30	22,6	59,9	22,5	56,3	Yes
			13.8.2014	8:45	22,5	51,3	22,5	54,1	Yes
			13.8.2014	9:00	22,6	56,5	22,5	55,2	Yes
			13.8.2014	9:15	22,4	49,1	22,5	54,2	Yes
			13.8.2014	9:30	22,6	58,5	22,5	53,9	Yes
			13.8.2014	9:45	22,5	49,8	22,5	53,5	Yes
			13.8.2014	10:00	22,3	50,7	22,5	52,0	Yes
			13.8.2014	10:15	22,6	58	22,5	54,3	Yes
			13.8.2014	10:30	22,5	49,5	22,5	52,0	Yes
			13.8.2014	10:45	22,6	56,9	22,5	53,8	Yes
			13.8.2014	11:00	22,7	51,7	22,6	54,0	Yes
			13.8.2014	11:15	22,5	54,8	22,6	53,2	Yes
			13.8.2014	11:30	22,8	55,4	22,7	54,7	Yes
			13.8.2014	11:45	22,4	47,6	22,6	52,4	Yes
			13.8.2014	12:00	22,2	47,2	22,5	51,3	Yes
			13.8.2014	12:15	22,7	56	22,5	51,6	Yes
			13.8.2014	12:30	22,4	47,4	22,4	49,6	Yes
			13.8.2014	12:45	22,1	45,1	22,4	48,9	Yes
			13.8.2014	13:00	22,6	56,9	22,5	51,4	Yes
			13.8.2014	13:15	22,4	47,7	22,4	49,3	Yes
			13.8.2014	13:30	22,4	45,1	22,4	48,7	Yes
			13.8.2014	13:45	21,8	43,1	22,3	48,2	Yes
			13.8.2014	14:00	21,4	42,5	22,0	44,6	Yes
			13.8.2014	14:15	21,4	52,3	21,8	45,8	Yes
			13.8.2014	14:30	21,8	56,9	21,6	48,7	Yes
			13.8.2014	15:00	22,3	58,1	21,7	52,5	Yes
			13.8.2014	15:15	22,5	57,7	22,0	56,3	Yes
			13.8.2014	15:30	22,7	58,2	22,3	57,7	Yes
			13.8.2014	15:45	22,6	53,6	22,5	56,9	Yes
			13.8.2014	16:00	22,3	59,7	22,5	57,3	Yes
			13.8.2014	16:15	22,5	60,7	22,5	58,1	Yes
			13.8.2014	16:30	22,7	57,3	22,5	57,8	Yes
			13.8.2014	16:45	22,3	60,2	22,5	59,5	Yes
			13.8.2014	17:00	22,5	61,7	22,5	60,0	Yes
			13.8.2014	17:15	22,7	61	22,6	60,1	Yes
			13.8.2014	17:30	22,6	55,2	22,5	59,5	Yes
			13.8.2014	17:45	22,4	60,9	22,6	59,7	Yes
			13.8.2014	18:00	22,5	62,7	22,6	60,0	Yes
			13.8.2014	18:15	22,7	62,1	22,6	60,2	Yes
			13.8.2014	18:30	22,6	56,3	22,6	60,5	Yes
			13.8.2014	18:45	22,3	61,5	22,5	60,7	Yes
			13.8.2014	19:00	22,5	63,5	22,5	60,9	Yes
			13.8.2014	19:15	22,7	63,1	22,5	61,1	Yes
			13.8.2014	19:30	22,8	62,8	22,6	62,7	Yes
			13.8.2014	19:45	22,3	58,7	22,6	62,0	Yes
			13.8.2014	20:00	22,4	63,7	22,6	62,1	Yes

TEST REPORT

Creation date of report: 19.8.2014

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	13.8.2014	20:15	22,6	64,2	22,5	62,4	Yes
			13.8.2014	20:30	22,7	63,6	22,5	62,6	Yes
			13.8.2014	20:45	22,6	57,1	22,6	62,2	Yes
			13.8.2014	21:00	22,3	62,3	22,6	61,8	Yes
			13.8.2014	21:15	22,4	64,7	22,5	61,9	Yes
			13.8.2014	21:30	22,6	64,5	22,5	62,2	Yes
			13.8.2014	21:45	22,8	64,1	22,5	63,9	Yes
			13.8.2014	22:00	22,6	57,6	22,6	62,7	Yes
			13.8.2014	22:15	22,2	61,1	22,6	61,8	Yes
			13.8.2014	22:30	22,3	65,2	22,5	62,0	Yes
			13.8.2014	22:45	22,5	65,8	22,4	62,4	Yes
			13.8.2014	23:00	22,6	65,4	22,4	64,4	Yes
			13.8.2014	23:15	22,7	65,1	22,5	65,4	Yes
			13.8.2014	23:30	22,8	61,7	22,7	64,5	Yes
			13.8.2014	23:45	22,3	61,5	22,6	63,4	Yes
			14.8.2014	0:00	22,4	65,5	22,6	63,5	Yes
			14.8.2014	0:15	22,5	65,8	22,5	63,6	Yes
			14.8.2014	0:30	22,7	65,5	22,5	64,6	Yes
			14.8.2014	0:45	22,8	65,2	22,6	65,5	Yes
			14.8.2014	1:00	22,7	60	22,7	64,1	Yes
			14.8.2014	1:15	22,3	61,7	22,6	63,1	Yes
			14.8.2014	1:30	22,4	65,5	22,6	63,1	Yes
			14.8.2014	1:45	22,5	65,9	22,5	63,3	Yes
			14.8.2014	2:00	22,6	65,6	22,5	64,7	Yes
			14.8.2014	2:15	22,7	65,2	22,6	65,6	Yes
			14.8.2014	2:30	22,8	65	22,7	65,4	Yes
			14.8.2014	2:45	22,8	62,1	22,7	64,5	Yes
			14.8.2014	3:00	22,3	62	22,7	63,6	Yes
			14.8.2014	3:15	22,4	65,3	22,6	63,6	Yes
			14.8.2014	3:30	22,5	65,7	22,5	63,8	Yes
			14.8.2014	3:45	22,6	65,2	22,5	64,6	Yes
			14.8.2014	4:00	22,7	64,8	22,6	65,3	Yes
			14.8.2014	4:15	22,8	64,4	22,7	65,0	Yes
			14.8.2014	4:30	22,8	61,7	22,7	64,0	Yes
			14.8.2014	4:45	22,2	60	22,6	62,7	Yes
			14.8.2014	5:00	22,3	64,6	22,5	62,7	Yes
			14.8.2014	5:15	22,5	61,8	22,5	62,0	Yes
PHI_14_I0753	PHI_14_I0755	PHI_14_I0758	14.8.2014	5:30	22,1	52,7	22,3	59,8	Yes
			14.8.2014	5:45	21,8	48,8	22,2	57,0	Yes
			14.8.2014	6:00	22,1	59,7	22,1	55,8	Yes
			14.8.2014	6:15	22,4	59,3	22,1	55,1	Yes
			14.8.2014	6:30	22,1	50,5	22,1	54,6	Yes
			14.8.2014	6:45	21,8	47,6	22,1	54,3	Yes
			14.8.2014	7:00	22,1	57,5	22,1	53,7	Yes
			14.8.2014	7:15	22,4	55,2	22,1	52,7	Yes
			14.8.2014	7:30	22,1	48,2	22,1	52,1	Yes
			14.8.2014	7:45	22,1	56	22,2	54,2	Yes
			14.8.2014	8:00	22,5	56	22,3	53,9	Yes
			14.8.2014	8:15	22,2	48,3	22,2	52,1	Yes
			14.8.2014	8:30	22	45,7	22,2	51,5	Yes
			14.8.2014	8:45	21,8	49,8	22,1	50,0	Yes
			14.8.2014	9:00	22,2	56,1	22,1	50,0	Yes
			14.8.2014	9:15	22,3	50,5	22,1	50,5	Yes
			14.8.2014	9:30	22,3	56,6	22,2	53,3	Yes
			14.8.2014	9:45	22,5	51,2	22,3	53,6	Yes
			14.8.2014	10:00	22,2	46,6	22,3	51,2	Yes
			14.8.2014	10:15	22	44,5	22,3	49,7	Yes
			14.8.2014	10:30	22	52,4	22,2	48,7	Yes
			14.8.2014	10:45	22,5	56,6	22,2	50,0	Yes
			14.8.2014	11:00	22,3	48,2	22,2	50,4	Yes
			14.8.2014	11:15	22	45,1	22,2	50,6	Yes
			14.8.2014	11:30	22	52	22,2	50,5	Yes
			14.8.2014	11:45	22,6	53,3	22,2	49,7	Yes
			14.8.2014	12:00	22,4	47,9	22,3	49,6	Yes
			14.8.2014	12:15	22,3	44,7	22,3	49,5	Yes
			14.8.2014	12:30	22,1	43	22,4	47,2	Yes
			14.8.2014	12:45	22,4	52,9	22,3	47,1	Yes
			14.8.2014	13:00	22,5	48,2	22,3	47,2	Yes
			14.8.2014	13:15	22,3	44,2	22,3	47,1	Yes
			14.8.2014	13:30	22	42,2	22,3	46,9	Yes
			14.8.2014	13:45	22,4	53,1	22,3	46,9	Yes
PHI_14_I0754	PHI_14_I0757	PHI_14_I0760	14.8.2014	14:00	22,4	48,4	22,3	47,0	Yes
			14.8.2014	14:15	22	49,8	22,2	48,4	Yes
			14.8.2014	14:30	22,3	57,5	22,3	52,2	Yes
			14.8.2014	14:45	22,6	57,8	22,3	53,4	Yes
			14.8.2014	15:00	22,6	52,6	22,4	54,4	Yes
			14.8.2014	15:15	22,4	58,3	22,5	56,6	Yes
			14.8.2014	15:30	22,7	58,1	22,6	56,7	Yes
			14.8.2014	15:45	22,6	52,4	22,6	55,4	Yes
			14.8.2014	16:00	22,5	59,4	22,6	57,1	Yes
			14.8.2014	16:15	22,8	57,5	22,7	56,9	Yes
			14.8.2014	16:30	22,4	58,6	22,6	57,0	Yes
			14.8.2014	16:45	22,6	59,5	22,6	58,8	Yes
			14.8.2014	17:00	22,8	58,6	22,7	58,6	Yes
			14.8.2014	17:15	22,4	58,3	22,6	58,8	Yes
			14.8.2014	17:30	22,6	60,1	22,6	59,1	Yes

TEST REPORT

Creation date of report: 19.8.2014

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	14.8.2014	17:45	22,8	57	22,7	58,5	Yes
			14.8.2014	18:00	22,4	59,3	22,6	58,7	Yes
			14.8.2014	18:15	22,6	60,4	22,6	59,2	Yes
			14.8.2014	18:30	22,6	54,7	22,6	57,9	Yes
			14.8.2014	18:45	22,4	60,5	22,5	58,7	Yes
			14.8.2014	19:00	22,6	60,2	22,6	59,0	Yes
			14.8.2014	19:15	22,8	56,8	22,6	58,1	Yes
			14.8.2014	19:30	22,3	59,4	22,5	59,2	Yes
			14.8.2014	19:45	22,5	60,9	22,6	59,3	Yes
			14.8.2014	20:00	22,7	59,7	22,6	59,2	Yes
			14.8.2014	20:15	22,6	53,3	22,5	58,3	Yes
			14.8.2014	20:30	22,4	60,7	22,6	58,7	Yes
			14.8.2014	20:45	22,6	60,1	22,6	58,5	Yes
			14.8.2014	21:00	22,8	59,2	22,6	58,3	Yes
			14.8.2014	21:15	22,4	58,4	22,6	59,6	Yes
			14.8.2014	21:30	22,5	61,1	22,6	59,7	Yes
			14.8.2014	21:45	22,7	59,8	22,6	59,6	Yes
			14.8.2014	22:00	22,8	58,9	22,6	59,6	Yes
			14.8.2014	22:15	22,4	58,9	22,6	59,7	Yes
			14.8.2014	22:30	22,5	60,9	22,6	59,6	Yes
			14.8.2014	22:45	22,7	59,8	22,6	59,6	Yes
			14.8.2014	23:00	22,8	59	22,6	59,7	Yes
			14.8.2014	23:15	22,4	58,2	22,6	59,5	Yes
			14.8.2014	23:30	22,5	61,1	22,6	59,5	Yes
			14.8.2014	23:45	22,6	59,8	22,6	59,5	Yes
			15.8.2014	0:00	22,8	59,1	22,6	59,6	Yes
			15.8.2014	0:15	22,4	56,1	22,6	59,0	Yes
			15.8.2014	0:30	22,4	61,1	22,6	59,0	Yes
			15.8.2014	0:45	22,6	60,1	22,6	59,1	Yes
			15.8.2014	1:00	22,7	59,3	22,5	59,2	Yes
			15.8.2014	1:15	22,8	57,9	22,6	59,6	Yes
			15.8.2014	1:30	22,4	59,8	22,6	59,3	Yes
			15.8.2014	1:45	22,5	60,5	22,6	59,4	Yes
			15.8.2014	2:00	22,7	59,6	22,6	59,5	Yes
			15.8.2014	2:15	22,8	59,1	22,6	59,8	Yes
			15.8.2014	2:30	22,6	53,3	22,7	58,1	Yes
			15.8.2014	2:45	22,4	60,8	22,6	58,2	Yes
			15.8.2014	3:00	22,6	60,3	22,6	58,4	Yes
			15.8.2014	3:15	22,7	59,5	22,6	58,5	Yes
			15.8.2014	3:30	22,8	58,9	22,6	59,9	Yes
			15.8.2014	3:45	22,7	55	22,7	58,4	Yes
			15.8.2014	4:00	22,4	60,1	22,7	58,4	Yes
			15.8.2014	4:15	22,5	60,3	22,6	58,6	Yes
			15.8.2014	4:30	22,7	59,5	22,6	58,7	Yes
			15.8.2014	4:45	22,7	58,9	22,6	59,7	Yes
			15.8.2014	5:00	22,8	58,5	22,7	59,3	Yes
			15.8.2014	5:15	22,4	49,8	22,7	56,7	Yes
			15.8.2014	5:30	22,2	53,2	22,5	55,1	Yes
			15.8.2014	5:45	22,5	53,2	22,5	53,7	Yes
			15.8.2014	6:00	22,3	47,3	22,4	50,9	Yes
PHI_14_I0754	PHI_14_I0757	PHI_14_I0760	15.8.2014	6:15	22,1	45,1	22,3	49,7	Yes
			15.8.2014	6:30	22,3	56,3	22,3	50,5	Yes