

# ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



**Description:** Black: Epson EPL 6200 Drum

<b>Black</b>		
<b>PRPS PN:</b>	4234650	Average Continuous Composite Crtg Yields  <b>K</b>  20800
<b>OEM Equiv.:</b>	<b>C13S051099</b>	
<b>OEM Yield Spec.:</b>	20000	

### Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	21123	508	20807	21438	21450	21515	21851	21365	20820	20478	20693	20478	21454

**Dates of Test:**

<b>Start Date</b>	<b>End Date</b>
13/09/2014	10/10/2014

**Printer Serial Number:**

<b>Printer 1</b>	<b>Printer 2</b>	<b>Printer 3</b>
FGHZ084237	JGHZ084237	N/A

**Average Conditions of test T °C / %RH:**

23 °C	48 %
-------	------

Computer model: PC  
 Software used/Driver version: PCL 6  
 Operating system: Windows 7 32-bit  
 Printer model: HP M 506  
 Version of PDF Reader: Adobe Reader 11  
 Power (off/on) Everyday: Yes  
 Number of Cartridges sets Used in Testing: 9  
 Number of Cartridges sets Used in Calculations: 9  
 Shake Procedure Used? When aplicable, at 1st and 2nd fade  
 Print Mode: Continuous  
 Number of Printers Used in Testing: 3  
 Media Used: A4  
 Paper Weight: 80 gsm

### Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested follo wing these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:  
 These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.