

TYPE OF TEST: ISO 19752

When cartridge HP C7115X is used in printer HP LJ 1200.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 7650 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 7655 standard pages

Date Tested:

For questions concerning testing contact

12.10.2015 - 21.10.2015

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP C7115X

Shake Procedure Used

Yes

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - Test Page

Power (off/on) everyday?

Yes

Computer stations and printers:

Station 1.
Computer Model: Pentium(R) Dual-Core 2.60GHz
Operating System: Windows XP Professional

Station 2.
Computer Model: Pentium(R) Dual-Core 2.60GHz
Operating System: Windows XP Professional

Station 3.
Computer Model: Pentium(R) Dual-Core 2.60GHz
Operating System: Windows XP Professional

Printer Number: 62081
Printer Type: HP LJ 1200
Printer Serial Number: 6D23M1Ak
Printer Firmware Version: 20010214
Driver Version: PCL6 - 4.3.2.208

61723
HP LJ 1200
CNC2767532
20001023
PCL6 - 4.3.2.208

62156
HP LJ 1200
CNC124424
20010214
PCL6 - 4.3.2.208

Note:

Page yield rounded to 7650. It's 4150 pages more than OEM.



TEST REPORT

Creation date of report: 6.11.2015

Signature: jelele

TYPE OF TEST:

ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071683528659-K001	PHI_15_I0293	7 639	Y
	C				
	Y				
	M				
2nd set	K	15071680428659-K002	PHI_15_I0294	7 047	Y
	C				
	Y				
	M				
3rd set	K	15071675728659-K003	PHI_15_I0295	7 262	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	21 948	7 316	300	6 811	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071680528659-K004	PHI_15_I0296	8 258	Y
	C				
	Y				
	M				
2nd set	K	15071685428659-K005	PHI_15_I0297	7 293	Y
	C				
	Y				
	M				
3rd set	K	15071685228659-K006	PHI_15_I0298	9 200	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	24 751	8 250	954	6 643	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071682928659-K007	PHI_15_I0299	9 370	Y
	C				
	Y				
	M				
2nd set	K	15071681728659-K008	PHI_15_I0300	9 600	Y
	C				
	Y				
	M				
3rd set	K	15071683828659-K009	PHI_15_I0301	8 796	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	27 766	9 255	414	8 557	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	74 465	8 274	999	7 655	9
	C						
	Y						
	M						

Note:

Statement OEM 3500 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	21,1	Allowed 21-25
Testing Room - max. running average temp. [°C]	23,5	26
Testing Room - min. running average temp. [°C]	20,0	20

Testing Room average RH. [%]	56,5	Allowed 40-60
Testing Room - max. running average RH [%]	59,6	65
Testing Room - min. running average RH [%]	49,8	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 11.10.2015 7:15 - 21.10.2015 7:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			11.10.2015	7:15	21,1	56	N/A	N/A	No
			11.10.2015	7:30	21,1	57,1	N/A	N/A	No
			11.10.2015	7:45	21,1	55,7	N/A	N/A	No
			11.10.2015	8:00	21	56,9	21,1	56,4	Yes
			11.10.2015	8:15	21	57,1	21,1	56,7	Yes
			11.10.2015	8:30	20,9	56,5	21,0	56,6	Yes
			11.10.2015	8:45	20,9	58,3	21,0	57,2	Yes
			11.10.2015	9:00	20,9	56,3	20,9	57,1	Yes
			11.10.2015	9:15	20,8	57,6	20,9	57,2	Yes
			11.10.2015	9:30	20,8	56,1	20,9	57,1	Yes
			11.10.2015	9:45	20,8	57,1	20,8	56,8	Yes
			11.10.2015	10:00	20,8	56,4	20,8	56,8	Yes
			11.10.2015	10:15	20,7	57,1	20,8	56,7	Yes
			11.10.2015	10:30	20,7	57,1	20,8	56,9	Yes
			11.10.2015	10:45	20,6	57,1	20,7	56,9	Yes
			11.10.2015	11:00	20,6	57,2	20,7	57,1	Yes
			11.10.2015	11:15	20,6	56,9	20,6	57,1	Yes
			11.10.2015	11:30	20,6	57,6	20,6	57,2	Yes
			11.10.2015	11:45	20,5	56,8	20,6	57,1	Yes
			11.10.2015	12:00	20,5	57,9	20,6	57,3	Yes
			11.10.2015	12:15	20,5	56,7	20,5	57,3	Yes
			11.10.2015	12:30	20,5	58,4	20,5	57,5	Yes
			11.10.2015	12:45	20,5	56,5	20,5	57,4	Yes
			11.10.2015	13:00	20,4	57,9	20,5	57,4	Yes
			11.10.2015	13:15	20,4	56,5	20,5	57,3	Yes
			11.10.2015	13:30	20,4	57,5	20,4	57,1	Yes
			11.10.2015	13:45	20,4	56,3	20,4	57,1	Yes
			11.10.2015	14:00	20,3	57,3	20,4	56,9	Yes
			11.10.2015	14:15	20,3	57,7	20,4	57,2	Yes
			11.10.2015	14:30	20,3	57,1	20,3	57,1	Yes
			11.10.2015	14:45	20,3	57,7	20,3	57,5	Yes
			11.10.2015	15:00	20,3	56,8	20,3	57,3	Yes
			11.10.2015	15:15	20,3	58,2	20,3	57,5	Yes
			11.10.2015	15:30	20,3	56,4	20,3	57,3	Yes
			11.10.2015	15:45	20,2	57,6	20,3	57,3	Yes
			11.10.2015	16:00	20,3	56,3	20,3	57,1	Yes
			11.10.2015	16:15	20,2	57,3	20,3	56,9	Yes
			11.10.2015	16:30	20,2	57,5	20,2	57,2	Yes
			11.10.2015	16:45	20,2	57	20,2	57,0	Yes
			11.10.2015	17:00	20,2	57,8	20,2	57,4	Yes
			11.10.2015	17:15	20,2	56,8	20,2	57,3	Yes
			11.10.2015	17:30	20,2	58,2	20,2	57,5	Yes
			11.10.2015	17:45	20,2	56,5	20,2	57,3	Yes
			11.10.2015	18:00	20,1	57,6	20,2	57,3	Yes
			11.10.2015	18:15	20,1	56,3	20,2	57,2	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	11.10.2015	18:30	20,1	57,3	20,1	56,9	Yes
			11.10.2015	18:45	20,1	56,1	20,1	56,8	Yes
			11.10.2015	19:00	20,1	57,5	20,1	56,8	Yes
			11.10.2015	19:15	20,1	56,1	20,1	56,8	Yes
			11.10.2015	19:30	20	57,4	20,1	56,8	Yes
			11.10.2015	19:45	20	56,1	20,1	56,8	Yes
			11.10.2015	20:00	20	56,7	20,0	56,6	Yes
			11.10.2015	20:15	20	55,8	20,0	56,5	Yes
			11.10.2015	20:30	20	57	20,0	56,4	Yes
			11.10.2015	20:45	20	55,8	20,0	56,3	Yes
			11.10.2015	21:00	20,1	57,1	20,0	56,4	Yes
			11.10.2015	21:15	20,1	55,7	20,1	56,4	Yes
			11.10.2015	21:30	20,1	56,8	20,1	56,4	Yes
			11.10.2015	21:45	20,1	55,5	20,1	56,3	Yes
			11.10.2015	22:00	20,1	56,5	20,1	56,1	Yes
			11.10.2015	22:15	20,2	56,8	20,1	56,4	Yes
			11.10.2015	22:30	20,2	56,1	20,2	56,2	Yes
			11.10.2015	22:45	20,2	57,2	20,2	56,7	Yes
			11.10.2015	23:00	20,2	55,9	20,2	56,5	Yes
			11.10.2015	23:15	20,2	57	20,2	56,6	Yes
			11.10.2015	23:30	20,2	55,8	20,2	56,5	Yes
			11.10.2015	23:45	20,2	56,9	20,2	56,4	Yes
			12.10.2015	0:00	20,2	56,6	20,2	56,6	Yes
			12.10.2015	0:15	20,3	56,3	20,2	56,4	Yes
			12.10.2015	0:30	20,3	57,7	20,3	56,9	Yes
			12.10.2015	0:45	20,3	55,8	20,3	56,6	Yes
			12.10.2015	1:00	20,3	56,9	20,3	56,7	Yes
			12.10.2015	1:15	20,3	55,4	20,3	56,5	Yes
			12.10.2015	1:30	20,3	56,4	20,3	56,1	Yes
			12.10.2015	1:45	20,2	56,1	20,3	56,2	Yes
			12.10.2015	2:00	20,3	56	20,3	56,0	Yes
			12.10.2015	2:15	20,4	57,5	20,3	56,5	Yes
			12.10.2015	2:30	20,4	55,6	20,3	56,3	Yes
			12.10.2015	2:45	20,4	56,7	20,4	56,5	Yes
			12.10.2015	3:00	20,4	55,3	20,4	56,3	Yes
			12.10.2015	3:15	20,4	56,6	20,4	56,1	Yes
			12.10.2015	3:30	20,4	56	20,4	56,2	Yes
			12.10.2015	3:45	20,4	56,2	20,4	56,0	Yes
			12.10.2015	4:00	20,4	56,7	20,4	56,4	Yes
			12.10.2015	4:15	20,3	55,8	20,4	56,2	Yes
			12.10.2015	4:30	20,2	57,6	20,3	56,6	Yes
			12.10.2015	4:45	20,3	55,6	20,3	56,4	Yes
			12.10.2015	5:00	20,4	57,1	20,3	56,5	Yes
			12.10.2015	5:15	20,5	55,1	20,4	56,4	Yes
			12.10.2015	5:30	20,5	56,4	20,4	56,1	Yes
			12.10.2015	5:45	20,5	54,9	20,5	55,9	Yes
			12.10.2015	6:00	20,5	56,2	20,5	55,7	Yes
			12.10.2015	6:15	20,6	56,2	20,5	55,9	Yes
			12.10.2015	6:30	21,3	57,8	20,7	56,3	Yes
			12.10.2015	6:45	21,8	58,8	21,1	57,3	Yes
			12.10.2015	7:00	22,1	55,4	21,5	57,1	Yes
PHI_15_I0293	PHI_15_I0296	PHI_15_I0299	12.10.2015	7:15	22,2	56,6	21,9	57,2	Yes
			12.10.2015	7:30	22,3	60,6	22,1	57,9	Yes
			12.10.2015	7:45	22,5	61,2	22,3	58,5	Yes
			12.10.2015	8:00	22,5	56,2	22,4	58,7	Yes
			12.10.2015	8:15	22,8	59	22,5	59,3	Yes
			12.10.2015	8:30	22,5	58,1	22,6	58,6	Yes
			12.10.2015	8:45	22,6	57,6	22,6	57,7	Yes
			12.10.2015	9:00	22,6	56	22,6	57,7	Yes
			12.10.2015	9:15	22,8	55	22,6	56,7	Yes
			12.10.2015	9:30	22,9	56,6	22,7	56,3	Yes
			12.10.2015	9:45	23	56	22,8	55,9	Yes
			12.10.2015	10:00	22,8	59,2	22,9	56,7	Yes
			12.10.2015	10:15	22,8	55	22,9	56,7	Yes
			12.10.2015	10:30	22,9	56,9	22,9	56,8	Yes
			12.10.2015	10:45	22,8	57,8	22,8	57,2	Yes
			12.10.2015	11:00	22,9	53,5	22,9	55,8	Yes
			12.10.2015	11:15	22,9	57,2	22,9	56,4	Yes
			12.10.2015	11:30	22,9	56,3	22,9	56,2	Yes
			12.10.2015	11:45	23	53,5	22,9	55,1	Yes
			12.10.2015	12:00	22,9	57,3	22,9	56,1	Yes
			12.10.2015	12:15	23	53,6	23,0	55,2	Yes
			12.10.2015	12:30	22,8	56,4	22,9	55,2	Yes
			12.10.2015	12:45	22,9	50,6	22,9	54,5	Yes
			12.10.2015	13:00	22,8	57	22,9	54,4	Yes
			12.10.2015	13:15	23	55,2	22,9	54,8	Yes
			12.10.2015	13:30	22,9	55,3	22,9	54,5	Yes
			12.10.2015	13:45	22,9	50,8	22,9	54,6	Yes
			12.10.2015	14:00	22,9	55	22,9	54,1	Yes
			12.10.2015	14:15	22,9	57,3	22,9	54,6	Yes
			12.10.2015	14:30	22,7	52,6	22,9	53,9	Yes
			12.10.2015	14:45	22,8	55,5	22,8	55,1	Yes
			12.10.2015	15:00	22,9	56,6	22,8	55,5	Yes
			12.10.2015	15:15	22,9	57	22,8	55,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	12.10.2015	15:30	22,9	55,5	22,9	56,2	Yes		
			12.10.2015	15:45	22,8	55,7	22,9	56,2	Yes		
			12.10.2015	16:00	22,8	55	22,9	55,8	Yes		
			12.10.2015	16:15	22,7	54,8	22,8	55,3	Yes		
			12.10.2015	16:30	22,7	53,9	22,8	54,9	Yes		
			12.10.2015	16:45	22,6	54,6	22,7	54,6	Yes		
			12.10.2015	17:00	22,4	55,4	22,6	54,7	Yes		
			12.10.2015	17:15	22,4	54,2	22,5	54,5	Yes		
			12.10.2015	17:30	22,2	54,7	22,4	54,7	Yes		
			12.10.2015	17:45	22,1	56,8	22,3	55,3	Yes		
			12.10.2015	18:00	22,1	54,3	22,2	55,0	Yes		
			12.10.2015	18:15	21,9	55,5	22,1	55,3	Yes		
			12.10.2015	18:30	21,9	56,5	22,0	55,8	Yes		
			12.10.2015	18:45	21,8	55,3	21,9	55,4	Yes		
			12.10.2015	19:00	21,7	56,5	21,8	56,0	Yes		
			12.10.2015	19:15	21,7	54,7	21,8	55,8	Yes		
			12.10.2015	19:30	21,5	57,7	21,7	56,1	Yes		
			12.10.2015	19:45	21,4	56	21,6	56,2	Yes		
			12.10.2015	20:00	21,4	57,5	21,5	56,5	Yes		
			12.10.2015	20:15	21,4	57,1	21,4	57,1	Yes		
			12.10.2015	20:30	21,3	55,3	21,4	56,5	Yes		
			12.10.2015	20:45	21,2	56	21,3	56,5	Yes		
			12.10.2015	21:00	21,1	57,7	21,3	56,5	Yes		
			12.10.2015	21:15	21,1	57,3	21,2	56,6	Yes		
			12.10.2015	21:30	21,1	55,3	21,1	56,6	Yes		
			12.10.2015	21:45	21	56,2	21,1	56,6	Yes		
			12.10.2015	22:00	20,9	57,6	21,0	56,6	Yes		
			12.10.2015	22:15	20,9	56	21,0	56,3	Yes		
			12.10.2015	22:30	20,8	56,4	20,9	56,6	Yes		
			12.10.2015	22:45	20,8	57,4	20,9	56,9	Yes		
			12.10.2015	23:00	20,7	56	20,8	56,5	Yes		
			12.10.2015	23:15	20,7	57,4	20,8	56,8	Yes		
			12.10.2015	23:30	20,7	56,7	20,7	56,9	Yes		
			12.10.2015	23:45	20,6	56,8	20,7	56,7	Yes		
			13.10.2015	0:00	20,5	58	20,6	57,2	Yes		
			13.10.2015	0:15	20,5	56,1	20,6	56,9	Yes		
			13.10.2015	0:30	20,4	57,3	20,5	57,1	Yes		
			13.10.2015	0:45	20,5	57,9	20,5	57,3	Yes		
			13.10.2015	1:00	20,4	56,6	20,5	57,0	Yes		
			13.10.2015	1:15	20,3	58,2	20,4	57,5	Yes		
			13.10.2015	1:30	20,3	57,3	20,4	57,5	Yes		
			13.10.2015	1:45	20,3	56,9	20,3	57,3	Yes		
			13.10.2015	2:00	20,3	58,2	20,3	57,7	Yes		
			13.10.2015	2:15	20,3	56,3	20,3	57,2	Yes		
			13.10.2015	2:30	20,3	57,3	20,3	57,2	Yes		
			13.10.2015	2:45	20,3	58,1	20,3	57,5	Yes		
			13.10.2015	3:00	20,3	57,1	20,3	57,2	Yes		
			13.10.2015	3:15	20,3	58	20,3	57,6	Yes		
			13.10.2015	3:30	20,5	56,6	20,4	57,5	Yes		
			13.10.2015	3:45	20,6	57,7	20,4	57,4	Yes		
			13.10.2015	4:00	20,8	56	20,6	57,1	Yes		
			13.10.2015	4:15	20,9	57,7	20,7	57,0	Yes		
			13.10.2015	4:30	21	56,1	20,8	56,9	Yes		
			13.10.2015	4:45	21,1	56,3	21,0	56,5	Yes		
			13.10.2015	5:00	21,1	55,6	21,0	56,4	Yes		
			13.10.2015	5:15	21,2	56,7	21,1	56,2	Yes		
			13.10.2015	5:30	21,2	54,9	21,2	55,9	Yes		
			13.10.2015	5:45	21,2	56,1	21,2	55,8	Yes		
PHI_15_I0293	PHI_15_I0296	PHI_15_I0299	13.10.2015	6:00	21,3	54,8	21,2	55,6	Yes		
			13.10.2015	6:15	21,8	58,2	21,4	56,0	Yes		
			13.10.2015	6:30	22,3	56,6	21,7	56,4	Yes		
			13.10.2015	6:45	22,6	56,2	22,0	56,5	Yes		
			13.10.2015	7:00	22,5	56,2	22,3	56,8	Yes		
			13.10.2015	7:15	22,8	55,9	22,6	56,2	Yes		
			13.10.2015	7:30	22,6	58,5	22,6	56,7	Yes		
			13.10.2015	7:45	22,8	56,5	22,7	56,8	Yes		
			13.10.2015	8:00	22,8	57	22,8	57,0	Yes		
			13.10.2015	8:15	22,8	61,7	22,8	58,4	Yes		
			13.10.2015	8:30	22,8	57,8	22,8	58,3	Yes		
			13.10.2015	8:45	22,7	60,4	22,8	59,2	Yes		
			13.10.2015	9:00	22,9	58,4	22,8	59,6	Yes		
			13.10.2015	9:15	23	58,1	22,9	58,7	Yes		
			13.10.2015	9:30	22,6	59,3	22,8	59,1	Yes		
			13.10.2015	9:45	22,7	57,5	22,8	58,3	Yes		
			13.10.2015	10:00	22,8	57,9	22,8	58,2	Yes		
			13.10.2015	10:15	22,9	57,5	22,8	58,1	Yes		
			13.10.2015	10:30	23,1	56,3	22,9	57,3	Yes		
			13.10.2015	10:45	23,1	56,2	23,0	57,0	Yes		
13.10.2015			11:00	23	57,2	23,0	56,8	Yes			
13.10.2015			11:15	22,9	56	23,0	56,4	Yes			
13.10.2015			11:30	22,8	56,8	23,0	56,6	Yes			
13.10.2015			11:45	22,7	56,4	22,9	56,6	Yes			
4					13.10.2015	12:00	22,6	56,9	22,8	56,5	Yes
					13.10.2015	12:15	22,5	57,4	22,7	56,9	Yes

TYPE OF TEST: ISO 19752

4	N/A	N/A	N/A	13.10.2015	12:30	22,7	57,4	22,6	57,0	Yes
				13.10.2015	12:45	23	57,7	22,7	57,4	Yes
				13.10.2015	13:00	22,9	60	22,8	58,1	Yes
				13.10.2015	13:15	22,9	54,9	22,9	57,5	Yes
7	N/A	N/A	N/A	13.10.2015	13:30	23	59,4	23,0	58,0	Yes
				13.10.2015	13:45	22,9	58,4	22,9	58,2	Yes
				13.10.2015	14:00	23,1	54,8	23,0	56,9	Yes
				13.10.2015	14:15	23	59,5	23,0	58,0	Yes
10	N/A	N/A	N/A	13.10.2015	14:30	23	54,1	23,0	56,7	Yes
				13.10.2015	14:45	23	56,7	23,0	56,3	Yes
				13.10.2015	15:00	23	58,4	23,0	57,2	Yes
				13.10.2015	15:15	23	58,3	23,0	56,9	Yes
13	N/A	N/A	N/A	13.10.2015	15:30	23	56,3	23,0	57,4	Yes
				13.10.2015	15:45	22,9	56,9	23,0	57,5	Yes
				13.10.2015	16:00	22,8	56,1	22,9	56,9	Yes
				13.10.2015	16:15	22,7	55,8	22,9	56,3	Yes
16	N/A	N/A	N/A	13.10.2015	16:30	22,6	56,8	22,8	56,4	Yes
				13.10.2015	16:45	22,6	55,4	22,7	56,0	Yes
				13.10.2015	17:00	22,5	56,5	22,6	56,1	Yes
				13.10.2015	17:15	22,4	56,6	22,5	56,3	Yes
19	N/A	N/A	N/A	13.10.2015	17:30	22,3	56,2	22,5	56,2	Yes
				13.10.2015	17:45	22,2	56,7	22,4	56,5	Yes
				13.10.2015	18:00	22,1	56,1	22,3	56,4	Yes
				13.10.2015	18:15	22	58,1	22,2	56,8	Yes
22	N/A	N/A	N/A	13.10.2015	18:30	22	55,9	22,1	56,7	Yes
				13.10.2015	18:45	21,9	56,9	22,0	56,8	Yes
				13.10.2015	19:00	21,9	57,2	22,0	57,0	Yes
				13.10.2015	19:15	21,8	56,6	21,9	56,7	Yes
25	N/A	N/A	N/A	13.10.2015	19:30	21,8	57,8	21,9	57,1	Yes
				13.10.2015	19:45	21,7	55,7	21,8	56,8	Yes
				13.10.2015	20:00	21,6	56,8	21,7	56,7	Yes
				13.10.2015	20:15	21,6	56,2	21,7	56,6	Yes
28	N/A	N/A	N/A	13.10.2015	20:30	21,6	56,6	21,6	56,3	Yes
				13.10.2015	20:45	21,5	57,1	21,6	56,7	Yes
				13.10.2015	21:00	21,5	56,6	21,6	56,6	Yes
				13.10.2015	21:15	21,5	57,4	21,5	56,9	Yes
31	N/A	N/A	N/A	13.10.2015	21:30	21,4	56	21,5	56,8	Yes
				13.10.2015	21:45	21,4	57,1	21,5	56,8	Yes
				13.10.2015	22:00	21,4	55,8	21,4	56,6	Yes
				13.10.2015	22:15	21,3	56,4	21,4	56,3	Yes
34	N/A	N/A	N/A	13.10.2015	22:30	21,3	56,7	21,4	56,5	Yes
				13.10.2015	22:45	21,2	56,2	21,3	56,3	Yes
				13.10.2015	23:00	21,2	57,4	21,3	56,7	Yes
				13.10.2015	23:15	21,2	55,6	21,2	56,5	Yes
37	N/A	N/A	N/A	13.10.2015	23:30	21,1	56,7	21,2	56,5	Yes
				13.10.2015	23:45	21,1	56,3	21,2	56,5	Yes
				14.10.2015	0:00	21,1	56,6	21,1	56,3	Yes
				14.10.2015	0:15	21,1	57,4	21,1	56,8	Yes
40	N/A	N/A	N/A	14.10.2015	0:30	21,1	56,5	21,1	56,7	Yes
				14.10.2015	0:45	21,1	56,3	21,1	56,7	Yes
				14.10.2015	1:00	21	56,9	21,1	56,8	Yes
				14.10.2015	1:15	21	56,8	21,1	56,6	Yes
43	N/A	N/A	N/A	14.10.2015	1:30	21	56,9	21,0	56,7	Yes
				14.10.2015	1:45	21	56	21,0	56,7	Yes
				14.10.2015	2:00	21	57,1	21,0	56,7	Yes
				14.10.2015	2:15	21	56,2	21,0	56,6	Yes
46	N/A	N/A	N/A	14.10.2015	2:30	21	57,1	21,0	56,6	Yes
				14.10.2015	2:45	21	56,7	21,0	56,8	Yes
				14.10.2015	3:00	20,9	57	21,0	56,8	Yes
				14.10.2015	3:15	21	56,4	21,0	56,8	Yes
49	N/A	N/A	N/A	14.10.2015	3:30	21,1	57,2	21,0	56,8	Yes
				14.10.2015	3:45	21,2	56,2	21,1	56,7	Yes
				14.10.2015	4:00	21,3	57,8	21,2	56,9	Yes
				14.10.2015	4:15	21,3	56,4	21,2	56,9	Yes
52	N/A	N/A	N/A	14.10.2015	4:30	21,4	57,7	21,3	57,0	Yes
				14.10.2015	4:45	21,4	56,4	21,4	57,1	Yes
				14.10.2015	5:00	21,5	56,2	21,4	56,7	Yes
				14.10.2015	5:15	21,5	56,3	21,5	56,7	Yes
55	N/A	N/A	N/A	14.10.2015	5:30	21,6	56,3	21,5	56,3	Yes
				14.10.2015	5:45	21,5	56,4	21,5	56,3	Yes
				14.10.2015	6:00	21,8	57	21,6	56,5	Yes
				14.10.2015	6:15	22,1	57,1	21,8	56,7	Yes
58	N/A	N/A	N/A	14.10.2015	6:30	22,4	57,5	22,0	57,0	Yes
				14.10.2015	6:45	22,8	55,9	22,3	56,9	Yes
				14.10.2015	7:00	22,6	58,8	22,5	57,3	Yes
				14.10.2015	7:15	22,8	53,3	22,7	56,4	Yes
61	N/A	N/A	N/A	14.10.2015	7:30	22,9	60,8	22,8	57,2	Yes
				14.10.2015	7:45	22,7	56	22,8	57,2	Yes
				14.10.2015	8:00	23	56,4	22,9	56,6	Yes
				14.10.2015	8:15	22,8	57	22,9	57,6	Yes
64	N/A	N/A	N/A	14.10.2015	8:30	23	59,3	22,9	57,2	Yes
				14.10.2015	8:45	23	54	23,0	56,7	Yes
				14.10.2015	9:00	23	59,7	23,0	57,5	Yes
				14.10.2015	9:15	22,9	53,2	23,0	56,6	Yes

TYPE OF TEST: ISO 19752

PHI_15_I029	PHI_15_I029	PHI_15_I0300	14.10.2015	9:30	23	58,5	23,0	56,4	Yes
			14.10.2015	9:45	23,1	52,3	23,0	55,9	Yes
			14.10.2015	10:00	23	58	23,0	55,5	Yes
			14.10.2015	10:15	23,3	57,5	23,1	56,6	Yes
			14.10.2015	10:30	23	56,8	23,1	56,2	Yes
			14.10.2015	10:45	23,3	59,1	23,2	57,9	Yes
			14.10.2015	11:00	23,1	56,1	23,2	57,4	Yes
			14.10.2015	11:15	23,3	59,2	23,2	57,8	Yes
			14.10.2015	11:30	23,2	55,7	23,2	57,5	Yes
			14.10.2015	11:45	23,3	59,2	23,2	57,6	Yes
			14.10.2015	12:00	23,1	55,9	23,2	57,5	Yes
			14.10.2015	12:15	23,3	59,2	23,2	57,5	Yes
			14.10.2015	12:30	23,1	57,1	23,2	57,9	Yes
			14.10.2015	12:45	23,3	53,5	23,2	56,4	Yes
			14.10.2015	13:00	23,1	55,2	23,2	56,3	Yes
			14.10.2015	13:15	23,2	52,6	23,2	54,6	Yes
			14.10.2015	13:30	23,2	57,9	23,2	54,8	Yes
			14.10.2015	13:45	23,4	59,4	23,2	56,3	Yes
			14.10.2015	14:00	23,2	57,5	23,3	56,9	Yes
			14.10.2015	14:15	23,2	52,3	23,3	56,8	Yes
N/A	N/A	N/A	14.10.2015	14:30	23,1	59,1	23,2	57,1	Yes
			14.10.2015	14:45	23,2	59,3	23,2	57,1	Yes
			14.10.2015	15:00	23,3	59,3	23,2	57,5	Yes
			14.10.2015	15:15	23,3	58,7	23,2	59,1	Yes
			14.10.2015	15:30	23,4	58,1	23,3	58,9	Yes
			14.10.2015	15:45	23,4	57,5	23,4	58,4	Yes
			14.10.2015	16:00	23,4	57	23,4	57,8	Yes
			14.10.2015	16:15	23,3	56,6	23,4	57,3	Yes
			14.10.2015	16:30	23,3	56,8	23,4	57,0	Yes
			14.10.2015	16:45	23,2	55,9	23,3	56,6	Yes
			14.10.2015	17:00	23,2	55,5	23,3	56,2	Yes
			14.10.2015	17:15	23,1	55,8	23,2	56,0	Yes
			14.10.2015	17:30	23	55,6	23,1	55,7	Yes
			14.10.2015	17:45	23	55,4	23,1	55,6	Yes
			14.10.2015	18:00	22,9	55,9	23,0	55,7	Yes
			14.10.2015	18:15	22,8	55,2	22,9	55,5	Yes
			14.10.2015	18:30	22,8	56,2	22,9	55,7	Yes
			14.10.2015	18:45	22,7	55,5	22,8	55,7	Yes
			14.10.2015	19:00	22,6	56,4	22,7	55,8	Yes
			14.10.2015	19:15	22,6	55,8	22,7	56,0	Yes
			14.10.2015	19:30	22,5	56,1	22,6	56,0	Yes
			14.10.2015	19:45	22,5	56,9	22,6	56,3	Yes
			14.10.2015	20:00	22,4	55,8	22,5	56,2	Yes
			14.10.2015	20:15	22,4	57,2	22,5	56,5	Yes
			14.10.2015	20:30	22,4	56,3	22,4	56,6	Yes
			14.10.2015	20:45	22,3	57,6	22,4	56,7	Yes
			14.10.2015	21:00	22,3	56,5	22,4	56,9	Yes
			14.10.2015	21:15	22,3	57,6	22,3	57,0	Yes
			14.10.2015	21:30	22,2	56,6	22,3	57,1	Yes
			14.10.2015	21:45	22,2	57,7	22,3	57,1	Yes
			14.10.2015	22:00	22,2	56,8	22,2	57,2	Yes
			14.10.2015	22:15	22,2	57,5	22,2	57,2	Yes
			14.10.2015	22:30	22,1	56,5	22,2	57,1	Yes
			14.10.2015	22:45	22,1	57,7	22,2	57,1	Yes
			14.10.2015	23:00	22,1	56,9	22,1	57,2	Yes
			14.10.2015	23:15	22	57,6	22,1	57,2	Yes
			14.10.2015	23:30	22	56,8	22,1	57,3	Yes
			14.10.2015	23:45	22	57,6	22,0	57,2	Yes
			15.10.2015	0:00	22	57	22,0	57,3	Yes
			15.10.2015	0:15	22	56,8	22,0	57,1	Yes
			15.10.2015	0:30	21,9	57	22,0	57,1	Yes
			15.10.2015	0:45	21,9	56,5	22,0	56,8	Yes
			15.10.2015	1:00	21,9	57	21,9	56,8	Yes
			15.10.2015	1:15	21,9	57,2	21,9	56,9	Yes
			15.10.2015	1:30	21,9	56,7	21,9	56,9	Yes
			15.10.2015	1:45	21,9	56,7	21,9	56,9	Yes
			15.10.2015	2:00	21,8	57,2	21,9	57,0	Yes
			15.10.2015	2:15	21,8	56,8	21,9	56,9	Yes
			15.10.2015	2:30	21,8	57	21,8	56,9	Yes
			15.10.2015	2:45	21,8	57,3	21,8	57,1	Yes
			15.10.2015	3:00	21,8	56,9	21,8	57,0	Yes
			15.10.2015	3:15	21,8	57,5	21,8	57,2	Yes
			15.10.2015	3:30	21,8	57,7	21,8	57,4	Yes
			15.10.2015	3:45	21,9	57,2	21,8	57,3	Yes
			15.10.2015	4:00	21,9	57,1	21,9	57,4	Yes
			15.10.2015	4:15	21,9	57,8	21,9	57,5	Yes
			15.10.2015	4:30	21,9	57,1	21,9	57,3	Yes
			15.10.2015	4:45	21,9	57,7	21,9	57,4	Yes
			15.10.2015	5:00	21,9	57,7	21,9	57,6	Yes
			15.10.2015	5:15	22	56,9	21,9	57,4	Yes
			15.10.2015	5:30	21,9	58,8	21,9	57,8	Yes
			15.10.2015	5:45	22	57,3	22,0	57,7	Yes
			15.10.2015	6:00	22,2	57,5	22,0	57,6	Yes
			15.10.2015	6:15	22,6	58,2	22,2	58,0	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0294	PHI_15_I0297	PHI_15_I0300	15.10.2015	6:30	22,8	57,3	22,4	57,6	Yes
			15.10.2015	6:45	23	54,9	22,7	57,0	Yes
PHI_15_I0295	PHI_15_I0298	PHI_15_I0298	15.10.2015	7:00	22,8	58,5	22,8	57,2	Yes
			15.10.2015	7:15	23,1	56,6	22,9	56,8	Yes
N/A	N/A	N/A	15.10.2015	7:30	23	54,2	23,0	56,1	Yes
			15.10.2015	7:45	23	58,2	23,0	56,9	Yes
N/A	N/A	N/A	15.10.2015	8:00	23,3	54,2	23,1	55,8	Yes
			15.10.2015	8:15	23,1	58,3	23,1	56,2	Yes
N/A	N/A	N/A	15.10.2015	8:30	23,2	51,7	23,2	55,6	Yes
			15.10.2015	8:45	23,2	58,9	23,2	55,8	Yes
N/A	N/A	N/A	15.10.2015	9:00	23	55,1	23,1	56,0	Yes
			15.10.2015	9:15	23,2	59,6	23,2	56,3	Yes
N/A	N/A	N/A	15.10.2015	9:30	23,1	55,1	23,1	57,2	Yes
			15.10.2015	9:45	23,3	58	23,2	57,0	Yes
N/A	N/A	N/A	15.10.2015	10:00	23,1	59,3	23,2	58,0	Yes
			15.10.2015	10:15	23,1	53,3	23,2	56,4	Yes
N/A	N/A	N/A	15.10.2015	10:30	23,2	53,8	23,2	56,1	Yes
			15.10.2015	10:45	23,1	53,5	23,1	55,0	Yes
N/A	N/A	N/A	15.10.2015	11:00	23,3	56,2	23,2	54,2	Yes
			15.10.2015	11:15	23,2	57,5	23,2	55,3	Yes
N/A	N/A	N/A	15.10.2015	11:30	23,1	52,2	23,2	54,9	Yes
			15.10.2015	11:45	23,2	55,6	23,2	55,4	Yes
N/A	N/A	N/A	15.10.2015	12:00	23,1	49,7	23,2	53,8	Yes
			15.10.2015	12:15	23,1	57,2	23,1	53,7	Yes
N/A	N/A	N/A	15.10.2015	12:30	23,3	59,5	23,2	55,5	Yes
			15.10.2015	12:45	23,3	56,2	23,2	55,7	Yes
N/A	N/A	N/A	15.10.2015	13:00	23,5	59,9	23,3	58,2	Yes
			15.10.2015	13:15	23,2	57,6	23,3	58,3	Yes
N/A	N/A	N/A	15.10.2015	13:30	23,2	60,2	23,3	58,5	Yes
			15.10.2015	13:45	23,3	59,9	23,3	59,4	Yes
N/A	N/A	N/A	15.10.2015	14:00	23,4	59,4	23,3	59,3	Yes
			15.10.2015	14:15	23,4	56,8	23,3	59,1	Yes
N/A	N/A	N/A	15.10.2015	14:30	23,3	58,9	23,4	58,8	Yes
			15.10.2015	14:45	23,3	60,3	23,4	58,9	Yes
N/A	N/A	N/A	15.10.2015	15:00	23,4	59,4	23,4	58,9	Yes
			15.10.2015	15:15	23,5	58,6	23,4	59,3	Yes
N/A	N/A	N/A	15.10.2015	15:30	23,5	58	23,4	59,1	Yes
			15.10.2015	15:45	23,4	57,6	23,5	58,4	Yes
N/A	N/A	N/A	15.10.2015	16:00	23,4	57,4	23,5	57,9	Yes
			15.10.2015	16:15	23,4	56,8	23,4	57,5	Yes
N/A	N/A	N/A	15.10.2015	16:30	23,4	56,6	23,4	57,1	Yes
			15.10.2015	16:45	23,4	56,5	23,4	56,8	Yes
N/A	N/A	N/A	15.10.2015	17:00	23,4	56,1	23,4	56,5	Yes
			15.10.2015	17:15	23,3	55,9	23,4	56,3	Yes
N/A	N/A	N/A	15.10.2015	17:30	23,3	57,4	23,4	56,5	Yes
			15.10.2015	17:45	23,2	56,6	23,3	56,5	Yes
N/A	N/A	N/A	15.10.2015	18:00	23,2	56,2	23,3	56,5	Yes
			15.10.2015	18:15	23,1	57,8	23,2	57,0	Yes
N/A	N/A	N/A	15.10.2015	18:30	23,1	57	23,2	56,9	Yes
			15.10.2015	18:45	23,1	56,6	23,1	56,9	Yes
N/A	N/A	N/A	15.10.2015	19:00	23	58	23,1	57,4	Yes
			15.10.2015	19:15	23	57,4	23,1	57,3	Yes
N/A	N/A	N/A	15.10.2015	19:30	22,9	56,7	23,0	57,2	Yes
			15.10.2015	19:45	22,8	57,8	22,9	57,5	Yes
N/A	N/A	N/A	15.10.2015	20:00	22,9	56,9	22,9	57,2	Yes
			15.10.2015	20:15	22,8	57,1	22,9	57,1	Yes
N/A	N/A	N/A	15.10.2015	20:30	22,8	57,7	22,8	57,4	Yes
			15.10.2015	20:45	22,7	57,3	22,8	57,3	Yes
N/A	N/A	N/A	15.10.2015	21:00	22,7	56,9	22,8	57,3	Yes
			15.10.2015	21:15	22,7	56,5	22,7	57,1	Yes
N/A	N/A	N/A	15.10.2015	21:30	22,7	56,4	22,7	56,8	Yes
			15.10.2015	21:45	22,6	56,4	22,7	56,6	Yes
N/A	N/A	N/A	15.10.2015	22:00	22,6	56,2	22,7	56,4	Yes
			15.10.2015	22:15	22,6	56,4	22,6	56,4	Yes
N/A	N/A	N/A	15.10.2015	22:30	22,5	56,9	22,6	56,5	Yes
			15.10.2015	22:45	22,5	56,6	22,6	56,5	Yes
N/A	N/A	N/A	15.10.2015	23:00	22,5	56,4	22,5	56,6	Yes
			15.10.2015	23:15	22,5	57,1	22,5	56,8	Yes
N/A	N/A	N/A	15.10.2015	23:30	22,5	57,1	22,5	56,8	Yes
			15.10.2015	23:45	22,5	56,8	22,5	56,9	Yes
N/A	N/A	N/A	16.10.2015	0:00	22,4	56,6	22,5	56,9	Yes
			16.10.2015	0:15	22,4	56,3	22,5	56,7	Yes
N/A	N/A	N/A	16.10.2015	0:30	22,4	56,3	22,4	56,5	Yes
			16.10.2015	0:45	22,4	56,1	22,4	56,3	Yes
N/A	N/A	N/A	16.10.2015	1:00	22,3	57,5	22,4	56,6	Yes
			16.10.2015	1:15	22,3	56,8	22,4	56,7	Yes
N/A	N/A	N/A	16.10.2015	1:30	22,3	56,6	22,3	56,8	Yes
			16.10.2015	1:45	22,3	56,4	22,3	56,8	Yes
N/A	N/A	N/A	16.10.2015	2:00	22,3	56,3	22,3	56,5	Yes
			16.10.2015	2:15	22,3	56,2	22,3	56,4	Yes
N/A	N/A	N/A	16.10.2015	2:30	22,3	56,1	22,3	56,3	Yes
			16.10.2015	2:45	22,3	57,7	22,3	56,6	Yes
N/A	N/A	N/A	16.10.2015	3:00	22,3	57	22,3	56,8	Yes
			16.10.2015	3:15	22,3	56,7	22,3	56,9	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0295	PHI_15_I0298	PHI_15_I0300	16.10.2015	3:30	22,3	56,4	22,3	57,0	Yes
			16.10.2015	3:45	22,3	57,5	22,3	56,9	Yes
			16.10.2015	4:00	22,3	57,4	22,3	57,0	Yes
			16.10.2015	4:15	22,3	57	22,3	57,1	Yes
			16.10.2015	4:30	22,3	56,7	22,3	57,2	Yes
			16.10.2015	4:45	22,3	56,5	22,3	56,9	Yes
			16.10.2015	5:00	22,3	56,3	22,3	56,6	Yes
			16.10.2015	5:15	22,2	57,4	22,3	56,7	Yes
			16.10.2015	5:30	22,3	56,9	22,3	56,8	Yes
			16.10.2015	5:45	22,4	57,1	22,3	56,9	Yes
			16.10.2015	6:00	22,7	56,5	22,4	57,0	Yes
			16.10.2015	6:15	22,9	56	22,6	56,6	Yes
			16.10.2015	6:30	22,8	58,2	22,7	57,0	Yes
			16.10.2015	6:45	22,9	53,2	22,8	56,0	Yes
			16.10.2015	7:00	23	57,8	22,9	56,3	Yes
			16.10.2015	7:15	22,9	58,9	22,9	57,0	Yes
			16.10.2015	7:30	22,9	51,8	22,9	55,4	Yes
			16.10.2015	7:45	22,9	57,6	22,9	56,5	Yes
			16.10.2015	8:00	22,9	52,3	22,9	55,2	Yes
			16.10.2015	8:15	23	59,3	22,9	55,3	Yes
PHI_15_I0301	PHI_15_I0301	PHI_15_I0301	16.10.2015	8:30	22,9	58,3	22,9	56,9	Yes
			16.10.2015	8:45	23,1	56,2	23,0	56,5	Yes
			16.10.2015	9:00	23	59,6	23,0	58,4	Yes
			16.10.2015	9:15	23,3	60,8	23,1	58,7	Yes
			16.10.2015	9:30	23,1	54	23,1	57,7	Yes
			16.10.2015	9:45	23,2	60,3	23,2	58,7	Yes
			16.10.2015	10:00	23,4	56,1	23,3	57,8	Yes
			16.10.2015	10:15	23,2	59,3	23,2	57,4	Yes
			16.10.2015	10:30	23	56	23,2	57,9	Yes
			16.10.2015	10:45	23,1	54,8	23,2	56,6	Yes
			16.10.2015	11:00	23,1	59	23,1	57,3	Yes
			16.10.2015	11:15	23	54,1	23,1	56,0	Yes
			16.10.2015	11:30	23,1	60,6	23,1	57,1	Yes
			16.10.2015	11:45	23,1	55,8	23,1	57,4	Yes
			16.10.2015	12:00	23	58,5	23,1	57,3	Yes
			16.10.2015	12:15	22,9	51,8	23,0	56,7	Yes
			16.10.2015	12:30	23	54,6	23,0	55,2	Yes
			16.10.2015	12:45	23	59,3	23,0	56,1	Yes
			16.10.2015	13:00	23,3	61,3	23,1	56,8	Yes
			16.10.2015	13:15	23,2	53	23,1	57,1	Yes
			16.10.2015	13:30	23	56,1	23,1	57,4	Yes
			16.10.2015	13:45	23,1	52,3	23,2	55,7	Yes
			16.10.2015	14:00	23,2	57,3	23,1	54,7	Yes
			16.10.2015	14:15	23	53,6	23,1	54,8	Yes
			16.10.2015	14:30	23,1	55,1	23,1	54,6	Yes
			16.10.2015	14:45	22,8	58			No
			16.10.2015	15:00	22,8	61,2			No
			16.10.2015	15:15	22,9	62,4			No
			16.10.2015	15:30	22,9	61,9			No
			16.10.2015	15:45	23	61,3			No
			16.10.2015	16:00	23	61			No
			16.10.2015	16:15	23	60,1			No
			16.10.2015	16:30	23	60			No
			16.10.2015	16:45	23	59,6			No
			16.10.2015	17:00	23	59,3			No
			16.10.2015	17:15	22,9	58,8			No
			16.10.2015	17:30	22,9	58,4			No
			16.10.2015	17:45	22,8	58			No
			16.10.2015	18:00	22,8	58,1			No
			16.10.2015	18:15	22,8	57,8			No
			16.10.2015	18:30	22,8	57,7			No
			16.10.2015	18:45	22,8	57,7			No
			16.10.2015	19:00	22,7	57,6			No
			16.10.2015	19:15	22,7	57,5			No
			16.10.2015	19:30	22,7	57,1			No
			16.10.2015	19:45	22,7	57			No
			16.10.2015	20:00	22,6	56,7			No
			16.10.2015	20:15	22,6	56,8			No
			16.10.2015	20:30	22,6	56,7			No
			16.10.2015	20:45	22,6	56,7			No
			16.10.2015	21:00	22,6	56,6			No
			16.10.2015	21:15	22,5	56,3			No
			16.10.2015	21:30	22,5	56,3			No
			16.10.2015	21:45	22,5	57,8			No
			16.10.2015	22:00	22,5	57,3			No
			16.10.2015	22:15	22,5	56,6			No
			16.10.2015	22:30	22,4	56,6			No
			16.10.2015	22:45	22,4	57,5			No
			16.10.2015	23:00	22,4	57,2			No
			16.10.2015	23:15	22,3	56,6			No
			16.10.2015	23:30	22,3	56,6			No
			16.10.2015	23:45	22,3	57,8			No
			17.10.2015	0:00	22,3	57,4			No
			17.10.2015	0:15	22,3	57			No

TYPE OF TEST: ISO 19752

17.10.2015	0:30	22,3	56,8		No
17.10.2015	0:45	22,3	56,6		No
17.10.2015	1:00	22,2	56,7		No
17.10.2015	1:15	22,2	57,5		No
17.10.2015	1:30	22,2	57,1		No
17.10.2015	1:45	22,2	56,8		No
17.10.2015	2:00	22,2	57,1		No
17.10.2015	2:15	22,1	57,6		No
17.10.2015	2:30	22,1	57,1		No
17.10.2015	2:45	22,1	56,9		No
17.10.2015	3:00	22,1	58		No
17.10.2015	3:15	22,1	57,4		No
17.10.2015	3:30	22,1	57		No
17.10.2015	3:45	22	58		No
17.10.2015	4:00	22	57,6		No
17.10.2015	4:15	22	57,1		No
17.10.2015	4:30	22	57,2		No
17.10.2015	4:45	21,9	57,8		No
17.10.2015	5:00	21,9	57,2		No
17.10.2015	5:15	21,9	57		No
17.10.2015	5:30	21,9	57,9		No
17.10.2015	5:45	21,9	57,4		No
17.10.2015	6:00	21,8	57		No
17.10.2015	6:15	21,8	57,9		No
17.10.2015	6:30	21,8	57		No
17.10.2015	6:45	21,8	57,4		No
17.10.2015	7:00	21,7	57,8		No
17.10.2015	7:15	21,7	57,3		No
17.10.2015	7:30	21,7	58		No
17.10.2015	7:45	21,7	57,9		No
17.10.2015	8:00	21,7	57,4		No
17.10.2015	8:15	21,7	57,4		No
17.10.2015	8:30	21,6	58		No
17.10.2015	8:45	21,6	57,4		No
17.10.2015	9:00	21,6	58,3		No
17.10.2015	9:15	21,6	57,9		No
17.10.2015	9:30	21,6	57,4		No
17.10.2015	9:45	21,6	58,5		No
17.10.2015	10:00	21,6	57,6		No
17.10.2015	10:15	21,5	57,2		No
17.10.2015	10:30	21,5	58,4		No
17.10.2015	10:45	21,5	57,2		No
17.10.2015	11:00	21,5	58,1		No
17.10.2015	11:15	21,5	58		No
17.10.2015	11:30	21,5	57,5		No
17.10.2015	11:45	21,4	58,5		No
17.10.2015	12:00	21,4	58,3		No
17.10.2015	12:15	21,4	57,8		No
17.10.2015	12:30	21,4	57,4		No
17.10.2015	12:45	21,4	57,1		No
17.10.2015	13:00	21,4	56,9		No
17.10.2015	13:15	21,4	56,9		No
17.10.2015	13:30	21,4	56,7		No
17.10.2015	13:45	21,4	56,6		No
17.10.2015	14:00	21,4	56,5		No
17.10.2015	14:15	21,4	56,2		No
17.10.2015	14:30	21,4	56,2		No
17.10.2015	14:45	21,4	56,2		No
17.10.2015	15:00	21,4	56,1		No
17.10.2015	15:15	21,4	56		No
17.10.2015	15:30	21,4	56		No
17.10.2015	15:45	21,4	55,9		No
17.10.2015	16:00	21,4	55,8		No
17.10.2015	16:15	21,4	56,9		No
17.10.2015	16:30	21,4	56,6		No
17.10.2015	16:45	21,4	56,4		No
17.10.2015	17:00	21,4	56,2		No
17.10.2015	17:15	21,4	56,2		No
17.10.2015	17:30	21,4	56,1		No
17.10.2015	17:45	21,4	56,1		No
17.10.2015	18:00	21,4	56,1		No
17.10.2015	18:15	21,4	56		No
17.10.2015	18:30	21,4	55,9		No
17.10.2015	18:45	21,4	55,8		No
17.10.2015	19:00	21,4	56,7		No
17.10.2015	19:15	21,3	56,8		No
17.10.2015	19:30	21,4	56,4		No
17.10.2015	19:45	21,3	56,1		No
17.10.2015	20:00	21,3	57,3		No
17.10.2015	20:15	21,3	56,5		No
17.10.2015	20:30	21,3	56,2		No
17.10.2015	20:45	21,3	57,2		No
17.10.2015	21:00	21,2	57		No
17.10.2015	21:15	21,2	56,4		No

TEST REPORT

Creation date of report: 6.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	17.10.2015	21:30	21,2	56,2			No
N/A	N/A	N/A	17.10.2015	21:45	21,2	57,2			No
N/A	N/A	N/A	17.10.2015	22:00	21,2	56,6			No
N/A	N/A	N/A	17.10.2015	22:15	21,2	56,4			No
N/A	N/A	N/A	17.10.2015	22:30	21,1	57,6			No
N/A	N/A	N/A	17.10.2015	22:45	21,1	56,9			No
N/A	N/A	N/A	17.10.2015	23:00	21,1	56,6			No
N/A	N/A	N/A	17.10.2015	23:15	21	57,6			No
N/A	N/A	N/A	17.10.2015	23:30	21	56,9			No
N/A	N/A	N/A	17.10.2015	23:45	21	56,4			No
N/A	N/A	N/A	18.10.2015	0:00	21	57,6			No
N/A	N/A	N/A	18.10.2015	0:15	21	56,9			No
N/A	N/A	N/A	18.10.2015	0:30	20,9	56,4			No
N/A	N/A	N/A	18.10.2015	0:45	20,9	57,5			No
N/A	N/A	N/A	18.10.2015	1:00	20,9	56,8			No
N/A	N/A	N/A	18.10.2015	1:15	20,9	56,6			No
N/A	N/A	N/A	18.10.2015	1:30	20,8	57,5			No
N/A	N/A	N/A	18.10.2015	1:45	20,8	56,9			No
N/A	N/A	N/A	18.10.2015	2:00	20,8	57,8			No
N/A	N/A	N/A	18.10.2015	2:15	20,8	57,4			No
N/A	N/A	N/A	18.10.2015	2:30	20,8	56,7			No
N/A	N/A	N/A	18.10.2015	2:45	20,7	58,5			No
N/A	N/A	N/A	18.10.2015	3:00	20,7	57,3			No
N/A	N/A	N/A	18.10.2015	3:15	20,7	56,7			No
N/A	N/A	N/A	18.10.2015	3:30	20,6	57,9			No
N/A	N/A	N/A	18.10.2015	3:45	20,6	57,1			No
N/A	N/A	N/A	18.10.2015	4:00	20,6	58,1			No
N/A	N/A	N/A	18.10.2015	4:15	20,6	57,5			No
N/A	N/A	N/A	18.10.2015	4:30	20,5	56,8			No
N/A	N/A	N/A	18.10.2015	4:45	20,5	58			No
N/A	N/A	N/A	18.10.2015	5:00	20,5	57,1			No
N/A	N/A	N/A	18.10.2015	5:15	20,5	57,3			No
N/A	N/A	N/A	18.10.2015	5:30	20,4	57,7			No
N/A	N/A	N/A	18.10.2015	5:45	20,4	56,8			No
N/A	N/A	N/A	18.10.2015	6:00	20,4	58,1	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:15	20,3	57,2	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:30	20,3	57,9	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:45	20,3	57,3	20,3	57,6	Yes
N/A	N/A	N/A	18.10.2015	7:00	20,2	57,2	20,3	57,4	Yes
N/A	N/A	N/A	18.10.2015	7:15	20,2	56,7	20,3	57,3	Yes
N/A	N/A	N/A	18.10.2015	7:30	20,2	58	20,2	57,3	Yes
N/A	N/A	N/A	18.10.2015	7:45	20,2	57,5	20,2	57,4	Yes
N/A	N/A	N/A	18.10.2015	8:00	20,2	57	20,2	57,3	Yes
N/A	N/A	N/A	18.10.2015	8:15	20,1	58	20,2	57,6	Yes
N/A	N/A	N/A	18.10.2015	8:30	20,1	57,5	20,2	57,5	Yes
N/A	N/A	N/A	18.10.2015	8:45	20,1	57,2	20,1	57,4	Yes
N/A	N/A	N/A	18.10.2015	9:00	20,1	58,5	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:15	20,1	57,9	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:30	20,1	57,4	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:45	20,1	57,2	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	10:00	20,1	58,3	20,1	57,7	Yes
N/A	N/A	N/A	18.10.2015	10:15	20,1	57,7	20,1	57,7	Yes
N/A	N/A	N/A	18.10.2015	10:30	20,1	57,2	20,1	57,6	Yes
N/A	N/A	N/A	18.10.2015	10:45	20,1	56,4	20,1	57,4	Yes
N/A	N/A	N/A	18.10.2015	11:00	20,2	56,4	20,1	56,9	Yes
N/A	N/A	N/A	18.10.2015	11:15	20,2	56,3	20,2	56,6	Yes
N/A	N/A	N/A	18.10.2015	11:30	20,2	56,1	20,2	56,3	Yes
N/A	N/A	N/A	18.10.2015	11:45	20,2	56	20,2	56,2	Yes
N/A	N/A	N/A	18.10.2015	12:00	20,2	55,9	20,2	56,1	Yes
N/A	N/A	N/A	18.10.2015	12:15	20,2	55,8	20,2	56,0	Yes
N/A	N/A	N/A	18.10.2015	12:30	20,3	55,7	20,2	55,9	Yes
N/A	N/A	N/A	18.10.2015	12:45	20,3	55,7	20,3	55,8	Yes
N/A	N/A	N/A	18.10.2015	13:00	20,3	55,5	20,3	55,7	Yes
N/A	N/A	N/A	18.10.2015	13:15	20,3	55,4	20,3	55,6	Yes
N/A	N/A	N/A	18.10.2015	13:30	20,3	57,1	20,3	55,9	Yes
N/A	N/A	N/A	18.10.2015	13:45	20,3	56,7	20,3	56,2	Yes
N/A	N/A	N/A	18.10.2015	14:00	20,3	56,2	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	14:15	20,3	55,6	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	14:30	20,3	57,1	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	14:45	20,3	56,6	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	15:00	20,3	56,2	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	15:15	20,3	58,5	20,3	57,1	Yes
N/A	N/A	N/A	18.10.2015	15:30	20,3	57,1	20,3	57,1	Yes
N/A	N/A	N/A	18.10.2015	15:45	20,3	56,7	20,3	57,1	Yes
N/A	N/A	N/A	18.10.2015	16:00	20,3	56,4	20,3	57,2	Yes
N/A	N/A	N/A	18.10.2015	16:15	20,3	56,3	20,3	56,6	Yes
N/A	N/A	N/A	18.10.2015	16:30	20,3	57,5	20,3	56,7	Yes
N/A	N/A	N/A	18.10.2015	16:45	20,3	56,8	20,3	56,8	Yes
N/A	N/A	N/A	18.10.2015	17:00	20,3	56,5	20,3	56,8	Yes
N/A	N/A	N/A	18.10.2015	17:15	20,4	56,3	20,3	56,8	Yes
N/A	N/A	N/A	18.10.2015	17:30	20,3	56,1	20,3	56,4	Yes
N/A	N/A	N/A	18.10.2015	17:45	20,3	55,9	20,3	56,2	Yes
N/A	N/A	N/A	18.10.2015	18:00	20,3	55,8	20,3	56,0	Yes
N/A	N/A	N/A	18.10.2015	18:15	20,3	55,7	20,3	55,9	Yes

TYPE OF TEST: ISO 19752

			18.10.2015	18:30	20,3	55,6	20,3	55,8	Yes
			18.10.2015	18:45	20,3	55,5	20,3	55,7	Yes
			18.10.2015	19:00	20,3	55,3	20,3	55,5	Yes
			18.10.2015	19:15	20,3	55,1	20,3	55,4	Yes
			18.10.2015	19:30	20,3	56,6	20,3	55,6	Yes
			18.10.2015	19:45	20,3	56,2	20,3	55,8	Yes
			18.10.2015	20:00	20,2	55,1	20,3	55,8	Yes
			18.10.2015	20:15	20,2	56,8	20,3	56,2	Yes
			18.10.2015	20:30	20,2	56,3	20,2	56,1	Yes
			18.10.2015	20:45	20,2	55,9	20,2	56,0	Yes
			18.10.2015	21:00	20,2	57,2	20,2	56,6	Yes
			18.10.2015	21:15	20,2	56,5	20,2	56,5	Yes
			18.10.2015	21:30	20,2	56,1	20,2	56,4	Yes
			18.10.2015	21:45	20,2	58,4	20,2	57,1	Yes
			18.10.2015	22:00	20,2	56,9	20,2	57,0	Yes
			18.10.2015	22:15	20,2	56,4	20,2	57,0	Yes
			18.10.2015	22:30	20,1	56,1	20,2	57,0	Yes
			18.10.2015	22:45	20,1	58,1	20,2	56,9	Yes
			18.10.2015	23:00	20,1	57	20,1	56,9	Yes
			18.10.2015	23:15	20,1	55,6	20,1	56,7	Yes
			18.10.2015	23:30	20,1	57,1	20,1	57,0	Yes
			18.10.2015	23:45	20,1	56,7	20,1	56,6	Yes
			19.10.2015	0:00	20,1	56,4	20,1	56,5	Yes
			19.10.2015	0:15	20,1	57,3	20,1	56,9	Yes
			19.10.2015	0:30	20,1	57,5	20,1	57,0	Yes
			19.10.2015	0:45	20,2	57	20,1	57,1	Yes
			19.10.2015	1:00	20,3	56,5	20,2	57,1	Yes
			19.10.2015	1:15	20,4	57,1	20,3	57,0	Yes
			19.10.2015	1:30	20,5	57,3	20,4	57,0	Yes
			19.10.2015	1:45	20,6	56,7	20,5	56,9	Yes
			19.10.2015	2:00	20,6	56,3	20,5	56,9	Yes
			19.10.2015	2:15	20,7	56,1	20,6	56,6	Yes
			19.10.2015	2:30	20,8	55,8	20,7	56,2	Yes
			19.10.2015	2:45	20,8	55,6	20,7	56,0	Yes
			19.10.2015	3:00	20,8	57,2	20,8	56,2	Yes
			19.10.2015	3:15	20,8	56,5	20,8	56,3	Yes
			19.10.2015	3:30	20,9	56	20,8	56,3	Yes
			19.10.2015	3:45	20,9	55,7	20,9	56,4	Yes
			19.10.2015	4:00	20,9	55,4	20,9	55,9	Yes
			19.10.2015	4:15	20,9	56,7	20,9	56,0	Yes
			19.10.2015	4:30	21	56,1	20,9	56,0	Yes
			19.10.2015	4:45	21	55,6	21,0	56,0	Yes
			19.10.2015	5:00	21	55,2	21,0	55,9	Yes
			19.10.2015	5:15	21	56,3	21,0	55,8	Yes
			19.10.2015	5:30	21	55,4	21,0	55,6	Yes
			19.10.2015	5:45	21,1	56,9	21,0	56,0	Yes
			19.10.2015	6:00	21,4	56,8	21,1	56,4	Yes
			19.10.2015	6:15	21,8	55,9	21,3	56,3	Yes
			19.10.2015	6:30	22	56,5	21,6	56,5	Yes
			19.10.2015	6:45	22,3	55,4	21,9	56,2	Yes
			19.10.2015	7:00	22,5	56,1	22,2	56,0	Yes
			19.10.2015	7:15	22,7	55,2	22,4	55,8	Yes
			19.10.2015	7:30	22,9	55,7	22,6	55,6	Yes
			19.10.2015	7:45	22,7	58,2	22,7	56,3	Yes
			19.10.2015	8:00	22,9	53,3	22,8	55,6	Yes
			19.10.2015	8:15	22,8	57,6	22,8	56,2	Yes
			19.10.2015	8:30	22,8	55,1	22,8	56,1	Yes
			19.10.2015	8:45	23	59,6	22,9	56,4	Yes
			19.10.2015	9:00	22,9	57,1	22,9	57,4	Yes
			19.10.2015	9:15	22,9	53,4	22,9	56,3	Yes
			19.10.2015	9:30	22,7	52,8	22,9	55,7	Yes
			19.10.2015	9:45	22,9	53,3	22,9	54,2	Yes
			19.10.2015	10:00	22,9	58,8	22,9	54,6	Yes
			19.10.2015	10:15	22,9	51,7	22,9	54,2	Yes
			19.10.2015	10:30	22,9	52,6	22,9	54,1	Yes
			19.10.2015	10:45	23	58,6	22,9	55,4	Yes
			19.10.2015	11:00	23	53,9	23,0	54,2	Yes
			19.10.2015	11:15	22,9	57,3	23,0	55,6	Yes
			19.10.2015	11:30	22,9	54,5	23,0	56,1	Yes
			19.10.2015	11:45	23,2	60,1	23,0	56,5	Yes
			19.10.2015	12:00	23,1	52,4	23,0	56,1	Yes
			19.10.2015	12:15	23	56,2	23,1	55,8	Yes
			19.10.2015	12:30	23,2	54,3	23,1	55,8	Yes
			19.10.2015	12:45	23,1	49,1	23,1	53,0	Yes
			19.10.2015	13:00	23,1	54,4	23,1	53,5	Yes
			19.10.2015	13:15	23	52,7	23,1	52,6	Yes
			19.10.2015	13:30	23,1	50,9	23,1	51,8	Yes
			19.10.2015	13:45	23,2	53,2	23,1	52,8	Yes
			19.10.2015	14:00	23,1	49,3	23,1	51,5	Yes
			19.10.2015	14:15	22,9	47	23,1	50,1	Yes
			19.10.2015	14:30	23,1	51	23,1	50,1	Yes
			19.10.2015	14:45	22,8	53,9	23,0	50,3	Yes
			19.10.2015	15:00	22,8	56,1	22,9	52,0	Yes
			19.10.2015	15:15	22,9	56,7	22,9	54,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	19.10.2015	15:30	23	56,3	22,9	55,8	Yes
			19.10.2015	15:45	23	55,7	22,9	56,2	Yes
			19.10.2015	16:00	23,1	55,3	23,0	56,0	Yes
			19.10.2015	16:15	23	55,4	23,0	55,7	Yes
			19.10.2015	16:30	23	55	23,0	55,4	Yes
			19.10.2015	16:45	23	54,3	23,0	55,0	Yes
			19.10.2015	17:00	22,9	55,2	23,0	55,0	Yes
			19.10.2015	17:15	22,9	54,4	23,0	54,7	Yes
			19.10.2015	17:30	22,7	55,4	22,9	54,8	Yes
			19.10.2015	17:45	22,7	55,8	22,8	55,2	Yes
			19.10.2015	18:00	22,6	55,4	22,7	55,3	Yes
			19.10.2015	18:15	22,6	56,5	22,7	55,8	Yes
			19.10.2015	18:30	22,5	55,5	22,6	55,8	Yes
			19.10.2015	18:45	22,4	57,4	22,5	56,2	Yes
			19.10.2015	19:00	22,4	55,5	22,5	56,2	Yes
			19.10.2015	19:15	22,3	56,5	22,4	56,2	Yes
			19.10.2015	19:30	22,3	55,8	22,4	56,3	Yes
			19.10.2015	19:45	22,3	55,8	22,3	55,9	Yes
			19.10.2015	20:00	22,2	57,1	22,3	56,3	Yes
			19.10.2015	20:15	22,2	56	22,3	56,2	Yes
			19.10.2015	20:30	22,1	57,2	22,2	56,5	Yes
			19.10.2015	20:45	22,1	56,2	22,2	56,6	Yes
			19.10.2015	21:00	22,1	57,6	22,1	56,8	Yes
			19.10.2015	21:15	22	56	22,1	56,8	Yes
			19.10.2015	21:30	22	57,1	22,1	56,7	Yes
			19.10.2015	21:45	22	56,3	22,0	56,8	Yes
			19.10.2015	22:00	21,9	57,4	22,0	56,7	Yes
			19.10.2015	22:15	21,9	56,4	22,0	56,8	Yes
			19.10.2015	22:30	21,8	57	21,9	56,8	Yes
			19.10.2015	22:45	21,8	56,2	21,9	56,8	Yes
			19.10.2015	23:00	21,8	57,5	21,8	56,8	Yes
			19.10.2015	23:15	21,8	56,7	21,8	56,9	Yes
			19.10.2015	23:30	21,7	57,2	21,8	56,9	Yes
			19.10.2015	23:45	21,7	56,6	21,8	57,0	Yes
			20.10.2015	0:00	21,7	57,1	21,7	56,9	Yes
			20.10.2015	0:15	21,7	56,6	21,7	56,9	Yes
			20.10.2015	0:30	21,6	57,5	21,7	57,0	Yes
			20.10.2015	0:45	21,6	56,8	21,7	57,0	Yes
			20.10.2015	1:00	21,6	58,1	21,6	57,3	Yes
			20.10.2015	1:15	21,6	56,8	21,6	57,3	Yes
			20.10.2015	1:30	21,6	56,4	21,6	57,0	Yes
			20.10.2015	1:45	21,5	57,3	21,6	57,2	Yes
			20.10.2015	2:00	21,5	56,7	21,6	56,8	Yes
			20.10.2015	2:15	21,5	58,2	21,5	57,2	Yes
			20.10.2015	2:30	21,5	57,1	21,5	57,3	Yes
			20.10.2015	2:45	21,5	56,5	21,5	57,1	Yes
			20.10.2015	3:00	21,5	57,4	21,5	57,3	Yes
			20.10.2015	3:15	21,5	57	21,5	57,0	Yes
			20.10.2015	3:30	21,6	56,5	21,5	56,9	Yes
			20.10.2015	3:45	21,6	57,7	21,6	57,2	Yes
			20.10.2015	4:00	21,8	56,9	21,6	57,0	Yes
			20.10.2015	4:15	21,8	56,3	21,7	56,9	Yes
			20.10.2015	4:30	21,8	57,3	21,8	57,1	Yes
			20.10.2015	4:45	21,9	56,5	21,8	56,8	Yes
			20.10.2015	5:00	21,9	55,9	21,9	56,5	Yes
			20.10.2015	5:15	21,9	56,8	21,9	56,6	Yes
			20.10.2015	5:30	21,9	55,8	21,9	56,3	Yes
			20.10.2015	5:45	22	56,9	21,9	56,4	Yes
N/A	PHI_15_I0295	PHI_15_I0301	20.10.2015	6:00	22,3	55,9	22,0	56,4	Yes
			20.10.2015	6:15	22,7	57,4	22,2	56,5	Yes
			20.10.2015	6:30	23	55,1	22,5	56,3	Yes
			20.10.2015	6:45	22,7	58,5	22,7	56,7	Yes
			20.10.2015	7:00	22,9	52,6	22,8	55,9	Yes
			20.10.2015	7:15	22,8	57,4	22,9	55,9	Yes
			20.10.2015	7:30	23	53	22,9	55,4	Yes
			20.10.2015	7:45	23,1	59,8	23,0	55,7	Yes
			20.10.2015	8:00	23	51,4	23,0	55,4	Yes
			20.10.2015	8:15	22,9	55,5	23,0	54,9	Yes
			20.10.2015	8:30	23,2	58,3	23,1	56,3	Yes
			20.10.2015	8:45	23	52,3	23,0	54,4	Yes
			20.10.2015	9:00	23,2	56,6	23,1	55,7	Yes
			20.10.2015	9:15	23,1	50,1	23,1	54,3	Yes
			20.10.2015	9:30	23,2	56,1	23,1	53,8	Yes
			20.10.2015	9:45	23	51,6	23,1	53,6	Yes
			20.10.2015	10:00	23,2	57,9	23,1	53,9	Yes
			20.10.2015	10:15	23,1	55,7	23,1	55,3	Yes
			20.10.2015	10:30	23,3	54,6	23,2	55,0	Yes
			20.10.2015	10:45	23,2	57,8	23,2	56,5	Yes
			20.10.2015	11:00	23,1	53,5	23,2	55,4	Yes
			20.10.2015	11:15	23,3	55,9	23,2	55,5	Yes
			20.10.2015	11:30	23,2	49,9	23,2	54,3	Yes
			20.10.2015	11:45	23,4	54	23,3	53,3	Yes
			20.10.2015	12:00	23,3	49,3	23,3	52,3	Yes
			20.10.2015	12:15	23,2	51,2	23,3	51,1	Yes

TEST REPORT

Creation date of report: 6.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

20.10.2015	12:30	23.3	50.9	23.3	51.4	Yes
				23.3	49.8	Yes
				23.2	51.1	Yes
				23.3	50.5	Yes
				23.3	51.6	Yes
				23.3	53.5	Yes
				23.4	53.9	Yes
				23.3	55.1	Yes
				23.3	53.5	Yes
				23.2	53.0	Yes
				23.1	53.1	Yes
				23.0	54.0	Yes
				23.0	56.2	Yes
				23.0	57.0	Yes
				23.1	56.9	Yes
				23.2	56.6	Yes
				23.2	56.1	Yes
				23.2	56.0	Yes
				23.2	55.7	Yes
				23.1	55.8	Yes
				23.0	55.8	Yes
				23.0	55.7	Yes
				22.9	55.8	Yes
				22.8	55.8	Yes
				22.9	55.6	Yes
				22.7	55.7	Yes
				22.8	55.8	Yes
				22.7	55.8	Yes
				22.6	56.0	Yes
				22.5	55.9	Yes
				22.5	56.0	Yes
				22.4	55.7	Yes
				22.3	55.8	Yes
				22.3	55.9	Yes
				22.3	55.9	Yes
				22.3	56.3	Yes
				22.2	56.3	Yes
				22.2	56.7	Yes
				22.1	56.6	Yes
				22.1	56.7	Yes
				22.1	56.7	Yes
				22	56.5	Yes
				22	56.7	Yes
				21.9	56.6	Yes
				21.9	56.8	Yes
				21.9	56.7	Yes
				21.9	57.0	Yes
				21.9	56.9	Yes
				21.8	57.0	Yes
				21.8	57.0	Yes
				21.8	56.9	Yes
				21.8	57.0	Yes
				21.8	56.8	Yes
				21.7	57.0	Yes
				21.7	56.9	Yes
				21.7	57.2	Yes
				21.7	57.2	Yes
				21.7	57.3	Yes
				21.7	57.4	Yes
				21.7	57.3	Yes
				21.7	57.4	Yes
				21.7	57.1	Yes
				21.7	57.3	Yes
				21.7	57.2	Yes
				21.8	57.3	Yes
				21.8	57.3	Yes
				21.9	57.2	Yes
				21.9	57.2	Yes
				22	57.1	Yes
				22.2	57.1	Yes
				22.2	56.7	Yes
				22.5	57.1	Yes
				22.9	56.3	Yes
				59	56.9	Yes
				53.8	56.4	Yes
				57.7	56.2	Yes