



Manufacturer (trade mark):	PRPS	Type/Model OEM:	C9720A
Lot/Part number:	623799	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	9000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JPF2C28117 / JPF2D35747 / JPBFD16357	Relative humidity:	42
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	17/02/2016

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	10265	Yes	Sample 1
2	9455	Yes	Sample 2
3	9586	Yes	Sample 3
4	10912	Yes	Sample 4
5	9217	Yes	Sample 5
6	10023	Yes	Sample 6
7	9710	Yes	Sample 7
8	9667	Yes	Sample 8
9	10750	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	9000	Yes/no	OEM Sample/Spec
2	9000	Yes/no	OEM Sample/Spec
3	9000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average (A or V)
Yield A: (A1+A2+A3)/3= A	10912	9710	9217	9946
Yield V: (V1+V2+V3)/3=V	9000	9000	9000	9000

Alternative:

Yield A: Result of test after ISO/IEC 19752 A	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 V	
Reference to the test protocol:	
Test date:	
Result: EZ=A/V	1,11

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	22,6	
Average value of the 2 areas F comparing print V1:	20,5	
Difference is not higher than Δ≤5 for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference ΔE≤18 for Color	2,1	Not Aplicable/Yes
Average value of the 2 areas F test print A2:	23,2	
Average value of the 2 areas F comparing print V2:	27,4	
Difference is not higher than Δ≤5 for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference ΔE≤18 for Color	4,2	Not Aplicable/Yes
Average value of the 2 areas F test print A3:	26	
Average value of the 2 areas F comparing print V3:	31	
Difference is not higher than Δ≤5 for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference ΔE≤18 for Color	5	Not Aplicable/Yes

Checking the fade (5.6.3)

BLACK

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,5	66,1	48,1	24,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	3,9	3,9	3,6
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89	71,2	51,7	29,3

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	3,7	4,8	3,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,2	0,2	0,9	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	86,9	68,2	47,5	23,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	3	1,5	1,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,7	72,6	55,2	26,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,7	2,2	2,8	5,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	0,8	1,3	3,7
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	89,3	71,9	53,5	31,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	7	6,4	7,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90	72,1	56,2	30,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,1	3,3	1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,9	5,9	3,1	6,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	C9721A
Lot/Part number:	623768	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	8000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JPFFC28117 / JPGFD35747 / JPBFD16357	Relative humidity:	41
Test climate:	24	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	17/02/2016

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	10897	Yes	Sample 1
2	9145	Yes	Sample 2
3	9369	Yes	Sample 3
4	10912	Yes	Sample 4
5	9114	Yes	Sample 5
6	9231	Yes	Sample 6
7	11133	Yes	Sample 7
8	9245	Yes	Sample 8
9	9800	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	8000	Yes/no	OEM Sample/Spec
2	8000	Yes/no	OEM Sample/Spec
3	8000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	11133	9369	9114	9872
Yield V: $(V1+V2+V3)/3=\bar{V}$	8000	8000	8000	8000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,23

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	56,1		
Average value of the 2 areas F comparing print V1:	57,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	53,3		
Average value of the 2 areas F comparing print V2:	57		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	56,7		
Average value of the 2 areas F comparing print V3:	56,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	85,7	69,6	59,3	57,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	3,6	1,3	3,2
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	85,9	70,7	59,2	56,7

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,6	3,3	2,5	2,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,3	0,3	1,2	0,6
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	85,1	70,3	58,7	55,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	4,5	6,3	4,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,1	70,3	57,7	55
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	3,8	3,6	4,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,7	2,7	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	87,8	74,5	63,5	60
Color values 1 6 A F	1	6	A	F
The biggest deviation	4	6,5	6,5	5,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,7	71,8	57,2	55,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1,1	2,9	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	3	5,4	3,6	3,7
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	C9723A
Lot/Part number:	623775	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	8000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JPF28117 / JPF35747 / JPBFD16357	Relative humidity:	41
Test climate:	24	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	17/02/2016

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	10265	Yes	Sample 1
2	9007	Yes	Sample 2
3	9658	Yes	Sample 3
4	10912	Yes	Sample 4
5	9470	Yes	Sample 5
6	9364	Yes	Sample 6
7	10633	Yes	Sample 7
8	10058	Yes	Sample 8
9	9685	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	8000	Yes/no	OEM Sample/Spec
2	8000	Yes/no	OEM Sample/Spec
3	8000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	10912	9685	9007	9868
Yield V: $(V1+V2+V3)/3 = \bar{V}$	8000	8000	8000	8000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ = \bar{A}/\bar{V}$	1,23

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	48,5		
Average value of the 2 areas F comparing print V1:	51,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	46,4		
Average value of the 2 areas F comparing print V2:	51,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	48		
Average value of the 2 areas F comparing print V3:	51,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,3	75,6	65,4	51
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,4	3,8	4,8	4,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	76,7	65,6	51,5

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	0,8	1,2	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,8	3	3,6	3,6
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	89,7	76,4	67,8	48,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	4	6,9	3,8
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,9	76,8	66,1	51
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	2,6	0,7	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1,4	6,2	3,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	77,8	68,1	50,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,4	4,5	5,3	3,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,5	77,4	67	51
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	2,6	1,4	0,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,5	1,9	3,9	2,8
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	C9722A
Lot/Part number:	623782	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	8000		
Test device:	JPF2C28117 / JPGFD35747 / JPBFD16357	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	24	Relative humidity:	41
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	17/02/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	13009	Yes	Sample 1
2	10456	Yes	Sample 2
3	10714	Yes	Sample 3
4	12048	Yes	Sample 4
5	10045	Yes	Sample 5
6	10852	Yes	Sample 6
7	13010	Yes	Sample 7
8	11111	Yes	Sample 8
9	10980	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	8000	Yes/no	OEM Sample/Spec
2	8000	Yes/no	OEM Sample/Spec
3	8000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	13010	10980	10045	11345
Yield V: $(V1+V2+V3)/3=\bar{V}$	8000	8000	8000	8000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,42

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	87		
Average value of the 2 areas F comparing print V1:	88,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	85,8		
Average value of the 2 areas F comparing print V2:	88,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,5	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	85,2		
Average value of the 2 areas F comparing print V3:	88,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,7	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F				
after 50 pages	92,6	90,5	88	85,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,6	2,1	2,6
Comparing print V1	1	6	A	F
Color values 1 6 A F				
after 50 pages	90,9	91,9	90,3	88,7

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	0,3	0,5	0,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	0,3	1,6	2,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,9	90,4	88,5	86,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	0,6	1	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	91,3	90,3	87,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,8	0,6	1,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,2	0,4	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	92,9	90,2	88,5	86,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	1,5	2,3	2,3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92	91,9	90,8	88,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	0,6	0,8	0,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	0,9	1,5	1,6
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed