

TYPE OF TEST: ISO 19752

When cartridge HP CC364A is used in printers HP LJ P4015n and HP LJ P4515tn.

Toner Cartridge yield

Average Continuous Black Cartridge Yield **13250** standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 13279 standard pages

Date Tested:

18.6.2015 - 1.7.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o.
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP CC364A

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Intel(R) Pentium(R) 4 - 2.66 GHz	Intel(R) Pentium(R) 4 - 2.66 GHz	Intel(R) Pentium(R) 4 - 2.66 GHz
Operating System:	Windows XP Profesional	Windows XP Profesional	Windows XP Profesional
Printer Nr.	62789	62651	63636
Printer Type	HP LJ P4015n	HP LJ P4015n	HP LJ P4515tn
Serial Nr.	CNFX200379	CNFX201490	CNFX138764
Driver Version:	PCL6 - 61.082.75.21	PCL6 - 61.082.75.21	PCL6 - 61.082.75.21

Note:

Page yield rounded to 13 250. It's 3250 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15044394128829 - K001	PHI_15_I0149	13 300	Y
	C				
	Y				
	M				
2nd set	K	15044395528829 - K002	PHI_15_I0150	14 184	Y
	C				
	Y				
	M				
3rd set	K	15044395228829 - K003	PHI_15_I0151	13 636	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	41 120	13 707	446	12 954	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15044394528829 - K004	PHI_15_I0152	12 950	Y
	C				
	Y				
	M				
2nd set	K	15044394228829 - K005	PHI_15_I0153	15 110	Y
	C				
	Y				
	M				
3rd set	K	15044394828829 - K006	PHI_15_I0154	14 823	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	42 883	14 294	1173	12 317	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15044394228829 - K007	PHI_15_I0155	13 001	Y
	C				
	Y				
	M				
2nd set	K	15044395628829 - K008	PHI_15_I0156	13 276	Y
	C				
	Y				
	M				
3rd set	K	15044394328829 - K009	PHI_15_I0157	13 575	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	39 852	13 284	287	12 800	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	123 855	13 762	779	13 279	9
	C						
	Y						
	M						

Note:
Statement OEM 10 000 pages.

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	24,0	Allowed 23
Testing Room - max. running average temp. [°C]	24,6	26
Testing Room - min. running average temp. [°C]	23,5	20

Testing Room average RH. [%]	52,6	Allowed 50
Testing Room - max. running average RH [%]	58,4	65
Testing Room - min. running average RH [%]	44,0	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 17.6.2015 6:00 - 1.7.2015 10:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
N/A	N/A	N/A	17.6.2015	6:00	24,2	54,2	N/A	N/A	No
			17.6.2015	6:15	24,1	52,5	N/A	N/A	No
			17.6.2015	6:30	24,2	49,4	N/A	N/A	No
			17.6.2015	6:45	24,3	54	24,2	52,5	Yes
			17.6.2015	7:00	24,1	52,5	24,2	52,1	Yes
			17.6.2015	7:15	24,1	49,7	24,2	51,4	Yes
			17.6.2015	7:30	24,2	54,2	24,2	52,6	Yes
			17.6.2015	7:45	24,1	52,9	24,1	52,3	Yes
			17.6.2015	8:00	24,2	48,1	24,2	51,2	Yes
			17.6.2015	8:15	24,1	53,2	24,2	52,1	Yes
			17.6.2015	8:30	24	52	24,1	51,6	Yes
			17.6.2015	8:45	24,2	52,8	24,1	51,5	Yes
			17.6.2015	9:00	24	52,2	24,1	52,6	Yes
			17.6.2015	9:15	24,1	49,1	24,1	51,5	Yes
			17.6.2015	9:30	24,1	52,6	24,1	51,7	Yes
			17.6.2015	9:45	24	52,4	24,1	51,6	Yes
			17.6.2015	10:00	24,2	49	24,1	50,8	Yes
			17.6.2015	10:15	24,2	52	24,1	51,5	Yes
			17.6.2015	10:30	24,1	51	24,1	51,1	Yes
			17.6.2015	10:45	24,2	49,8	24,2	50,5	Yes
			17.6.2015	11:00	24,1	50,3	24,2	50,8	Yes
			17.6.2015	11:15	24	50,5	24,1	50,4	Yes
			17.6.2015	11:30	24,1	50,3	24,1	50,2	Yes
			17.6.2015	11:45	24,1	51,4	24,1	50,6	Yes
			17.6.2015	12:00	23,8	45,6	24,0	49,5	Yes
			17.6.2015	12:15	23,5	42,8	23,9	47,5	Yes
			17.6.2015	12:30	23,4	50,2	23,7	47,5	Yes
			17.6.2015	12:45	23,8	51,7	23,6	47,6	Yes
			17.6.2015	13:00	23,7	49,3	23,6	48,5	Yes
			17.6.2015	13:15	23,9	51,1	23,7	50,6	Yes
			17.6.2015	13:30	23,9	52,9	23,8	51,3	Yes
			17.6.2015	13:45	23,8	48,2	23,8	50,4	Yes
			17.6.2015	14:00	24,1	51,8	23,9	51,0	Yes
			17.6.2015	14:15	24,1	52,4	24,0	51,3	Yes
			17.6.2015	14:30	24,2	51,9	24,1	51,1	Yes
			17.6.2015	14:45	24,1	51,3	24,1	51,9	Yes
			17.6.2015	15:00	24,1	49,2	24,1	51,2	Yes
			17.6.2015	15:15	24,2	53,8	24,2	51,6	Yes
			17.6.2015	15:30	24,3	53,5	24,2	52,0	Yes
			17.6.2015	15:45	24,4	52,6	24,3	52,3	Yes
			17.6.2015	16:00	24,5	51,5	24,4	52,9	Yes
			17.6.2015	16:15	24,5	53,1	24,4	52,7	Yes
			17.6.2015	16:30	24,2	54,3	24,4	52,9	Yes
			17.6.2015	16:45	24,3	53,1	24,4	53,0	Yes
			17.6.2015	17:00	24,4	50,3	24,4	52,7	Yes
			17.6.2015	17:15	24,4	50,3	24,3	52,0	Yes
			17.6.2015	17:30	24,5	51,4	24,4	51,3	Yes
			17.6.2015	17:45	24,5	49,4	24,5	50,4	Yes
			17.6.2015	18:00	24,2	51,1	24,4	50,6	Yes
			17.6.2015	18:15	24,3	51,9	24,4	51,0	Yes
			17.6.2015	18:30	24,4	54	24,4	51,6	Yes
			17.6.2015	18:45	24,4	53,1	24,3	52,5	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0149	PHI_15_I0152	PHI_14_I0335	17.6.2015	19:00	24,3	50,9	24,4	52,5	Yes
			17.6.2015	19:15	24,2	53,5	24,3	52,9	Yes
			17.6.2015	19:30	24,4	53,1	24,3	52,7	Yes
			17.6.2015	19:45	24,4	53,5	24,3	52,8	Yes
			17.6.2015	20:00	24,5	53,9	24,4	53,5	Yes
			17.6.2015	20:15	24,5	53,8	24,5	53,6	Yes
			17.6.2015	20:30	24,2	53,5	24,4	53,7	Yes
			17.6.2015	20:45	24,3	54,3	24,4	53,9	Yes
			17.6.2015	21:00	24,3	54,2	24,3	54,0	Yes
			17.6.2015	21:15	24,4	54,2	24,3	54,1	Yes
			17.6.2015	21:30	24,4	53,6	24,4	54,1	Yes
			17.6.2015	21:45	24,4	53,7	24,4	53,9	Yes
			17.6.2015	22:00	24,4	53,9	24,4	53,9	Yes
			17.6.2015	22:15	24,4	52,9	24,4	53,5	Yes
			17.6.2015	22:30	24,3	53	24,4	53,4	Yes
			17.6.2015	22:45	24,3	53,5	24,4	53,3	Yes
			17.6.2015	23:00	24,3	53,8	24,3	53,3	Yes
			17.6.2015	23:15	24,3	54	24,3	53,6	Yes
			17.6.2015	23:30	24,3	54,6	24,3	54,0	Yes
			17.6.2015	23:45	24,3	54,2	24,3	54,2	Yes
			18.6.2015	0:00	24,3	54,4	24,3	54,3	Yes
			18.6.2015	0:15	24,3	54,2	24,3	54,4	Yes
			18.6.2015	0:30	24,3	54,5	24,3	54,3	Yes
			18.6.2015	0:45	24,3	53,7	24,3	54,2	Yes
			18.6.2015	1:00	24,3	53,6	24,3	54,0	Yes
			18.6.2015	1:15	24,2	53,9	24,3	53,9	Yes
			18.6.2015	1:30	24,2	53,9	24,3	53,8	Yes
			18.6.2015	1:45	24,2	54,2	24,2	53,9	Yes
			18.6.2015	2:00	24,2	54	24,2	54,0	Yes
			18.6.2015	2:15	24,2	53,8	24,2	54,0	Yes
			18.6.2015	2:30	24,1	54,1	24,2	54,0	Yes
			18.6.2015	2:45	24,2	54	24,2	54,0	Yes
			18.6.2015	3:00	24,1	54,1	24,2	54,0	Yes
			18.6.2015	3:15	24,1	54,7	24,1	54,2	Yes
			18.6.2015	3:30	24,1	54,5	24,1	54,3	Yes
			18.6.2015	3:45	24,1	54,5	24,1	54,5	Yes
			18.6.2015	4:00	24	54,3	24,1	54,5	Yes
			18.6.2015	4:15	24	54,3	24,1	54,4	Yes
			18.6.2015	4:30	24	55,4	24,0	54,6	Yes
			18.6.2015	4:45	24	54,4	24,0	54,6	Yes
			18.6.2015	5:00	24	55,3	24,0	54,9	Yes
			18.6.2015	5:15	24	53,7	24,0	54,7	Yes
			18.6.2015	5:30	24	53,3	24,0	54,2	Yes
			18.6.2015	5:45	24	53,4	24,0	53,9	Yes
			18.6.2015	6:00	24	50,3	24,0	52,7	Yes
			18.6.2015	6:15	24	51,9	24,0	52,2	Yes
			18.6.2015	6:30	23,9	55,2	24,0	52,7	Yes
			18.6.2015	6:45	23,8	54,3	23,9	52,9	Yes
			18.6.2015	7:00	23,8	52,9	23,9	53,6	Yes
			18.6.2015	7:15	24	55,6	23,9	54,5	Yes
			18.6.2015	7:30	23,8	54,5	23,9	54,3	Yes
			18.6.2015	7:45	23,8	52,6	23,9	53,9	Yes
			18.6.2015	8:00	24	54,6	23,9	54,3	Yes
			18.6.2015	8:15	23,9	53,8	23,9	53,9	Yes
			18.6.2015	8:30	23,8	53,8	23,9	53,7	Yes
			18.6.2015	8:45	24	51,4	23,9	53,4	Yes
			18.6.2015	9:00	23,9	52,2	23,9	52,8	Yes
			18.6.2015	9:15	24,1	52,1	24,0	52,4	Yes
			18.6.2015	9:30	23,9	54,8	24,0	52,6	Yes
			18.6.2015	9:45	23,9	50,6	24,0	52,4	Yes
			18.6.2015	10:00	24,1	56,1	24,0	53,4	Yes
			18.6.2015	10:15	23,8	52,8	23,9	53,6	Yes
			18.6.2015	10:30	24,1	52,1	24,0	52,9	Yes
			18.6.2015	10:45	23,8	46,4	24,0	51,9	Yes
			18.6.2015	11:00	23,6	48,7	23,8	50,0	Yes
			18.6.2015	11:15	23,8	53,5	23,8	50,2	Yes
			18.6.2015	11:30	23,8	50,3	23,8	49,7	Yes
			18.6.2015	11:45	24	54,9	23,8	51,9	Yes
			18.6.2015	12:00	23,9	53,3	23,9	53,0	Yes
			18.6.2015	12:15	24,1	48,5	24,0	51,8	Yes
			18.6.2015	12:30	24	45,7	24,0	50,6	Yes
			18.6.2015	12:45	23,9	44,2	24,0	47,9	Yes
			18.6.2015	13:00	23,8	42,8	24,0	45,3	Yes
			18.6.2015	13:15	23,5	43,4	23,8	44,0	Yes
			18.6.2015	13:30	23,9	50	23,8	45,1	Yes
			18.6.2015	13:45	23,8	51,3	23,8	46,9	Yes
			18.6.2015	14:00	23,9	48,7	23,8	48,4	Yes
			18.6.2015	14:15	24,1	51,4	23,9	50,4	Yes
			18.6.2015	14:30	24	51,6	24,0	50,8	Yes
			18.6.2015	14:45	24	54,4	24,0	51,5	Yes
			18.6.2015	15:00	24	50,8	24,0	52,1	Yes
			18.6.2015	15:15	24	53,5	24,0	52,6	Yes
			18.6.2015	15:30	24,2	54	24,1	53,2	Yes
			18.6.2015	15:45	24,2	52,6	24,1	52,7	Yes
			18.6.2015	16:00	24,3	53,3	24,2	53,4	Yes
			18.6.2015	16:15	24,3	53	24,3	53,2	Yes
			18.6.2015	16:30	24,3	53,6	24,3	53,1	Yes
			18.6.2015	16:45	24,3	53,7	24,3	53,4	Yes
			18.6.2015	17:00	24,3	53,6	24,3	53,5	Yes
			18.6.2015	17:15	24,4	54	24,3	53,7	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	18.6.2015	17:30	24,4	54,3	24,4	53,9	Yes
			18.6.2015	17:45	24,4	53,5	24,4	53,9	Yes
			18.6.2015	18:00	24,4	53,8	24,4	53,9	Yes
			18.6.2015	18:15	24,4	54	24,4	53,9	Yes
			18.6.2015	18:30	24,4	54,1	24,4	53,9	Yes
			18.6.2015	18:45	24,4	53,9	24,4	54,0	Yes
			18.6.2015	19:00	24,4	53,9	24,4	54,0	Yes
			18.6.2015	19:15	24,4	54,4	24,4	54,1	Yes
			18.6.2015	19:30	24,4	54	24,4	54,1	Yes
			18.6.2015	19:45	24,4	54,1	24,4	54,1	Yes
			18.6.2015	20:00	24,4	54,2	24,4	54,2	Yes
			18.6.2015	20:15	24,4	54,2	24,4	54,1	Yes
			18.6.2015	20:30	24,4	53,9	24,4	54,1	Yes
			18.6.2015	20:45	24,4	54,4	24,4	54,2	Yes
			18.6.2015	21:00	24,4	54,5	24,4	54,3	Yes
			18.6.2015	21:15	24,4	54,1	24,4	54,2	Yes
			18.6.2015	21:30	24,4	54,1	24,4	54,3	Yes
			18.6.2015	21:45	24,4	54,3	24,4	54,3	Yes
			18.6.2015	22:00	24,4	54,3	24,4	54,2	Yes
			18.6.2015	22:15	24,4	54,1	24,4	54,2	Yes
			18.6.2015	22:30	24,3	53,8	24,4	54,1	Yes
			18.6.2015	22:45	24,3	54,2	24,4	54,1	Yes
			18.6.2015	23:00	24,3	54,3	24,3	54,1	Yes
			18.6.2015	23:15	24,3	54,5	24,3	54,2	Yes
			18.6.2015	23:30	24,3	55,1	24,3	54,5	Yes
			18.6.2015	23:45	24,3	54,3	24,3	54,6	Yes
			19.6.2015	0:00	24,3	54,5	24,3	54,6	Yes
			19.6.2015	0:15	24,3	54,7	24,3	54,7	Yes
			19.6.2015	0:30	24,3	55,2	24,3	54,7	Yes
			19.6.2015	0:45	24,3	54,4	24,3	54,7	Yes
			19.6.2015	1:00	24,3	54,7	24,3	54,8	Yes
			19.6.2015	1:15	24,2	54,9	24,3	54,8	Yes
			19.6.2015	1:30	24,2	55,7	24,3	54,9	Yes
			19.6.2015	1:45	24,2	54,6	24,2	55,0	Yes
			19.6.2015	2:00	24,2	54,9	24,2	55,0	Yes
			19.6.2015	2:15	24,2	54,8	24,2	55,0	Yes
			19.6.2015	2:30	24,2	54,9	24,2	54,8	Yes
			19.6.2015	2:45	24,2	54,6	24,2	54,8	Yes
			19.6.2015	3:00	24,2	55	24,2	54,8	Yes
			19.6.2015	3:15	24,2	55	24,2	54,9	Yes
			19.6.2015	3:30	24,2	55,2	24,2	55,0	Yes
			19.6.2015	3:45	24,2	54,7	24,2	55,0	Yes
			19.6.2015	4:00	24,1	54,6	24,2	54,9	Yes
			19.6.2015	4:15	24,1	55,3	24,2	55,0	Yes
			19.6.2015	4:30	24,1	54,6	24,1	54,8	Yes
			19.6.2015	4:45	24,1	54,5	24,1	54,8	Yes
			19.6.2015	5:00	24,1	54,5	24,1	54,7	Yes
			19.6.2015	5:15	24,1	55,1	24,1	54,7	Yes
			19.6.2015	5:30	24,1	54,8	24,1	54,7	Yes
			19.6.2015	5:45	24	55	24,1	54,9	Yes
PHI_15_I0149	PHI_15_I0152	PHI_15_I0155	19.6.2015	6:00	23,9	54	24,0	54,7	Yes
			19.6.2015	6:15	24	52,8	24,0	54,2	Yes
			19.6.2015	6:30	24	57,8	24,0	54,9	Yes
			19.6.2015	6:45	23,9	53	24,0	54,4	Yes
			19.6.2015	7:00	24,1	58,3	24,0	55,5	Yes
			19.6.2015	7:15	23,9	53,9	24,0	55,8	Yes
			19.6.2015	7:30	24,1	53,5	24,0	54,7	Yes
			19.6.2015	7:45	23,9	53,1	24,0	54,7	Yes
			19.6.2015	8:00	24	50,3	24,0	52,7	Yes
			19.6.2015	8:15	23,7	50,3	23,9	51,8	Yes
			19.6.2015	8:30	24,1	54,4	23,9	52,0	Yes
			19.6.2015	8:45	23,9	48,8	23,9	51,0	Yes
			19.6.2015	9:00	24,1	55,8	24,0	52,3	Yes
			19.6.2015	9:15	23,9	47,5	24,0	51,6	Yes
			19.6.2015	9:30	23,7	50,7	23,9	50,7	Yes
			19.6.2015	9:45	24	50,7	23,9	51,2	Yes
			19.6.2015	10:00	23,8	52,7	23,9	50,4	Yes
			19.6.2015	10:15	24	51	23,9	51,3	Yes
			19.6.2015	10:30	23,9	54,9	23,9	52,3	Yes
			19.6.2015	10:45	24	52,4	23,9	52,8	Yes
			19.6.2015	11:00	23,6	48,4	23,9	51,7	Yes
			19.6.2015	11:15	23,8	54,5	23,8	52,6	Yes
			19.6.2015	11:30	23,9	51,6	23,8	51,7	Yes
			19.6.2015	11:45	24,1	55,8	23,9	52,6	Yes
			19.6.2015	12:00	23,7	49,4	23,9	52,8	Yes
			19.6.2015	12:15	23,9	56,3	23,9	53,3	Yes
			19.6.2015	12:30	23,8	52,6	23,9	53,5	Yes
			19.6.2015	12:45	23,9	51,4	23,8	52,4	Yes
			19.6.2015	13:00	23,8	56,1	23,9	54,1	Yes
			19.6.2015	13:15	23,9	57,6	23,9	54,4	Yes
			19.6.2015	13:30	24,1	57,6	23,9	55,7	Yes
			19.6.2015	13:45	24,1	57,1	24,0	57,1	Yes
			19.6.2015	14:00	24,2	56,5	24,1	57,2	Yes
			19.6.2015	14:15	24,2	55,8	24,2	56,8	Yes
			19.6.2015	14:30	24,2	54,9	24,2	56,1	Yes
			19.6.2015	14:45	24,2	54,7			No
			19.6.2015	15:00	24,2	54			No
			19.6.2015	15:15	24,2	54,2			No
			19.6.2015	15:30	24,2	54,5			No
			19.6.2015	15:45	24,2	53,8			No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

19.6.2015	16:00	24,2	54,2		No
19.6.2015	16:15	24,2	54,4		No
19.6.2015	16:30	24,2	54,3		No
19.6.2015	16:45	24,3	54,7		No
19.6.2015	17:00	24,3	53,9		No
19.6.2015	17:15	24,3	53,7		No
19.6.2015	17:30	24,3	54,4		No
19.6.2015	17:45	24,3	54,5		No
19.6.2015	18:00	24,3	55,2		No
19.6.2015	18:15	24,4	54,2		No
19.6.2015	18:30	24,4	54,5		No
19.6.2015	18:45	24,3	54,8		No
19.6.2015	19:00	24,4	55,2		No
19.6.2015	19:15	24,4	54,2		No
19.6.2015	19:30	24,4	54,5		No
19.6.2015	19:45	24,4	54,3		No
19.6.2015	20:00	24,4	54,5		No
19.6.2015	20:15	24,4	54,2		No
19.6.2015	20:30	24,4	54,7		No
19.6.2015	20:45	24,4	54,9		No
19.6.2015	21:00	24,4	54,6		No
19.6.2015	21:15	24,4	54,5		No
19.6.2015	21:30	24,3	53,7		No
19.6.2015	21:45	24,3	53,8		No
19.6.2015	22:00	24,3	53,9		No
19.6.2015	22:15	24,3	54,2		No
19.6.2015	22:30	24,2	53,9		No
19.6.2015	22:45	24,2	53,4		No
19.6.2015	23:00	24,2	53,1		No
19.6.2015	23:15	24,1	54,3		No
19.6.2015	23:30	24,1	54,6		No
19.6.2015	23:45	24,1	53,8		No
20.6.2015	0:00	24,1	53,6		No
20.6.2015	0:15	24,1	53,9		No
20.6.2015	0:30	24,1	54,2		No
20.6.2015	0:45	24	54,4		No
20.6.2015	1:00	24	54,6		No
20.6.2015	1:15	24	54,9		No
20.6.2015	1:30	24	55,2		No
20.6.2015	1:45	24	54,4		No
20.6.2015	2:00	24	54,6		No
20.6.2015	2:15	24	54,4		No
20.6.2015	2:30	23,9	54,5		No
20.6.2015	2:45	23,9	55		No
20.6.2015	3:00	23,9	54,5		No
20.6.2015	3:15	23,9	55		No
20.6.2015	3:30	23,9	55,2		No
20.6.2015	3:45	23,9	55,4		No
20.6.2015	4:00	23,9	54,7		No
20.6.2015	4:15	23,9	55,1		No
20.6.2015	4:30	23,8	55,3		No
20.6.2015	4:45	23,8	56		No
20.6.2015	5:00	23,8	54,9		No
20.6.2015	5:15	23,8	54,9		No
20.6.2015	5:30	23,8	54,9		No
20.6.2015	5:45	23,7	55,2		No
20.6.2015	6:00	23,7	55,2		No
20.6.2015	6:15	23,7	54,8		No
20.6.2015	6:30	23,7	54,6		No
20.6.2015	6:45	23,7	54,7		No
20.6.2015	7:00	23,7	55,2		No
20.6.2015	7:15	23,7	55,4		No
20.6.2015	7:30	23,7	55,6		No
20.6.2015	7:45	23,7	55,6		No
20.6.2015	8:00	23,7	55,8		No
20.6.2015	8:15	23,7	55,4		No
20.6.2015	8:30	23,7	55,7		No
20.6.2015	8:45	23,7	55,5		No
20.6.2015	9:00	23,7	55,1		No
20.6.2015	9:15	23,7	55,4		No
20.6.2015	9:30	23,7	55,5		No
20.6.2015	9:45	23,7	55		No
20.6.2015	10:00	23,7	55,2		No
20.6.2015	10:15	23,7	54,6		No
20.6.2015	10:30	23,7	54,3		No
20.6.2015	10:45	23,7	55		No
20.6.2015	11:00	23,7	55,2		No
20.6.2015	11:15	23,7	55,4		No
20.6.2015	11:30	23,7	54,8		No
20.6.2015	11:45	23,7	55		No
20.6.2015	12:00	23,7	55,2		No
20.6.2015	12:15	23,7	55,1		No
20.6.2015	12:30	23,7	54,7		No
20.6.2015	12:45	23,8	55,4		No
20.6.2015	13:00	23,8	55,2		No
20.6.2015	13:15	23,8	55		No
20.6.2015	13:30	23,8	54,5		No
20.6.2015	13:45	23,8	54,9		No
20.6.2015	14:00	23,8	55,2		No
20.6.2015	14:15	23,8	54,7		No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	20.6.2015	14:30	23,9	55,1			No
			20.6.2015	14:45	23,9	55,1			No
			20.6.2015	15:00	23,9	54,8			No
			20.6.2015	15:15	23,9	55,1			No
			20.6.2015	15:30	24	55,4			No
			20.6.2015	15:45	24	54,8			No
			20.6.2015	16:00	24	55,2			No
			20.6.2015	16:15	24,1	55,1			No
			20.6.2015	16:30	24,1	54,8			No
			20.6.2015	16:45	24,1	54,9			No
			20.6.2015	17:00	24,1	54,9			No
			20.6.2015	17:15	24,2	54,3			No
			20.6.2015	17:30	24,2	54,3			No
			20.6.2015	17:45	24,3	54,7			No
			20.6.2015	18:00	24,3	55,4			No
			20.6.2015	18:15	24,3	54,4			No
			20.6.2015	18:30	24,3	54,6			No
			20.6.2015	18:45	24,4	54,9			No
			20.6.2015	19:00	24,4	53,1			No
			20.6.2015	19:15	24,4	53,5			No
			20.6.2015	19:30	24,4	54,1			No
			20.6.2015	19:45	24,4	54,4			No
			20.6.2015	20:00	24,4	54,8			No
			20.6.2015	20:15	24,4	54,2			No
			20.6.2015	20:30	24,4	54,2			No
			20.6.2015	20:45	24,4	54,6			No
			20.6.2015	21:00	24,4	54,8			No
			20.6.2015	21:15	24,4	54,4			No
			20.6.2015	21:30	24,4	54,3			No
			20.6.2015	21:45	24,4	54,6			No
			20.6.2015	22:00	24,3	54,8			No
			20.6.2015	22:15	24,4	53,1			No
			20.6.2015	22:30	24,3	53,3			No
			20.6.2015	22:45	24,2	53,6			No
			20.6.2015	23:00	24,2	53,8			No
			20.6.2015	23:15	24,2	53,9			No
			20.6.2015	23:30	24,2	53,9			No
			20.6.2015	23:45	24,1	54,2			No
			21.6.2015	0:00	24,1	54,3			No
			21.6.2015	0:15	24,1	54,4			No
			21.6.2015	0:30	24,1	54,5			No
			21.6.2015	0:45	24,1	54,2			No
			21.6.2015	1:00	24,1	54,3			No
			21.6.2015	1:15	24	54,3			No
			21.6.2015	1:30	24	54,5			No
			21.6.2015	1:45	24	54,5			No
			21.6.2015	2:00	24	54,7			No
			21.6.2015	2:15	23,9	55,2			No
			21.6.2015	2:30	23,9	54,2			No
			21.6.2015	2:45	23,9	54,3			No
			21.6.2015	3:00	23,9	54,5			No
			21.6.2015	3:15	23,9	54,5			No
			21.6.2015	3:30	23,8	54,6			No
			21.6.2015	3:45	23,8	55,4			No
			21.6.2015	4:00	23,8	54,9			No
			21.6.2015	4:15	23,8	54,4			No
			21.6.2015	4:30	23,8	54,6			No
			21.6.2015	4:45	23,8	52,5			No
			21.6.2015	5:00	23,7	53,2			No
			21.6.2015	5:15	23,7	52,6			No
			21.6.2015	5:30	23,7	53,7			No
			21.6.2015	5:45	23,6	53,6			No
			21.6.2015	6:00	23,6	53,7	23,7	53,4	Yes
			21.6.2015	6:15	23,6	53,9	23,6	53,7	Yes
			21.6.2015	6:30	23,6	54,2	23,6	53,9	Yes
			21.6.2015	6:45	23,6	54	23,6	54,0	Yes
			21.6.2015	7:00	23,6	54,1	23,6	54,1	Yes
			21.6.2015	7:15	23,6	54,5	23,6	54,2	Yes
			21.6.2015	7:30	23,6	55	23,6	54,4	Yes
			21.6.2015	7:45	23,6	54,9	23,6	54,6	Yes
			21.6.2015	8:00	23,6	54,6	23,6	54,8	Yes
			21.6.2015	8:15	23,6	54,1	23,6	54,7	Yes
			21.6.2015	8:30	23,6	53,6	23,6	54,3	Yes
			21.6.2015	8:45	23,6	53,1	23,6	53,9	Yes
			21.6.2015	9:00	23,6	52,9	23,6	53,4	Yes
			21.6.2015	9:15	23,6	52,6	23,6	53,1	Yes
			21.6.2015	9:30	23,6	52,4	23,6	52,8	Yes
			21.6.2015	9:45	23,6	52	23,6	52,5	Yes
			21.6.2015	10:00	23,6	51,5	23,6	52,1	Yes
			21.6.2015	10:15	23,6	51,2	23,6	51,8	Yes
			21.6.2015	10:30	23,6	51,1	23,6	51,5	Yes
			21.6.2015	10:45	23,6	51	23,6	51,2	Yes
			21.6.2015	11:00	23,6	50,8	23,6	51,0	Yes
			21.6.2015	11:15	23,6	50,8	23,6	50,9	Yes
			21.6.2015	11:30	23,7	50,7	23,6	50,8	Yes
			21.6.2015	11:45	23,7	50,7	23,7	50,8	Yes
			21.6.2015	12:00	23,7	50,6	23,7	50,7	Yes
			21.6.2015	12:15	23,7	50,5	23,7	50,6	Yes
			21.6.2015	12:30	23,8	50,5	23,7	50,6	Yes
			21.6.2015	12:45	23,8	50,4	23,8	50,5	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0149	PHI_15_I0152	PHI_15_I0155	21.6.2015	13:00	23,8	50,3	23,8	50,4	Yes
			21.6.2015	13:15	23,8	50,2	23,8	50,4	Yes
			21.6.2015	13:30	23,9	49,9	23,8	50,2	Yes
			21.6.2015	13:45	23,9	49,8	23,9	50,1	Yes
			21.6.2015	14:00	23,9	49,7	23,9	49,9	Yes
			21.6.2015	14:15	24	49,7	23,9	49,8	Yes
			21.6.2015	14:30	24	49,6	24,0	49,7	Yes
			21.6.2015	14:45	24	49,6	24,0	49,7	Yes
			21.6.2015	15:00	24,1	49,6	24,0	49,6	Yes
			21.6.2015	15:15	24,1	49,5	24,1	49,6	Yes
			21.6.2015	15:30	24,1	49,4	24,1	49,5	Yes
			21.6.2015	15:45	24,1	49,3	24,1	49,5	Yes
			21.6.2015	16:00	24,2	49,3	24,1	49,4	Yes
			21.6.2015	16:15	24,2	49,2	24,2	49,3	Yes
			21.6.2015	16:30	24,2	49	24,2	49,2	Yes
			21.6.2015	16:45	24,3	48,8	24,2	49,1	Yes
			21.6.2015	17:00	24,3	48,8	24,3	49,0	Yes
			21.6.2015	17:15	24,4	48,6	24,3	48,8	Yes
			21.6.2015	17:30	24,4	48,5	24,4	48,7	Yes
			21.6.2015	17:45	24,5	48,5	24,4	48,6	Yes
			21.6.2015	18:00	24,5	48,3	24,5	48,5	Yes
			21.6.2015	18:15	24,5	48,2	24,5	48,4	Yes
			21.6.2015	18:30	24,5	48	24,5	48,3	Yes
			21.6.2015	18:45	24,6	47,9	24,5	48,1	Yes
			21.6.2015	19:00	24,6	47,6	24,6	47,9	Yes
			21.6.2015	19:15	24,6	47,2	24,6	47,7	Yes
			21.6.2015	19:30	24,6	47,1	24,6	47,5	Yes
			21.6.2015	19:45	24,6	47	24,6	47,2	Yes
			21.6.2015	20:00	24,6	47	24,6	47,1	Yes
			21.6.2015	20:15	24,6	47	24,6	47,0	Yes
			21.6.2015	20:30	24,6	47	24,6	47,0	Yes
			21.6.2015	20:45	24,6	47	24,6	47,0	Yes
			21.6.2015	21:00	24,6	46,9	24,6	47,0	Yes
			21.6.2015	21:15	24,6	46,8	24,6	46,9	Yes
			21.6.2015	21:30	24,6	46,7	24,6	46,9	Yes
			21.6.2015	21:45	24,6	46,7	24,6	46,8	Yes
			21.6.2015	22:00	24,6	46,6	24,6	46,7	Yes
			21.6.2015	22:15	24,5	46,5	24,6	46,6	Yes
			21.6.2015	22:30	24,5	46,1	24,6	46,5	Yes
			21.6.2015	22:45	24,5	45,9	24,5	46,3	Yes
			21.6.2015	23:00	24,5	45,9	24,5	46,1	Yes
			21.6.2015	23:15	24,5	45,8	24,5	45,9	Yes
			21.6.2015	23:30	24,5	45,7	24,5	45,8	Yes
			21.6.2015	23:45	24,4	45,7	24,5	45,8	Yes
			22.6.2015	0:00	24,4	45,6	24,5	45,7	Yes
			22.6.2015	0:15	24,4	45,5	24,4	45,6	Yes
			22.6.2015	0:30	24,4	45,5	24,4	45,6	Yes
			22.6.2015	0:45	24,4	45,3	24,4	45,5	Yes
			22.6.2015	1:00	24,4	45,3	24,4	45,4	Yes
			22.6.2015	1:15	24,3	45,2	24,4	45,3	Yes
			22.6.2015	1:30	24,3	45,2	24,4	45,3	Yes
			22.6.2015	1:45	24,3	45,2	24,3	45,2	Yes
			22.6.2015	2:00	24,3	45	24,3	45,2	Yes
			22.6.2015	2:15	24,3	45	24,3	45,1	Yes
			22.6.2015	2:30	24,2	44,9	24,3	45,0	Yes
			22.6.2015	2:45	24,2	44,8	24,3	44,9	Yes
			22.6.2015	3:00	24,2	44,9	24,2	44,9	Yes
			22.6.2015	3:15	24,2	44,7	24,2	44,8	Yes
			22.6.2015	3:30	24,2	44,6	24,2	44,8	Yes
			22.6.2015	3:45	24,1	44,6	24,2	44,7	Yes
			22.6.2015	4:00	24,1	44,5	24,2	44,6	Yes
			22.6.2015	4:15	24,1	44,4	24,1	44,5	Yes
			22.6.2015	4:30	24,1	44,5	24,1	44,5	Yes
			22.6.2015	4:45	24,1	44,3	24,1	44,4	Yes
			22.6.2015	5:00	24	44,3	24,1	44,4	Yes
			22.6.2015	5:15	24	44,2	24,1	44,3	Yes
			22.6.2015	5:30	24	44,2	24,0	44,3	Yes
			22.6.2015	5:45	24	44,1	24,0	44,2	Yes
			22.6.2015	6:00	24	47,3	24,0	45,0	Yes
			22.6.2015	6:15	23,9	52,5	24,0	47,0	Yes
			22.6.2015	6:30	24	52,3	24,0	49,1	Yes
			22.6.2015	6:45	24,2	51,9			No
			22.6.2015	7:00	24,4	52,2			No
			22.6.2015	7:15	24,8	51,7			No
			22.6.2015	7:30	25,1	53			No
			22.6.2015	7:45	25,3	50,7			No
			22.6.2015	8:00	24,6	44,7			No
			22.6.2015	8:15	24	41,9			No
			22.6.2015	8:30	24,1	49,7			No
			22.6.2015	8:45	24,1	46,5			No
			22.6.2015	9:00	23,7	43,5			No
			22.6.2015	9:15	24,1	51,3			No
			22.6.2015	9:30	23,8	44,4			No
			22.6.2015	9:45	23,9	50,1			No
			22.6.2015	10:00	23,8	44,5			No
			22.6.2015	10:15	23,6	46,6			No
			22.6.2015	10:30	23,8	50,7			No
			22.6.2015	10:45	23,9	49,2			No
			22.6.2015	11:00	23,9	52,6			No
			22.6.2015	11:15	23,8	54,1			No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			22.6.2015	11:30	24	50,9		No
			22.6.2015	11:45	24,1	51,5		No
			22.6.2015	12:00	24,1	53,9		No
			22.6.2015	12:15	23,8	46,3		No
			22.6.2015	12:30	23,7	50,2		No
			22.6.2015	12:45	23,8	48,9		No
			22.6.2015	13:00	24	50,7		No
			22.6.2015	13:15	23,8	50,8		No
			22.6.2015	13:30	23,8	48,9		No
			22.6.2015	13:45	23,9	52,5		No
			22.6.2015	14:00	23,8	54,2		No
			22.6.2015	14:15	24	52,8		No
			22.6.2015	14:30	23,9	56,5		No
			22.6.2015	14:45	24,1	55,7		No
			22.6.2015	15:00	23,8	56		No
			22.6.2015	15:15	24	56,4		No
			22.6.2015	15:30	23,8	56,5		No
			22.6.2015	15:45	23,9	56,7		No
			22.6.2015	16:00	24	56,7		No
			22.6.2015	16:15	24,1	56,1		No
			22.6.2015	16:30	24,1	55,8		No
			22.6.2015	16:45	24,1	55,4		No
			22.6.2015	17:00	24,2	55		No
			22.6.2015	17:15	24,2	54,7		No
			22.6.2015	17:30	24,2	54,7		No
			22.6.2015	17:45	24,2	55,3		No
			22.6.2015	18:00	24,2	54,9		No
			22.6.2015	18:15	24,2	55,5		No
			22.6.2015	18:30	24,2	55		No
			22.6.2015	18:45	24,2	55,8		No
			22.6.2015	19:00	24,2	55,2		No
			22.6.2015	19:15	24,2	54,8		No
			22.6.2015	19:30	24,2	55,4		No
			22.6.2015	19:45	24,2	54,9		No
			22.6.2015	20:00	24,2	55,6		No
			22.6.2015	20:15	24,2	54,9		No
			22.6.2015	20:30	24,2	55,5		No
			22.6.2015	20:45	24,2	54,8		No
			22.6.2015	21:00	24,1	55,4		No
			22.6.2015	21:15	24,1	54,8		No
			22.6.2015	21:30	24,1	55,4		No
			22.6.2015	21:45	24,1	54,8		No
			22.6.2015	22:00	24,1	55,4		No
			22.6.2015	22:15	24,1	54,7		No
			22.6.2015	22:30	24	55,2		No
			22.6.2015	22:45	24	54,8		No
			22.6.2015	23:00	24	55,3		No
			22.6.2015	23:15	24	54,9		No
			22.6.2015	23:30	24	55,5		No
			22.6.2015	23:45	24	55		No
			23.6.2015	0:00	23,9	55,5		No
			23.6.2015	0:15	24	55,1		No
			23.6.2015	0:30	23,9	55,7		No
			23.6.2015	0:45	24	55,2		No
			23.6.2015	1:00	23,9	55,7		No
			23.6.2015	1:15	23,9	55,1		No
			23.6.2015	1:30	23,9	55,7		No
			23.6.2015	1:45	23,9	55,3		No
			23.6.2015	2:00	23,8	56		No
			23.6.2015	2:15	23,9	55,2		No
			23.6.2015	2:30	23,8	56,1		No
			23.6.2015	2:45	23,8	55,2		No
			23.6.2015	3:00	23,8	55,8		No
			23.6.2015	3:15	23,8	54,8		No
			23.6.2015	3:30	23,7	55,7		No
			23.6.2015	3:45	23,8	55,2		No
			23.6.2015	4:00	23,7	55,6		No
			23.6.2015	4:15	23,7	56,4		No
			23.6.2015	4:30	23,7	55,2		No
			23.6.2015	4:45	23,7	55,9		No
			23.6.2015	5:00	23,7	55		No
			23.6.2015	5:15	23,7	55,5		No
			23.6.2015	5:30	23,8	56		No
			23.6.2015	5:45	23,9	56,2		No
			23.6.2015	6:00	23,7	56,7		No
			23.6.2015	6:15	23,8	52,7		No
			23.6.2015	6:30	23,8	57,2		No
			23.6.2015	6:45	23,7	55,2		No
			23.6.2015	7:00	23,9	53,4		No
			23.6.2015	7:15	23,9	57,1		No
			23.6.2015	7:30	23,8	53,9		No
			23.6.2015	7:45	23,9	58,4		No
			23.6.2015	8:00	23,8	57		No
			23.6.2015	8:15	24	57,8		No
			23.6.2015	8:30	23,7	57,8		No
			23.6.2015	8:45	23,8	53,7		No
			23.6.2015	9:00	24	56,8		No
			23.6.2015	9:15	23,7	48,8		No
			23.6.2015	9:30	23,8	54,9		No
			23.6.2015	9:45	23,8	51,1		No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I	PHI_15_I	PHI_15_I	23.6.2015	10:00	23,7	56,1			No
			23.6.2015	10:15	24	58,8			No
			23.6.2015	10:30	23,7	56,4			No
			23.6.2015	10:45	23,9	59			No
			23.6.2015	11:00	23,8	52,4			No
			23.6.2015	11:15	23,8	57,9			No
			23.6.2015	11:30	23,8	53,5			No
			23.6.2015	11:45	23,9	58,8			No
			23.6.2015	12:00	23,7	54,2			No
			23.6.2015	12:15	23,8	58,8			No
N/A	N/A	N/A	23.6.2015	12:30	23,7	54			No
			23.6.2015	12:45	23,7	58,8			No
			23.6.2015	13:00	23,8	52,5			No
			23.6.2015	13:15	23,9	58,6			No
			23.6.2015	13:30	23,7	56			No
			23.6.2015	13:45	23,9	59,3			No
			23.6.2015	14:00	23,6	56,6	23,8	57,6	Yes
			23.6.2015	14:15	23,8	58,8	23,8	57,7	Yes
			23.6.2015	14:30	24	58,7	23,8	58,4	Yes
			23.6.2015	14:45	24,1	58	23,9	58,0	Yes
N/A	N/A	N/A	23.6.2015	15:00	23,8	57,2	23,9	58,2	Yes
			23.6.2015	15:15	23,8	57,9	23,9	58,0	Yes
			23.6.2015	15:30	23,9	56,7	23,9	57,5	Yes
			23.6.2015	15:45	24	55,9	23,9	56,9	Yes
			23.6.2015	16:00	24	55,3	23,9	56,5	Yes
			23.6.2015	16:15	24	55,9	24,0	56,0	Yes
			23.6.2015	16:30	24	55	24,0	55,5	Yes
			23.6.2015	16:45	24	55,6	24,0	55,5	Yes
			23.6.2015	17:00	24	55,9	24,0	55,6	Yes
			23.6.2015	17:15	24	55,5	24,0	55,5	Yes
N/A	N/A	N/A	23.6.2015	17:30	24	54,4	24,0	55,4	Yes
			23.6.2015	17:45	23,9	55,2	24,0	55,3	Yes
			23.6.2015	18:00	24	54,8	24,0	55,0	Yes
			23.6.2015	18:15	24	55,7	24,0	55,0	Yes
			23.6.2015	18:30	24	55,4	24,0	55,3	Yes
			23.6.2015	18:45	24	55,7	24,0	55,4	Yes
			23.6.2015	19:00	24	55,2	24,0	55,5	Yes
			23.6.2015	19:15	24	55,7	24,0	55,5	Yes
			23.6.2015	19:30	24,1	55,4	24,0	55,5	Yes
			23.6.2015	19:45	24	55,7	24,0	55,5	Yes
N/A	N/A	N/A	23.6.2015	20:00	24,1	55,3	24,1	55,5	Yes
			23.6.2015	20:15	24,1	55,7	24,1	55,5	Yes
			23.6.2015	20:30	24,1	55	24,1	55,4	Yes
			23.6.2015	20:45	24,1	55,6	24,1	55,4	Yes
			23.6.2015	21:00	24,1	54,8	24,1	55,3	Yes
			23.6.2015	21:15	24,1	55,4	24,1	55,2	Yes
			23.6.2015	21:30	24,1	55,1	24,1	55,2	Yes
			23.6.2015	21:45	24,1	55,2	24,1	55,1	Yes
			23.6.2015	22:00	24	55,5	24,1	55,3	Yes
			23.6.2015	22:15	24	54,3	24,1	55,0	Yes
N/A	N/A	N/A	23.6.2015	22:30	24	54,6	24,0	54,9	Yes
			23.6.2015	22:45	24	55,1	24,0	54,9	Yes
			23.6.2015	23:00	23,9	54,9	24,0	54,7	Yes
			23.6.2015	23:15	23,9	54,8	24,0	54,9	Yes
			23.6.2015	23:30	23,9	55,3	23,9	55,0	Yes
			23.6.2015	23:45	23,9	55,2	23,9	55,1	Yes
			24.6.2015	0:00	23,9	56,4	23,9	55,4	Yes
			24.6.2015	0:15	23,9	54,9	23,9	55,5	Yes
			24.6.2015	0:30	23,8	55,4	23,9	55,5	Yes
			24.6.2015	0:45	23,8	55,5	23,9	55,6	Yes
N/A	N/A	N/A	24.6.2015	1:00	23,8	56,1	23,8	55,5	Yes
			24.6.2015	1:15	23,8	55	23,8	55,5	Yes
			24.6.2015	1:30	23,8	55,4	23,8	55,5	Yes
			24.6.2015	1:45	23,8	55,8	23,8	55,6	Yes
			24.6.2015	2:00	23,7	55	23,8	55,3	Yes
			24.6.2015	2:15	23,7	55,3	23,8	55,4	Yes
			24.6.2015	2:30	23,7	55,6	23,7	55,4	Yes
			24.6.2015	2:45	23,7	55,1	23,7	55,3	Yes
			24.6.2015	3:00	23,6	55,4	23,7	55,4	Yes
			24.6.2015	3:15	23,6	55,8	23,7	55,5	Yes
N/A	N/A	N/A	24.6.2015	3:30	23,6	54,8	23,6	55,3	Yes
			24.6.2015	3:45	23,6	55,1	23,6	55,3	Yes
			24.6.2015	4:00	23,6	55,2	23,6	55,2	Yes
			24.6.2015	4:15	23,6	55,8	23,6	55,2	Yes
			24.6.2015	4:30	23,5	55,4	23,6	55,4	Yes
			24.6.2015	4:45	23,5	55,7	23,6	55,5	Yes
			24.6.2015	5:00	23,5	54,7	23,5	55,4	Yes
			24.6.2015	5:15	23,5	54,5	23,5	55,1	Yes
			24.6.2015	5:30	23,6	54,2	23,5	54,8	Yes
			24.6.2015	5:45	23,6	54,5	23,6	54,5	Yes
19	15_I0152	15_I0155	24.6.2015	6:00	23,8	52,7	23,6	54,0	Yes
			24.6.2015	6:15	23,8	52,2	23,7	53,4	Yes
			24.6.2015	6:30	23,8	55,2	23,8	53,7	Yes
			24.6.2015	6:45	23,8	54,1	23,8	53,6	Yes
			24.6.2015	7:00	23,8	50,7	23,8	53,1	Yes
			24.6.2015	7:15	23,7	55,3	23,8	53,8	Yes
			24.6.2015	7:30	23,8	51,5	23,8	52,9	Yes
			24.6.2015	7:45	23,8	55,6	23,8	53,3	Yes
			24.6.2015	8:00	23,7	55,1	23,8	54,4	Yes
			24.6.2015	8:15	23,6	55,2	23,7	54,4	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I014	PHI_15_I0150	PHI_15_I0153	PHI_15_I0156	24.6.2015	8:30	23,6	49,8	23,7	53,9	Yes
				24.6.2015	8:45	23,8	55,2	23,7	53,8	Yes
				24.6.2015	9:00	23,7	47,6	23,7	52,0	Yes
				24.6.2015	9:15	23,4	50,2	23,6	50,7	Yes
				24.6.2015	9:30	23,8	52	23,7	51,3	Yes
				24.6.2015	9:45	23,7	52,7	23,7	50,6	Yes
				24.6.2015	10:00	23,7	49	23,7	51,0	Yes
				24.6.2015	10:15	23,7	52,1	23,7	51,5	Yes
				24.6.2015	10:30	23,7	54,6	23,7	52,1	Yes
				24.6.2015	10:45	23,6	53,2	23,7	52,2	Yes
N/A	N/A	N/A	N/A	24.6.2015	11:00	23,7	50	23,7	52,5	Yes
				24.6.2015	11:15	23,6	53,4	23,7	52,8	Yes
				24.6.2015	11:30	23,6	49,1	23,6	51,4	Yes
				24.6.2015	11:45	23,6	55,9	23,6	52,1	Yes
				24.6.2015	12:00	23,5	54,8	23,6	53,3	Yes
				24.6.2015	12:15	23,8	55,4	23,6	53,8	Yes
				24.6.2015	12:30	23,7	56	23,7	55,5	Yes
				24.6.2015	12:45	23,6	51,2	23,7	54,4	Yes
				24.6.2015	13:00	23,7	56,8	23,7	54,9	Yes
				24.6.2015	13:15	23,9	56,1	23,7	55,0	Yes
N/A	N/A	N/A	N/A	24.6.2015	13:30	23,8	52,2	23,8	54,1	Yes
				24.6.2015	13:45	23,9	55,9	23,8	55,3	Yes
				24.6.2015	14:00	23,7	56	23,8	55,1	Yes
				24.6.2015	14:15	23,8	55,1	23,8	54,8	Yes
				24.6.2015	14:30	24	53,8	23,9	55,2	Yes
				24.6.2015	14:45	24,1	52,5	23,9	54,4	Yes
				24.6.2015	15:00	24	51,6	24,0	53,3	Yes
				24.6.2015	15:15	23,8	54,4	24,0	53,1	Yes
				24.6.2015	15:30	24	54,6	24,0	53,3	Yes
				24.6.2015	15:45	24	54,8	24,0	53,9	Yes
N/A	N/A	N/A	N/A	24.6.2015	16:00	24	54	24,0	54,5	Yes
				24.6.2015	16:15	24	52	24,0	53,9	Yes
				24.6.2015	16:30	24	53,1	24,0	53,5	Yes
				24.6.2015	16:45	24,1	52,7	24,0	53,0	Yes
				24.6.2015	17:00	24,1	52,9	24,1	52,7	Yes
				24.6.2015	17:15	24,1	53	24,1	52,9	Yes
				24.6.2015	17:30	24,1	53,1	24,1	52,9	Yes
				24.6.2015	17:45	24,1	52,9	24,1	53,0	Yes
				24.6.2015	18:00	24,1	52,8	24,1	53,0	Yes
				24.6.2015	18:15	24,1	53,7	24,1	53,1	Yes
N/A	N/A	N/A	N/A	24.6.2015	18:30	24,1	53,4	24,1	53,2	Yes
				24.6.2015	18:45	24,1	53,9	24,1	53,5	Yes
				24.6.2015	19:00	24,1	55,1	24,1	54,0	Yes
				24.6.2015	19:15	24,1	54,3	24,1	54,2	Yes
				24.6.2015	19:30	24,1	53,8	24,1	54,3	Yes
				24.6.2015	19:45	24,1	54	24,1	54,3	Yes
				24.6.2015	20:00	24,1	54,3	24,1	54,1	Yes
				24.6.2015	20:15	24,1	54,8	24,1	54,2	Yes
				24.6.2015	20:30	24,1	53,8	24,1	54,2	Yes
				24.6.2015	20:45	24,1	53,9	24,1	54,2	Yes
N/A	N/A	N/A	N/A	24.6.2015	21:00	24,1	54,7	24,1	54,3	Yes
				24.6.2015	21:15	24	55,2	24,1	54,4	Yes
				24.6.2015	21:30	24	54,7	24,1	54,6	Yes
				24.6.2015	21:45	24	53,5	24,0	54,5	Yes
				24.6.2015	22:00	24	54,3	24,0	54,4	Yes
				24.6.2015	22:15	24	54,7	24,0	54,3	Yes
				24.6.2015	22:30	24	54,1	24,0	54,2	Yes
				24.6.2015	22:45	23,9	54,1	24,0	54,3	Yes
				24.6.2015	23:00	23,9	54,1	24,0	54,3	Yes
				24.6.2015	23:15	23,9	54,5	23,9	54,2	Yes
N/A	N/A	N/A	N/A	24.6.2015	23:30	23,9	54,7	23,9	54,4	Yes
				24.6.2015	23:45	23,9	54,1	23,9	54,4	Yes
				25.6.2015	0:00	23,8	54,7	23,9	54,5	Yes
				25.6.2015	0:15	23,8	54,6	23,9	54,5	Yes
				25.6.2015	0:30	23,8	54,9	23,8	54,6	Yes
				25.6.2015	0:45	23,8	54,6	23,8	54,7	Yes
				25.6.2015	1:00	23,8	54,4	23,8	54,6	Yes
				25.6.2015	1:15	23,8	54,8	23,8	54,7	Yes
				25.6.2015	1:30	23,8	54,5	23,8	54,6	Yes
				25.6.2015	1:45	23,7	54,5	23,8	54,6	Yes
N/A	N/A	N/A	N/A	25.6.2015	2:00	23,7	55,3	23,8	54,8	Yes
				25.6.2015	2:15	23,7	55,6	23,7	55,0	Yes
				25.6.2015	2:30	23,7	55,2	23,7	55,2	Yes
				25.6.2015	2:45	23,7	54,6	23,7	55,2	Yes
				25.6.2015	3:00	23,6	54,6	23,7	55,0	Yes
				25.6.2015	3:15	23,6	54,6	23,7	54,8	Yes
				25.6.2015	3:30	23,6	55,1	23,6	54,7	Yes
				25.6.2015	3:45	23,6	54,8	23,6	54,8	Yes
				25.6.2015	4:00	23,6	55,2	23,6	54,9	Yes
				25.6.2015	4:15	23,5	54,9	23,6	55,0	Yes
N/A	N/A	N/A	N/A	25.6.2015	4:30	23,5	54,1	23,6	54,8	Yes
				25.6.2015	4:45	23,5	54,2	23,5	54,6	Yes
				25.6.2015	5:00	23,4	55	23,5	54,6	Yes
				25.6.2015	5:15	23,5	55,3	23,5	54,7	Yes
				25.6.2015	5:30	23,6	55,1	23,5	54,9	Yes
				25.6.2015	5:45	23,8	53,1	23,6	54,6	Yes
				25.6.2015	6:00	23,9	52,4	23,7	54,0	Yes
				25.6.2015	6:15	23,7	55,3	23,8	54,0	Yes
				25.6.2015	6:30	23,6	52,9	23,8	53,4	Yes
				25.6.2015	6:45	23,7	52,8	23,7	53,4	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0150	PHI_15_I0153	PHI_15_I0156	25.6.2015	7:00	23,7	57	23,7	54,5	Yes
			25.6.2015	7:15	23,5	56,2	23,6	54,7	Yes
			25.6.2015	7:30	23,7	57,4	23,7	55,9	Yes
			25.6.2015	7:45	23,6	56,6	23,6	56,8	Yes
			25.6.2015	8:00	23,7	53,6	23,6	56,0	Yes
			25.6.2015	8:15	23,6	56,4	23,7	56,0	Yes
			25.6.2015	8:30	23,6	55,7	23,6	55,6	Yes
			25.6.2015	8:45	23,6	52	23,6	54,4	Yes
			25.6.2015	9:00	23,7	52,5	23,6	54,2	Yes
			25.6.2015	9:15	23,6	54,3	23,6	53,6	Yes
			25.6.2015	9:30	23,5	51,4	23,6	52,6	Yes
			25.6.2015	9:45	23,5	50,7	23,6	52,2	Yes
			25.6.2015	10:00	23,7	55,9	23,6	53,1	Yes
			25.6.2015	10:15	23,7	55,8	23,6	53,5	Yes
			25.6.2015	10:30	23,6	52,3	23,6	53,7	Yes
			25.6.2015	10:45	23,9	53,8	23,7	54,5	Yes
			25.6.2015	11:00	23,7	55,3	23,7	54,3	Yes
			25.6.2015	11:15	23,7	50,8	23,7	53,1	Yes
			25.6.2015	11:30	23,7	56,4	23,8	54,1	Yes
			25.6.2015	11:45	23,6	55,9	23,7	54,6	Yes
			25.6.2015	12:00	23,7	51,8	23,7	53,7	Yes
			25.6.2015	12:15	23,8	54,6	23,7	54,7	Yes
			25.6.2015	12:30	23,6	54,9	23,7	54,3	Yes
			25.6.2015	12:45	23,8	56,7	23,7	54,5	Yes
			25.6.2015	13:00	23,7	57,3	23,7	55,9	Yes
			25.6.2015	13:15	23,8	53,9	23,7	55,7	Yes
			25.6.2015	13:30	23,7	57,5	23,8	56,4	Yes
			25.6.2015	13:45	23,9	55,5	23,8	56,1	Yes
			25.6.2015	14:00	23,8	56,2	23,8	55,8	Yes
			25.6.2015	14:15	24	55,3	23,9	56,1	Yes
			25.6.2015	14:30	23,7	56,1	23,9	55,8	Yes
			25.6.2015	14:45	24	51,5	23,9	54,8	Yes
N/A	N/A	N/A	25.6.2015	15:00	23,8	49,5	23,9	53,1	Yes
			25.6.2015	15:15	23,8	55,2	23,8	53,1	Yes
			25.6.2015	15:30	23,8	51,9	23,9	52,0	Yes
			25.6.2015	15:45	23,9	50,9	23,8	51,9	Yes
			25.6.2015	16:00	24,1	53,3	23,9	52,8	Yes
			25.6.2015	16:15	24,1	53	24,0	52,3	Yes
			25.6.2015	16:30	24,2	53,3	24,1	52,6	Yes
			25.6.2015	16:45	24,2	53,3	24,2	53,2	Yes
			25.6.2015	17:00	24,3	52,7	24,2	53,1	Yes
			25.6.2015	17:15	24	52,9	24,2	53,1	Yes
			25.6.2015	17:30	24,2	52,9	24,2	53,0	Yes
			25.6.2015	17:45	24,2	52	24,2	52,6	Yes
			25.6.2015	18:00	24,3	52,3	24,2	52,5	Yes
			25.6.2015	18:15	24,3	50,1	24,3	51,8	Yes
			25.6.2015	18:30	24,1	53,5	24,2	52,0	Yes
			25.6.2015	18:45	24,2	53,4	24,2	52,3	Yes
			25.6.2015	19:00	24,3	53,5	24,2	52,6	Yes
			25.6.2015	19:15	24,3	53,4	24,2	53,5	Yes
			25.6.2015	19:30	24,4	53,9	24,3	53,6	Yes
			25.6.2015	19:45	24,4	53,8	24,4	53,7	Yes
			25.6.2015	20:00	24,1	53	24,3	53,5	Yes
			25.6.2015	20:15	24,1	54	24,3	53,7	Yes
			25.6.2015	20:30	24,2	54,1	24,2	53,7	Yes
			25.6.2015	20:45	24,3	53,8	24,2	53,7	Yes
			25.6.2015	21:00	24,3	54	24,2	54,0	Yes
			25.6.2015	21:15	24,3	53,7	24,3	53,9	Yes
			25.6.2015	21:30	24,3	54	24,3	53,9	Yes
			25.6.2015	21:45	24,3	53,2	24,3	53,7	Yes
			25.6.2015	22:00	24,3	54,2	24,3	53,8	Yes
			25.6.2015	22:15	24,4	53,6	24,3	53,8	Yes
			25.6.2015	22:30	24,4	52,7	24,4	53,4	Yes
			25.6.2015	22:45	24,4	53,2	24,4	53,4	Yes
			25.6.2015	23:00	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:15	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:30	24,3	53,6	24,3	53,5	Yes
			25.6.2015	23:45	24,3	53,6	24,3	53,6	Yes
			26.6.2015	0:00	24,3	54,2	24,3	53,8	Yes
			26.6.2015	0:15	24,3	53,1	24,3	53,6	Yes
			26.6.2015	0:30	24,3	54	24,3	53,7	Yes
			26.6.2015	0:45	24,3	54	24,3	53,8	Yes
			26.6.2015	1:00	24,3	54,1	24,3	53,8	Yes
			26.6.2015	1:15	24,3	54,3	24,3	54,1	Yes
			26.6.2015	1:30	24,2	54,2	24,3	54,2	Yes
			26.6.2015	1:45	24,2	54,8	24,3	54,4	Yes
			26.6.2015	2:00	24,2	55,2	24,2	54,6	Yes
			26.6.2015	2:15	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:30	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:45	24,2	54,5	24,2	54,6	Yes
			26.6.2015	3:00	24,2	54,8	24,2	54,5	Yes
			26.6.2015	3:15	24,2	54,9	24,2	54,7	Yes
			26.6.2015	3:30	24,2	54,7	24,2	54,7	Yes
			26.6.2015	3:45	24,1	54,6	24,2	54,8	Yes
			26.6.2015	4:00	24,1	54	24,2	54,6	Yes
			26.6.2015	4:15	24,1	54,4	24,1	54,4	Yes
			26.6.2015	4:30	24,1	54,2	24,1	54,3	Yes
			26.6.2015	4:45	24,1	54,5	24,1	54,3	Yes
			26.6.2015	5:00	24	54,2	24,1	54,3	Yes
			26.6.2015	5:15	24	54,1	24,1	54,3	Yes

TYPE OF TEST: ISO 19752

			26.6.2015	5:30	24	54,4	24,0	54,3	Yes
			26.6.2015	5:45	24	54,1	24,0	54,2	Yes
			26.6.2015	6:00	23,9	54,8	24,0	54,4	Yes
			26.6.2015	6:15	23,9	55,2	24,0	54,6	Yes
			26.6.2015	6:30	24	56,3	24,0	55,1	Yes
			26.6.2015	6:45	23,8	55,8	23,9	55,5	Yes
			26.6.2015	7:00	23,7	53	23,9	55,1	Yes
			26.6.2015	7:15	23,8	56,9	23,8	55,5	Yes
			26.6.2015	7:30	23,6	56,8	23,7	55,6	Yes
			26.6.2015	7:45	23,7	52,4	23,7	54,8	Yes
			26.6.2015	8:00	23,7	51,4	23,7	54,4	Yes
			26.6.2015	8:15	23,7	52,6	23,7	53,3	Yes
			26.6.2015	8:30	23,7	56,2	23,7	53,2	Yes
			26.6.2015	8:45	23,6	56,1	23,7	54,1	Yes
			26.6.2015	9:00	23,8	54	23,7	54,7	Yes
			26.6.2015	9:15	23,7	55,9	23,7	55,6	Yes
			26.6.2015	9:30	23,7	54,6	23,7	55,2	Yes
			26.6.2015	9:45	23,8	54,7	23,8	54,8	Yes
			26.6.2015	10:00	23,7	56,5	23,7	55,4	Yes
			26.6.2015	10:15	23,7	55,1	23,7	55,2	Yes
			26.6.2015	10:30	23,5	54,6	23,7	55,2	Yes
			26.6.2015	10:45	23,6	52,2	23,6	54,6	Yes
			26.6.2015	11:00	23,7	58,2	23,6	55,0	Yes
			26.6.2015	11:15	23,7	56,8	23,6	55,5	Yes
			26.6.2015	11:30	23,9	52,3	23,7	54,9	Yes
			26.6.2015	11:45	23,8	57,9	23,8	56,3	Yes
			26.6.2015	12:00	23,7	50,5	23,8	54,4	Yes
			26.6.2015	12:15	23,9	53,7	23,8	53,6	Yes
			26.6.2015	12:30	23,6	47,6	23,8	52,4	Yes
			26.6.2015	12:45	23,6	53,8	23,7	51,4	Yes
			26.6.2015	13:00	23,5	51,3	23,7	51,6	Yes
			26.6.2015	13:15	23,5	49,3	23,6	50,5	Yes
			26.6.2015	13:30	23,8	56,7	23,6	52,8	Yes
			26.6.2015	13:45	24	56,8	23,7	53,5	Yes
			26.6.2015	14:00	23,6	55,5	23,7	54,6	Yes
			26.6.2015	14:15	23,8	56,5	23,8	56,4	Yes
			26.6.2015	14:30	24	54,7	23,9	55,9	Yes
			26.6.2015	14:45	24	52,2			No
			26.6.2015	15:00	23,8	56,8			No
			26.6.2015	15:15	24	55,6			No
			26.6.2015	15:30	24,2	53,2			No
			26.6.2015	15:45	24,2	53,7			No
			26.6.2015	16:00	24,2	52			No
			26.6.2015	16:15	24	56			No
			26.6.2015	16:30	24,1	54,2			No
			26.6.2015	16:45	24,3	54,6			No
			26.6.2015	17:00	24	50,4			No
			26.6.2015	17:15	24	54,6			No
			26.6.2015	17:30	24,2	53,9			No
			26.6.2015	17:45	24,3	54,5			No
			26.6.2015	18:00	23,8	54,6			No
			26.6.2015	18:15	23,9	56,1			No
			26.6.2015	18:30	24,2	54,9			No
			26.6.2015	18:45	24,3	54,4			No
			26.6.2015	19:00	24,4	54,3			No
			26.6.2015	19:15	23,9	55,6			No
			26.6.2015	19:30	24	55,5			No
			26.6.2015	19:45	24,2	54,9			No
			26.6.2015	20:00	24,3	54,5			No
			26.6.2015	20:15	24,4	54,4			No
			26.6.2015	20:30	24	55,3			No
			26.6.2015	20:45	24,2	54,6			No
			26.6.2015	21:00	24,3	54,9			No
			26.6.2015	21:15	24,4	54,6			No
			26.6.2015	21:30	24,4	52,9			No
			26.6.2015	21:45	24,1	56,4			No
			26.6.2015	22:00	24,2	55,2			No
			26.6.2015	22:15	24,3	55,3			No
			26.6.2015	22:30	24,3	54,1			No
			26.6.2015	22:45	24,4	54,6			No
			26.6.2015	23:00	24,4	55			No
			26.6.2015	23:15	24,2	54,5			No
			26.6.2015	23:30	24,2	56			No
			26.6.2015	23:45	24,3	55,3			No
			27.6.2015	0:00	24,4	54,7			No
			27.6.2015	0:15	24,4	55,5			No
			27.6.2015	0:30	24,4	54,8			No
			27.6.2015	0:45	24,4	55,1			No
			27.6.2015	1:00	24,1	56,2			No
			27.6.2015	1:15	24,2	55,7			No
			27.6.2015	1:30	24,3	56,1			No
			27.6.2015	1:45	24,3	55,1			No
			27.6.2015	2:00	24,4	55,5			No
			27.6.2015	2:15	24,4	55,6			No
			27.6.2015	2:30	24,4	55,1			No
			27.6.2015	2:45	24,4	55,4			No
			27.6.2015	3:00	24,4	55,2			No
			27.6.2015	3:15	24,4	55,5			No
			27.6.2015	3:30	24,4	54,9			No
			27.6.2015	3:45	24,4	55,3			No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	27.6.2015	4:00	24,4	55,2		No
			27.6.2015	4:15	24,4	55		No
			27.6.2015	4:30	24,4	55,6		No
			27.6.2015	4:45	24,4	55,6		No
			27.6.2015	5:00	24,4	56		No
			27.6.2015	5:15	24,5	55,3		No
			27.6.2015	5:30	24,4	54,8		No
			27.6.2015	5:45	24,4	54,6		No
			27.6.2015	6:00	24,4	54,9		No
			27.6.2015	6:15	24,4	55,1		No
			27.6.2015	6:30	24,4	55,3		No
			27.6.2015	6:45	24,4	55,3		No
			27.6.2015	7:00	24,4	55,7		No
			27.6.2015	7:15	24,4	55,4		No
			27.6.2015	7:30	24,4	55,4		No
			27.6.2015	7:45	24,4	55,1		No
			27.6.2015	8:00	24,4	55,3		No
			27.6.2015	8:15	24,4	55,4		No
			27.6.2015	8:30	24,4	55,3		No
			27.6.2015	8:45	24,4	55,6		No
			27.6.2015	9:00	24,4	55,7		No
			27.6.2015	9:15	24,4	55,8		No
			27.6.2015	9:30	24,4	55,7		No
			27.6.2015	9:45	24,4	55		No
			27.6.2015	10:00	24,4	55,4		No
			27.6.2015	10:15	24,4	55,7		No
			27.6.2015	10:30	24,4	55,9		No
			27.6.2015	10:45	24,2	56,1		No
			27.6.2015	11:00	24,2	56,5		No
			27.6.2015	11:15	24,3	56,6		No
			27.6.2015	11:30	24,4	55,9		No
			27.6.2015	11:45	24,4	56		No
			27.6.2015	12:00	24,4	56		No
			27.6.2015	12:15	24,1	57,7		No
			27.6.2015	12:30	24,2	56,7		No
			27.6.2015	12:45	24,3	56,6		No
			27.6.2015	13:00	24,4	55,7		No
			27.6.2015	13:15	24,1	57,9		No
			27.6.2015	13:30	24,3	55,8		No
			27.6.2015	13:45	24,4	55,7		No
			27.6.2015	14:00	24,1	56,8		No
			27.6.2015	14:15	24,2	56,9		No
			27.6.2015	14:30	24,3	56		No
			27.6.2015	14:45	24,1	57,7		No
			27.6.2015	15:00	24,3	56,4		No
			27.6.2015	15:15	24,4	56,3		No
			27.6.2015	15:30	24	56,9		No
			27.6.2015	15:45	24,2	56		No
			27.6.2015	16:00	24,3	55,1		No
			27.6.2015	16:15	24,1	57,3		No
			27.6.2015	16:30	24,3	56,7		No
			27.6.2015	16:45	24	56,4		No
			27.6.2015	17:00	24,1	57,8		No
			27.6.2015	17:15	24,3	56,8		No
			27.6.2015	17:30	24,2	53,6		No
			27.6.2015	17:45	24,1	57,8		No
			27.6.2015	18:00	24,3	56,9		No
			27.6.2015	18:15	24	55,9		No
			27.6.2015	18:30	24,1	57,9		No
			27.6.2015	18:45	24,3	57,1		No
			27.6.2015	19:00	24,4	56,4		No
			27.6.2015	19:15	24,2	51,9		No
			27.6.2015	19:30	24,1	57,7		No
			27.6.2015	19:45	24,2	56,6		No
			27.6.2015	20:00	24,3	56,8		No
			27.6.2015	20:15	24,1	52,9		No
			27.6.2015	20:30	24	58		No
			27.6.2015	20:45	24,2	56,8		No
			27.6.2015	21:00	24,3	56,5		No
			27.6.2015	21:15	24,4	55,7		No
			27.6.2015	21:30	24,1	56,1		No
			27.6.2015	21:45	24,1	57,3		No
			27.6.2015	22:00	24,3	56,5		No
			27.6.2015	22:15	24,3	55,9		No
			27.6.2015	22:30	24,4	56,2		No
			27.6.2015	22:45	24,4	56		No
			27.6.2015	23:00	24,4	55,8		No
			27.6.2015	23:15	24	57,6		No
			27.6.2015	23:30	24,2	56,9		No
			27.6.2015	23:45	24,2	56,7		No
			28.6.2015	0:00	24,3	56,1		No
			28.6.2015	0:15	24,3	56,2		No
			28.6.2015	0:30	24,4	56,3		No
			28.6.2015	0:45	24,4	56,1		No
			28.6.2015	1:00	24,4	55,9		No
			28.6.2015	1:15	24,4	56,1		No
			28.6.2015	1:30	24,4	56,4		No
			28.6.2015	1:45	24,4	53,1		No
			28.6.2015	2:00	24,1	57,5		No
			28.6.2015	2:15	24,2	56,6		No

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

	28.6.2015	2:30	24,3	56,7			No
	28.6.2015	2:45	24,3	56,6			No
	28.6.2015	3:00	24,4	56,3			No
	28.6.2015	3:15	24,4	56,4			No
	28.6.2015	3:30	24,4	56,4			No
	28.6.2015	3:45	24,4	56,1			No
	28.6.2015	4:00	24,4	56,4			No
	28.6.2015	4:15	24,4	56,8			No
	28.6.2015	4:30	24,4	55,3			No
	28.6.2015	4:45	24,4	55,7			No
	28.6.2015	5:00	24,4	55,2			No
	28.6.2015	5:15	24,4	53,7			No
	28.6.2015	5:30	24,4	55,1			No
	28.6.2015	5:45	24,4	55,5			No
	28.6.2015	6:00	24,4	56	24,4	55,1	Yes
	28.6.2015	6:15	24,4	55,8	24,4	55,6	Yes
	28.6.2015	6:30	24,4	55,7	24,4	55,8	Yes
	28.6.2015	6:45	24,4	55,6	24,4	55,8	Yes
	28.6.2015	7:00	24,4	55,4	24,4	55,6	Yes
	28.6.2015	7:15	24,4	55,5	24,4	55,6	Yes
	28.6.2015	7:30	24,4	55,7	24,4	55,6	Yes
	28.6.2015	7:45	24,3	55,7	24,4	55,6	Yes
	28.6.2015	8:00	24,3	55,6	24,4	55,6	Yes
	28.6.2015	8:15	24,3	55,8	24,3	55,7	Yes
	28.6.2015	8:30	24,3	55,5	24,3	55,7	Yes
	28.6.2015	8:45	24,3	56,3	24,3	55,8	Yes
	28.6.2015	9:00	24,4	56,5	24,3	56,0	Yes
	28.6.2015	9:15	24,4	56,2	24,4	56,1	Yes
	28.6.2015	9:30	24,4	56	24,4	56,3	Yes
	28.6.2015	9:45	24,4	56,1	24,4	56,2	Yes
	28.6.2015	10:00	24,4	55,8	24,4	56,0	Yes
	28.6.2015	10:15	24,4	55,2	24,4	55,8	Yes
	28.6.2015	10:30	24,4	56	24,4	55,8	Yes
	28.6.2015	10:45	24,4	56,2	24,4	55,8	Yes
	28.6.2015	11:00	24,4	56	24,4	55,9	Yes
	28.6.2015	11:15	24,3	53,5	24,4	55,4	Yes
	28.6.2015	11:30	24,1	57,4	24,3	55,8	Yes
	28.6.2015	11:45	24,2	56,6	24,3	55,9	Yes
	28.6.2015	12:00	24,3	56,5	24,2	56,0	Yes
	28.6.2015	12:15	24,3	56,8	24,2	56,8	Yes
	28.6.2015	12:30	24,4	56,3	24,3	56,6	Yes
	28.6.2015	12:45	24,4	56,5	24,4	56,5	Yes
	28.6.2015	13:00	24,2	54,6	24,3	56,1	Yes
	28.6.2015	13:15	24,1	57,4	24,3	56,2	Yes
	28.6.2015	13:30	24,3	56,4	24,3	56,2	Yes
	28.6.2015	13:45	24,3	56	24,2	56,1	Yes
	28.6.2015	14:00	24,1	57,5	24,2	56,8	Yes
	28.6.2015	14:15	24,2	57,5	24,2	56,9	Yes
	28.6.2015	14:30	24,3	56,5	24,2	56,9	Yes
	28.6.2015	14:45	24	58,5	24,2	57,5	Yes
	28.6.2015	15:00	24,2	57,8	24,2	57,6	Yes
	28.6.2015	15:15	24	55,3	24,1	57,0	Yes
	28.6.2015	15:30	24,1	58,7	24,1	57,6	Yes
	28.6.2015	15:45	24,2	57,9	24,1	57,4	Yes
	28.6.2015	16:00	23,9	58,3	24,1	57,6	Yes
	28.6.2015	16:15	24,1	58,8	24,1	58,4	Yes
	28.6.2015	16:30	24	53	24,1	57,0	Yes
	28.6.2015	16:45	23,9	59,8	24,0	57,5	Yes
	28.6.2015	17:00	24,2	58,7	24,1	57,6	Yes
	28.6.2015	17:15	23,8	55	24,0	56,6	Yes
	28.6.2015	17:30	23,9	60	24,0	58,4	Yes
	28.6.2015	17:45	24,1	58,5	24,0	58,1	Yes
	28.6.2015	18:00	24	53,5	24,0	56,8	Yes
	28.6.2015	18:15	24	59,9	24,0	58,0	Yes
	28.6.2015	18:30	24,2	58,7	24,1	57,7	Yes
	28.6.2015	18:45	23,9	51,9	24,0	56,0	Yes
	28.6.2015	19:00	23,8	59,3	24,0	57,5	Yes
	28.6.2015	19:15	24	59,7	24,0	57,4	Yes
	28.6.2015	19:30	24,2	58,7	24,0	57,4	Yes
	28.6.2015	19:45	24,2	54,1	24,1	58,0	Yes
	28.6.2015	20:00	23,9	59,6	24,1	58,0	Yes
	28.6.2015	20:15	24,1	59,4	24,1	58,0	Yes
	28.6.2015	20:30	24,3	58,3	24,1	57,9	Yes
	28.6.2015	20:45	24,2	53,4	24,1	57,7	Yes
	28.6.2015	21:00	24	59,7	24,2	57,7	Yes
	28.6.2015	21:15	24,2	58,6	24,2	57,5	Yes
	28.6.2015	21:30	24,3	57,8	24,2	57,4	Yes
	28.6.2015	21:45	24	56,6	24,1	58,2	Yes
	28.6.2015	22:00	24,1	58,7	24,2	57,9	Yes
	28.6.2015	22:15	24,2	57,7	24,2	57,7	Yes
	28.6.2015	22:30	24,3	56,7	24,2	57,4	Yes
	28.6.2015	22:45	24,3	56,7	24,2	57,5	Yes
	28.6.2015	23:00	24,3	53,5	24,3	56,2	Yes
	28.6.2015	23:15	24	58,4	24,2	56,3	Yes
	28.6.2015	23:30	24,1	57,6	24,2	56,6	Yes
	28.6.2015	23:45	24,2	56,7	24,2	56,6	Yes
	29.6.2015	0:00	24,3	56,5	24,2	57,3	Yes
	29.6.2015	0:15	24,3	56,7	24,2	56,9	Yes
	29.6.2015	0:30	24,4	56	24,3	56,5	Yes
	29.6.2015	0:45	24,4	56,2	24,4	56,4	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0150	PHI_15_I0153	PHI_15_I0156	29.6.2015	1:00	24,4	56,2	24,4	56,3	Yes
			29.6.2015	1:15	24,1	54,8	24,3	55,8	Yes
			29.6.2015	1:30	24,1	57,7	24,3	56,2	Yes
			29.6.2015	1:45	24,2	56,6	24,2	56,3	Yes
			29.6.2015	2:00	24,2	56,5	24,2	56,4	Yes
			29.6.2015	2:15	24,3	56,3	24,2	56,8	Yes
			29.6.2015	2:30	24,3	56,3	24,3	56,4	Yes
			29.6.2015	2:45	24,3	56,5	24,3	56,4	Yes
			29.6.2015	3:00	24,4	56,7	24,3	56,5	Yes
			29.6.2015	3:15	24,4	56,4	24,4	56,5	Yes
			29.6.2015	3:30	24,4	55,9	24,4	56,4	Yes
			29.6.2015	3:45	24,4	56,1	24,4	56,3	Yes
			29.6.2015	4:00	24,4	55,7	24,4	56,0	Yes
			29.6.2015	4:15	24,4	55,8	24,4	55,9	Yes
			29.6.2015	4:30	24,4	55,9	24,4	55,9	Yes
			29.6.2015	4:45	24,4	56,1	24,4	55,9	Yes
			29.6.2015	5:00	24,4	55,9	24,4	55,9	Yes
			29.6.2015	5:15	24,1	57,5	24,3	56,4	Yes
			29.6.2015	5:30	23,9	54,3	24,2	56,0	Yes
			29.6.2015	5:45	24	57,7	24,1	56,4	Yes
PHI_15_I0151	PHI_15_I0154	PHI_15_I0157	29.6.2015	6:00	23,9	55,5	24,0	56,3	Yes
			29.6.2015	6:15	23,7	57,4	23,9	56,2	Yes
			29.6.2015	6:30	23,9	53,3	23,9	56,0	Yes
			29.6.2015	6:45	23,8	57,3	23,8	55,9	Yes
			29.6.2015	7:00	23,7	51,6	23,8	54,9	Yes
			29.6.2015	7:15	23,9	55,8	23,8	54,5	Yes
			29.6.2015	7:30	23,6	48,5	23,8	53,3	Yes
			29.6.2015	7:45	23,7	54,4	23,7	52,6	Yes
			29.6.2015	8:00	23,6	53,3	23,7	53,0	Yes
			29.6.2015	8:15	23,6	48,5	23,6	51,2	Yes
			29.6.2015	8:30	23,7	55,7	23,7	53,0	Yes
			29.6.2015	8:45	23,5	49,5	23,6	51,8	Yes
			29.6.2015	9:00	23,7	51,3	23,6	51,3	Yes
			29.6.2015	9:15	23,3	49	23,6	51,4	Yes
			29.6.2015	9:30	23,6	56,9	23,5	51,7	Yes
			29.6.2015	9:45	23,6	52	23,6	52,3	Yes
			29.6.2015	10:00	23,7	50,1	23,6	52,0	Yes
			29.6.2015	10:15	23,9	52,4	23,7	52,9	Yes
			29.6.2015	10:30	23,7	53,5	23,7	52,0	Yes
N/A	N/A	N/A	29.6.2015	10:45	23,6	53,3	23,7	52,3	Yes
			29.6.2015	11:00	23,8	51,5	23,8	52,7	Yes
			29.6.2015	11:15	23,8	52,9	23,7	52,8	Yes
			29.6.2015	11:30	23,8	54,9	23,8	53,2	Yes
			29.6.2015	11:45	23,9	50,8	23,8	52,5	Yes
			29.6.2015	12:00	24	56,2	23,9	53,7	Yes
			29.6.2015	12:15	23,9	55,8	23,9	54,4	Yes
			29.6.2015	12:30	23,8	52,1	23,9	53,7	Yes
			29.6.2015	12:45	23,8	50,5	23,9	53,7	Yes
			29.6.2015	13:00	23,8	52,6	23,8	52,8	Yes
			29.6.2015	13:15	23,7	55,9	23,8	52,8	Yes
			29.6.2015	13:30	23,7	55,2	23,8	53,6	Yes
			29.6.2015	13:45	23,7	50,7	23,7	53,6	Yes
			29.6.2015	14:00	23,8	53,9	23,7	53,9	Yes
			29.6.2015	14:15	23,8	56,8	23,8	54,2	Yes
			29.6.2015	14:30	23,7	54,1	23,8	53,9	Yes
			29.6.2015	14:45	23,9	55,6	23,8	55,1	Yes
			29.6.2015	15:00	23,8	56,5	23,8	55,8	Yes
			29.6.2015	15:15	23,7	51,8	23,8	54,5	Yes
			29.6.2015	15:30	24	57,9	23,9	55,5	Yes
N/A	N/A	N/A	29.6.2015	15:45	23,8	52,7	23,8	54,7	Yes
			29.6.2015	16:00	23,9	58,6	23,9	55,3	Yes
			29.6.2015	16:15	24,1	57,9	24,0	56,8	Yes
			29.6.2015	16:30	24,2	56,8	24,0	56,5	Yes
			29.6.2015	16:45	24,2	52,6	24,1	56,5	Yes
			29.6.2015	17:00	24	58,3	24,1	56,4	Yes
			29.6.2015	17:15	24,2	56,7	24,2	56,1	Yes
			29.6.2015	17:30	24,3	55,9	24,2	55,9	Yes
			29.6.2015	17:45	24,3	52,9	24,2	56,0	Yes
			29.6.2015	18:00	24,1	57,6	24,2	55,8	Yes
			29.6.2015	18:15	24,2	56,6	24,2	55,8	Yes
			29.6.2015	18:30	24,4	55,9	24,3	55,8	Yes
			29.6.2015	18:45	24,1	56,1	24,2	56,6	Yes
			29.6.2015	19:00	24,2	56,9	24,2	56,4	Yes
			29.6.2015	19:15	24,3	55,9	24,3	56,2	Yes
			29.6.2015	19:30	24,3	52,7	24,2	55,4	Yes
			29.6.2015	19:45	24,1	57,3	24,2	55,7	Yes
			29.6.2015	20:00	24,3	56,2	24,3	55,5	Yes
			29.6.2015	20:15	24,4	56	24,3	55,6	Yes
N/A	N/A	N/A	29.6.2015	20:30	24,4	55,7	24,3	56,3	Yes
			29.6.2015	20:45	24,1	57,4	24,3	56,3	Yes
			29.6.2015	21:00	24,2	56,7	24,3	56,5	Yes
			29.6.2015	21:15	24,4	56	24,3	56,5	Yes
			29.6.2015	21:30	24,4	55,9	24,3	56,5	Yes
			29.6.2015	21:45	24,4	56,2	24,4	56,2	Yes
			29.6.2015	22:00	24,3	52,2	24,4	55,1	Yes
			29.6.2015	22:15	24,1	56,5	24,3	55,2	Yes
			29.6.2015	22:30	24,3	55,4	24,3	55,1	Yes
			29.6.2015	22:45	24,3	55,9	24,3	55,0	Yes
N/A	N/A	N/A	29.6.2015	23:00	24,4	55,3	24,3	55,8	Yes
			29.6.2015	23:15	24,4	55,5	24,4	55,5	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0151	PHI_15_I0154	PHI_15_I0157	29.6.2015	23:30	24,4	55,8	24,4	55,6	Yes
			29.6.2015	23:45	24,4	56	24,4	55,7	Yes
			30.6.2015	0:00	24,4	56,2	24,4	55,9	Yes
			30.6.2015	0:15	24,5	55,6	24,4	55,9	Yes
			30.6.2015	0:30	24,5	55,9	24,5	55,9	Yes
			30.6.2015	0:45	24,2	56,1	24,4	56,0	Yes
			30.6.2015	1:00	24,2	56,9	24,4	56,1	Yes
			30.6.2015	1:15	24,3	56,3	24,3	56,3	Yes
			30.6.2015	1:30	24,3	56	24,3	56,3	Yes
			30.6.2015	1:45	24,4	55,9	24,3	56,3	Yes
			30.6.2015	2:00	24,4	56	24,4	56,1	Yes
			30.6.2015	2:15	24,4	56	24,4	56,0	Yes
			30.6.2015	2:30	24,4	56,4	24,4	56,1	Yes
			30.6.2015	2:45	24,4	56,6	24,4	56,3	Yes
			30.6.2015	3:00	24,4	55,7	24,4	56,2	Yes
			30.6.2015	3:15	24,4	55,9	24,4	56,2	Yes
			30.6.2015	3:30	24,3	55,9	24,4	56,0	Yes
			30.6.2015	3:45	24,3	55,9	24,4	55,9	Yes
			30.6.2015	4:00	24,3	56,1	24,3	56,0	Yes
			30.6.2015	4:15	24,3	56,5	24,3	56,1	Yes
			30.6.2015	4:30	24,3	56,4	24,3	56,2	Yes
			30.6.2015	4:45	24,3	55,5	24,3	56,1	Yes
			30.6.2015	5:00	24,3	55,5	24,3	56,0	Yes
			30.6.2015	5:15	24,3	55,3	24,3	55,7	Yes
			30.6.2015	5:30	23,9	57,5	24,2	56,0	Yes
			30.6.2015	5:45	24	52,3	24,1	55,2	Yes
			30.6.2015	6:00	23,9	58	24,0	55,8	Yes
			30.6.2015	6:15	24,1	53,3	24,0	55,3	Yes
			30.6.2015	6:30	24	57,5	24,0	55,3	Yes
			30.6.2015	6:45	23,9	56,2	24,0	55,3	Yes
			30.6.2015	7:00	24	51,9	24,0	54,7	Yes
			30.6.2015	7:15	23,6	46,7	23,9	53,1	Yes
			30.6.2015	7:30	23,7	55,6	23,8	52,6	Yes
			30.6.2015	7:45	23,9	55,3	23,8	52,4	Yes
			30.6.2015	8:00	23,8	57,4	23,8	53,8	Yes
			30.6.2015	8:15	23,7	54	23,8	55,6	Yes
			30.6.2015	8:30	23,8	52,2	23,8	54,7	Yes
			30.6.2015	8:45	23,7	56,1	23,8	54,9	Yes
			30.6.2015	9:00	23,6	54,9	23,7	54,3	Yes
			30.6.2015	9:15	23,8	57,9	23,7	55,3	Yes
			30.6.2015	9:30	23,7	56,6	23,7	56,4	Yes
			30.6.2015	9:45	23,9	58,7	23,8	57,0	Yes
			30.6.2015	10:00	23,7	58,4	23,8	57,9	Yes
			30.6.2015	10:15	24	57,8	23,8	57,9	Yes
			30.6.2015	10:30	23,8	58,3	23,9	58,3	Yes
			30.6.2015	10:45	23,6	53,7	23,8	57,1	Yes
			30.6.2015	11:00	23,7	55,3	23,8	56,3	Yes
			30.6.2015	11:15	23,6	58,6	23,7	56,5	Yes
			30.6.2015	11:30	23,9	59	23,7	56,7	Yes
			30.6.2015	11:45	23,7	56,4	23,7	57,3	Yes
			30.6.2015	12:00	23,8	53	23,8	56,8	Yes
			30.6.2015	12:15	23,7	58,5	23,8	56,7	Yes
			30.6.2015	12:30	23,9	55,2	23,8	55,8	Yes
			30.6.2015	12:45	23,7	57,9	23,8	56,2	Yes
			30.6.2015	13:00	23,9	55	23,8	56,7	Yes
			30.6.2015	13:15	23,7	56,9	23,8	56,3	Yes
			30.6.2015	13:30	24	54,7	23,8	56,1	Yes
			30.6.2015	13:45	23,6	48,9	23,8	53,9	Yes
			30.6.2015	14:00	23,3	46,8	23,7	51,8	Yes
			30.6.2015	14:15	23	45,4	23,5	49,0	Yes
			30.6.2015	14:30	22,9	44,8	23,2	46,5	Yes
			30.6.2015	14:45	22,7	45,7	23,0	45,7	Yes
			30.6.2015	15:00	23,3	53,9	23,0	47,5	Yes
			30.6.2015	15:15	23,7	52,7	23,2	49,3	Yes
			30.6.2015	15:30	23,1	48,2	23,2	50,1	Yes
			30.6.2015	15:45	23,4	56,1	23,4	52,7	Yes
			30.6.2015	16:00	23,8	55,7	23,5	53,2	Yes
			30.6.2015	16:15	24	54,5	23,6	53,6	Yes
			30.6.2015	16:30	23,7	55,9	23,7	55,6	Yes
			30.6.2015	16:45	24	55,7	23,9	55,5	Yes
			30.6.2015	17:00	24,2	54,8	24,0	55,2	Yes
			30.6.2015	17:15	23,9	56,3	24,0	55,7	Yes
			30.6.2015	17:30	24,1	55,5	24,1	55,6	Yes
			30.6.2015	17:45	24,3	54,6	24,1	55,3	Yes
			30.6.2015	18:00	24,1	55,7	24,1	55,5	Yes
			30.6.2015	18:15	24,2	55	24,2	55,2	Yes
			30.6.2015	18:30	24,4	53	24,3	54,6	Yes
			30.6.2015	18:45	24,1	55,9	24,2	54,9	Yes
			30.6.2015	19:00	24,3	54,7	24,3	54,7	Yes
			30.6.2015	19:15	24,4	55,3	24,3	54,7	Yes
			30.6.2015	19:30	24,1	54,9	24,2	55,2	Yes
			30.6.2015	19:45	24,2	56	24,3	55,2	Yes
			30.6.2015	20:00	24,3	54,8	24,3	55,3	Yes
			30.6.2015	20:15	24,4	55,1	24,3	55,2	Yes
			30.6.2015	20:30	24,1	56,2	24,3	55,5	Yes
			30.6.2015	20:45	24,3	55,5	24,3	55,4	Yes
			30.6.2015	21:00	24,4	55,5	24,3	55,6	Yes
			30.6.2015	21:15	24,4	54,9	24,3	55,5	Yes
			30.6.2015	21:30	24,1	56,3	24,3	55,6	Yes
			30.6.2015	21:45	24,3	55,9	24,3	55,7	Yes

TEST REPORT

Creation date of report: 7.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	30.6.2015	22:00	24,4	55,8	24,3	55,7	Yes
			30.6.2015	22:15	24,4	55,1	24,3	55,8	Yes
			30.6.2015	22:30	24,5	55	24,4	55,5	Yes
			30.6.2015	22:45	24,1	56,4	24,4	55,6	Yes
			30.6.2015	23:00	24,2	56	24,3	55,6	Yes
			30.6.2015	23:15	24,3	55,9	24,3	55,8	Yes
			30.6.2015	23:30	24,4	55,2	24,3	55,9	Yes
			30.6.2015	23:45	24,4	55,3	24,3	55,6	Yes
			1.7.2015	0:00	24,4	55,4	24,4	55,5	Yes
			1.7.2015	0:15	24,5	55,7	24,4	55,4	Yes
			1.7.2015	0:30	24,5	55,5	24,5	55,5	Yes
			1.7.2015	0:45	24,5	53,4	24,5	55,0	Yes
			1.7.2015	1:00	24,2	56,4	24,4	55,3	Yes
			1.7.2015	1:15	24,3	56	24,4	55,3	Yes
			1.7.2015	1:30	24,4	55,3	24,4	55,3	Yes
			1.7.2015	1:45	24,4	55,5	24,3	55,8	Yes
			1.7.2015	2:00	24,4	55,7	24,4	55,6	Yes
			1.7.2015	2:15	24,5	55,6	24,4	55,5	Yes
			1.7.2015	2:30	24,5	55,7	24,5	55,6	Yes
			1.7.2015	2:45	24,5	55,8	24,5	55,7	Yes
			1.7.2015	3:00	24,5	55,7	24,5	55,7	Yes
			1.7.2015	3:15	24,5	55,6	24,5	55,7	Yes
			1.7.2015	3:30	24,5	55,7	24,5	55,7	Yes
			1.7.2015	3:45	24,5	55,3	24,5	55,6	Yes
			1.7.2015	4:00	24,5	55,2	24,5	55,5	Yes
			1.7.2015	4:15	24,5	55,6	24,5	55,5	Yes
			1.7.2015	4:30	24,5	55,9	24,5	55,5	Yes
			1.7.2015	4:45	24,2	55	24,4	55,4	Yes
			1.7.2015	5:00	24,2	56,6	24,4	55,8	Yes
			1.7.2015	5:15	24,3	56,1	24,3	55,9	Yes
			1.7.2015	5:30	24,1	54,8	24,2	55,6	Yes
			1.7.2015	5:45	24,1	56,5	24,2	56,0	Yes
			1.7.2015	6:00	24,1	55,2	24,2	55,7	Yes
			1.7.2015	6:15	24	50,7	24,1	54,3	Yes
			1.7.2015	6:30	23,9	55,9	24,0	54,6	Yes
			1.7.2015	6:45	24,1	54,9	24,0	54,2	Yes
			1.7.2015	7:00	23,8	55,7	24,0	54,3	Yes
			1.7.2015	7:15	23,7	50,8	23,9	54,3	Yes
			1.7.2015	7:30	23,8	57,1	23,9	54,6	Yes
			1.7.2015	7:45	23,8	51,5	23,8	53,8	Yes
			1.7.2015	8:00	23,5	55,5	23,7	53,7	Yes
			1.7.2015	8:15	23,9	58	23,8	55,5	Yes
			1.7.2015	8:30	24	52,6	23,8	54,4	Yes
			1.7.2015	8:45	24,1	57,3	23,9	55,9	Yes
			1.7.2015	9:00	23,9	58,4	24,0	56,6	Yes
			1.7.2015	9:15	24,2	58,8	24,1	56,8	Yes
			1.7.2015	9:30	24	58,5	24,1	58,3	Yes
			1.7.2015	9:45	24	52,7	24,0	57,1	Yes
			1.7.2015	10:00	24,2	58,8	24,1	57,2	Yes
			1.7.2015	10:15	24	57,1	24,1	56,8	Yes
			1.7.2015	10:30	24,2	59,5	24,1	57,0	Yes