

TYPE OF TEST: ISO 19752

When cartridge HP CC364X is used in printer HP LJ P4015n, HP LJ P4515tn and HP LJ P4014.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 24000 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 24022 standard pages

Date Tested:

9.7.2015 - 23.7.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP CC364X

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Athlon 64X2 Dual Core 2,09 GHz	Pentium(R) Dual-Core 2.60GHz	Intel(R) Pentium(R) 4 2.66 GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	62651	63636	63330
Printer Type	HP LJ P4015n	HP LJ P4515tn	HP LJ P4014
Serial Nr.	CNFX227059	CNFX324624	CNFX201490
Driver Version:	PCL6 - 61.082.75.21	PCL6 - 61.082.75.21	PCL6 - 61.082.75.21

Note:

Page yield rounded to 24000 pages. It's the same like OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15051170728829-K001	PHI_15_I0167	23 901	Y
	C				
	Y				
	M				
2nd set	K	15051161528829-K002	PHI_15_I0168	25 689	Y
	C				
	Y				
	M				
3rd set	K	15051158328829-K003	PHI_15_I0169	24 800	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	74 390	24 797	894	23 290	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15051159928829-K004	PHI_15_I0170	25 202	Y
	C				
	Y				
	M				
2nd set	K	15051161628829-K005	PHI_15_I0171	25 025	Y
	C				
	Y				
	M				
3rd set	K	15051171028829-K006	PHI_15_I0172	25 100	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	75 327	25 109	89	24 959	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15051170328829-K007	PHI_15_I0173	23 371	Y
	C				
	Y				
	M				
2nd set	K	15051170628829-K008	PHI_15_I0174	23 483	Y
	C				
	Y				
	M				
3rd set	K	15051159828829-K009	PHI_15_I0175	24 200	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	71 054	23 685	450	22 926	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	220 771	24 530	820	24 022	9
	C						
	Y						
	M						

Note:
Statement OEM 24000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	24,3	Allowed 21-25
Testing Room - max. running average temp. [°C]	26,0	26
Testing Room - min. running average temp. [°C]	22,2	20

Testing Room average RH. [%]	59,1	Allowed 40-60
Testing Room - max. running average RH [%]	63,5	65
Testing Room - min. running average RH [%]	45,8	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 8.7.2015 10:00 - 23.7.2015 12:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			8.7.2015	10:00	24,2	59,7	N/A	N/A	No
			8.7.2015	10:15	24,4	64,1	N/A	N/A	No
			8.7.2015	10:30	24,3	54,8	N/A	N/A	No
			8.7.2015	10:45	24,1	59	24,3	59,4	Yes
			8.7.2015	11:00	24,3	63,5	24,3	60,4	Yes
			8.7.2015	11:15	24,4	57,2	24,3	58,6	Yes
			8.7.2015	11:30	23,9	52,5	24,2	58,1	Yes
			8.7.2015	11:45	24,4	62,1	24,3	58,8	Yes
			8.7.2015	12:00	24	52,5	24,2	56,1	Yes
			8.7.2015	12:15	24,1	60,5	24,1	56,9	Yes
			8.7.2015	12:30	24,4	63,6	24,2	59,7	Yes
			8.7.2015	12:45	24,3	60,3	24,2	59,2	Yes
			8.7.2015	13:00	24,5	57,8	24,3	60,6	Yes
			8.7.2015	13:15	24,1	51,7	24,3	58,4	Yes
			8.7.2015	13:30	24,3	61,3	24,3	57,8	Yes
			8.7.2015	13:45	24,4	56,9	24,3	56,9	Yes
			8.7.2015	14:00	24	55,9	24,2	56,5	Yes
			8.7.2015	14:15	24,2	61,6	24,2	58,9	Yes
			8.7.2015	14:30	24,5	62,9	24,3	59,3	Yes
			8.7.2015	14:45	24	52,2	24,2	58,2	Yes
			8.7.2015	15:00	24	60,6	24,2	59,3	Yes
			8.7.2015	15:15	24,3	62,9	24,2	59,7	Yes
			8.7.2015	15:30	24,4	58,2	24,2	58,5	Yes
			8.7.2015	15:45	24	59	24,2	60,2	Yes
			8.7.2015	16:00	24,2	62,9	24,2	60,8	Yes
			8.7.2015	16:15	24,5	62,9	24,3	60,8	Yes
			8.7.2015	16:30	24,2	54,3	24,2	59,8	Yes
			8.7.2015	16:45	24,1	61,1	24,3	60,3	Yes
			8.7.2015	17:00	24,3	63	24,3	60,3	Yes
			8.7.2015	17:15	24,5	62,9	24,3	60,3	Yes
			8.7.2015	17:30	24,2	53,7	24,3	60,2	Yes
			8.7.2015	17:45	24	61,2	24,3	60,2	Yes
			8.7.2015	18:00	24,3	63,6	24,3	60,4	Yes
			8.7.2015	18:15	24,5	63	24,3	60,4	Yes
			8.7.2015	18:30	24,3	56,1	24,3	61,0	Yes
			8.7.2015	18:45	24,1	61,3	24,3	61,0	Yes
			8.7.2015	19:00	24,3	63,5	24,3	61,0	Yes
			8.7.2015	19:15	24,5	63,3	24,3	61,1	Yes
			8.7.2015	19:30	24,3	56,3	24,3	61,1	Yes
			8.7.2015	19:45	24,1	61,8	24,3	61,2	Yes
			8.7.2015	20:00	24,3	63,8	24,3	61,3	Yes
			8.7.2015	20:15	24,5	63,6	24,3	61,4	Yes
			8.7.2015	20:30	24,3	56,3	24,3	61,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	8.7.2015	20:45	24,2	63,1	24,3	61,7	Yes
			8.7.2015	21:00	24,4	64,4	24,4	61,9	Yes
			8.7.2015	21:15	24,5	63,7	24,4	61,9	Yes
			8.7.2015	21:30	24,1	58,3	24,3	62,4	Yes
			8.7.2015	21:45	24,2	63,6	24,3	62,5	Yes
			8.7.2015	22:00	24,4	64,2	24,3	62,5	Yes
			8.7.2015	22:15	24,5	63,6	24,3	62,4	Yes
			8.7.2015	22:30	24,2	59,6	24,3	62,8	Yes
			8.7.2015	22:45	24,2	64	24,3	62,9	Yes
			8.7.2015	23:00	24,4	64,1	24,3	62,8	Yes
			8.7.2015	23:15	24,6	63,4	24,4	62,8	Yes
			8.7.2015	23:30	24,1	60,7	24,3	63,1	Yes
			8.7.2015	23:45	24,2	64,2	24,3	63,1	Yes
			9.7.2015	0:00	24,4	64,1	24,3	63,1	Yes
			9.7.2015	0:15	24,5	60,9	24,3	62,5	Yes
			9.7.2015	0:30	24,2	62,5	24,3	62,9	Yes
			9.7.2015	0:45	24,3	64,4	24,4	63,0	Yes
			9.7.2015	1:00	24,4	63,7	24,4	62,9	Yes
			9.7.2015	1:15	24,4	57,3	24,3	62,0	Yes
			9.7.2015	1:30	24,1	62,8	24,3	62,1	Yes
			9.7.2015	1:45	24,3	64,4	24,3	62,1	Yes
			9.7.2015	2:00	24,4	63,7	24,3	62,1	Yes
			9.7.2015	2:15	24,6	62,9	24,4	63,5	Yes
			9.7.2015	2:30	24,1	61,8	24,4	63,2	Yes
			9.7.2015	2:45	24,2	64,4	24,3	63,2	Yes
			9.7.2015	3:00	24,4	63,6	24,3	63,2	Yes
			9.7.2015	3:15	24,5	62,8	24,3	63,2	Yes
			9.7.2015	3:30	24,2	59,3	24,3	62,5	Yes
			9.7.2015	3:45	24,2	63,8	24,3	62,4	Yes
			9.7.2015	4:00	24,3	63,2	24,3	62,3	Yes
			9.7.2015	4:15	24,4	62,1	24,3	62,1	Yes
			9.7.2015	4:30	24,4	58,9	24,3	62,0	Yes
			9.7.2015	4:45	24,1	62,4	24,3	61,7	Yes
			9.7.2015	5:00	24,2	62,8	24,3	61,6	Yes
			9.7.2015	5:15	24,3	61	24,3	61,3	Yes
			9.7.2015	5:30	24,4	61,9	24,3	62,0	Yes
			9.7.2015	5:45	24,5	59,9	24,4	61,4	Yes
			9.7.2015	6:00	24,1	62	24,3	61,2	Yes
			9.7.2015	6:15	24,2	62,6	24,3	61,6	Yes
			9.7.2015	6:30	24,3	61,2	24,3	61,4	Yes
			9.7.2015	6:45	24,2	55,5	24,2	60,3	Yes
			9.7.2015	7:00	24	62,3	24,2	60,4	Yes
			9.7.2015	7:15	24,2	61,6	24,2	60,2	Yes
			9.7.2015	7:30	24,3	60,2	24,2	59,9	Yes
			9.7.2015	7:45	24	61	24,1	61,3	Yes
			9.7.2015	8:00	24,2	61,1	24,2	61,0	Yes
			9.7.2015	8:15	24,3	58	24,2	60,1	Yes
			9.7.2015	8:30	24,1	61,7	24,2	60,5	Yes
			9.7.2015	8:45	24,3	59,2	24,2	60,0	Yes
			9.7.2015	9:00	24,1	58,5	24,2	59,4	Yes
			9.7.2015	9:15	24,2	56,8	24,2	59,1	Yes
			9.7.2015	9:30	24,3	56,7	24,2	57,8	Yes
			9.7.2015	9:45	24,1	60,1	24,2	58,0	Yes
	PHI_14_I0170	PHI_14_I0173	9.7.2015	10:00	24,3	59,1	24,2	58,2	Yes
			9.7.2015	10:15	24,1	59,3	24,2	58,8	Yes
			9.7.2015	10:30	24,2	59,6	24,2	59,5	Yes
			9.7.2015	10:45	24,4	58,7	24,3	59,2	Yes
			9.7.2015	11:00	24,1	60,3	24,2	59,5	Yes
			9.7.2015	11:15	24,3	59,1	24,3	59,4	Yes
			9.7.2015	11:30	24,2	57,5	24,3	58,9	Yes
			9.7.2015	11:45	24,3	59	24,2	59,0	Yes
			9.7.2015	12:00	24,2	60,1	24,3	58,9	Yes
			9.7.2015	12:15	24,1	59,5	24,2	59,0	Yes
			9.7.2015	12:30	24,2	59,2	24,2	59,5	Yes
			9.7.2015	12:45	24,2	57,6	24,2	59,1	Yes
			9.7.2015	13:00	24,3	58,5	24,2	58,7	Yes
			9.7.2015	13:15	24,2	58,4	24,2	58,4	Yes
			9.7.2015	13:30	24,3	59	24,3	58,4	Yes
			9.7.2015	13:45	24,2	59,5	24,3	58,9	Yes
			9.7.2015	14:00	24,2	57,5	24,2	58,6	Yes
			9.7.2015	14:15	24,3	59	24,3	58,8	Yes
			9.7.2015	14:30	24,2	58,2	24,2	58,6	Yes
			9.7.2015	14:45	24,3	57,9	24,3	58,2	Yes
			9.7.2015	15:00	24,2	58,2	24,3	58,3	Yes
			9.7.2015	15:15	24,3	58,1	24,3	58,1	Yes
			9.7.2015	15:30	24,1	57,1	24,2	57,8	Yes
			9.7.2015	15:45	24,2	58,3	24,2	57,9	Yes
			9.7.2015	16:00	24,4	56,3	24,3	57,5	Yes
			9.7.2015	16:15	24	57,6	24,2	57,3	Yes
			9.7.2015	16:30	24,1	58,9	24,2	57,8	Yes
			9.7.2015	16:45	24,3	57	24,2	57,5	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0167	N/A	N/A	9.7.2015	17:00	24,1	56,4	24,1	57,5	Yes
			9.7.2015	17:15	24,1	58,1	24,2	57,6	Yes
			9.7.2015	17:30	24,3	56,1	24,2	56,9	Yes
			9.7.2015	17:45	24,4	56,9	24,2	56,9	Yes
			9.7.2015	18:00	24	53,1	24,2	56,1	Yes
			9.7.2015	18:15	24	58,1	24,2	56,1	Yes
			9.7.2015	18:30	24,2	56,5	24,2	56,2	Yes
			9.7.2015	18:45	24,3	57	24,1	56,2	Yes
			9.7.2015	19:00	24,4	55,4	24,2	56,8	Yes
			9.7.2015	19:15	24,4	56,9	24,3	56,5	Yes
			9.7.2015	19:30	24,5	54,7	24,4	56,0	Yes
			9.7.2015	19:45	24	57,6	24,3	56,2	Yes
			9.7.2015	20:00	24,2	55,8	24,3	56,3	Yes
			9.7.2015	20:15	24,3	57,5	24,3	56,4	Yes
			9.7.2015	20:30	24,4	54,3	24,2	56,3	Yes
			9.7.2015	20:45	24,4	55,9	24,3	55,9	Yes
			9.7.2015	21:00	24,4	55,6	24,4	55,8	Yes
			9.7.2015	21:15	24,4	56,8	24,4	55,7	Yes
			9.7.2015	21:30	24,2	53,3	24,4	55,4	Yes
			9.7.2015	21:45	24,1	58,4	24,3	56,0	Yes
			9.7.2015	22:00	24,2	56,9	24,2	56,4	Yes
			9.7.2015	22:15	24,3	57,2	24,2	56,5	Yes
			9.7.2015	22:30	24,3	57,8	24,2	57,6	Yes
			9.7.2015	22:45	24,4	56,6	24,3	57,1	Yes
			9.7.2015	23:00	24,4	57,2	24,4	57,2	Yes
			9.7.2015	23:15	24,3	58	24,4	57,4	Yes
			9.7.2015	23:30	24,4	56,8	24,4	57,2	Yes
			9.7.2015	23:45	24,4	56,7	24,4	57,2	Yes
			10.7.2015	0:00	24,4	57,1	24,4	57,2	Yes
			10.7.2015	0:15	24,4	57,5	24,4	57,0	Yes
			10.7.2015	0:30	24,4	57,6	24,4	57,2	Yes
			10.7.2015	0:45	24,4	56,8	24,4	57,3	Yes
			10.7.2015	1:00	24,3	57,6	24,4	57,4	Yes
			10.7.2015	1:15	24,4	57,4	24,4	57,4	Yes
			10.7.2015	1:30	24,4	56,6	24,4	57,1	Yes
			10.7.2015	1:45	24,4	56,8	24,4	57,1	Yes
			10.7.2015	2:00	24,4	57,3	24,4	57,0	Yes
			10.7.2015	2:15	24,4	56,8	24,4	56,9	Yes
			10.7.2015	2:30	24,3	56,5	24,4	56,9	Yes
			10.7.2015	2:45	24,2	57,6	24,3	57,1	Yes
			10.7.2015	3:00	24,2	57,5	24,3	57,1	Yes
			10.7.2015	3:15	24,2	57,1	24,2	57,2	Yes
			10.7.2015	3:30	24,2	56,7	24,2	57,2	Yes
			10.7.2015	3:45	24,1	57,2	24,2	57,1	Yes
			10.7.2015	4:00	24,2	57,9	24,2	57,2	Yes
			10.7.2015	4:15	24,2	56,4	24,2	57,1	Yes
			10.7.2015	4:30	24,2	57,3	24,2	57,2	Yes
			10.7.2015	4:45	24,2	56,9	24,2	57,1	Yes
			10.7.2015	5:00	24,1	57,8	24,2	57,1	Yes
			10.7.2015	5:15	24,1	56,6	24,2	57,2	Yes
			10.7.2015	5:30	24,1	57,3	24,1	57,2	Yes
			10.7.2015	5:45	24,1	58,7	24,1	57,6	Yes
			10.7.2015	6:00	24,1	56,8	24,1	57,4	Yes
			10.7.2015	6:15	24,1	57	24,1	57,5	Yes
			10.7.2015	6:30	24,1	58,6	24,1	57,8	Yes
			10.7.2015	6:45	24,1	56,6	24,1	57,3	Yes
			10.7.2015	7:00	24,1	57,5	24,1	57,4	Yes
			10.7.2015	7:15	24	56,8	24,1	57,4	Yes
			10.7.2015	7:30	24	57,4	24,1	57,1	Yes
			10.7.2015	7:45	24,1	58	24,1	57,4	Yes
			10.7.2015	8:00	24,1	56,7	24,1	57,2	Yes
			10.7.2015	8:15	24,2	57,7	24,1	57,5	Yes
			10.7.2015	8:30	24,2	56,8	24,2	57,3	Yes
			10.7.2015	8:45	24,2	57	24,2	57,1	Yes
PHI_15_I0170	PHI_15_I0173	PHI_15_I0173	10.7.2015	9:00	24,1	57,2	24,2	57,2	Yes
			10.7.2015	9:15	24,1	56,4	24,2	56,9	Yes
			10.7.2015	9:30	24,2	58	24,2	57,2	Yes
			10.7.2015	9:45	23,9	56,8	24,1	57,1	Yes
			10.7.2015	10:00	24,1	57,4	24,1	57,2	Yes
			10.7.2015	10:15	24,1	57,3	24,1	57,4	Yes
			10.7.2015	10:30	24,2	55,7	24,1	56,8	Yes
			10.7.2015	10:45	24,3	57,1	24,2	56,9	Yes
			10.7.2015	11:00	24,1	56,3	24,2	56,6	Yes
			10.7.2015	11:15	24,2	55,5	24,2	56,2	Yes
			10.7.2015	11:30	24,2	56,2	24,2	56,3	Yes
			10.7.2015	11:45	24,3	55,1	24,2	55,8	Yes
			10.7.2015	12:00	24,2	55,9	24,2	55,7	Yes
			10.7.2015	12:15	24,2	56,1	24,2	55,8	Yes
			10.7.2015	12:30	24,3	55,2	24,3	55,6	Yes
			10.7.2015	12:45	24,2	56,1	24,2	55,8	Yes
			10.7.2015	13:00	24,3	55	24,3	55,6	Yes

TYPE OF TEST: ISO 19752

			10.7.2015	13:15	24,3	56,5	24,3	55,7	Yes
			10.7.2015	13:30	24,4	55,1	24,3	55,7	Yes
			10.7.2015	13:45	24,4	56,2	24,4	55,7	Yes
			10.7.2015	14:00	24,2	57,1	24,3	56,2	Yes
			10.7.2015	14:15	24,3	55,9	24,3	56,1	Yes
			10.7.2015	14:30	24,4	56,5	24,3	56,4	Yes
			10.7.2015	14:45	24,2	55,7			No
			10.7.2015	15:00	24,3	56,3			No
			10.7.2015	15:15	24,3	57,2			No
			10.7.2015	15:30	24,4	53,8			No
			10.7.2015	15:45	24,2	56,4			No
			10.7.2015	16:00	24,4	56			No
			10.7.2015	16:15	24,4	56			No
			10.7.2015	16:30	24,2	56,9			No
			10.7.2015	16:45	24,3	53,4			No
			10.7.2015	17:00	24,4	55,1			No
			10.7.2015	17:15	24,2	56			No
			10.7.2015	17:30	24,3	55			No
			10.7.2015	17:45	24,4	55,1			No
			10.7.2015	18:00	24,3	53,4			No
			10.7.2015	18:15	24,4	48,1			No
			10.7.2015	18:30	24,4	52,9			No
			10.7.2015	18:45	24,1	48,3			No
			10.7.2015	19:00	24	53,1			No
			10.7.2015	19:15	24,2	52,6			No
			10.7.2015	19:30	24,2	47,4			No
			10.7.2015	19:45	24,2	55,3			No
			10.7.2015	20:00	24,3	53,9			No
			10.7.2015	20:15	24,3	55,4			No
			10.7.2015	20:30	24,2	50,8			No
			10.7.2015	20:45	24	56,2			No
			10.7.2015	21:00	24,2	55,7			No
			10.7.2015	21:15	24,2	55,3			No
			10.7.2015	21:30	24,2	56			No
			10.7.2015	21:45	24,3	55,1			No
			10.7.2015	22:00	24,3	55,9			No
			10.7.2015	22:15	24,4	54,8			No
			10.7.2015	22:30	24,4	55,3			No
			10.7.2015	22:45	24,4	55,8			No
			10.7.2015	23:00	24,4	55,4			No
			10.7.2015	23:15	24,1	56,2			No
			10.7.2015	23:30	24,1	56,8			No
			10.7.2015	23:45	24,2	56,9			No
			11.7.2015	0:00	24,3	55,6			No
			11.7.2015	0:15	24,3	56			No
			11.7.2015	0:30	24,3	56			No
			11.7.2015	0:45	24,3	55,8			No
			11.7.2015	1:00	24,3	56,3			No
			11.7.2015	1:15	24,3	56,3			No
			11.7.2015	1:30	24,3	55,8			No
			11.7.2015	1:45	24,3	56,3			No
			11.7.2015	2:00	24,3	56,9			No
			11.7.2015	2:15	24,3	56,1			No
			11.7.2015	2:30	24,3	55,7			No
			11.7.2015	2:45	24,3	55,9			No
			11.7.2015	3:00	24,2	57			No
			11.7.2015	3:15	24,2	56,5			No
			11.7.2015	3:30	24,2	56			No
			11.7.2015	3:45	24,2	56,4			No
			11.7.2015	4:00	24,2	55,9			No
			11.7.2015	4:15	24,2	56,4			No
			11.7.2015	4:30	24,2	56,2			No
			11.7.2015	4:45	24,1	56,4			No
			11.7.2015	5:00	24,1	56,7			No
			11.7.2015	5:15	24,1	56,3			No
			11.7.2015	5:30	24	52,2			No
			11.7.2015	5:45	24	56,7			No
			11.7.2015	6:00	24	55,3			No
			11.7.2015	6:15	24	56,5			No
			11.7.2015	6:30	24	56			No
			11.7.2015	6:45	24	56,2			No
			11.7.2015	7:00	24	56,7			No
			11.7.2015	7:15	24	57,3			No
			11.7.2015	7:30	24	56,2			No
			11.7.2015	7:45	24	56,8			No
			11.7.2015	8:00	24	56,9			No
			11.7.2015	8:15	24	56,3			No
			11.7.2015	8:30	24	56,9			No
			11.7.2015	8:45	24	57,1			No
			11.7.2015	9:00	24	56,1			No
			11.7.2015	9:15	24	56,9			No

TEST REPORT

Creation date of report: 20.8.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	11.7.2015	9:30	24	57,8		No
			11.7.2015	9:45	24	56,3		No
			11.7.2015	10:00	24	56,3		No
			11.7.2015	10:15	24	57,1		No
			11.7.2015	10:30	24	56,3		No
			11.7.2015	10:45	24	57,4		No
			11.7.2015	11:00	24,1	57,3		No
			11.7.2015	11:15	24,1	57		No
			11.7.2015	11:30	24,1	57,3		No
			11.7.2015	11:45	24,2	56,7		No
			11.7.2015	12:00	24,2	56,9		No
			11.7.2015	12:15	24,2	57,9		No
			11.7.2015	12:30	24,2	56,9		No
			11.7.2015	12:45	24,2	57,4		No
			11.7.2015	13:00	24,3	56,5		No
			11.7.2015	13:15	24,3	57,3		No
			11.7.2015	13:30	24,4	56,7		No
			11.7.2015	13:45	24,4	55,8		No
			11.7.2015	14:00	24,1	57,7		No
			11.7.2015	14:15	24,3	56,5		No
			11.7.2015	14:30	24,4	57,6		No
			11.7.2015	14:45	24,1	55		No
			11.7.2015	15:00	24,2	57,8		No
			11.7.2015	15:15	24,3	55,4		No
			11.7.2015	15:30	24,1	57,9		No
			11.7.2015	15:45	24,3	56,2		No
			11.7.2015	16:00	24,1	57		No
			11.7.2015	16:15	24,2	56,8		No
			11.7.2015	16:30	24,3	53,4		No
			11.7.2015	16:45	24,1	57,8		No
			11.7.2015	17:00	24,3	56,4		No
			11.7.2015	17:15	24	54		No
			11.7.2015	17:30	24	58,1		No
			11.7.2015	17:45	24,2	56,8		No
			11.7.2015	18:00	24,3	57,2		No
			11.7.2015	18:15	24,3	52,6		No
			11.7.2015	18:30	24,1	57,9		No
			11.7.2015	18:45	24,2	56,7		No
			11.7.2015	19:00	24,4	56,5		No
			11.7.2015	19:15	24,4	55,1		No
			11.7.2015	19:30	23,9	56,9		No
			11.7.2015	19:45	24,1	57,3		No
			11.7.2015	20:00	24,2	56,5		No
			11.7.2015	20:15	24,3	56,4		No
			11.7.2015	20:30	24,4	56,1		No
			11.7.2015	20:45	24,4	56,1		No
			11.7.2015	21:00	24,1	54,1		No
			11.7.2015	21:15	24,1	57,5		No
			11.7.2015	21:30	24,2	56,7		No
			11.7.2015	21:45	24,3	57		No
			11.7.2015	22:00	24,4	55,9		No
			11.7.2015	22:15	24,4	55,5		No
			11.7.2015	22:30	24,4	55,4		No
			11.7.2015	22:45	24,4	55,8		No
			11.7.2015	23:00	24,4	56,4		No
			11.7.2015	23:15	24,4	55,4		No
			11.7.2015	23:30	24,4	56,2		No
			11.7.2015	23:45	24,5	55,3		No
			12.7.2015	0:00	24,5	56,4		No
			12.7.2015	0:15	24,5	56,1		No
			12.7.2015	0:30	24,5	56		No
			12.7.2015	0:45	24,5	56,6		No
			12.7.2015	1:00	24,5	55,6		No
			12.7.2015	1:15	24,4	56,4		No
			12.7.2015	1:30	24,5	55,4		No
			12.7.2015	1:45	24,4	55,8		No
			12.7.2015	2:00	24,4	56,6		No
			12.7.2015	2:15	24,4	55,6		No
			12.7.2015	2:30	24,4	56,4		No
			12.7.2015	2:45	24,4	56		No
			12.7.2015	3:00	24,4	55,4		No
			12.7.2015	3:15	24,4	56		No
			12.7.2015	3:30	24,4	56,7		No
			12.7.2015	3:45	24,4	55,9		No
			12.7.2015	4:00	24,3	56,2		No
			12.7.2015	4:15	24,3	56,3		No
			12.7.2015	4:30	24,3	54,5		No
			12.7.2015	4:45	24,3	56,3		No
			12.7.2015	5:00	24,2	54		No
			12.7.2015	5:15	24,2	55,9		No
			12.7.2015	5:30	24,2	54,7		No

TEST REPORT

Creation date of report: 20.8.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			12.7.2015	5:45	24,1	55,6			No
			12.7.2015	6:00	24,1	56,4	24,2	55,7	Yes
			12.7.2015	6:15	24,2	55,5	24,2	55,6	Yes
			12.7.2015	6:30	24,1	56	24,1	55,9	Yes
			12.7.2015	6:45	24,1	56,9	24,1	56,2	Yes
			12.7.2015	7:00	24,2	55,9	24,2	56,1	Yes
			12.7.2015	7:15	24,1	56,4	24,1	56,3	Yes
			12.7.2015	7:30	24,1	57,1	24,1	56,6	Yes
			12.7.2015	7:45	24,1	56,4	24,1	56,5	Yes
			12.7.2015	8:00	24,1	56,9	24,1	56,7	Yes
			12.7.2015	8:15	24,2	56,3	24,1	56,7	Yes
			12.7.2015	8:30	24,1	57	24,1	56,7	Yes
			12.7.2015	8:45	24,2	56,8	24,2	56,8	Yes
			12.7.2015	9:00	24,2	56,9	24,2	56,8	Yes
			12.7.2015	9:15	24,1	57,8	24,2	57,1	Yes
			12.7.2015	9:30	24,2	56,7	24,2	57,1	Yes
			12.7.2015	9:45	24,2	57,1	24,2	57,1	Yes
			12.7.2015	10:00	24,2	56,4	24,2	57,0	Yes
			12.7.2015	10:15	24,2	56,9	24,2	56,8	Yes
			12.7.2015	10:30	24,3	57,3	24,2	56,9	Yes
			12.7.2015	10:45	24,3	56,8	24,3	56,9	Yes
			12.7.2015	11:00	24,3	57	24,3	57,0	Yes
			12.7.2015	11:15	24,4	56,8	24,3	57,0	Yes
			12.7.2015	11:30	24,4	56,6	24,4	56,8	Yes
			12.7.2015	11:45	24,4	57	24,4	56,9	Yes
			12.7.2015	12:00	24,5	56,6	24,4	56,8	Yes
			12.7.2015	12:15	24,5	57,1	24,5	56,8	Yes
			12.7.2015	12:30	24,3	55	24,4	56,4	Yes
			12.7.2015	12:45	24,3	57,8	24,4	56,6	Yes
			12.7.2015	13:00	24,4	56,5	24,4	56,6	Yes
			12.7.2015	13:15	24,3	54,6	24,3	56,0	Yes
			12.7.2015	13:30	24,3	57,3	24,3	56,6	Yes
			12.7.2015	13:45	24,4	56,5	24,4	56,2	Yes
			12.7.2015	14:00	24,2	57,5	24,3	56,5	Yes
			12.7.2015	14:15	24,4	57,5	24,3	57,2	Yes
			12.7.2015	14:30	24,4	54	24,4	56,4	Yes
			12.7.2015	14:45	24,3	57,7	24,3	56,7	Yes
			12.7.2015	15:00	24,4	56,4	24,4	56,4	Yes
			12.7.2015	15:15	24,2	58,4	24,3	56,6	Yes
			12.7.2015	15:30	24,4	57,2	24,3	57,4	Yes
			12.7.2015	15:45	24,2	57,9	24,3	57,5	Yes
			12.7.2015	16:00	24,4	57,4	24,3	57,7	Yes
			12.7.2015	16:15	24,2	56,3	24,3	57,2	Yes
			12.7.2015	16:30	24,3	56,9	24,3	57,1	Yes
			12.7.2015	16:45	24,3	54	24,3	56,2	Yes
			12.7.2015	17:00	24,3	57,3	24,3	56,1	Yes
			12.7.2015	17:15	24,2	53,1	24,3	55,3	Yes
			12.7.2015	17:30	24,2	57,9	24,3	55,6	Yes
			12.7.2015	17:45	24,4	57,1	24,3	56,4	Yes
			12.7.2015	18:00	24,1	58,1	24,2	56,6	Yes
			12.7.2015	18:15	24,2	57,6	24,2	57,7	Yes
			12.7.2015	18:30	24,2	53,1	24,2	56,5	Yes
			12.7.2015	18:45	24	58,9	24,1	56,9	Yes
			12.7.2015	19:00	24,2	57,7	24,2	56,8	Yes
			12.7.2015	19:15	24	56,9	24,1	56,7	Yes
			12.7.2015	19:30	24,1	58,5	24,1	58,0	Yes
			12.7.2015	19:45	24,3	57	24,2	57,5	Yes
			12.7.2015	20:00	24,2	53,2	24,2	56,4	Yes
			12.7.2015	20:15	24,1	58,4	24,2	56,8	Yes
			12.7.2015	20:30	24,3	57,4	24,2	56,5	Yes
			12.7.2015	20:45	24,4	56,6	24,3	56,4	Yes
			12.7.2015	21:00	24	57,5	24,2	57,5	Yes
			12.7.2015	21:15	24,1	58,6	24,2	57,5	Yes
			12.7.2015	21:30	24,3	57,5	24,2	57,6	Yes
			12.7.2015	21:45	24,4	56,5	24,2	57,5	Yes
			12.7.2015	22:00	24,4	57	24,3	57,4	Yes
			12.7.2015	22:15	24,1	54,6	24,3	56,4	Yes
			12.7.2015	22:30	24	58,6	24,2	56,7	Yes
			12.7.2015	22:45	24,2	57,4	24,2	56,9	Yes
			12.7.2015	23:00	24,3	56,6	24,2	56,8	Yes
			12.7.2015	23:15	24,4	56,9	24,2	57,4	Yes
			12.7.2015	23:30	24,5	56,6	24,4	56,9	Yes
			12.7.2015	23:45	24,1	57,5	24,3	56,9	Yes
			13.7.2015	0:00	24,2	57,9	24,3	57,2	Yes
			13.7.2015	0:15	24,3	56,6	24,3	57,2	Yes
			13.7.2015	0:30	24,4	56,9	24,3	57,2	Yes
			13.7.2015	0:45	24,4	56,2	24,3	56,9	Yes
			13.7.2015	1:00	24,4	56,1	24,4	56,5	Yes
			13.7.2015	1:15	24,3	52,1	24,4	55,3	Yes
			13.7.2015	1:30	24,1	58,1	24,3	55,6	Yes
			13.7.2015	1:45	24,2	57,1	24,3	55,9	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	13.7.2015	2:00	24,3	57,2	24,2	56,1	Yes
			13.7.2015	2:15	24,4	56,1	24,3	57,1	Yes
			13.7.2015	2:30	24,4	55,7	24,3	56,5	Yes
			13.7.2015	2:45	24,4	56,3	24,4	56,3	Yes
			13.7.2015	3:00	24,5	56,7	24,4	56,2	Yes
			13.7.2015	3:15	24,5	56,8	24,5	56,4	Yes
			13.7.2015	3:30	24,1	58,2	24,4	57,0	Yes
			13.7.2015	3:45	24,2	57,7	24,3	57,4	Yes
			13.7.2015	4:00	24,3	57	24,3	57,4	Yes
			13.7.2015	4:15	24,3	57,4	24,2	57,6	Yes
			13.7.2015	4:30	24,4	56,5	24,3	57,2	Yes
			13.7.2015	4:45	24,4	56,9	24,4	57,0	Yes
			13.7.2015	5:00	24,4	56,2	24,4	56,8	Yes
			13.7.2015	5:15	24,5	56,5	24,4	56,5	Yes
			13.7.2015	5:30	24,5	56,7	24,5	56,6	Yes
			13.7.2015	5:45	24,5	56,2	24,5	56,4	Yes
			13.7.2015	6:00	24,5	57,1	24,5	56,6	Yes
			13.7.2015	6:15	24,2	55	24,4	56,3	Yes
			13.7.2015	6:30	24,1	58,5	24,3	56,7	Yes
			13.7.2015	6:45	24,2	56,1	24,3	56,7	Yes
PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	13.7.2015	7:00	24,4	56,1	24,2	56,4	Yes
			13.7.2015	7:15	24,3	60	24,3	57,7	Yes
			13.7.2015	7:30	24,3	55,1	24,3	56,8	Yes
			13.7.2015	7:45	23,8	58,3	24,2	57,4	Yes
			13.7.2015	8:00	23,9	61,4	24,1	58,7	Yes
			13.7.2015	8:15	24,2	60,8	24,1	58,9	Yes
			13.7.2015	8:30	23,9	59,4	24,0	60,0	Yes
			13.7.2015	8:45	24	62,4	24,0	61,0	Yes
			13.7.2015	9:00	24,2	59,6	24,1	60,6	Yes
			13.7.2015	9:15	23,8	60,7	24,0	60,5	Yes
			13.7.2015	9:30	23,9	62,6	24,0	61,3	Yes
			13.7.2015	9:45	24,1	61,1	24,0	61,0	Yes
			13.7.2015	10:00	24,3	60,2	24,0	61,2	Yes
			13.7.2015	10:15	24	60,5	24,1	61,1	Yes
			13.7.2015	10:30	24,2	60,2	24,2	60,5	Yes
			13.7.2015	10:45	24,2	59,5	24,2	60,1	Yes
			13.7.2015	11:00	24,2	54,8	24,2	58,8	Yes
			13.7.2015	11:15	24,2	61,5	24,2	59,0	Yes
			13.7.2015	11:30	24,1	57,6	24,2	58,4	Yes
			13.7.2015	11:45	24,3	60,8	24,2	58,7	Yes
PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	13.7.2015	12:00	24,2	58,8	24,2	59,7	Yes
			13.7.2015	12:15	24,2	55,1	24,2	58,1	Yes
			13.7.2015	12:30	24	58,2	24,2	58,2	Yes
			13.7.2015	12:45	24,2	60	24,2	58,0	Yes
			13.7.2015	13:00	24	59,8	24,1	58,3	Yes
			13.7.2015	13:15	24	55,2	24,1	58,3	Yes
			13.7.2015	13:30	24,1	61,2	24,1	59,1	Yes
			13.7.2015	13:45	24	57,7	24,0	58,5	Yes
			13.7.2015	14:00	24,2	59	24,1	58,3	Yes
			13.7.2015	14:15	23,9	60	24,1	59,5	Yes
			13.7.2015	14:30	24,2	60,5	24,1	59,3	Yes
			13.7.2015	14:45	24,3	55,4	24,2	58,7	Yes
			13.7.2015	15:00	24,2	60,3	24,2	59,1	Yes
			13.7.2015	15:15	24,4	59,5	24,3	58,9	Yes
			13.7.2015	15:30	24,2	59,3	24,3	58,6	Yes
			13.7.2015	15:45	24,3	59,5	24,3	59,7	Yes
			13.7.2015	16:00	24	58,1	24,2	59,1	Yes
			13.7.2015	16:15	24,1	60,9	24,2	59,5	Yes
			13.7.2015	16:30	24,2	59,8	24,2	59,6	Yes
			13.7.2015	16:45	24,4	58,1	24,2	59,2	Yes
PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	13.7.2015	17:00	24	60,2	24,2	59,8	Yes
			13.7.2015	17:15	24,2	60,3	24,2	59,6	Yes
			13.7.2015	17:30	24,3	59,3	24,2	59,5	Yes
			13.7.2015	17:45	24,3	55,2	24,2	58,8	Yes
			13.7.2015	18:00	24	60,2	24,2	58,8	Yes
			13.7.2015	18:15	24,1	60,1	24,2	58,7	Yes
			13.7.2015	18:30	24,3	59,1	24,2	58,7	Yes
			13.7.2015	18:45	24,4	58,3	24,2	59,4	Yes
			13.7.2015	19:00	24,4	57,7	24,3	58,8	Yes
			13.7.2015	19:15	24	57,1	24,3	58,1	Yes
			13.7.2015	19:30	24,1	59,9	24,2	58,3	Yes
			13.7.2015	19:45	24,2	58,8	24,2	58,4	Yes
			13.7.2015	20:00	24,3	58,1	24,2	58,5	Yes
			13.7.2015	20:15	24,4	57,6	24,3	58,6	Yes
			13.7.2015	20:30	24,4	57,1	24,3	57,9	Yes
			13.7.2015	20:45	24,4	56,6	24,4	57,4	Yes
			13.7.2015	21:00	24,1	56,8	24,3	57,0	Yes
			13.7.2015	21:15	24,1	58,3	24,3	57,2	Yes
			13.7.2015	21:30	24,2	56,9	24,2	57,2	Yes
			13.7.2015	21:45	24,3	56,6	24,2	57,2	Yes
PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	13.7.2015	22:00	24,3	56,9	24,2	57,2	Yes

TYPE OF TEST: ISO 19752

N/	N/	N/	13.7.2015	22:15	24,3	56,9	24,3	56,8	Yes
			13.7.2015	22:30	24,3	57,1	24,3	56,9	Yes
			13.7.2015	22:45	24,4	56,6	24,3	56,9	Yes
			13.7.2015	23:00	24,4	56,2	24,4	56,7	Yes
			13.7.2015	23:15	24,4	56,5	24,4	56,6	Yes
			13.7.2015	23:30	24,4	57,4	24,4	56,7	Yes
			13.7.2015	23:45	24,4	57,4	24,4	56,9	Yes
			14.7.2015	0:00	24,4	57	24,4	57,1	Yes
			14.7.2015	0:15	24,2	52,9	24,4	56,2	Yes
			14.7.2015	0:30	24,1	59	24,3	56,6	Yes
			14.7.2015	0:45	24,2	57,9	24,2	56,7	Yes
			14.7.2015	1:00	24,3	57,3	24,2	56,8	Yes
			14.7.2015	1:15	24,3	56,8	24,2	57,8	Yes
			14.7.2015	1:30	24,3	57,8	24,3	57,5	Yes
			14.7.2015	1:45	24,4	57,3	24,3	57,3	Yes
			14.7.2015	2:00	24,4	56,7	24,4	57,2	Yes
			14.7.2015	2:15	24,3	57,6	24,4	57,4	Yes
			14.7.2015	2:30	24,4	57,1	24,4	57,2	Yes
			14.7.2015	2:45	24,4	57,6	24,4	57,3	Yes
			14.7.2015	3:00	24,4	57,6	24,4	57,5	Yes
			14.7.2015	3:15	24,4	57	24,4	57,3	Yes
			14.7.2015	3:30	24,4	56,8	24,4	57,3	Yes
			14.7.2015	3:45	24,4	57,8	24,4	57,3	Yes
			14.7.2015	4:00	24,4	57,2	24,4	57,2	Yes
			14.7.2015	4:15	24,5	57	24,4	57,2	Yes
			14.7.2015	4:30	24,4	58,1	24,4	57,5	Yes
			14.7.2015	4:45	24,4	57,2	24,4	57,4	Yes
			14.7.2015	5:00	24,4	57	24,4	57,3	Yes
			14.7.2015	5:15	24,4	58	24,4	57,6	Yes
			14.7.2015	5:30	24,4	57,2	24,4	57,4	Yes
			14.7.2015	5:45	24,5	56,7	24,4	57,2	Yes
PHI_15_I0167	PHI_15_I0170	PHI_15_I0173	14.7.2015	6:00	24,2	52,3	24,4	56,1	Yes
			14.7.2015	6:15	24	60,6	24,3	56,7	Yes
			14.7.2015	6:30	24,2	58,8	24,2	57,1	Yes
			14.7.2015	6:45	24	58,1	24,1	57,5	Yes
			14.7.2015	7:00	24,1	60,7	24,1	59,6	Yes
			14.7.2015	7:15	23,9	57,5	24,1	58,8	Yes
			14.7.2015	7:30	23,9	61,9	24,0	59,6	Yes
			14.7.2015	7:45	24,1	60,2	24,0	60,1	Yes
			14.7.2015	8:00	23,8	61,1	23,9	60,2	Yes
			14.7.2015	8:15	24	61,2	24,0	61,1	Yes
	PHI_15_I0171	PHI_15_I0174	14.7.2015	8:30	23,8	59,7	23,9	60,6	Yes
			14.7.2015	8:45	23,9	61,9	23,9	61,0	Yes
			14.7.2015	9:00	24,1	59,2	24,0	60,5	Yes
			14.7.2015	9:15	24	61,6	24,0	60,6	Yes
			14.7.2015	9:30	24,2	60,5	24,1	60,8	Yes
			14.7.2015	9:45	23,8	60,9	24,0	60,6	Yes
			14.7.2015	10:00	24	62,1	24,0	61,3	Yes
			14.7.2015	10:15	23,9	61,5	24,0	61,3	Yes
			14.7.2015	10:30	24,1	59,4	24,0	61,0	Yes
			14.7.2015	10:45	24	61,4	24,0	61,1	Yes
			14.7.2015	11:00	24,2	59,4	24,1	60,4	Yes
			14.7.2015	11:15	23,8	61,5	24,0	60,4	Yes
			14.7.2015	11:30	24	62	24,0	61,1	Yes
			14.7.2015	11:45	24	60	24,0	60,7	Yes
			14.7.2015	12:00	24	55,2	24,0	59,7	Yes
			14.7.2015	12:15	23,8	61,2	24,0	59,6	Yes
			14.7.2015	12:30	24,1	62,6	24,0	59,8	Yes
			14.7.2015	12:45	24,3	60,3	24,1	59,8	Yes
			14.7.2015	13:00	24,2	60,5	24,1	61,2	Yes
			14.7.2015	13:15	24,1	56,7	24,2	60,0	Yes
			14.7.2015	13:30	24,3	61,8	24,2	59,8	Yes
			14.7.2015	13:45	24	60,1	24,2	59,8	Yes
			14.7.2015	14:00	24,3	62,7	24,2	60,3	Yes
			14.7.2015	14:15	24	58,5	24,2	60,8	Yes
			14.7.2015	14:30	24,1	61,8	24,1	60,8	Yes
			14.7.2015	14:45	24	56,4	24,1	59,9	Yes
			14.7.2015	15:00	24	62,4	24,0	59,8	Yes
			14.7.2015	15:15	24,2	63	24,1	60,9	Yes
			14.7.2015	15:30	24	55,5	24,1	59,3	Yes
			14.7.2015	15:45	24	62,7	24,1	60,9	Yes
			14.7.2015	16:00	24,1	63	24,1	61,1	Yes
			14.7.2015	16:15	23,8	56,4	24,0	59,4	Yes
			14.7.2015	16:30	23,9	63,2	24,0	61,3	Yes
			14.7.2015	16:45	24	63,4	24,0	61,5	Yes
			14.7.2015	17:00	24	57,2	23,9	60,1	Yes
			14.7.2015	17:15	23,8	62,4	23,9	61,6	Yes
			14.7.2015	17:30	24	63,7	24,0	61,7	Yes
			14.7.2015	17:45	24,2	62,9	24,0	61,6	Yes
			14.7.2015	18:00	23,8	60,4	24,0	62,4	Yes
			14.7.2015	18:15	23,9	63,8	24,0	62,7	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	14.7.2015	18:30	24,1	63	24,0	62,5	Yes
			14.7.2015	18:45	23,8	60,4	23,9	61,9	Yes
			14.7.2015	19:00	23,9	63,6	23,9	62,7	Yes
			14.7.2015	19:15	24,1	63,4	24,0	62,6	Yes
			14.7.2015	19:30	23,9	55,5	23,9	60,7	Yes
			14.7.2015	19:45	23,8	63,2	23,9	61,4	Yes
			14.7.2015	20:00	24	63,5	24,0	61,4	Yes
			14.7.2015	20:15	24,1	59,8	24,0	60,5	Yes
			14.7.2015	20:30	23,8	61,9	23,9	62,1	Yes
			14.7.2015	20:45	23,9	63,9	24,0	62,3	Yes
			14.7.2015	21:00	24,1	63,3	24,0	62,2	Yes
			14.7.2015	21:15	23,8	58,2	23,9	61,8	Yes
			14.7.2015	21:30	23,8	63,5	23,9	62,2	Yes
			14.7.2015	21:45	24	62,8	23,9	62,0	Yes
			14.7.2015	22:00	24,2	62,2	24,0	61,7	Yes
			14.7.2015	22:15	23,8	60,2	24,0	62,2	Yes
			14.7.2015	22:30	23,9	63,8	24,0	62,3	Yes
			14.7.2015	22:45	24	62,5	24,0	62,2	Yes
			14.7.2015	23:00	24,1	59	24,0	61,4	Yes
			14.7.2015	23:15	23,8	62,2	24,0	61,9	Yes
			14.7.2015	23:30	23,9	63,3	24,0	61,8	Yes
			14.7.2015	23:45	24,1	62,2	24,0	61,7	Yes
			15.7.2015	0:00	24,1	57,5	24,0	61,3	Yes
			15.7.2015	0:15	23,8	62,2	24,0	61,3	Yes
			15.7.2015	0:30	23,9	63	24,0	61,2	Yes
			15.7.2015	0:45	24,1	61,8	24,0	61,1	Yes
			15.7.2015	1:00	23,8	58,3	23,9	61,3	Yes
			15.7.2015	1:15	23,8	63,5	23,9	61,7	Yes
			15.7.2015	1:30	24	62,2	23,9	61,5	Yes
			15.7.2015	1:45	24,1	61,6	23,9	61,4	Yes
			15.7.2015	2:00	23,8	59,6	23,9	61,7	Yes
			15.7.2015	2:15	23,8	63	23,9	61,6	Yes
			15.7.2015	2:30	24	62	23,9	61,6	Yes
			15.7.2015	2:45	24,2	61,3	24,0	61,5	Yes
			15.7.2015	3:00	23,8	60,8	24,0	61,8	Yes
			15.7.2015	3:15	23,9	63	24,0	61,8	Yes
			15.7.2015	3:30	24	61,1	24,0	61,6	Yes
			15.7.2015	3:45	24,2	61	24,0	61,5	Yes
			15.7.2015	4:00	23,8	60,9	24,0	61,5	Yes
			15.7.2015	4:15	23,9	62,8	24,0	61,5	Yes
			15.7.2015	4:30	24	61,3	24,0	61,5	Yes
			15.7.2015	4:45	24,2	60,8	24,0	61,5	Yes
			15.7.2015	5:00	23,8	59,5	24,0	61,1	Yes
			15.7.2015	5:15	23,9	62,6	24,0	61,1	Yes
			15.7.2015	5:30	23,9	55,6	24,0	59,6	Yes
PHI_15_I0167			15.7.2015	5:45	23,7	62	23,8	59,9	Yes
			15.7.2015	6:00	24	63	23,9	60,8	Yes
			15.7.2015	6:15	23,7	55,7	23,8	59,1	Yes
			15.7.2015	6:30	23,6	63,1	23,8	61,0	Yes
			15.7.2015	6:45	23,8	62,5	23,8	61,1	Yes
			15.7.2015	7:00	24	61	23,8	60,6	Yes
			15.7.2015	7:15	23,8	54,4	23,8	60,3	Yes
			15.7.2015	7:30	23,8	62,1	23,9	60,0	Yes
			15.7.2015	7:45	23,9	60,4	23,9	59,5	Yes
			15.7.2015	8:00	23,6	60,4	23,8	59,3	Yes
			15.7.2015	8:15	23,8	62,1	23,8	61,3	Yes
			15.7.2015	8:30	23,7	55,6	23,8	59,6	Yes
			15.7.2015	8:45	23,7	62,7	23,7	60,2	Yes
			15.7.2015	9:00	23,9	63,7	23,8	61,0	Yes
			15.7.2015	9:15	24,2	63	23,9	61,3	Yes
PHI_15_I0168	PHI_15_I0171	PHI_15_I0174	15.7.2015	9:30	23,8	55,3	23,9	61,2	Yes
			15.7.2015	9:45	23,8	63,5	23,9	61,4	Yes
			15.7.2015	10:00	24	61	24,0	60,7	Yes
			15.7.2015	10:15	23,7	60,1	23,8	60,0	Yes
			15.7.2015	10:30	23,9	63,4	23,9	62,0	Yes
			15.7.2015	10:45	24	60,2	23,9	61,2	Yes
			15.7.2015	11:00	23,7	61,5	23,8	61,3	Yes
			15.7.2015	11:15	23,9	64	23,9	62,3	Yes
			15.7.2015	11:30	24,2	63	24,0	62,2	Yes
			15.7.2015	11:45	23,8	60,6	23,9	62,3	Yes
			15.7.2015	12:00	24,1	63,2	24,0	62,7	Yes
			15.7.2015	12:15	23,8	56,1	24,0	60,7	Yes
			15.7.2015	12:30	24	62,7	23,9	60,7	Yes
			15.7.2015	12:45	24,1	60,6	24,0	60,7	Yes
			15.7.2015	13:00	23,8	60,7	23,9	60,0	Yes
			15.7.2015	13:15	24,1	63,6	24,0	61,9	Yes
			15.7.2015	13:30	23,8	57,5	24,0	60,6	Yes
			15.7.2015	13:45	24,1	63,1	24,0	61,2	Yes
			15.7.2015	14:00	24,1	58,5	24,0	60,7	Yes
			15.7.2015	14:15	24	61,8	24,0	60,2	Yes
			15.7.2015	14:30	24,3	62,1	24,1	61,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	15.7.2015	14:45	24,1	60,9	24,1	60,8	Yes
			15.7.2015	15:00	24,3	61,1	24,2	61,5	Yes
			15.7.2015	15:15	24,1	58,5	24,2	60,7	Yes
			15.7.2015	15:30	24,3	60,4	24,2	60,2	Yes
			15.7.2015	15:45	24,5	57,7	24,3	59,4	Yes
			15.7.2015	16:00	24,3	58,4	24,3	58,8	Yes
			15.7.2015	16:15	24,4	59,7	24,4	59,1	Yes
			15.7.2015	16:30	24,2	57,3	24,4	58,3	Yes
			15.7.2015	16:45	24,4	58,9	24,3	58,6	Yes
			15.7.2015	17:00	24,5	54,2	24,4	57,5	Yes
			15.7.2015	17:15	24,4	57,9	24,4	57,1	Yes
			15.7.2015	17:30	24,4	54,3	24,4	56,3	Yes
			15.7.2015	17:45	24,4	58,2	24,4	56,2	Yes
			15.7.2015	18:00	24,4	54,1	24,4	56,1	Yes
			15.7.2015	18:15	24,4	57,1	24,4	55,9	Yes
			15.7.2015	18:30	24,3	53,1	24,4	55,6	Yes
			15.7.2015	18:45	24	59,6	24,3	56,0	Yes
			15.7.2015	19:00	24,2	60,4	24,2	57,6	Yes
			15.7.2015	19:15	24,2	54,4	24,2	56,9	Yes
			15.7.2015	19:30	24	59,2	24,1	58,4	Yes
			15.7.2015	19:45	24,2	61	24,2	58,8	Yes
			15.7.2015	20:00	24,3	57,8	24,2	58,1	Yes
			15.7.2015	20:15	24	59,8	24,1	59,5	Yes
			15.7.2015	20:30	24,1	61	24,2	59,9	Yes
			15.7.2015	20:45	24,4	58,8	24,2	59,4	Yes
			15.7.2015	21:00	24	60,1	24,1	59,9	Yes
			15.7.2015	21:15	24,2	60,2	24,2	60,0	Yes
			15.7.2015	21:30	24,4	57,3	24,3	59,1	Yes
			15.7.2015	21:45	24	59,9	24,2	59,4	Yes
			15.7.2015	22:00	24,2	60,3	24,2	59,4	Yes
			15.7.2015	22:15	24,4	59,1	24,3	59,2	Yes
			15.7.2015	22:30	24	58,2	24,2	59,4	Yes
			15.7.2015	22:45	24,2	60,6	24,2	59,6	Yes
			15.7.2015	23:00	24,3	59,4	24,2	59,3	Yes
			15.7.2015	23:15	24,4	55,9	24,2	58,5	Yes
			15.7.2015	23:30	24,1	60,1	24,3	59,0	Yes
			15.7.2015	23:45	24,2	59,9	24,3	58,8	Yes
			16.7.2015	0:00	24,4	58,9	24,3	58,7	Yes
			16.7.2015	0:15	24,2	53,7	24,2	58,2	Yes
			16.7.2015	0:30	24,1	60,5	24,2	58,3	Yes
			16.7.2015	0:45	24,3	59,2	24,3	58,1	Yes
			16.7.2015	1:00	24,4	58,3	24,3	57,9	Yes
			16.7.2015	1:15	24,4	54,4	24,3	58,1	Yes
			16.7.2015	1:30	24,1	59,8	24,3	57,9	Yes
			16.7.2015	1:45	24,3	58,7	24,3	57,8	Yes
			16.7.2015	2:00	24,4	58,1	24,3	57,8	Yes
			16.7.2015	2:15	24,4	57,4	24,3	58,5	Yes
			16.7.2015	2:30	24,1	57,7	24,3	58,0	Yes
			16.7.2015	2:45	24,2	59	24,3	58,1	Yes
			16.7.2015	3:00	24,3	57,8	24,3	58,0	Yes
			16.7.2015	3:15	24,4	57,1	24,3	57,9	Yes
			16.7.2015	3:30	24,4	57,4	24,3	57,8	Yes
			16.7.2015	3:45	24,5	57,4	24,4	57,4	Yes
			16.7.2015	4:00	24,2	56,6	24,4	57,1	Yes
			16.7.2015	4:15	24,2	59,3	24,3	57,7	Yes
			16.7.2015	4:30	24,3	57,8	24,3	57,8	Yes
			16.7.2015	4:45	24,4	57,4	24,3	57,8	Yes
			16.7.2015	5:00	24,4	56,8	24,3	57,8	Yes
			16.7.2015	5:15	24,4	57,3	24,4	57,3	Yes
			16.7.2015	5:30	24,1	58	24,3	57,4	Yes
			16.7.2015	5:45	24,2	58,3	24,3	57,6	Yes
I_15_I0168	I_15_I0171	I_15_I0174	16.7.2015	6:00	24,2	54,2	24,2	57,0	Yes
			16.7.2015	6:15	24	60,3	24,1	57,7	Yes
			16.7.2015	6:30	24,2	59	24,2	58,0	Yes
			16.7.2015	6:45	24	59,7	24,1	58,3	Yes
			16.7.2015	7:00	24,1	60,2	24,1	59,8	Yes
			16.7.2015	7:15	24	54,6	24,1	58,4	Yes
			16.7.2015	7:30	24,1	60,8	24,1	58,8	Yes
			16.7.2015	7:45	23,8	58,3	24,0	58,5	Yes
			16.7.2015	8:00	24,2	61,6	24,0	58,8	Yes
			16.7.2015	8:15	23,9	58,5	24,0	59,8	Yes
			16.7.2015	8:30	24,2	62,1	24,0	60,1	Yes
			16.7.2015	8:45	24,2	55,3	24,1	59,4	Yes
			16.7.2015	9:00	24,1	61,4	24,1	59,3	Yes
			16.7.2015	9:15	24,3	60,8	24,2	59,9	Yes
			16.7.2015	9:30	24,1	60,3	24,2	59,5	Yes
			16.7.2015	9:45	24,3	60,9	24,2	60,9	Yes
			16.7.2015	10:00	24,1	57,3	24,2	59,8	Yes
			16.7.2015	10:15	24,3	60,8	24,2	59,8	Yes
			16.7.2015	10:30	24,2	58,9	24,2	59,5	Yes
			16.7.2015	10:45	24,4	62,1	24,3	59,8	Yes

TYPE OF TEST: ISO 19752

PH	PH	PH	16.7.2015	11:00	24,1	59,6	24,3	60,4	Yes
			16.7.2015	11:15	24,3	61,9	24,3	60,6	Yes
			16.7.2015	11:30	24,2	54,8	24,3	59,6	Yes
			16.7.2015	11:45	24,2	61,1	24,2	59,4	Yes
			16.7.2015	12:00	24,3	56,2	24,3	58,5	Yes
			16.7.2015	12:15	24,4	58,4	24,3	57,6	Yes
			16.7.2015	12:30	24,2	59,3	24,3	58,8	Yes
			16.7.2015	12:45	24,3	53,3	24,3	56,8	Yes
			16.7.2015	13:00	24,4	57,6	24,3	57,2	Yes
			16.7.2015	13:15	24,4	54,5	24,3	56,2	Yes
			16.7.2015	13:30	24,3	51	24,4	54,1	Yes
			16.7.2015	13:45	24,4	55,4	24,4	54,6	Yes
			16.7.2015	14:00	24,3	58,2	24,4	54,8	Yes
			16.7.2015	14:15	24,3	53,8	24,3	54,6	Yes
			16.7.2015	14:30	24,4	61,2	24,4	57,2	Yes
			16.7.2015	14:45	24,2	53,3	24,3	56,6	Yes
			16.7.2015	15:00	24,4	61	24,3	57,3	Yes
			16.7.2015	15:15	24,2	57,9	24,3	58,4	Yes
			16.7.2015	15:30	24,3	55,9	24,3	57,0	Yes
			16.7.2015	15:45	24,2	59,4	24,3	58,6	Yes
			16.7.2015	16:00	24,2	53,1	24,2	56,6	Yes
			16.7.2015	16:15	24,4	60	24,3	57,1	Yes
			16.7.2015	16:30	24,2	57,7	24,3	57,6	Yes
			16.7.2015	16:45	24,3	53,9	24,3	56,2	Yes
			16.7.2015	17:00	24,3	59,7	24,3	57,8	Yes
			16.7.2015	17:15	24,2	57,2	24,3	57,1	Yes
			16.7.2015	17:30	24,3	55,9	24,3	56,7	Yes
			16.7.2015	17:45	24,3	59,1	24,3	58,0	Yes
			16.7.2015	18:00	24,2	52,6	24,3	56,2	Yes
			16.7.2015	18:15	24,3	57,4	24,3	56,3	Yes
			16.7.2015	18:30	24,2	58,5	24,3	56,9	Yes
			16.7.2015	18:45	24,3	55,3	24,3	56,0	Yes
			16.7.2015	19:00	23,9	49,7	24,2	55,2	Yes
			16.7.2015	19:15	23,6	53,1	24,0	54,2	Yes
			16.7.2015	19:30	23,9	58,7	23,9	54,2	Yes
			16.7.2015	19:45	24,1	54,3	23,9	54,0	Yes
			16.7.2015	20:00	23,6	48,9	23,8	53,8	Yes
			16.7.2015	20:15	23,7	57,8	23,8	54,9	Yes
			16.7.2015	20:30	24,1	59,6	23,9	55,2	Yes
			16.7.2015	20:45	23,8	50,3	23,8	54,2	Yes
			16.7.2015	21:00	23,8	58,6	23,9	56,6	Yes
			16.7.2015	21:15	24,1	60,3	24,0	57,2	Yes
			16.7.2015	21:30	23,9	57,4	23,9	56,7	Yes
			16.7.2015	21:45	24,1	60,4	24,0	59,2	Yes
			16.7.2015	22:00	23,9	51,2	24,0	57,3	Yes
			16.7.2015	22:15	23,9	59,2	24,0	57,1	Yes
			16.7.2015	22:30	24,2	60,6	24,0	57,9	Yes
			16.7.2015	22:45	23,9	53,5	24,0	56,1	Yes
			16.7.2015	23:00	24	60,5	24,0	58,5	Yes
			16.7.2015	23:15	24,3	58,9	24,1	58,4	Yes
			16.7.2015	23:30	24	58,8	24,1	57,9	Yes
			16.7.2015	23:45	24,2	61,3	24,1	59,9	Yes
			17.7.2015	0:00	24	56,3	24,1	58,8	Yes
			17.7.2015	0:15	24,1	61,2	24,1	59,4	Yes
			17.7.2015	0:30	24,3	57,1	24,2	59,0	Yes
			17.7.2015	0:45	24	58,9	24,1	58,4	Yes
			17.7.2015	1:00	24,2	61,3	24,2	59,6	Yes
			17.7.2015	1:15	24,2	55,6	24,2	58,2	Yes
			17.7.2015	1:30	24,1	60,8	24,1	59,2	Yes
			17.7.2015	1:45	24,3	61,6	24,2	59,8	Yes
			17.7.2015	2:00	24	58	24,2	59,0	Yes
			17.7.2015	2:15	24,2	62	24,2	60,6	Yes
			17.7.2015	2:30	24,3	58,8	24,2	60,1	Yes
			17.7.2015	2:45	24	59,9	24,1	59,7	Yes
			17.7.2015	3:00	24,2	62,4	24,2	60,8	Yes
			17.7.2015	3:15	24,1	54,7	24,2	59,0	Yes
			17.7.2015	3:30	24,1	61,6	24,1	59,7	Yes
			17.7.2015	3:45	24,3	62,1	24,2	60,2	Yes
			17.7.2015	4:00	24	59,8	24,1	59,6	Yes
			17.7.2015	4:15	24,2	62,5	24,2	61,5	Yes
			17.7.2015	4:30	24,1	55,5	24,2	60,0	Yes
			17.7.2015	4:45	24	61,6	24,1	59,9	Yes
			17.7.2015	5:00	24,2	62,9	24,1	60,6	Yes
			17.7.2015	5:15	24	54,2	24,1	58,6	Yes
			17.7.2015	5:30	24,2	62,1	24,1	60,2	Yes
			17.7.2015	5:45	24,1	52,1	24,1	57,8	Yes
			17.7.2015	6:00	24,2	54,9	24,1	55,8	Yes
			17.7.2015	6:15	24,2	50,6	24,2	54,9	Yes
			17.7.2015	6:30	24,1	48,1	24,2	51,4	Yes
			17.7.2015	6:45	24,1	52,5	24,2	51,5	Yes
			17.7.2015	7:00	24,1	49,4	24,1	50,2	Yes

TEST REPORT

Creation date of report: 20.8.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0168	PHI_15_I0161	PHI_15_I0174	17.7.2015	7:15	24,3	50,8	24,2	50,2	Yes			
			17.7.2015	7:30	24,4	48,8	24,2	50,4	Yes			
			17.7.2015	7:45	24,5	49,9	24,3	49,7	Yes			
			17.7.2015	8:00	24,6	49	24,5	49,6	Yes			
			17.7.2015	8:15	24,6	49,6	24,5	49,3	Yes			
			17.7.2015	8:30	24,7	48,6	24,6	49,3	Yes			
			17.7.2015	8:45	24,7	47,7	24,7	48,7	Yes			
			17.7.2015	9:00	24,7	48,1	24,7	48,5	Yes			
			17.7.2015	9:15	24,7	47,5	24,7	48,0	Yes			
			17.7.2015	9:30	24,8	49,4	24,7	48,2	Yes			
			17.7.2015	9:45	24,9	50,5	24,8	48,9	Yes			
			17.7.2015	10:00	25	48,8	24,9	49,1	Yes			
			17.7.2015	10:15	25,1	50,3	25,0	49,8	Yes			
			17.7.2015	10:30	25,1	50,6	25,0	50,1	Yes			
			17.7.2015	10:45	25,2	50,5	25,1	50,1	Yes			
			17.7.2015	11:00	25,3	50,9	25,2	50,6	Yes			
			17.7.2015	11:15	25,5	52,9	25,3	51,2	Yes			
			17.7.2015	11:30	25,8	52,2	25,5	51,6	Yes			
			17.7.2015	11:45	25,8	49,9	25,6	51,5	Yes			
			17.7.2015	12:00	25,9	50,7	25,8	51,4	Yes			
			17.7.2015	12:15	26,1	50,6	25,9	50,9	Yes			
			17.7.2015	12:30	25,8	50,9	25,9	50,5	Yes			
			17.7.2015	12:45	26,1	50,5	26,0	50,7	Yes			
			17.7.2015	13:00	26,1	49,9	26,0	50,5	Yes			
			17.7.2015	13:15	25,5	50,6	25,9	50,5	Yes			
			17.7.2015	13:30	25,3	50,3	25,8	50,3	Yes			
			17.7.2015	13:45	25,2	49,5	25,5	50,1	Yes			
			17.7.2015	14:00	25	47,8	25,3	49,6	Yes			
			17.7.2015	14:15	24,7	46,4	25,1	48,5	Yes			
			17.7.2015	14:30	24,4	45,7	24,8	47,4	Yes			
						17.7.2015	14:45	24,2	45,3			No
						17.7.2015	15:00	23,9	45,7			No
						17.7.2015	15:15	23,8	45,4			No
						17.7.2015	15:30	23,6	45,1			No
						17.7.2015	15:45	23,4	44,9			No
	17.7.2015					16:00	23,2	44,9			No	
17.7.2015	16:15	23,1				45,3			No			
17.7.2015	16:30	23				44,4			No			
17.7.2015	16:45	22,8				44,9			No			
17.7.2015	17:00	22,7				44,5			No			
17.7.2015	17:15	22,6				45,6			No			
17.7.2015	17:30	22,5				44,8			No			
17.7.2015	17:45	22,4				44,3			No			
17.7.2015	18:00	22,3				44,6			No			
17.7.2015	18:15	22,2				44,2			No			
17.7.2015	18:30	22,2				44,3			No			
17.7.2015	18:45	22,2				43,2			No			
17.7.2015	19:00	22,8				47,1			No			
17.7.2015	19:15	22,7				45,3			No			
17.7.2015	19:30	23,6				49,8			No			
17.7.2015	19:45	24,1				48,3			No			
17.7.2015	20:00	24,1				47,6			No			
17.7.2015	20:15	24,3				48			No			
17.7.2015	20:30	24,1				57,7			No			
17.7.2015	20:45	24,2				59			No			
17.7.2015	21:00	24,3				57,8			No			
17.7.2015	21:15	24,4				57,1			No			
17.7.2015	21:30	24,4				57,4			No			
17.7.2015	21:45	24,5				57,4			No			
17.7.2015	22:00	24,2				56,6			No			
17.7.2015	22:15	24,2				59,3			No			
17.7.2015	22:30	24,3				57,8			No			
17.7.2015	22:45	24,4				57,4			No			
17.7.2015	23:00	24,4				56,8			No			
17.7.2015	23:15	24,4				57,3			No			
17.7.2015	23:30	24,1				58			No			
17.7.2015	23:45	24,2				58,3			No			
18.7.2015	0:00	24,2				54,2			No			
18.7.2015	0:15	24				60,3			No			
18.7.2015	0:30	24,2				59			No			
18.7.2015	0:45	24				59,7			No			
18.7.2015	1:00	24,1				60,2			No			
18.7.2015	1:15	24				54,6			No			
18.7.2015	1:30	24,1				60,8			No			
18.7.2015	1:45	23,8				58,3			No			
18.7.2015	2:00	24,2				61,6			No			
18.7.2015	2:15	23,9				58,5			No			
18.7.2015	2:30	24,2				62,1			No			
18.7.2015	2:45	24,2				55,3			No			
18.7.2015	3:00	24,1				61,4			No			
18.7.2015	3:15	24,3				60,8			No			

TEST REPORT

Creation date of report: 20.8.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	18.7.2015	3:30	24,1	60,3		No
			18.7.2015	3:45	24,3	60,9		No
			18.7.2015	4:00	24,1	57,3		No
			18.7.2015	4:15	24,3	60,8		No
			18.7.2015	4:30	24,2	58,9		No
			18.7.2015	4:45	24,4	62,1		No
			18.7.2015	5:00	24,1	59,6		No
			18.7.2015	5:15	24,3	61,9		No
			18.7.2015	5:30	24,2	54,8		No
			18.7.2015	5:45	24,2	61,1		No
			18.7.2015	6:00	24,3	56,2		No
			18.7.2015	6:15	24,4	58,4		No
			18.7.2015	6:30	24,2	59,3		No
			18.7.2015	6:45	24,3	53,3		No
			18.7.2015	7:00	24,4	57,6		No
			18.7.2015	7:15	24,4	54,5		No
			18.7.2015	7:30	24,3	51		No
			18.7.2015	7:45	24,4	55,4		No
			18.7.2015	8:00	24,3	58,2		No
			18.7.2015	8:15	24,3	53,8		No
			18.7.2015	8:30	24,4	61,2		No
			18.7.2015	8:45	24,2	53,3		No
			18.7.2015	9:00	24,4	61		No
			18.7.2015	9:15	24,2	57,9		No
			18.7.2015	9:30	24,3	55,9		No
			18.7.2015	9:45	24,2	59,4		No
			18.7.2015	10:00	24,2	53,1		No
			18.7.2015	10:15	24,4	60		No
			18.7.2015	10:30	24,2	57,7		No
			18.7.2015	10:45	24,3	53,9		No
			18.7.2015	11:00	24,3	59,7		No
			18.7.2015	11:15	24,2	57,2		No
			18.7.2015	11:30	24,3	55,9		No
			18.7.2015	11:45	24,3	59,1		No
			18.7.2015	12:00	24,2	52,6		No
			18.7.2015	12:15	24,3	57,4		No
			18.7.2015	12:30	24,2	58,5		No
			18.7.2015	12:45	24,3	55,3		No
			18.7.2015	13:00	23,9	49,7		No
			18.7.2015	13:15	23,6	53,1		No
			18.7.2015	13:30	23,9	58,7		No
			18.7.2015	13:45	24,1	54,3		No
			18.7.2015	14:00	23,6	48,9		No
			18.7.2015	14:15	23,7	57,8		No
			18.7.2015	14:30	24,1	59,6		No
			18.7.2015	14:45	23,8	50,3		No
			18.7.2015	15:00	23,8	58,6		No
			18.7.2015	15:15	24,1	60,3		No
			18.7.2015	15:30	23,9	57,4		No
			18.7.2015	15:45	24,1	60,4		No
			18.7.2015	16:00	23,9	51,2		No
			18.7.2015	16:15	24,1	57,7		No
			18.7.2015	16:30	24,2	59		No
			18.7.2015	16:45	24,3	57,8		No
			18.7.2015	17:00	24,4	57,1		No
			18.7.2015	17:15	24,4	57,4		No
			18.7.2015	17:30	24,5	57,4		No
			18.7.2015	17:45	24,2	56,6		No
			18.7.2015	18:00	24,2	59,3		No
			18.7.2015	18:15	24,3	57,8		No
			18.7.2015	18:30	24,4	57,4		No
			18.7.2015	18:45	24,4	56,8		No
			18.7.2015	19:00	24,4	57,3		No
			18.7.2015	19:15	24,1	58		No
			18.7.2015	19:30	24,2	58,3		No
			18.7.2015	19:45	24,2	54,2		No
			18.7.2015	20:00	24	60,3		No
			18.7.2015	20:15	24,2	59		No
			18.7.2015	20:30	24	59,7		No
			18.7.2015	20:45	24,1	60,2		No
			18.7.2015	21:00	24	54,6		No
			18.7.2015	21:15	24,1	60,8		No
			18.7.2015	21:30	23,8	58,3		No
			18.7.2015	21:45	24,2	61,6		No
			18.7.2015	22:00	23,9	58,5		No
			18.7.2015	22:15	24,2	62,1		No
			18.7.2015	22:30	24,2	55,3		No
			18.7.2015	22:45	24,1	61,4		No
			18.7.2015	23:00	24,3	60,8		No
			18.7.2015	23:15	24,1	60,3		No
			18.7.2015	23:30	24,3	60,9		No

TYPE OF TEST: ISO 19752

	18.7.2015	23:45	24,1	57,3			No
	19.7.2015	0:00	24,3	60,8			No
	19.7.2015	0:15	24,2	58,9			No
	19.7.2015	0:30	24,4	62,1			No
	19.7.2015	0:45	24,1	59,6			No
	19.7.2015	1:00	24,3	61,9			No
	19.7.2015	1:15	24,2	54,8			No
	19.7.2015	1:30	24,2	61,1			No
	19.7.2015	1:45	24,3	56,2			No
	19.7.2015	2:00	24,4	58,4			No
	19.7.2015	2:15	24,2	59,3			No
	19.7.2015	2:30	24,3	53,3			No
	19.7.2015	2:45	24,4	57,6			No
	19.7.2015	3:00	24,4	54,5			No
	19.7.2015	3:15	24,3	51			No
	19.7.2015	3:30	24,4	55,4			No
	19.7.2015	3:45	24,3	58,2			No
	19.7.2015	4:00	24,3	53,8			No
	19.7.2015	4:15	24,4	61,2			No
	19.7.2015	4:30	24,2	53,3			No
	19.7.2015	4:45	24,4	61			No
	19.7.2015	5:00	24,2	57,9			No
	19.7.2015	5:15	24,3	55,9			No
	19.7.2015	5:30	24,2	59,4			No
	19.7.2015	5:45	24,2	53,1			No
	19.7.2015	6:00	24,4	60	24,3	57,1	Yes
	19.7.2015	6:15	24,2	57,7	24,3	57,6	Yes
	19.7.2015	6:30	24,3	53,9	24,3	56,2	Yes
	19.7.2015	6:45	24,3	59,7	24,3	57,8	Yes
	19.7.2015	7:00	24,2	57,2	24,3	57,1	Yes
	19.7.2015	7:15	24,3	55,9	24,3	56,7	Yes
	19.7.2015	7:30	24,3	59,1	24,3	58,0	Yes
	19.7.2015	7:45	24,2	52,6	24,3	56,2	Yes
	19.7.2015	8:00	24,3	57,4	24,3	56,3	Yes
	19.7.2015	8:15	24,2	58,5	24,3	56,9	Yes
	19.7.2015	8:30	24,3	55,3	24,3	56,0	Yes
	19.7.2015	8:45	23,9	49,7	24,2	55,2	Yes
	19.7.2015	9:00	23,6	53,1	24,0	54,2	Yes
	19.7.2015	9:15	23,9	58,7	23,9	54,2	Yes
	19.7.2015	9:30	24,1	54,3	23,9	54,0	Yes
	19.7.2015	9:45	23,6	48,9	23,8	53,8	Yes
	19.7.2015	10:00	23,7	57,8	23,8	54,9	Yes
	19.7.2015	10:15	24,1	59,6	23,9	55,2	Yes
	19.7.2015	10:30	23,8	50,3	23,8	54,2	Yes
	19.7.2015	10:45	23,8	58,6	23,9	56,6	Yes
	19.7.2015	11:00	24,1	60,3	24,0	57,2	Yes
	19.7.2015	11:15	23,9	57,4	23,9	56,7	Yes
	19.7.2015	11:30	24,1	60,4	24,0	59,2	Yes
	19.7.2015	11:45	23,9	51,2	24,0	57,3	Yes
	19.7.2015	12:00	24,1	57,7	24,0	56,7	Yes
	19.7.2015	12:15	24,2	59	24,1	57,1	Yes
	19.7.2015	12:30	24,3	57,8	24,1	56,4	Yes
	19.7.2015	12:45	24,4	57,1	24,3	57,9	Yes
	19.7.2015	13:00	24,4	57,4	24,3	57,8	Yes
	19.7.2015	13:15	24,5	57,4	24,4	57,4	Yes
	19.7.2015	13:30	24,2	56,6	24,4	57,1	Yes
	19.7.2015	13:45	24,2	59,3	24,3	57,7	Yes
	19.7.2015	14:00	24,3	57,8	24,3	57,8	Yes
	19.7.2015	14:15	24,4	57,4	24,3	57,8	Yes
	19.7.2015	14:30	24,4	56,8	24,3	57,8	Yes
	19.7.2015	14:45	24,4	57,3	24,4	57,3	Yes
	19.7.2015	15:00	24,1	58	24,3	57,4	Yes
	19.7.2015	15:15	24,2	58,3	24,3	57,6	Yes
	19.7.2015	15:30	24,2	54,2	24,2	57,0	Yes
	19.7.2015	15:45	24	60,3	24,1	57,7	Yes
	19.7.2015	16:00	24,2	59	24,2	58,0	Yes
	19.7.2015	16:15	24	59,7	24,1	58,3	Yes
	19.7.2015	16:30	24,1	60,2	24,1	59,8	Yes
	19.7.2015	16:45	24	54,6	24,1	58,4	Yes
	19.7.2015	17:00	24,1	60,8	24,1	58,8	Yes
	19.7.2015	17:15	23,8	58,3	24,0	58,5	Yes
	19.7.2015	17:30	24,2	61,6	24,0	58,8	Yes
	19.7.2015	17:45	23,9	58,5	24,0	59,8	Yes
	19.7.2015	18:00	24,2	62,1	24,0	60,1	Yes
	19.7.2015	18:15	24,2	55,3	24,1	59,4	Yes
	19.7.2015	18:30	24,1	61,4	24,1	59,3	Yes
	19.7.2015	18:45	24,3	60,8	24,2	59,9	Yes
	19.7.2015	19:00	24,1	60,3	24,2	59,5	Yes
	19.7.2015	19:15	24,3	60,9	24,2	60,9	Yes
	19.7.2015	19:30	24,1	57,3	24,2	59,8	Yes
	19.7.2015	19:45	24,3	60,8	24,2	59,8	Yes

TYPE OF TEST: ISO 19752

			19.7.2015	20:00	24,2	58,9	24,2	59,5	Yes
			19.7.2015	20:15	24,4	62,1	24,3	59,8	Yes
			19.7.2015	20:30	24,1	59,6	24,3	60,4	Yes
			19.7.2015	20:45	24,3	61,9	24,3	60,6	Yes
			19.7.2015	21:00	24,2	54,8	24,3	59,6	Yes
			19.7.2015	21:15	24,2	61,1	24,2	59,4	Yes
			19.7.2015	21:30	24,3	56,2	24,3	58,5	Yes
			19.7.2015	21:45	24,4	58,4	24,3	57,6	Yes
			19.7.2015	22:00	24,2	59,3	24,3	58,8	Yes
			19.7.2015	22:15	24,3	53,3	24,3	56,8	Yes
			19.7.2015	22:30	24,4	57,6	24,3	57,2	Yes
			19.7.2015	22:45	24,4	54,5	24,3	56,2	Yes
			19.7.2015	23:00	24,3	51	24,4	54,1	Yes
			19.7.2015	23:15	24,4	55,4	24,4	54,6	Yes
			19.7.2015	23:30	24,3	58,2	24,4	54,8	Yes
			19.7.2015	23:45	24,3	53,8	24,3	54,6	Yes
			20.7.2015	0:00	24,4	61,2	24,4	57,2	Yes
			20.7.2015	0:15	24,2	53,3	24,3	56,6	Yes
			20.7.2015	0:30	24,4	61	24,3	57,3	Yes
			20.7.2015	0:45	24,2	57,9	24,3	58,4	Yes
			20.7.2015	1:00	24,3	55,9	24,3	57,0	Yes
			20.7.2015	1:15	24,2	59,4	24,3	58,6	Yes
			20.7.2015	1:30	24,2	53,1	24,2	56,6	Yes
			20.7.2015	1:45	24,4	60	24,3	57,1	Yes
			20.7.2015	2:00	24,2	57,7	24,3	57,6	Yes
			20.7.2015	2:15	24,3	53,9	24,3	56,2	Yes
			20.7.2015	2:30	24,3	59,7	24,3	57,8	Yes
			20.7.2015	2:45	24,2	57,2	24,3	57,1	Yes
			20.7.2015	3:00	24,3	55,9	24,3	56,7	Yes
			20.7.2015	3:15	24,3	59,1	24,3	58,0	Yes
			20.7.2015	3:30	24,2	52,6	24,3	56,2	Yes
			20.7.2015	3:45	24,3	57,4	24,3	56,3	Yes
			20.7.2015	4:00	24,2	58,5	24,3	56,9	Yes
			20.7.2015	4:15	24,3	55,3	24,3	56,0	Yes
			20.7.2015	4:30	23,9	49,7	24,2	55,2	Yes
			20.7.2015	4:45	23,6	53,1	24,0	54,2	Yes
			20.7.2015	5:00	23,9	58,7	23,9	54,2	Yes
			20.7.2015	5:15	24,1	54,3	23,9	54,0	Yes
			20.7.2015	5:30	23,6	48,9	23,8	53,8	Yes
			20.7.2015	5:45	23,7	57,8	23,8	54,9	Yes
			20.7.2015	6:00	24,1	59,6	23,9	55,2	Yes
PHI_15_I0168	PHI_15_I0172	PHI_15_I0174	20.7.2015	6:15	23,8	50,3	23,8	54,2	Yes
			20.7.2015	6:30	23,8	58,6	23,9	56,6	Yes
			20.7.2015	6:45	24,1	60,3	24,0	57,2	Yes
			20.7.2015	7:00	23,9	57,4	23,9	56,7	Yes
			20.7.2015	7:15	24,1	60,4	24,0	59,2	Yes
			20.7.2015	7:30	23,9	51,2	24,0	57,3	Yes
			20.7.2015	7:45	24,1	57,7	24,0	56,7	Yes
			20.7.2015	8:00	24,2	59	24,1	57,1	Yes
			20.7.2015	8:15	24,3	57,8	24,1	56,4	Yes
			20.7.2015	8:30	24,4	57,1	24,3	57,9	Yes
			20.7.2015	8:45	24,4	57,4	24,3	57,8	Yes
			20.7.2015	9:00	24,5	57,4	24,4	57,4	Yes
			20.7.2015	9:15	24,2	56,6	24,4	57,1	Yes
20.7.2015		9:30	24,2	59,3	24,3	57,7	Yes		
20.7.2015		9:45	24,3	57,8	24,3	57,8	Yes		
20.7.2015		10:00	24,4	57,4	24,3	57,8	Yes		
20.7.2015		10:15	24,4	56,8	24,3	57,8	Yes		
20.7.2015		10:30	24,4	57,3	24,4	57,3	Yes		
20.7.2015		10:45	24,1	58	24,3	57,4	Yes		
20.7.2015		11:00	24,2	58,3	24,3	57,6	Yes		
20.7.2015		11:15	24,2	54,2	24,2	57,0	Yes		
20.7.2015		11:30	24	60,3	24,1	57,7	Yes		
20.7.2015		11:45	24,2	59	24,2	58,0	Yes		
20.7.2015		12:00	24	59,7	24,1	58,3	Yes		
20.7.2015		12:15	24,1	60,2	24,1	59,8	Yes		
20.7.2015		12:30	24	54,6	24,1	58,4	Yes		
20.7.2015		12:45	24,1	60,8	24,1	58,8	Yes		
20.7.2015		13:00	23,8	58,3	24,0	58,5	Yes		
20.7.2015		13:15	24,2	61,6	24,0	58,8	Yes		
20.7.2015		13:30	23,9	58,5	24,0	59,8	Yes		
20.7.2015		13:45	24,2	62,1	24,0	60,1	Yes		
20.7.2015		14:00	24,2	55,3	24,1	59,4	Yes		
20.7.2015		14:15	24,1	61,4	24,1	59,3	Yes		
			20.7.2015	14:30	24,3	60,8	24,2	59,9	Yes
			20.7.2015	14:45	24,1	60,3	24,2	59,5	Yes
			20.7.2015	15:00	24,3	60,9	24,2	60,9	Yes
			20.7.2015	15:15	24,1	57,3	24,2	59,8	Yes
			20.7.2015	15:30	24,3	60,8	24,2	59,8	Yes
			20.7.2015	15:45	24,2	58,9	24,2	59,5	Yes
			20.7.2015	16:00	24,4	62,1	24,3	59,8	Yes

TYPE OF TEST: ISO 19752

			20.7.2015	16:15	24,1	59,6	24,3	60,4	Yes
			20.7.2015	16:30	24,3	61,9	24,3	60,6	Yes
			20.7.2015	16:45	24,2	54,8	24,3	59,6	Yes
			20.7.2015	17:00	24,2	61,1	24,2	59,4	Yes
			20.7.2015	17:15	24,3	56,2	24,3	58,5	Yes
			20.7.2015	17:30	24,4	58,4	24,3	57,6	Yes
			20.7.2015	17:45	24,2	59,3	24,3	58,8	Yes
			20.7.2015	18:00	24,3	53,3	24,3	56,8	Yes
			20.7.2015	18:15	24,4	57,6	24,3	57,2	Yes
			20.7.2015	18:30	24,4	54,5	24,3	56,2	Yes
			20.7.2015	18:45	24,3	51	24,4	54,1	Yes
			20.7.2015	19:00	24,4	55,4	24,4	54,6	Yes
			20.7.2015	19:15	24,3	58,2	24,4	54,8	Yes
			20.7.2015	19:30	24,3	53,8	24,3	54,6	Yes
			20.7.2015	19:45	24,4	61,2	24,4	57,2	Yes
			20.7.2015	20:00	24,2	53,3	24,3	56,6	Yes
			20.7.2015	20:15	24,4	61	24,3	57,3	Yes
			20.7.2015	20:30	24,2	57,9	24,3	58,4	Yes
			20.7.2015	20:45	24,3	55,9	24,3	57,0	Yes
			20.7.2015	21:00	24,2	59,4	24,3	58,6	Yes
			20.7.2015	21:15	24,2	53,1	24,2	56,6	Yes
			20.7.2015	21:30	24,4	60	24,3	57,1	Yes
			20.7.2015	21:45	24,2	57,7	24,3	57,6	Yes
			20.7.2015	22:00	24,3	53,9	24,3	56,2	Yes
			20.7.2015	22:15	24,3	59,7	24,3	57,8	Yes
			20.7.2015	22:30	24,2	57,2	24,3	57,1	Yes
			20.7.2015	22:45	24,3	55,9	24,3	56,7	Yes
			20.7.2015	23:00	24,3	59,1	24,3	58,0	Yes
			20.7.2015	23:15	24,2	52,6	24,3	56,2	Yes
			20.7.2015	23:30	24,3	57,4	24,3	56,3	Yes
			20.7.2015	23:45	24,2	58,5	24,3	56,9	Yes
			21.7.2015	0:00	24,3	55,3	24,3	56,0	Yes
			21.7.2015	0:15	23,9	49,7	24,2	55,2	Yes
			21.7.2015	0:30	23,6	53,1	24,0	54,2	Yes
			21.7.2015	0:45	23,9	58,7	23,9	54,2	Yes
			21.7.2015	1:00	24,1	54,3	23,9	54,0	Yes
			21.7.2015	1:15	23,6	48,9	23,8	53,8	Yes
			21.7.2015	1:30	23,7	57,8	23,8	54,9	Yes
			21.7.2015	1:45	24,1	59,6	23,9	55,2	Yes
			21.7.2015	2:00	23,8	50,3	23,8	54,2	Yes
			21.7.2015	2:15	23,8	58,6	23,9	56,6	Yes
			21.7.2015	2:30	24,1	60,3	24,0	57,2	Yes
			21.7.2015	2:45	23,9	57,4	23,9	56,7	Yes
			21.7.2015	3:00	24,1	57,7	24,0	58,5	Yes
			21.7.2015	3:15	24,2	59	24,1	58,6	Yes
			21.7.2015	3:30	24,3	57,8	24,1	58,0	Yes
			21.7.2015	3:45	24,4	57,1	24,3	57,9	Yes
			21.7.2015	4:00	24,4	57,4	24,3	57,8	Yes
			21.7.2015	4:15	24,5	57,4	24,4	57,4	Yes
			21.7.2015	4:30	24,2	56,6	24,4	57,1	Yes
			21.7.2015	4:45	24,2	59,3	24,3	57,7	Yes
			21.7.2015	5:00	24,3	57,8	24,3	57,8	Yes
			21.7.2015	5:15	24,4	57,4	24,3	57,8	Yes
			21.7.2015	5:30	24,4	56,8	24,3	57,8	Yes
			21.7.2015	5:45	24,4	57,3	24,4	57,3	Yes
			21.7.2015	6:00	24,1	58	24,3	57,4	Yes
			21.7.2015	6:15	24,2	58,3	24,3	57,6	Yes
			21.7.2015	6:30	24,2	54,2	24,2	57,0	Yes
			21.7.2015	6:45	24	60,3	24,1	57,7	Yes
			21.7.2015	7:00	24,2	59	24,2	58,0	Yes
			21.7.2015	7:15	24	59,7	24,1	58,3	Yes
			21.7.2015	7:30	24,1	60,2	24,1	59,8	Yes
			21.7.2015	7:45	24	54,6	24,1	58,4	Yes
			21.7.2015	8:00	24,1	60,8	24,1	58,8	Yes
			21.7.2015	8:15	23,8	58,3	24,0	58,5	Yes
			21.7.2015	8:30	24,2	61,6	24,0	58,8	Yes
			21.7.2015	8:45	23,9	58,5	24,0	59,8	Yes
			21.7.2015	9:00	24,2	62,1	24,0	60,1	Yes
			21.7.2015	9:15	24,2	55,3	24,1	59,4	Yes
			21.7.2015	9:30	24,1	61,4	24,1	59,3	Yes
			21.7.2015	9:45	24,3	60,8	24,2	59,9	Yes
			21.7.2015	10:00	24,1	60,3	24,2	59,5	Yes
			21.7.2015	10:15	24,3	60,9	24,2	60,9	Yes
			21.7.2015	10:30	24,1	57,3	24,2	59,8	Yes
			21.7.2015	10:45	24,3	60,8	24,2	59,8	Yes
			21.7.2015	11:00	24,2	58,9	24,2	59,5	Yes
			21.7.2015	11:15	24,4	62,1	24,3	59,8	Yes
			21.7.2015	11:30	24,1	59,6	24,3	60,4	Yes
			21.7.2015	11:45	24,3	61,9	24,3	60,6	Yes
			21.7.2015	12:00	24,2	54,8	24,3	59,6	Yes
			21.7.2015	12:15	24,2	61,1	24,2	59,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	21.7.2015	12:30	24,3	56,2	24,3	58,5	Yes
			21.7.2015	12:45	24,4	58,4	24,3	57,6	Yes
			21.7.2015	13:00	24,2	59,3	24,3	58,8	Yes
			21.7.2015	13:15	24,3	53,3	24,3	56,8	Yes
			21.7.2015	13:30	24,4	57,6	24,3	57,2	Yes
			21.7.2015	13:45	24,4	54,5	24,3	56,2	Yes
			21.7.2015	14:00	24,3	51	24,4	54,1	Yes
			21.7.2015	14:15	24,4	55,4	24,4	54,6	Yes
			21.7.2015	14:30	24,3	58,2	24,4	54,8	Yes
			21.7.2015	14:45	24,3	53,8	24,3	54,6	Yes
			21.7.2015	15:00	24,4	61,2	24,4	57,2	Yes
			21.7.2015	15:15	24,2	53,3	24,3	56,6	Yes
			21.7.2015	15:30	24,4	61	24,3	57,3	Yes
			21.7.2015	15:45	24,2	57,9	24,3	58,4	Yes
			21.7.2015	16:00	24,3	55,9	24,3	57,0	Yes
			21.7.2015	16:15	24,2	59,4	24,3	58,6	Yes
			21.7.2015	16:30	24,2	53,1	24,2	56,6	Yes
			21.7.2015	16:45	24,4	60	24,3	57,1	Yes
			21.7.2015	17:00	24,2	57,7	24,3	57,6	Yes
			21.7.2015	17:15	24,3	53,9	24,3	56,2	Yes
			21.7.2015	17:30	24,3	59,7	24,3	57,8	Yes
			21.7.2015	17:45	24,2	57,2	24,3	57,1	Yes
			21.7.2015	18:00	24,3	55,9	24,3	56,7	Yes
			21.7.2015	18:15	24,3	59,1	24,3	58,0	Yes
			21.7.2015	18:30	24,2	52,6	24,3	56,2	Yes
			21.7.2015	18:45	24,3	57,4	24,3	56,3	Yes
			21.7.2015	19:00	24,2	58,5	24,3	56,9	Yes
			21.7.2015	19:15	24,3	55,3	24,3	56,0	Yes
			21.7.2015	19:30	23,9	49,7	24,2	55,2	Yes
			21.7.2015	19:45	23,6	53,1	24,0	54,2	Yes
			21.7.2015	20:00	23,9	58,7	23,9	54,2	Yes
			21.7.2015	20:15	24,1	54,3	23,9	54,0	Yes
			21.7.2015	20:30	23,6	48,9	23,8	53,8	Yes
			21.7.2015	20:45	23,7	57,8	23,8	54,9	Yes
			21.7.2015	21:00	24,1	59,6	23,9	55,2	Yes
			21.7.2015	21:15	23,8	50,3	23,8	54,2	Yes
			21.7.2015	21:30	23,8	58,6	23,9	56,6	Yes
			21.7.2015	21:45	24,1	60,3	24,0	57,2	Yes
			21.7.2015	22:00	23,9	57,4	23,9	56,7	Yes
			21.7.2015	22:15	24,1	60,4	24,0	59,2	Yes
			21.7.2015	22:30	23,9	51,2	24,0	57,3	Yes
			21.7.2015	22:45	23,6	54,8	23,9	56,0	Yes
			21.7.2015	23:00	23,3	59	23,7	56,4	Yes
			21.7.2015	23:15	23,6	59,3	23,6	56,1	Yes
			21.7.2015	23:30	23,7	54	23,6	56,8	Yes
			21.7.2015	23:45	23	48,2	23,4	55,1	Yes
			22.7.2015	0:00	23,1	57,4	23,4	54,7	Yes
			22.7.2015	0:15	23,5	60	23,3	54,9	Yes
			22.7.2015	0:30	23,8	59,4	23,4	56,3	Yes
			22.7.2015	0:45	23,5	52,4	23,5	57,3	Yes
			22.7.2015	1:00	23	51,6	23,5	55,9	Yes
			22.7.2015	1:15	23,3	58,9	23,4	55,6	Yes
			22.7.2015	1:30	23,6	60,2	23,4	55,8	Yes
			22.7.2015	1:45	23,8	59,6	23,4	57,6	Yes
			22.7.2015	2:00	23,4	51,4	23,5	57,5	Yes
			22.7.2015	2:15	23,1	56	23,5	56,8	Yes
			22.7.2015	2:30	23,4	60	23,4	56,8	Yes
			22.7.2015	2:45	23,7	60,5	23,4	57,0	Yes
			22.7.2015	3:00	23,9	58,6	23,5	58,8	Yes
			22.7.2015	3:15	23,2	50	23,6	57,3	Yes
			22.7.2015	3:30	23,2	57,9	23,5	56,8	Yes
			22.7.2015	3:45	23,5	60,7	23,5	56,8	Yes
			22.7.2015	4:00	23,7	60,7	23,4	57,3	Yes
			22.7.2015	4:15	23,8	56,3	23,6	58,9	Yes
			22.7.2015	4:30	23,1	50	23,5	56,9	Yes
			22.7.2015	4:45	23,3	59,5	23,5	56,6	Yes
			22.7.2015	5:00	23,6	61,2	23,5	56,8	Yes
			22.7.2015	5:15	23,8	60,8	23,5	57,9	Yes
			22.7.2015	5:30	23,7	54,5	23,6	59,0	Yes
			22.7.2015	5:45	23	49,1	23,5	56,4	Yes
			22.7.2015	6:00	23,1	58,2	23,4	55,7	Yes
			22.7.2015	6:15	23,4	60,7	23,3	55,6	Yes
			22.7.2015	6:30	23,6	60,8	23,3	57,2	Yes
			22.7.2015	6:45	23,8	60,5	23,5	60,1	Yes
			22.7.2015	7:00	23,4	52,7	23,6	58,7	Yes
			22.7.2015	7:15	23,3	59,3	23,5	58,3	Yes
			22.7.2015	7:30	23,6	61,9	23,5	58,6	Yes
			22.7.2015	7:45	23,8	62	23,5	59,0	Yes
			22.7.2015	8:00	23,5	54,3	23,6	59,4	Yes
			22.7.2015	8:15	23,1	51,1	23,5	57,3	Yes
			22.7.2015	8:30	23,3	60,4	23,4	57,0	Yes

TYPE OF TEST: ISO 19752

			22.7.2015	8:45	23,6	62,5	23,4	57,1	Yes
			22.7.2015	9:00	23,8	62,7	23,5	59,2	Yes
			22.7.2015	9:15	23,4	55,7	23,5	60,3	Yes
			22.7.2015	9:30	23	52,5	23,5	58,4	Yes
			22.7.2015	9:45	22,8	57	23,3	57,0	Yes
			22.7.2015	10:00	23,3	61,2	23,1	56,6	Yes
			22.7.2015	10:15	23,7	63	23,2	58,4	Yes
			22.7.2015	10:30	23,6	54,4	23,4	58,9	Yes
			22.7.2015	10:45	23,3	51,1	23,5	57,4	Yes
			22.7.2015	11:00	23	50,6	23,4	54,8	Yes
			22.7.2015	11:15	22,8	50,8	23,2	51,7	Yes
			22.7.2015	11:30	23	51,8	23,0	51,1	Yes
			22.7.2015	11:45	22,7	49	22,9	50,6	Yes
			22.7.2015	12:00	22,5	48,7	22,8	50,1	Yes
			22.7.2015	12:15	22,8	57,2	22,8	51,7	Yes
			22.7.2015	12:30	23,3	59,1	22,8	53,5	Yes
			22.7.2015	12:45	23,6	55,7	23,1	55,2	Yes
			22.7.2015	13:00	23,3	51,1	23,3	55,8	Yes
			22.7.2015	13:15	23,1	49,3	23,3	53,8	Yes
			22.7.2015	13:30	22,9	48,3	23,2	51,1	Yes
			22.7.2015	13:45	22,8	48	23,0	49,2	Yes
			22.7.2015	14:00	22,6	48,3	22,9	48,5	Yes
			22.7.2015	14:15	22,5	47,7	22,7	48,1	Yes
			22.7.2015	14:30	22,4	47,3	22,6	47,8	Yes
			22.7.2015	14:45	22,3	47,4	22,5	47,7	Yes
			22.7.2015	15:00	22,6	55,2	22,5	49,4	Yes
			22.7.2015	15:15	23,1	57,9	22,6	52,0	Yes
			22.7.2015	15:30	23,2	51,9	22,8	53,1	Yes
			22.7.2015	15:45	22,9	49,1	23,0	53,5	Yes
			22.7.2015	16:00	22,8	48,1	23,0	51,8	Yes
			22.7.2015	16:15	22,6	47,4	22,9	49,1	Yes
			22.7.2015	16:30	22,6	47,3	22,7	48,0	Yes
			22.7.2015	16:45	22,5	47,2	22,6	47,5	Yes
			22.7.2015	17:00	22,4	46,9	22,5	47,2	Yes
			22.7.2015	17:15	22,4	46,7	22,5	47,0	Yes
			22.7.2015	17:30	22,4	46,7	22,4	46,9	Yes
			22.7.2015	17:45	22,3	46,5	22,4	46,7	Yes
			22.7.2015	18:00	22,3	46,3	22,4	46,6	Yes
			22.7.2015	18:15	22,3	46,1	22,3	46,4	Yes
			22.7.2015	18:30	22,2	45,9	22,3	46,2	Yes
			22.7.2015	18:45	22,2	45,7	22,3	46,0	Yes
			22.7.2015	19:00	22,1	45,6	22,2	45,8	Yes
			22.7.2015	19:15	22,6	54,4	22,3	47,9	Yes
			22.7.2015	19:30	23,1	56	22,5	50,4	Yes
			22.7.2015	19:45	23,1	49,7	22,7	51,4	Yes
			22.7.2015	20:00	22,8	47	22,9	51,8	Yes
			22.7.2015	20:15	22,6	45,8	22,9	49,6	Yes
			22.7.2015	20:30	22,4	45	22,7	46,9	Yes
			22.7.2015	20:45	22,7	54,2	22,6	48,0	Yes
			22.7.2015	21:00	23,2	56,1	22,7	50,3	Yes
			22.7.2015	21:15	23,4	51,6	22,9	51,7	Yes
			22.7.2015	21:30	23	47,1	23,1	52,3	Yes
			22.7.2015	21:45	22,7	45,2	23,1	50,0	Yes
			22.7.2015	22:00	22,8	53,9	23,0	49,5	Yes
			22.7.2015	22:15	23,3	56,4	23,0	50,7	Yes
			22.7.2015	22:30	23,7	55,3	23,1	52,7	Yes
			22.7.2015	22:45	23,2	47,8	23,3	53,4	Yes
			22.7.2015	23:00	22,8	45,5	23,3	51,3	Yes
			22.7.2015	23:15	22,7	52	23,1	50,2	Yes
			22.7.2015	23:30	23,2	56,5	23,0	50,5	Yes
			22.7.2015	23:45	23,6	56,8	23,1	52,7	Yes
			23.7.2015	0:00	23,7	52	23,3	54,3	Yes
			23.7.2015	0:15	23,1	46,7	23,4	53,0	Yes
			23.7.2015	0:30	22,8	49,5	23,3	51,3	Yes
			23.7.2015	0:45	23,2	56,5	23,2	51,2	Yes
			23.7.2015	1:00	23,6	57,2	23,2	52,5	Yes
			23.7.2015	1:15	23,8	53,9	23,4	54,3	Yes
			23.7.2015	1:30	23,2	47,2	23,5	53,7	Yes
			23.7.2015	1:45	22,8	44,9	23,4	50,8	Yes
			23.7.2015	2:00	23,1	55,3	23,2	50,3	Yes
			23.7.2015	2:15	23,5	57,3	23,2	51,2	Yes
			23.7.2015	2:30	23,8	57	23,3	53,6	Yes
			23.7.2015	2:45	23,4	49,2	23,5	54,7	Yes
			23.7.2015	3:00	22,9	45,6	23,4	52,3	Yes
			23.7.2015	3:15	23	54,6	23,3	51,6	Yes
			23.7.2015	3:30	23,4	57,5	23,2	51,7	Yes
			23.7.2015	3:45	23,7	58	23,3	53,9	Yes
			23.7.2015	4:00	23,6	50,8	23,4	55,2	Yes
			23.7.2015	4:15	23	46,2	23,4	53,1	Yes
			23.7.2015	4:30	22,8	52,8	23,3	52,0	Yes
			23.7.2015	4:45	23,2	57	23,2	51,7	Yes

TEST REPORT

Creation date of report: 20.8.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0169	PHI_15_I0172	PHI_15_I0175	23.7.2015	5:00	23,7	59,1	23,2	53,8	Yes
			23.7.2015	5:15	23,6	57,2	23,3	56,5	Yes
			23.7.2015	5:30	23,4	54	23,5	56,8	Yes
			23.7.2015	5:45	23,3	52,7	23,5	55,8	Yes
			23.7.2015	6:00	23,3	50,7	23,4	53,7	Yes
			23.7.2015	6:15	23,2	50,3	23,3	51,9	Yes
			23.7.2015	6:30	23,5	51,1	23,3	51,2	Yes
			23.7.2015	6:45	23,6	50,8	23,4	50,7	Yes
			23.7.2015	7:00	23,5	49,3	23,5	50,4	Yes
			23.7.2015	7:15	23,4	49,6	23,5	50,2	Yes
			23.7.2015	7:30	23,6	50,3	23,5	50,0	Yes
			23.7.2015	7:45	23,7	50	23,6	49,8	Yes
			23.7.2015	8:00	23,8	50,1	23,6	50,0	Yes
			23.7.2015	8:15	24,1	51,3	23,8	50,4	Yes
			23.7.2015	8:30	23,9	50,9	23,9	50,6	Yes
	N/A		23.7.2015	8:45	23,6	57,2	23,9	52,4	Yes
			23.7.2015	9:00	23,4	54	23,8	53,4	Yes
			23.7.2015	9:15	23,3	52,7	23,6	53,7	Yes
			23.7.2015	9:30	23,3	50,7	23,4	53,7	Yes
			23.7.2015	9:45	23,2	50,3	23,3	51,9	Yes
			23.7.2015	10:00	23,5	51,1	23,3	51,2	Yes
			23.7.2015	10:15	23,6	50,8	23,4	50,7	Yes
			23.7.2015	10:30	23,5	49,3	23,5	50,4	Yes
			23.7.2015	10:45	23,4	49,6	23,5	50,2	Yes
			23.7.2015	11:00	23,6	50,3	23,5	50,0	Yes
			23.7.2015	11:15	23,7	50	23,6	49,8	Yes
			23.7.2015	11:30	23,8	50,1	23,6	50,0	Yes
			23.7.2015	11:45	24,1	51,3	23,8	50,4	Yes
			23.7.2015	12:00	24,1	53,8	23,9	51,3	Yes
			23.7.2015	12:15	23,8	52,7	24,0	52,0	Yes
			23.7.2015	12:30	23,6	57,2	23,9	53,8	Yes