



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CC530A
Lot/Part number:	4207173	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	3500	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNCS118325 / CNCS804003 / CNHSC14257	Relative humidity:	45
Test climate:	Temperature: 24	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test date:	03/11/2015

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 3540		Yes	Sample 1
2 3710		Yes	Sample 2
3 3819		Yes	We use for A1 the
4 3730		Yes	MAX, for A2 the
5 3901		Yes	MEDIAN and for A3 the
6 4074		Yes	MIN value of the list at
7 3500		Yes	left
8 3858		Yes	Sample 7
9 3702		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 3500		Yes/no	Yes
2 3500		Yes/no	Yes
3 3500		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	4074	3730	3500	3768
Yield V: $(V1+V2+V3)/3=\bar{V}$	3500	3500	3500	3500

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,08

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	18,1		
Average value of the 2 areas F comparing print V1:	19		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	20		
Average value of the 2 areas F comparing print V2:	18,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	22,3		
Average value of the 2 areas F comparing print V3:	22,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,4	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F				
after 50 pages	88,4	67,6	46,7	19,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	0,7	1,2	1,9
Comparing print V1	1	6	A	F
Color values 1 6 A F				
after 50 pages	90,5	68	46	19,8

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	0,8	2,4	2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,2	0,1	1,2	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	87	67	45,5	20,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	0,4	1,1	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	70,1	47,7	20,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	3,4	3,7	2,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	3	2,6	1,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	88,9	64,4	43,4	23,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,6	1,3	1,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,4	68,2	47,4	24,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	3,1	5,4	2,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	1,5	4,1	0,8
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CC531A
Lot/Part number:	4208552	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2800	Take over value of existing test protocol : (box)	Yes, from ISO19798
	CNCS118325 / CNCS804003 /		
Test device:	CNHSC14257		
Test climate:		Relative humidity:	45
Temperature:	24	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic		
Test date:	03/11/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	2800	Yes	Sample 1
2	3186	Yes	Sample 2
3	3012	Yes	We use for A1 the
4	2800	Yes	MAX, for A2 the
5	3423	Yes	MEDIAN and for A3 the
6	2861	Yes	MIN value of the list at
7	2800	Yes	left
8	3197	Yes	Sample 7
9	3294	Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	2800	Yes/no	Yes
2	2800	Yes/no	Yes
3	2800	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3423	3012	2800	3078
Yield V: $(V1+V2+V3)/3=\bar{V}$	2800	2800	2800	2800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,10

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	50,8		
Average value of the 2 areas F comparing print V1:	49,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	51,5		
Average value of the 2 areas F comparing print V2:	49,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	51,6		
Average value of the 2 areas F comparing print V3:	49,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	75,1	53,7	51,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	1,4	0,9	0,6
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	74,4	51,9	50

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1,1	2,4	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	0,3	1,5	0,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	90,4	74,9	53,6	52
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	0,7	1,6	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	75	52,9	50,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,4	1,8	2,6	1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	1,1	1	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	89,8	75,2	54	52,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1,6	1,7	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90	73	51,5	50
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1,1	1,3	0,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	0,5	0,4	0,6
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CC533A
Lot/Part number:	4207197	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2800	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNCS118325 / CNCS804003 / CNHSC14257		
Test climate:	Temperature: 24		
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test location 2):	SERBIA
Test date:	03/11/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	2882	Yes	Sample 1
2	3445	Yes	Sample 2
3	3550	Yes	We use for A1 the
4	3320	Yes	MAX, for A2 the
5	3521	Yes	MEDIAN and for A3 the
6	3133	Yes	MIN value of the list at
7	3235	Yes	left
8	3829	Yes	Sample 7
9	3478	Yes	Sample 8
			Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	2800	Yes/no	Yes
2	2800	Yes/no	Yes
3	2800	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3829	3445	2882	3385
Yield V: $(V1+V2+V3)/3=\bar{V}$	2800	2800	2800	2800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,21

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	49,5		
Average value of the 2 areas F comparing print V1:	48,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	44,7		
Average value of the 2 areas F comparing print V2:	47		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	44,6		
Average value of the 2 areas F comparing print V3:	47,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,7	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,4	76	60,9	49,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	1	1,5	0,7
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,2	76,5	62,8	47,5

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,7	1,2	1,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,7	0,3	0,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,4	74,3	61	45,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,8	0,7	1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	77,9	64,2	47,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	2,1	2,5	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1,3	1,8	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	89,9	73,8	60	44,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	2	1,9	1,4	0,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,7	75,9	61,5	47,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,8	1	1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	1,1	0,4	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CC532A
Lot/Part number:	4219206	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2800	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNCS118325 / CNCS804003 / CNHSC14257		
Test climate:	Temperature: 24		
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test location 2):	SERBIA
Test date:	03/11/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2882		Yes	Sample 1
2 3061		Yes	Sample 2
3 3300		Yes We use for A1 the	Sample 3
4 3083		Yes MAX, for A2 the	Sample 4
5 3523		Yes MEDIAN and for A3 the	Sample 5
6 3005		Yes MIN value of the list at	Sample 6
7 2980		Yes left	Sample 7
8 3359		Yes	Sample 8
9 3456		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 2800		Yes/no Yes	OEM Sample/Spec
2 2800		Yes/no Yes	OEM Sample/Spec
3 2800		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3523	3083	2882	3163
Yield V: $(V1+V2+V3)/3=\bar{V}$	2800	2800	2800	2800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,13

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	87,3		
Average value of the 2 areas F comparing print V1:	88,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	87,9		
Average value of the 2 areas F comparing print V2:	88,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	87,6		
Average value of the 2 areas F comparing print V3:	88,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,9	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,4	90,8	87,3	87,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	0,3	0,6	0,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	93	91,4	89	89

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	0,7	1	0,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,4	0,4	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	92	90	87,1	87,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1	0,5	1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,3	91,6	89,3	89,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	0,6	0,8	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,4	0,3	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	87	87	90	92,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	0,7	1,3	1,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	91,1	88,5	88,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	0,2	0,2	0,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,5	1,1	0,9
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed