



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE320A
Lot/Part number:	4214034	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2000	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNCF307247 / CNCF150571 / CNCF150560		
Test climate:			
Temperature:	24	Relative humidity:	46
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	22/06/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2158		Yes	Sample 1
2 2100		Yes	Sample 2
3 2260		Yes	We use for A1 the
4 2073		Yes	MAX, for A2 the
5 2115		Yes	MEDIAN and for A3 the
6 2136		Yes	MIN value of the list at
7 2031		Yes	left
8 2078		Yes	Sample 7
9 2165		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 2000		Yes/no	Yes
2 2000		Yes/no	Yes
3 2000		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	2260	2115	2031	2135
Yield V: $(V1+V2+V3)/3 = \bar{V}$	2000	2000	2000	2000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ = \bar{A}/\bar{V}$	1,07

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	22		
Average value of the 2 areas F comparing print V1:	23		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	20,5		
Average value of the 2 areas F comparing print V2:	21,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	23,1		
Average value of the 2 areas F comparing print V3:	23,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,6	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F				
after 50 pages	87,4	63,5	42,6	24,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	2,1	1,8	5,3
Comparing print V1	1	6	A	F
Color values 1 6 A F				
after 50 pages	88,8	68	45,5	24,3

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	6,5	6,3	2,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,8	4,4	4,5	2,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	85,9	58,6	38,5	23,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	4	8,3	8	5,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,8	65,8	45	24
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,1	8,1	7,3	3,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	0,2	0,7	2,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	88,6	65,6	44,9	25,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	2	0,7	4,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,8	67,5	45,8	24,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	0,4	0,3	2,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,7	1,6	0,4	1,8
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE321A
Lot/Part number:	4214041	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1300	Take over value of existing test protocol : (box)	Yes, from ISO19798
	CNCF307247 /		
	CNCF150571 /		
Test device:	CNCF150560		
Test climate:			
Temperature:	24	Relative humidity:	46
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	22/06/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	2099	Yes	Sample 1
2	1845	Yes	Sample 2
3	1876	Yes	We use for A1 the
4	1556	Yes	MAX, for A2 the
5	1845	Yes	MEDIAN and for A3 the
6	1945	Yes	MIN value of the list at
7	1551	Yes	left
8	1717	Yes	Sample 7
9	1850	Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	1300	Yes/no	Yes
2	1300	Yes/no	Yes
3	1300	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2099	1845	1551	1832
Yield V: $(V1+V2+V3)/3=\bar{V}$	1300	1300	1300	1300

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,41

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	49,2		
Average value of the 2 areas F comparing print V1:	48,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	47,6		
Average value of the 2 areas F comparing print V2:	47,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	50		
Average value of the 2 areas F comparing print V3:	48,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,5	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	71,6	51,1	50,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	1,2	1,3	2,5
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90	73	50,2	49,2

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1,7	1,3	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	0,5	0	1,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	86,2	67	50,5	47,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	3,3	0,9	0,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,4	71,3	48,6	48,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	2,1	0,8	0,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1,2	0,1	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	73,3	52,1	50,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,9	1,3	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,7	71	49,6	48,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,6	0,6	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	0,3	0,7	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE323A
Lot/Part number:	4214058	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1300	Take over value of existing test protocol : (box)	Yes, from ISO19798
	CNCF307247 /		
	CNCF150571 /		
Test device:	CNCF150560		
Test climate:			
Temperature:	24	Relative humidity:	46
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	22/06/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	1998	Yes	Sample 1
2	1715	Yes	Sample 2
3	1786	Yes	Sample 3
4	1556	Yes	Sample 4
5	1705	Yes	Sample 5
6	1650	Yes	Sample 6
7	1903	Yes	Sample 7
8	1704	Yes	Sample 8
9	1625	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	1300	Yes/no	OEM Sample/Spec
2	1300	Yes/no	OEM Sample/Spec
3	1300	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	1998	1705	1556	1753
Yield V: $(V1+V2+V3)/3=\bar{V}$	1300	1300	1300	1300

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,35

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	41		
Average value of the 2 areas F comparing print V1:	46,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	5,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	40		
Average value of the 2 areas F comparing print V2:	45,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	5,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	42,4		
Average value of the 2 areas F comparing print V3:	46,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,3	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,1	73,2	56,9	41,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	3,7	3,5	1,4
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	74,7	60,6	46,9

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,1	1,6	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,6	1,9	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	83,8	61,8	50,4	40,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,7	5	0,8	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,8	75,8	62,6	46,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	2,2	2,5	2,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	2,8	1,7	0,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,9	72,5	56,6	42,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	2	3	2,2	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	73,6	59,6	47,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2	1	1,4	1,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	2	0,8	0,2
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE322A
Lot/Part number:	4214065	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1300	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNCF307247 / CNCF150571 / CNCF150560		
Test climate:	Temperature: 24		
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test location 2):	SERBIA
Test date:	22/06/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 1705		Yes	Sample 1
2 1625		Yes	Sample 2
3 1560		Yes	Sample 3
4 1657		Yes	Sample 4
5 1695		Yes	Sample 5
6 1690		Yes	Sample 6
7 1579		Yes	Sample 7
8 1629		Yes	Sample 8
9 1623		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 1300		Yes/no	OEM Sample/Spec
2 1300		Yes/no	OEM Sample/Spec
3 1300		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	1705	1629	1560	1631
Yield V: $(V1+V2+V3)/3=\bar{V}$	1300	1300	1300	1300

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,25

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	86,8		
Average value of the 2 areas F comparing print V1:	88,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	84,2		
Average value of the 2 areas F comparing print V2:	89,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	86,9		
Average value of the 2 areas F comparing print V3:	88,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,5	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F				
after 50 pages	93	90,9	87,5	87,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,1	1,1	1,8	1,8
Comparing print V1	1	6	A	F
Color values 1 6 A F				
after 50 pages	92,3	90,7	88,2	88,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	0,8	0,8	0,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,8	0,3	1	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	92,3	85,4	82,1	82,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	3,9	2,6	2,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92	91,3	89,2	89,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	0,3	0,7	0,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	3,6	1,9	2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,5	91	86,8	87,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,4	1,4	1,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,9	90,5	87,9	88
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	0,8	0,9	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	0,6	0,5	0,8
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed