

TYPE OF TEST: ISO 19752

When cartridge HP CE390A is used in printer HP LJ 600 M601 and HP LJ600 M 602.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 14350 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 14363 standard pages

Date Tested:

25.6.2015 - 7.7.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP CE390A

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R)Core(TM)2DuoT86002.4GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63308	63462	63153
Printer Type	HP LJ 600 M 601	HP LJ 600 M 602	HP LJ 600 M 601
Serial Nr.	CNCVDD615V	CNCVG1P2C5	CNBVD8Q13P
Driver Version:	PCL6 - 61.72.51.2	PCL6 - 61.72.51.2	PCL6 - 61.72.51.2

Note:

Page yield rounded to 14350. It's 4350 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15039666728829-K001	PHI_15_I0158	15 242	Y
	C				
	Y				
	M				
2nd set	K	15039665528829-K002	PHI_15_I0159	13 672	Y
	C				
	Y				
	M				
3rd set	K	15039665328829-K003	PHI_15_I0160	14 178	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	43 092	14 364	801	13 013	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15039646328829-K004	PHI_15_I0161	14 017	Y
	C				
	Y				
	M				
2nd set	K	15039666528829-K005	PHI_15_I0162	15 110	Y
	C				
	Y				
	M				
3rd set	K	15039665428829-K006	PHI_15_I0163	15 381	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	44 508	14 836	722	13 619	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15039666228829-K007	PHI_15_I0164	15 262	Y
	C				
	Y				
	M				
2nd set	K	15039667728829-K008	PHI_15_I0165	16 102	Y
	C				
	Y				
	M				
3rd set	K	15039666628829-K009	PHI_15_I0166	18 820	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	50 184	16 728	1860	13 593	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	137 784	15 309	1526	14 363	9
	C						
	Y						
	M						

Note:
Statement OEM 10000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	23,9	Allowed 21-25
Testing Room - max. running average temp. [°C]	24,7	26
Testing Room - min. running average temp. [°C]	23,0	20

Testing Room average RH. [%]	54,2	Allowed 40-60
Testing Room - max. running average RH [%]	63,9	65
Testing Room - min. running average RH [%]	45,7	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 24.6.2015 12:30 - 7.7.2015 10:00

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			24.6.2015	12:30	23,7	56	N/A	N/A	No
			24.6.2015	12:45	23,6	51,2	N/A	N/A	No
			24.6.2015	13:00	23,7	56,8	N/A	N/A	No
			24.6.2015	13:15	23,9	56,1	23,7	55,0	Yes
			24.6.2015	13:30	23,8	52,2	23,8	54,1	Yes
			24.6.2015	13:45	23,9	55,9	23,8	55,3	Yes
			24.6.2015	14:00	23,7	56	23,8	55,1	Yes
			24.6.2015	14:15	23,8	55,1	23,8	54,8	Yes
			24.6.2015	14:30	24	53,8	23,9	55,2	Yes
			24.6.2015	14:45	24,1	52,5	23,9	54,4	Yes
			24.6.2015	15:00	24	51,6	24,0	53,3	Yes
			24.6.2015	15:15	23,8	54,4	24,0	53,1	Yes
			24.6.2015	15:30	24	54,6	24,0	53,3	Yes
			24.6.2015	15:45	24	54,8	24,0	53,9	Yes
			24.6.2015	16:00	24	54	24,0	54,5	Yes
			24.6.2015	16:15	24	52	24,0	53,9	Yes
			24.6.2015	16:30	24	53,1	24,0	53,5	Yes
			24.6.2015	16:45	24,1	52,7	24,0	53,0	Yes
			24.6.2015	17:00	24,1	52,9	24,1	52,7	Yes
			24.6.2015	17:15	24,1	53	24,1	52,9	Yes
			24.6.2015	17:30	24,1	53,1	24,1	52,9	Yes
			24.6.2015	17:45	24,1	52,9	24,1	53,0	Yes
			24.6.2015	18:00	24,1	52,8	24,1	53,0	Yes
			24.6.2015	18:15	24,1	53,7	24,1	53,1	Yes
			24.6.2015	18:30	24,1	53,4	24,1	53,2	Yes
			24.6.2015	18:45	24,1	53,9	24,1	53,5	Yes
			24.6.2015	19:00	24,1	55,1	24,1	54,0	Yes
			24.6.2015	19:15	24,1	54,3	24,1	54,2	Yes
			24.6.2015	19:30	24,1	53,8	24,1	54,3	Yes
			24.6.2015	19:45	24,1	54	24,1	54,3	Yes
			24.6.2015	20:00	24,1	54,3	24,1	54,1	Yes
			24.6.2015	20:15	24,1	54,8	24,1	54,2	Yes
			24.6.2015	20:30	24,1	53,8	24,1	54,2	Yes
			24.6.2015	20:45	24,1	53,9	24,1	54,2	Yes
			24.6.2015	21:00	24,1	54,7	24,1	54,3	Yes
			24.6.2015	21:15	24	55,2	24,1	54,4	Yes
			24.6.2015	21:30	24	54,7	24,1	54,6	Yes
			24.6.2015	21:45	24	53,5	24,0	54,5	Yes
			24.6.2015	22:00	24	54,3	24,0	54,4	Yes
			24.6.2015	22:15	24	54,7	24,0	54,3	Yes
			24.6.2015	22:30	24	54,1	24,0	54,2	Yes
			24.6.2015	22:45	23,9	54,1	24,0	54,3	Yes
			24.6.2015	23:00	23,9	54,1	24,0	54,3	Yes

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	24.6.2015	23:15	23,9	54,5	23,9	54,2	Yes
			24.6.2015	23:30	23,9	54,7	23,9	54,4	Yes
			24.6.2015	23:45	23,9	54,1	23,9	54,4	Yes
			25.6.2015	0:00	23,8	54,7	23,9	54,5	Yes
			25.6.2015	0:15	23,8	54,6	23,9	54,5	Yes
			25.6.2015	0:30	23,8	54,9	23,8	54,6	Yes
			25.6.2015	0:45	23,8	54,6	23,8	54,7	Yes
			25.6.2015	1:00	23,8	54,4	23,8	54,6	Yes
			25.6.2015	1:15	23,8	54,8	23,8	54,7	Yes
			25.6.2015	1:30	23,8	54,5	23,8	54,6	Yes
			25.6.2015	1:45	23,7	54,5	23,8	54,6	Yes
			25.6.2015	2:00	23,7	55,3	23,8	54,8	Yes
			25.6.2015	2:15	23,7	55,6	23,7	55,0	Yes
			25.6.2015	2:30	23,7	55,2	23,7	55,2	Yes
			25.6.2015	2:45	23,7	54,6	23,7	55,2	Yes
			25.6.2015	3:00	23,6	54,6	23,7	55,0	Yes
			25.6.2015	3:15	23,6	54,6	23,7	54,8	Yes
			25.6.2015	3:30	23,6	55,1	23,6	54,7	Yes
			25.6.2015	3:45	23,6	54,8	23,6	54,8	Yes
			25.6.2015	4:00	23,6	55,2	23,6	54,9	Yes
			25.6.2015	4:15	23,5	54,9	23,6	55,0	Yes
			25.6.2015	4:30	23,5	54,1	23,6	54,8	Yes
			25.6.2015	4:45	23,5	54,2	23,5	54,6	Yes
			25.6.2015	5:00	23,4	55	23,5	54,6	Yes
PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	25.6.2015	5:15	23,5	55,3	23,5	54,7	Yes
			25.6.2015	5:30	23,6	55,1	23,5	54,9	Yes
			25.6.2015	5:45	23,8	53,1	23,6	54,6	Yes
			25.6.2015	6:00	23,9	52,4	23,7	54,0	Yes
			25.6.2015	6:15	23,7	55,3	23,8	54,0	Yes
			25.6.2015	6:30	23,6	52,9	23,8	53,4	Yes
			25.6.2015	6:45	23,7	52,8	23,7	53,4	Yes
			25.6.2015	7:00	23,7	57	23,7	54,5	Yes
			25.6.2015	7:15	23,5	56,2	23,6	54,7	Yes
			25.6.2015	7:30	23,7	57,4	23,7	55,9	Yes
			25.6.2015	7:45	23,6	56,6	23,6	56,8	Yes
			25.6.2015	8:00	23,7	53,6	23,6	56,0	Yes
			25.6.2015	8:15	23,6	56,4	23,7	56,0	Yes
			25.6.2015	8:30	23,6	55,7	23,6	55,6	Yes
			25.6.2015	8:45	23,6	52	23,6	54,4	Yes
			25.6.2015	9:00	23,7	52,5	23,6	54,2	Yes
			25.6.2015	9:15	23,6	54,3	23,6	53,6	Yes
			25.6.2015	9:30	23,5	51,4	23,6	52,6	Yes
			25.6.2015	9:45	23,5	50,7	23,6	52,2	Yes
			25.6.2015	10:00	23,7	55,9	23,6	53,1	Yes
			25.6.2015	10:15	23,7	55,8	23,6	53,5	Yes
			25.6.2015	10:30	23,6	52,3	23,6	53,7	Yes
			25.6.2015	10:45	23,9	53,8	23,7	54,5	Yes
PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	25.6.2015	11:00	23,7	55,3	23,7	54,3	Yes
			25.6.2015	11:15	23,7	50,8	23,7	53,1	Yes
			25.6.2015	11:30	23,7	56,4	23,8	54,1	Yes
			25.6.2015	11:45	23,6	55,9	23,7	54,6	Yes
			25.6.2015	12:00	23,7	51,8	23,7	53,7	Yes
			25.6.2015	12:15	23,8	54,6	23,7	54,7	Yes
			25.6.2015	12:30	23,6	54,9	23,7	54,3	Yes
			25.6.2015	12:45	23,8	56,7	23,7	54,5	Yes
			25.6.2015	13:00	23,7	57,3	23,7	55,9	Yes
			25.6.2015	13:15	23,8	53,9	23,7	55,7	Yes
			25.6.2015	13:30	23,7	57,5	23,8	56,4	Yes
			25.6.2015	13:45	23,9	55,5	23,8	56,1	Yes
			25.6.2015	14:00	23,8	56,2	23,8	55,8	Yes
			25.6.2015	14:15	24	55,3	23,9	56,1	Yes
			25.6.2015	14:30	23,7	56,1	23,9	55,8	Yes
			25.6.2015	14:45	24	51,5	23,9	54,8	Yes
			25.6.2015	15:00	23,8	49,5	23,9	53,1	Yes
			25.6.2015	15:15	23,8	55,2	23,8	53,1	Yes
			25.6.2015	15:30	23,8	51,9	23,9	52,0	Yes
			25.6.2015	15:45	23,9	50,9	23,8	51,9	Yes
			25.6.2015	16:00	24,1	53,3	23,9	52,8	Yes
			25.6.2015	16:15	24,1	53	24,0	52,3	Yes
			25.6.2015	16:30	24,2	53,3	24,1	52,6	Yes
			25.6.2015	16:45	24,2	53,3	24,2	53,2	Yes
PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	25.6.2015	17:00	24,3	52,7	24,2	53,1	Yes
			25.6.2015	17:15	24	52,9	24,2	53,1	Yes
			25.6.2015	17:30	24,2	52,9	24,2	53,0	Yes
			25.6.2015	17:45	24,2	52	24,2	52,6	Yes
			25.6.2015	18:00	24,3	52,3	24,2	52,5	Yes
			25.6.2015	18:15	24,3	50,1	24,3	51,8	Yes
			25.6.2015	18:30	24,1	53,5	24,2	52,0	Yes
			25.6.2015	18:45	24,2	53,4	24,2	52,3	Yes
			25.6.2015	19:00	24,3	53,5	24,2	52,6	Yes
			25.6.2015	19:15	24,3	53,4	24,2	53,5	Yes

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	25.6.2015	19:30	24,4	53,9	24,3	53,6	Yes
			25.6.2015	19:45	24,4	53,8	24,4	53,7	Yes
			25.6.2015	20:00	24,1	53	24,3	53,5	Yes
			25.6.2015	20:15	24,1	54	24,3	53,7	Yes
			25.6.2015	20:30	24,2	54,1	24,2	53,7	Yes
			25.6.2015	20:45	24,3	53,8	24,2	53,7	Yes
			25.6.2015	21:00	24,3	54	24,2	54,0	Yes
			25.6.2015	21:15	24,3	53,7	24,3	53,9	Yes
			25.6.2015	21:30	24,3	54	24,3	53,9	Yes
			25.6.2015	21:45	24,3	53,2	24,3	53,7	Yes
			25.6.2015	22:00	24,3	54,2	24,3	53,8	Yes
			25.6.2015	22:15	24,4	53,6	24,3	53,8	Yes
			25.6.2015	22:30	24,4	52,7	24,4	53,4	Yes
			25.6.2015	22:45	24,4	53,2	24,4	53,4	Yes
			25.6.2015	23:00	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:15	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:30	24,3	53,6	24,3	53,5	Yes
			25.6.2015	23:45	24,3	53,6	24,3	53,6	Yes
			26.6.2015	0:00	24,3	54,2	24,3	53,8	Yes
			26.6.2015	0:15	24,3	53,1	24,3	53,6	Yes
			26.6.2015	0:30	24,3	54	24,3	53,7	Yes
			26.6.2015	0:45	24,3	54	24,3	53,8	Yes
			26.6.2015	1:00	24,3	54,1	24,3	53,8	Yes
			26.6.2015	1:15	24,3	54,3	24,3	54,1	Yes
			26.6.2015	1:30	24,2	54,2	24,3	54,2	Yes
			26.6.2015	1:45	24,2	54,8	24,3	54,4	Yes
			26.6.2015	2:00	24,2	55,2	24,2	54,6	Yes
			26.6.2015	2:15	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:30	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:45	24,2	54,5	24,2	54,6	Yes
			26.6.2015	3:00	24,2	54,8	24,2	54,5	Yes
			26.6.2015	3:15	24,2	54,9	24,2	54,7	Yes
			26.6.2015	3:30	24,2	54,7	24,2	54,7	Yes
			26.6.2015	3:45	24,1	54,6	24,2	54,8	Yes
			26.6.2015	4:00	24,1	54	24,2	54,6	Yes
			26.6.2015	4:15	24,1	54,4	24,1	54,4	Yes
			26.6.2015	4:30	24,1	54,2	24,1	54,3	Yes
			26.6.2015	4:45	24,1	54,5	24,1	54,3	Yes
PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	26.6.2015	5:00	24	54,2	24,1	54,3	Yes
			26.6.2015	5:15	24	54,1	24,1	54,3	Yes
			26.6.2015	5:30	24	54,4	24,0	54,3	Yes
			26.6.2015	5:45	24	54,1	24,0	54,2	Yes
			26.6.2015	6:00	23,9	54,8	24,0	54,4	Yes
			26.6.2015	6:15	23,9	55,2	24,0	54,6	Yes
			26.6.2015	6:30	24	56,3	24,0	55,1	Yes
			26.6.2015	6:45	23,8	55,8	23,9	55,5	Yes
			26.6.2015	7:00	23,7	53	23,9	55,1	Yes
			26.6.2015	7:15	23,8	56,9	23,8	55,5	Yes
			26.6.2015	7:30	23,6	56,8	23,7	55,6	Yes
			26.6.2015	7:45	23,7	52,4	23,7	54,8	Yes
			26.6.2015	8:00	23,7	51,4	23,7	54,4	Yes
			26.6.2015	8:15	23,7	52,6	23,7	53,3	Yes
			26.6.2015	8:30	23,7	56,2	23,7	53,2	Yes
			26.6.2015	8:45	23,6	56,1	23,7	54,1	Yes
			26.6.2015	9:00	23,8	54	23,7	54,7	Yes
			26.6.2015	9:15	23,7	55,9	23,7	55,6	Yes
			26.6.2015	9:30	23,7	54,6	23,7	55,2	Yes
			26.6.2015	9:45	23,8	54,7	23,8	54,8	Yes
			26.6.2015	10:00	23,7	56,5	23,7	55,4	Yes
			26.6.2015	10:15	23,7	55,1	23,7	55,2	Yes
			26.6.2015	10:30	23,5	54,6	23,7	55,2	Yes
			26.6.2015	10:45	23,6	52,2	23,6	54,6	Yes
			26.6.2015	11:00	23,7	58,2	23,6	55,0	Yes
			26.6.2015	11:15	23,7	56,8	23,6	55,5	Yes
			26.6.2015	11:30	23,9	52,3	23,7	54,9	Yes
			26.6.2015	11:45	23,8	57,9	23,8	56,3	Yes
			26.6.2015	12:00	23,7	50,5	23,8	54,4	Yes
			26.6.2015	12:15	23,9	53,7	23,8	53,6	Yes
			26.6.2015	12:30	23,6	47,6	23,8	52,4	Yes
			26.6.2015	12:45	23,6	53,8	23,7	51,4	Yes
			26.6.2015	13:00	23,5	51,3	23,7	51,6	Yes
			26.6.2015	13:15	23,5	49,3	23,6	50,5	Yes
			26.6.2015	13:30	23,8	56,7	23,6	52,8	Yes
			26.6.2015	13:45	24	56,8	23,7	53,5	Yes
			26.6.2015	14:00	23,6	55,5	23,7	54,6	Yes
			26.6.2015	14:15	23,8	56,5	23,8	56,4	Yes
			26.6.2015	14:30	24	54,7	23,9	55,9	Yes
			26.6.2015	14:45	24	52,2			No
			26.6.2015	15:00	23,8	56,8			No
			26.6.2015	15:15	24	55,6			No
			26.6.2015	15:30	24,2	53,2			No

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

	26.6.2015	15:45	24,2	53,7		No
	26.6.2015	16:00	24,2	52		No
	26.6.2015	16:15	24	56		No
	26.6.2015	16:30	24,1	54,2		No
	26.6.2015	16:45	24,3	54,6		No
	26.6.2015	17:00	24	50,4		No
	26.6.2015	17:15	24	54,6		No
	26.6.2015	17:30	24,2	53,9		No
	26.6.2015	17:45	24,3	54,5		No
	26.6.2015	18:00	23,8	54,6		No
	26.6.2015	18:15	23,9	56,1		No
	26.6.2015	18:30	24,2	54,9		No
	26.6.2015	18:45	24,3	54,4		No
	26.6.2015	19:00	24,4	54,3		No
	26.6.2015	19:15	23,9	55,6		No
	26.6.2015	19:30	24	55,5		No
	26.6.2015	19:45	24,2	54,9		No
	26.6.2015	20:00	24,3	54,5		No
	26.6.2015	20:15	24,4	54,4		No
	26.6.2015	20:30	24	55,3		No
	26.6.2015	20:45	24,2	54,6		No
	26.6.2015	21:00	24,3	54,9		No
	26.6.2015	21:15	24,4	54,6		No
	26.6.2015	21:30	24,4	52,9		No
	26.6.2015	21:45	24,1	56,4		No
	26.6.2015	22:00	24,2	55,2		No
	26.6.2015	22:15	24,3	55,3		No
	26.6.2015	22:30	24,3	54,1		No
	26.6.2015	22:45	24,4	54,6		No
	26.6.2015	23:00	24,4	55		No
	26.6.2015	23:15	24,2	54,5		No
	26.6.2015	23:30	24,2	56		No
	26.6.2015	23:45	24,3	55,3		No
	27.6.2015	0:00	24,4	54,7		No
	27.6.2015	0:15	24,4	55,5		No
	27.6.2015	0:30	24,4	54,8		No
	27.6.2015	0:45	24,4	55,1		No
	27.6.2015	1:00	24,1	56,2		No
	27.6.2015	1:15	24,2	55,7		No
	27.6.2015	1:30	24,3	56,1		No
	27.6.2015	1:45	24,3	55,1		No
	27.6.2015	2:00	24,4	55,5		No
	27.6.2015	2:15	24,4	55,6		No
	27.6.2015	2:30	24,4	55,1		No
	27.6.2015	2:45	24,4	55,4		No
	27.6.2015	3:00	24,4	55,2		No
	27.6.2015	3:15	24,4	55,5		No
	27.6.2015	3:30	24,4	54,9		No
	27.6.2015	3:45	24,4	55,3		No
	27.6.2015	4:00	24,4	55,2		No
	27.6.2015	4:15	24,4	55		No
	27.6.2015	4:30	24,4	55,6		No
	27.6.2015	4:45	24,4	55,6		No
	27.6.2015	5:00	24,4	56		No
	27.6.2015	5:15	24,5	55,3		No
	27.6.2015	5:30	24,4	54,8		No
	27.6.2015	5:45	24,4	54,6		No
	27.6.2015	6:00	24,4	54,9		No
	27.6.2015	6:15	24,4	55,1		No
	27.6.2015	6:30	24,4	55,3		No
	27.6.2015	6:45	24,4	55,3		No
	27.6.2015	7:00	24,4	55,7		No
	27.6.2015	7:15	24,4	55,4		No
	27.6.2015	7:30	24,4	55,4		No
	27.6.2015	7:45	24,4	55,1		No
	27.6.2015	8:00	24,4	55,3		No
	27.6.2015	8:15	24,4	55,4		No
	27.6.2015	8:30	24,4	55,3		No
	27.6.2015	8:45	24,4	55,6		No
	27.6.2015	9:00	24,4	55,7		No
	27.6.2015	9:15	24,4	55,8		No
	27.6.2015	9:30	24,4	55,7		No
	27.6.2015	9:45	24,4	55		No
	27.6.2015	10:00	24,4	55,4		No
	27.6.2015	10:15	24,4	55,7		No
	27.6.2015	10:30	24,4	55,9		No
	27.6.2015	10:45	24,2	56,1		No
	27.6.2015	11:00	24,2	56,5		No
	27.6.2015	11:15	24,3	56,6		No
	27.6.2015	11:30	24,4	55,9		No
	27.6.2015	11:45	24,4	56		No

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	27.6.2015	12:00	24,4	56			No
			27.6.2015	12:15	24,1	57,7			No
			27.6.2015	12:30	24,2	56,7			No
			27.6.2015	12:45	24,3	56,6			No
			27.6.2015	13:00	24,4	55,7			No
			27.6.2015	13:15	24,1	57,9			No
			27.6.2015	13:30	24,3	55,8			No
			27.6.2015	13:45	24,4	55,7			No
			27.6.2015	14:00	24,1	56,8			No
			27.6.2015	14:15	24,2	56,9			No
			27.6.2015	14:30	24,3	56			No
			27.6.2015	14:45	24,1	57,7			No
			27.6.2015	15:00	24,3	56,4			No
			27.6.2015	15:15	24,4	56,3			No
			27.6.2015	15:30	24	56,9			No
			27.6.2015	15:45	24,2	56			No
			27.6.2015	16:00	24,3	55,1			No
			27.6.2015	16:15	24,1	57,3			No
			27.6.2015	16:30	24,3	56,7			No
			27.6.2015	16:45	24	56,4			No
			27.6.2015	17:00	24,1	57,8			No
			27.6.2015	17:15	24,3	56,8			No
			27.6.2015	17:30	24,2	53,6			No
			27.6.2015	17:45	24,1	57,8			No
			27.6.2015	18:00	24,3	56,9			No
			27.6.2015	18:15	24	55,9			No
			27.6.2015	18:30	24,1	57,9			No
			27.6.2015	18:45	24,3	57,1			No
			27.6.2015	19:00	24,4	56,4			No
			27.6.2015	19:15	24,2	51,9			No
			27.6.2015	19:30	24,1	57,7			No
			27.6.2015	19:45	24,2	56,6			No
			27.6.2015	20:00	24,3	56,8			No
			27.6.2015	20:15	24,1	52,9			No
			27.6.2015	20:30	24	58			No
			27.6.2015	20:45	24,2	56,8			No
			27.6.2015	21:00	24,3	56,5			No
			27.6.2015	21:15	24,4	55,7			No
			27.6.2015	21:30	24,1	56,1			No
			27.6.2015	21:45	24,1	57,3			No
			27.6.2015	22:00	24,3	56,5			No
			27.6.2015	22:15	24,3	55,9			No
			27.6.2015	22:30	24,4	56,2			No
			27.6.2015	22:45	24,4	56			No
			27.6.2015	23:00	24,4	55,8			No
			27.6.2015	23:15	24	57,6			No
			27.6.2015	23:30	24,2	56,9			No
			27.6.2015	23:45	24,2	56,7			No
			28.6.2015	0:00	24,3	56,1			No
			28.6.2015	0:15	24,3	56,2			No
			28.6.2015	0:30	24,4	56,3			No
			28.6.2015	0:45	24,4	56,1			No
			28.6.2015	1:00	24,4	55,9			No
			28.6.2015	1:15	24,4	56,1			No
			28.6.2015	1:30	24,4	56,4			No
			28.6.2015	1:45	24,4	53,1			No
			28.6.2015	2:00	24,1	57,5			No
			28.6.2015	2:15	24,2	56,6			No
			28.6.2015	2:30	24,3	56,7			No
			28.6.2015	2:45	24,3	56,6			No
			28.6.2015	3:00	24,4	56,3			No
			28.6.2015	3:15	24,4	56,4			No
			28.6.2015	3:30	24,4	56,4			No
			28.6.2015	3:45	24,4	56,1			No
			28.6.2015	4:00	24,4	56,4			No
			28.6.2015	4:15	24,4	56,8			No
			28.6.2015	4:30	24,4	55,3			No
			28.6.2015	4:45	24,4	55,7			No
			28.6.2015	5:00	24,4	55,2			No
			28.6.2015	5:15	24,4	53,7			No
			28.6.2015	5:30	24,4	55,1			No
			28.6.2015	5:45	24,4	55,5			No
			28.6.2015	6:00	24,4	56	24,4	55,1	Yes
			28.6.2015	6:15	24,4	55,8	24,4	55,6	Yes
			28.6.2015	6:30	24,4	55,7	24,4	55,8	Yes
			28.6.2015	6:45	24,4	55,6	24,4	55,8	Yes
			28.6.2015	7:00	24,4	55,4	24,4	55,6	Yes
			28.6.2015	7:15	24,4	55,5	24,4	55,6	Yes
			28.6.2015	7:30	24,4	55,7	24,4	55,6	Yes
			28.6.2015	7:45	24,3	55,7	24,4	55,6	Yes
			28.6.2015	8:00	24,3	55,6	24,4	55,6	Yes

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			28.6.2015	8:15	24,3	55,8	24,3	55,7	Yes
			28.6.2015	8:30	24,3	55,5	24,3	55,7	Yes
			28.6.2015	8:45	24,3	56,3	24,3	55,8	Yes
			28.6.2015	9:00	24,4	56,5	24,3	56,0	Yes
			28.6.2015	9:15	24,4	56,2	24,4	56,1	Yes
			28.6.2015	9:30	24,4	56	24,4	56,3	Yes
			28.6.2015	9:45	24,4	56,1	24,4	56,2	Yes
			28.6.2015	10:00	24,4	55,8	24,4	56,0	Yes
			28.6.2015	10:15	24,4	55,2	24,4	55,8	Yes
			28.6.2015	10:30	24,4	56	24,4	55,8	Yes
			28.6.2015	10:45	24,4	56,2	24,4	55,8	Yes
			28.6.2015	11:00	24,4	56	24,4	55,9	Yes
			28.6.2015	11:15	24,3	53,5	24,4	55,4	Yes
			28.6.2015	11:30	24,1	57,4	24,3	55,8	Yes
			28.6.2015	11:45	24,2	56,6	24,3	55,9	Yes
			28.6.2015	12:00	24,3	56,5	24,2	56,0	Yes
			28.6.2015	12:15	24,3	56,8	24,2	56,8	Yes
			28.6.2015	12:30	24,4	56,3	24,3	56,6	Yes
			28.6.2015	12:45	24,4	56,5	24,4	56,5	Yes
			28.6.2015	13:00	24,2	54,6	24,3	56,1	Yes
			28.6.2015	13:15	24,1	57,4	24,3	56,2	Yes
			28.6.2015	13:30	24,3	56,4	24,3	56,2	Yes
			28.6.2015	13:45	24,3	56	24,2	56,1	Yes
			28.6.2015	14:00	24,1	57,5	24,2	56,8	Yes
			28.6.2015	14:15	24,2	57,5	24,2	56,9	Yes
			28.6.2015	14:30	24,3	56,5	24,2	56,9	Yes
			28.6.2015	14:45	24	58,5	24,2	57,5	Yes
			28.6.2015	15:00	24,2	57,8	24,2	57,6	Yes
			28.6.2015	15:15	24	55,3	24,1	57,0	Yes
			28.6.2015	15:30	24,1	58,7	24,1	57,6	Yes
			28.6.2015	15:45	24,2	57,9	24,1	57,4	Yes
			28.6.2015	16:00	23,9	58,3	24,1	57,6	Yes
			28.6.2015	16:15	24,1	58,8	24,1	58,4	Yes
			28.6.2015	16:30	24	53	24,1	57,0	Yes
			28.6.2015	16:45	23,9	59,8	24,0	57,5	Yes
			28.6.2015	17:00	24,2	58,7	24,1	57,6	Yes
			28.6.2015	17:15	23,8	55	24,0	56,6	Yes
			28.6.2015	17:30	23,9	60	24,0	58,4	Yes
			28.6.2015	17:45	24,1	58,5	24,0	58,1	Yes
			28.6.2015	18:00	24	53,5	24,0	56,8	Yes
			28.6.2015	18:15	24	59,9	24,0	58,0	Yes
			28.6.2015	18:30	24,2	58,7	24,1	57,7	Yes
			28.6.2015	18:45	23,9	51,9	24,0	56,0	Yes
			28.6.2015	19:00	23,8	59,3	24,0	57,5	Yes
			28.6.2015	19:15	24	59,7	24,0	57,4	Yes
			28.6.2015	19:30	24,2	58,7	24,0	57,4	Yes
			28.6.2015	19:45	24,2	54,1	24,1	58,0	Yes
			28.6.2015	20:00	23,9	59,6	24,1	58,0	Yes
			28.6.2015	20:15	24,1	59,4	24,1	58,0	Yes
			28.6.2015	20:30	24,3	58,3	24,1	57,9	Yes
			28.6.2015	20:45	24,2	53,4	24,1	57,7	Yes
			28.6.2015	21:00	24	59,7	24,2	57,7	Yes
			28.6.2015	21:15	24,2	58,6	24,2	57,5	Yes
			28.6.2015	21:30	24,3	57,8	24,2	57,4	Yes
			28.6.2015	21:45	24	56,6	24,1	58,2	Yes
			28.6.2015	22:00	24,1	58,7	24,2	57,9	Yes
			28.6.2015	22:15	24,2	57,7	24,2	57,7	Yes
			28.6.2015	22:30	24,3	56,7	24,2	57,4	Yes
			28.6.2015	22:45	24,3	56,7	24,2	57,5	Yes
			28.6.2015	23:00	24,3	53,5	24,3	56,2	Yes
			28.6.2015	23:15	24	58,4	24,2	56,3	Yes
			28.6.2015	23:30	24,1	57,6	24,2	56,6	Yes
			28.6.2015	23:45	24,2	56,7	24,2	56,6	Yes
			29.6.2015	0:00	24,3	56,5	24,2	57,3	Yes
			29.6.2015	0:15	24,3	56,7	24,2	56,9	Yes
			29.6.2015	0:30	24,4	56	24,3	56,5	Yes
			29.6.2015	0:45	24,4	56,2	24,4	56,4	Yes
			29.6.2015	1:00	24,4	56,2	24,4	56,3	Yes
			29.6.2015	1:15	24,1	54,8	24,3	55,8	Yes
			29.6.2015	1:30	24,1	57,7	24,3	56,2	Yes
			29.6.2015	1:45	24,2	56,6	24,2	56,3	Yes
			29.6.2015	2:00	24,2	56,5	24,2	56,4	Yes
			29.6.2015	2:15	24,3	56,3	24,2	56,8	Yes
			29.6.2015	2:30	24,3	56,3	24,3	56,4	Yes
			29.6.2015	2:45	24,3	56,5	24,3	56,4	Yes
			29.6.2015	3:00	24,4	56,7	24,3	56,5	Yes
			29.6.2015	3:15	24,4	56,4	24,4	56,5	Yes
			29.6.2015	3:30	24,4	55,9	24,4	56,4	Yes
			29.6.2015	3:45	24,4	56,1	24,4	56,3	Yes
			29.6.2015	4:00	24,4	55,7	24,4	56,0	Yes
			29.6.2015	4:15	24,4	55,8	24,4	55,9	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	29.6.2015	4:30	24,4	55,9	24,4	55,9	Yes
			29.6.2015	4:45	24,4	56,1	24,4	55,9	Yes
			29.6.2015	5:00	24,4	55,9	24,4	55,9	Yes
			29.6.2015	5:15	24,1	57,5	24,3	56,4	Yes
			29.6.2015	5:30	23,9	54,3	24,2	56,0	Yes
			29.6.2015	5:45	24	57,7	24,1	56,4	Yes
			29.6.2015	6:00	23,9	55,5	24,0	56,3	Yes
			29.6.2015	6:15	23,7	57,4	23,9	56,2	Yes
			29.6.2015	6:30	23,9	53,3	23,9	56,0	Yes
			29.6.2015	6:45	23,8	57,3	23,8	55,9	Yes
			29.6.2015	7:00	23,7	51,6	23,8	54,9	Yes
			29.6.2015	7:15	23,9	55,8	23,8	54,5	Yes
			29.6.2015	7:30	23,6	48,5	23,8	53,3	Yes
			29.6.2015	7:45	23,7	54,4	23,7	52,6	Yes
			29.6.2015	8:00	23,6	53,3	23,7	53,0	Yes
			29.6.2015	8:15	23,6	48,5	23,6	51,2	Yes
			29.6.2015	8:30	23,7	55,7	23,7	53,0	Yes
			29.6.2015	8:45	23,5	49,5	23,6	51,8	Yes
			29.6.2015	9:00	23,7	51,3	23,6	51,3	Yes
			29.6.2015	9:15	23,3	49	23,6	51,4	Yes
			29.6.2015	9:30	23,6	56,9	23,5	51,7	Yes
			29.6.2015	9:45	23,6	52	23,6	52,3	Yes
			29.6.2015	10:00	23,7	50,1	23,6	52,0	Yes
			29.6.2015	10:15	23,9	52,4	23,7	52,9	Yes
			29.6.2015	10:30	23,7	53,5	23,7	52,0	Yes
			29.6.2015	10:45	23,6	53,3	23,7	52,3	Yes
			29.6.2015	11:00	23,8	51,5	23,8	52,7	Yes
			29.6.2015	11:15	23,8	52,9	23,7	52,8	Yes
			29.6.2015	11:30	23,8	54,9	23,8	53,2	Yes
			29.6.2015	11:45	23,9	50,8	23,8	52,5	Yes
			29.6.2015	12:00	24	56,2	23,9	53,7	Yes
			29.6.2015	12:15	23,9	55,8	23,9	54,4	Yes
			29.6.2015	12:30	23,8	52,1	23,9	53,7	Yes
			29.6.2015	12:45	23,8	50,5	23,9	53,7	Yes
			29.6.2015	13:00	23,8	52,6	23,8	52,8	Yes
			29.6.2015	13:15	23,7	55,9	23,8	52,8	Yes
			29.6.2015	13:30	23,7	55,2	23,8	53,6	Yes
			29.6.2015	13:45	23,7	50,7	23,7	53,6	Yes
			29.6.2015	14:00	23,8	53,9	23,7	53,9	Yes
			29.6.2015	14:15	23,8	56,8	23,8	54,2	Yes
			29.6.2015	14:30	23,7	54,1	23,8	53,9	Yes
N/A	N/A	N/A	29.6.2015	14:45	23,9	55,6	23,8	55,1	Yes
			29.6.2015	15:00	23,8	56,5	23,8	55,8	Yes
			29.6.2015	15:15	23,7	51,8	23,8	54,5	Yes
			29.6.2015	15:30	24	57,9	23,9	55,5	Yes
			29.6.2015	15:45	23,8	52,7	23,8	54,7	Yes
			29.6.2015	16:00	23,9	58,6	23,9	55,3	Yes
			29.6.2015	16:15	24,1	57,9	24,0	56,8	Yes
			29.6.2015	16:30	24,2	56,8	24,0	56,5	Yes
			29.6.2015	16:45	24,2	52,6	24,1	56,5	Yes
			29.6.2015	17:00	24	58,3	24,1	56,4	Yes
			29.6.2015	17:15	24,2	56,7	24,2	56,1	Yes
			29.6.2015	17:30	24,3	55,9	24,2	55,9	Yes
			29.6.2015	17:45	24,3	52,9	24,2	56,0	Yes
			29.6.2015	18:00	24,1	57,6	24,2	55,8	Yes
			29.6.2015	18:15	24,2	56,6	24,2	55,8	Yes
			29.6.2015	18:30	24,4	55,9	24,3	55,8	Yes
			29.6.2015	18:45	24,1	56,1	24,2	56,6	Yes
			29.6.2015	19:00	24,2	56,9	24,2	56,4	Yes
			29.6.2015	19:15	24,3	55,9	24,3	56,2	Yes
			29.6.2015	19:30	24,3	52,7	24,2	55,4	Yes
			29.6.2015	19:45	24,1	57,3	24,2	55,7	Yes
			29.6.2015	20:00	24,3	56,2	24,3	55,5	Yes
			29.6.2015	20:15	24,4	56	24,3	55,6	Yes
			29.6.2015	20:30	24,4	55,7	24,3	56,3	Yes
			29.6.2015	20:45	24,1	57,4	24,3	56,3	Yes
			29.6.2015	21:00	24,2	56,7	24,3	56,5	Yes
			29.6.2015	21:15	24,4	56	24,3	56,5	Yes
			29.6.2015	21:30	24,4	55,9	24,3	56,5	Yes
			29.6.2015	21:45	24,4	56,2	24,4	56,2	Yes
			29.6.2015	22:00	24,3	52,2	24,4	55,1	Yes
			29.6.2015	22:15	24,1	56,5	24,3	55,2	Yes
			29.6.2015	22:30	24,3	55,4	24,3	55,1	Yes
			29.6.2015	22:45	24,3	55,9	24,3	55,0	Yes
			29.6.2015	23:00	24,4	55,3	24,3	55,8	Yes
			29.6.2015	23:15	24,4	55,5	24,4	55,5	Yes
			29.6.2015	23:30	24,4	55,8	24,4	55,6	Yes
			29.6.2015	23:45	24,4	56	24,4	55,7	Yes
			30.6.2015	0:00	24,4	56,2	24,4	55,9	Yes
			30.6.2015	0:15	24,5	55,6	24,4	55,9	Yes
			30.6.2015	0:30	24,5	55,9	24,5	55,9	Yes

TYPE OF TEST: ISO 19752

			30.6.2015	0:45	24,2	56,1	24,4	56,0	Yes			
			30.6.2015	1:00	24,2	56,9	24,4	56,1	Yes			
			30.6.2015	1:15	24,3	56,3	24,3	56,3	Yes			
			30.6.2015	1:30	24,3	56	24,3	56,3	Yes			
			30.6.2015	1:45	24,4	55,9	24,3	56,3	Yes			
			30.6.2015	2:00	24,4	56	24,4	56,1	Yes			
			30.6.2015	2:15	24,4	56	24,4	56,0	Yes			
			30.6.2015	2:30	24,4	56,4	24,4	56,1	Yes			
			30.6.2015	2:45	24,4	56,6	24,4	56,3	Yes			
			30.6.2015	3:00	24,4	55,7	24,4	56,2	Yes			
			30.6.2015	3:15	24,4	55,9	24,4	56,2	Yes			
			30.6.2015	3:30	24,3	55,9	24,4	56,0	Yes			
			30.6.2015	3:45	24,3	55,9	24,4	55,9	Yes			
			30.6.2015	4:00	24,3	56,1	24,3	56,0	Yes			
			30.6.2015	4:15	24,3	56,5	24,3	56,1	Yes			
			30.6.2015	4:30	24,3	56,4	24,3	56,2	Yes			
			30.6.2015	4:45	24,3	55,5	24,3	56,1	Yes			
			30.6.2015	5:00	24,3	55,5	24,3	56,0	Yes			
			30.6.2015	5:15	24,3	55,3	24,3	55,7	Yes			
			30.6.2015	5:30	23,9	57,5	24,2	56,0	Yes			
			30.6.2015	5:45	24	52,3	24,1	55,2	Yes			
			PHI_15_I0158	PHI_15_I0161	PHI_15_I0164	30.6.2015	6:00	23,9	58	24,0	55,8	Yes
						30.6.2015	6:15	24,1	53,3	24,0	55,3	Yes
						30.6.2015	6:30	24	57,5	24,0	55,3	Yes
						30.6.2015	6:45	23,9	56,2	24,0	56,3	Yes
30.6.2015	7:00	24				51,9	24,0	54,7	Yes			
PHI_15_I0159	PHI_15_I0162	PHI_15_I0165	30.6.2015	7:15	23,6	46,7	23,9	53,1	Yes			
			30.6.2015	7:30	23,7	55,6	23,8	52,6	Yes			
			30.6.2015	7:45	23,9	55,3	23,8	52,4	Yes			
			30.6.2015	8:00	23,8	57,4	23,8	53,8	Yes			
			30.6.2015	8:15	23,7	54	23,8	55,6	Yes			
			30.6.2015	8:30	23,8	52,2	23,8	54,7	Yes			
			30.6.2015	8:45	23,7	56,1	23,8	54,9	Yes			
			30.6.2015	9:00	23,6	54,9	23,7	54,3	Yes			
			30.6.2015	9:15	23,8	57,9	23,7	55,3	Yes			
			30.6.2015	9:30	23,7	56,6	23,7	56,4	Yes			
			30.6.2015	9:45	23,9	58,7	23,8	57,0	Yes			
			30.6.2015	10:00	23,7	58,4	23,8	57,9	Yes			
			30.6.2015	10:15	24	57,8	23,8	57,9	Yes			
			30.6.2015	10:30	23,8	58,3	23,9	58,3	Yes			
			30.6.2015	10:45	23,6	53,7	23,8	57,1	Yes			
			30.6.2015	11:00	23,7	55,3	23,8	56,3	Yes			
			30.6.2015	11:15	23,6	58,6	23,7	56,5	Yes			
			30.6.2015	11:30	23,9	59	23,7	56,7	Yes			
			30.6.2015	11:45	23,7	56,4	23,7	57,3	Yes			
			30.6.2015	12:00	23,8	53	23,8	56,8	Yes			
			30.6.2015	12:15	23,7	58,5	23,8	56,7	Yes			
			30.6.2015	12:30	23,9	55,2	23,8	55,8	Yes			
			30.6.2015	12:45	23,7	57,9	23,8	56,2	Yes			
			30.6.2015	13:00	23,9	55	23,8	56,7	Yes			
			30.6.2015	13:15	23,7	56,9	23,8	56,3	Yes			
			30.6.2015	13:30	24	54,7	23,8	56,1	Yes			
			30.6.2015	13:45	23,6	48,9	23,8	53,9	Yes			
			30.6.2015	14:00	23,3	46,8	23,7	51,8	Yes			
			30.6.2015	14:15	23	45,4	23,5	49,0	Yes			
			30.6.2015	14:30	22,9	44,8	23,2	46,5	Yes			
						30.6.2015	14:45	22,7	45,7	23,0	45,7	Yes
						30.6.2015	15:00	23,3	53,9	23,0	47,5	Yes
						30.6.2015	15:15	23,7	52,7	23,2	49,3	Yes
						30.6.2015	15:30	23,1	48,2	23,2	50,1	Yes
						30.6.2015	15:45	23,4	56,1	23,4	52,7	Yes
						30.6.2015	16:00	23,8	55,7	23,5	53,2	Yes
						30.6.2015	16:15	24	54,5	23,6	53,6	Yes
						30.6.2015	16:30	23,7	55,9	23,7	55,6	Yes
						30.6.2015	16:45	24	55,7	23,9	55,5	Yes
						30.6.2015	17:00	24,2	54,8	24,0	55,2	Yes
						30.6.2015	17:15	23,9	56,3	24,0	55,7	Yes
						30.6.2015	17:30	24,1	55,5	24,1	55,6	Yes
						30.6.2015	17:45	24,3	54,6	24,1	55,3	Yes
30.6.2015	18:00	24,1				55,7	24,1	55,5	Yes			
30.6.2015	18:15	24,2				55	24,2	55,2	Yes			
30.6.2015	18:30	24,4				53	24,3	54,6	Yes			
30.6.2015	18:45	24,1				55,9	24,2	54,9	Yes			
30.6.2015	19:00	24,3				54,7	24,3	54,7	Yes			
30.6.2015	19:15	24,4				55,3	24,3	54,7	Yes			
30.6.2015	19:30	24,1				54,9	24,2	55,2	Yes			
30.6.2015	19:45	24,2				56	24,3	55,2	Yes			
30.6.2015	20:00	24,3				54,8	24,3	55,3	Yes			
30.6.2015	20:15	24,4				55,1	24,3	55,2	Yes			
30.6.2015	20:30	24,1				56,2	24,3	55,5	Yes			
30.6.2015	20:45	24,3				55,5	24,3	55,4	Yes			

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	30.6.2015	21:00	24,4	55,5	24,3	55,6	Yes
			30.6.2015	21:15	24,4	54,9	24,3	55,5	Yes
			30.6.2015	21:30	24,1	56,3	24,3	55,6	Yes
			30.6.2015	21:45	24,3	55,9	24,3	55,7	Yes
			30.6.2015	22:00	24,4	55,8	24,3	55,7	Yes
			30.6.2015	22:15	24,4	55,1	24,3	55,8	Yes
			30.6.2015	22:30	24,5	55	24,4	55,5	Yes
			30.6.2015	22:45	24,1	56,4	24,4	55,6	Yes
			30.6.2015	23:00	24,2	56	24,3	55,6	Yes
			30.6.2015	23:15	24,3	55,9	24,3	55,8	Yes
			30.6.2015	23:30	24,4	55,2	24,3	55,9	Yes
			30.6.2015	23:45	24,4	55,3	24,3	55,6	Yes
			1.7.2015	0:00	24,4	55,4	24,4	55,5	Yes
			1.7.2015	0:15	24,5	55,7	24,4	55,4	Yes
			1.7.2015	0:30	24,5	55,5	24,5	55,5	Yes
			1.7.2015	0:45	24,5	53,4	24,5	55,0	Yes
			1.7.2015	1:00	24,2	56,4	24,4	55,3	Yes
			1.7.2015	1:15	24,3	56	24,4	55,3	Yes
			1.7.2015	1:30	24,4	55,3	24,4	55,3	Yes
			1.7.2015	1:45	24,4	55,5	24,3	55,8	Yes
			1.7.2015	2:00	24,4	55,7	24,4	55,6	Yes
			1.7.2015	2:15	24,5	55,6	24,4	55,5	Yes
			1.7.2015	2:30	24,5	55,7	24,5	55,6	Yes
			1.7.2015	2:45	24,5	55,8	24,5	55,7	Yes
			1.7.2015	3:00	24,5	55,7	24,5	55,7	Yes
			1.7.2015	3:15	24,5	55,6	24,5	55,7	Yes
			1.7.2015	3:30	24,5	55,7	24,5	55,7	Yes
			1.7.2015	3:45	24,5	55,3	24,5	55,6	Yes
			1.7.2015	4:00	24,5	55,2	24,5	55,5	Yes
			1.7.2015	4:15	24,5	55,6	24,5	55,5	Yes
			1.7.2015	4:30	24,5	55,9	24,5	55,5	Yes
			1.7.2015	4:45	24,2	55	24,4	55,4	Yes
			1.7.2015	5:00	24,2	56,6	24,4	55,8	Yes
PHI_15_I0159	PHI_15_I0162	PHI_15_I0165	1.7.2015	5:15	24,3	56,1	24,3	55,9	Yes
			1.7.2015	5:30	24,1	54,8	24,2	55,6	Yes
			1.7.2015	5:45	24,1	56,5	24,2	56,0	Yes
			1.7.2015	6:00	24,1	55,2	24,2	55,7	Yes
			1.7.2015	6:15	24	50,7	24,1	54,3	Yes
			1.7.2015	6:30	23,9	55,9	24,0	54,6	Yes
			1.7.2015	6:45	24,1	54,9	24,0	54,2	Yes
			1.7.2015	7:00	23,8	55,7	24,0	54,3	Yes
			1.7.2015	7:15	23,7	50,8	23,9	54,3	Yes
			1.7.2015	7:30	23,8	57,1	23,9	54,6	Yes
			1.7.2015	7:45	23,8	51,5	23,8	53,8	Yes
			1.7.2015	8:00	23,5	55,5	23,7	53,7	Yes
			1.7.2015	8:15	23,9	58	23,8	55,5	Yes
			1.7.2015	8:30	24	52,6	23,8	54,4	Yes
			1.7.2015	8:45	24,1	57,3	23,9	55,9	Yes
			1.7.2015	9:00	23,9	58,4	24,0	56,6	Yes
			1.7.2015	9:15	24,2	58,8	24,1	56,8	Yes
			1.7.2015	9:30	24	58,5	24,1	58,3	Yes
			1.7.2015	9:45	24	52,7	24,0	57,1	Yes
			1.7.2015	10:00	24,2	58,8	24,1	57,2	Yes
			1.7.2015	10:15	24	57,1	24,1	56,8	Yes
			1.7.2015	10:30	24,2	59,5	24,1	57,0	Yes
			1.7.2015	10:45	24	56,7	24,1	58,0	Yes
			1.7.2015	11:00	24,2	59,8	24,1	58,3	Yes
			1.7.2015	11:15	24,5	58	24,2	58,5	Yes
			1.7.2015	11:30	24,2	58,4	24,2	58,2	Yes
			1.7.2015	11:45	24,4	54,7	24,3	57,7	Yes
			1.7.2015	12:00	24,2	57,3	24,3	57,1	Yes
			1.7.2015	12:15	24,4	57,1	24,3	56,9	Yes
			1.7.2015	12:30	24,2	55,4	24,3	56,1	Yes
			1.7.2015	12:45	24,1	54,6	24,2	56,1	Yes
PHI_15_I0160			1.7.2015	13:00	23,9	55,3	24,2	55,6	Yes
			1.7.2015	13:15	24,2	58,6	24,1	56,0	Yes
			1.7.2015	13:30	24,1	56,3	24,1	56,2	Yes
			1.7.2015	13:45	24,2	55,2	24,1	56,4	Yes
			1.7.2015	14:00	24,2	58,1	24,2	57,1	Yes
			1.7.2015	14:15	24,1	54	24,2	55,9	Yes
			1.7.2015	14:30	24,3	57,4	24,2	56,2	Yes
			1.7.2015	14:45	24,1	56,3	24,2	56,5	Yes
			1.7.2015	15:00	24,3	58,4	24,2	56,5	Yes
			1.7.2015	15:15	24,1	57,6	24,2	57,4	Yes
			1.7.2015	15:30	24,3	58,6	24,2	57,7	Yes
			1.7.2015	15:45	24,2	53,1	24,2	56,9	Yes
			1.7.2015	16:00	24,3	58,9	24,2	57,1	Yes
			1.7.2015	16:15	24,1	55,3	24,2	56,5	Yes
			1.7.2015	16:30	24,3	58,1	24,2	56,4	Yes
			1.7.2015	16:45	24,2	53,5	24,2	56,5	Yes
			1.7.2015	17:00	24,3	58,7	24,2	56,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	1.7.2015	17:15	24,2	54,4	24,3	56,2	Yes
			1.7.2015	17:30	24,4	57,4	24,3	56,0	Yes
			1.7.2015	17:45	24,3	56	24,3	56,6	Yes
			1.7.2015	18:00	24,5	56,1	24,4	56,0	Yes
			1.7.2015	18:15	24,3	56,7	24,4	56,6	Yes
			1.7.2015	18:30	24,4	52,8	24,4	55,4	Yes
			1.7.2015	18:45	24,3	57,8	24,4	55,9	Yes
			1.7.2015	19:00	24,2	51,3	24,3	54,7	Yes
			1.7.2015	19:15	24,1	58,2	24,3	55,0	Yes
			1.7.2015	19:30	24,4	56,8	24,3	56,0	Yes
			1.7.2015	19:45	24,1	58,1	24,2	56,1	Yes
			1.7.2015	20:00	24,4	58,2	24,3	57,8	Yes
			1.7.2015	20:15	24,1	57,4	24,3	57,6	Yes
			1.7.2015	20:30	24,4	57,9	24,3	57,9	Yes
			1.7.2015	20:45	24,1	57,1	24,3	57,7	Yes
			1.7.2015	21:00	24,3	57,7	24,2	57,5	Yes
			1.7.2015	21:15	24,1	56,8	24,2	57,4	Yes
			1.7.2015	21:30	24,2	58,2	24,2	57,5	Yes
			1.7.2015	21:45	24,3	53,1	24,2	56,5	Yes
			1.7.2015	22:00	24,2	58,2	24,2	56,6	Yes
			1.7.2015	22:15	24,4	57,2	24,3	56,7	Yes
			1.7.2015	22:30	24,2	58	24,3	56,6	Yes
			1.7.2015	22:45	24,4	56,8	24,3	57,6	Yes
			1.7.2015	23:00	24,2	57,3	24,3	57,3	Yes
			1.7.2015	23:15	24,3	56,9	24,3	57,3	Yes
			1.7.2015	23:30	24,2	53,4	24,3	56,1	Yes
			1.7.2015	23:45	24,2	57,6	24,2	56,3	Yes
			2.7.2015	0:00	24,4	55,7	24,3	55,9	Yes
			2.7.2015	0:15	24,1	57,1	24,2	56,0	Yes
			2.7.2015	0:30	24,3	56,2	24,3	56,7	Yes
			2.7.2015	0:45	24,4	56,1	24,3	56,3	Yes
			2.7.2015	1:00	24,2	55,6	24,3	56,3	Yes
			2.7.2015	1:15	24,2	56,6	24,3	56,1	Yes
			2.7.2015	1:30	24,4	55,9	24,3	56,1	Yes
			2.7.2015	1:45	24,2	53,5	24,3	55,4	Yes
			2.7.2015	2:00	24,2	57,3	24,3	55,8	Yes
			2.7.2015	2:15	24,4	56,1	24,3	55,7	Yes
			2.7.2015	2:30	24,5	55,8	24,3	55,7	Yes
			2.7.2015	2:45	24,1	57,5	24,3	56,7	Yes
			2.7.2015	3:00	24,3	57,1	24,3	56,6	Yes
			2.7.2015	3:15	24,4	56,3	24,3	56,7	Yes
			2.7.2015	3:30	24,5	56,3	24,3	56,8	Yes
			2.7.2015	3:45	24,2	57,3	24,4	56,8	Yes
			2.7.2015	4:00	24,3	56,5	24,4	56,6	Yes
			2.7.2015	4:15	24,4	56,5	24,4	56,7	Yes
			2.7.2015	4:30	24,5	55,1	24,4	56,4	Yes
			2.7.2015	4:45	24,2	57,9	24,4	56,5	Yes
			2.7.2015	5:00	24,3	56,5	24,4	56,5	Yes
			2.7.2015	5:15	24,4	56,7	24,4	56,6	Yes
			2.7.2015	5:30	24,5	55,9	24,4	56,8	Yes
			2.7.2015	5:45	24,5	56,1	24,4	56,3	Yes
PHI_15_I0160	PHI_15_I0162	PHI_15_I0165	2.7.2015	6:00	24,2	56,3	24,4	56,3	Yes
			2.7.2015	6:15	24,2	57,1	24,4	56,4	Yes
			2.7.2015	6:30	24,1	57,2	24,3	56,7	Yes
			2.7.2015	6:45	24,1	54,1	24,2	56,2	Yes
			2.7.2015	7:00	24,1	55,9	24,1	56,1	Yes
			2.7.2015	7:15	24,2	57,1	24,1	56,1	Yes
			2.7.2015	7:30	24,1	56,4	24,1	55,9	Yes
			2.7.2015	7:45	24,3	53,1	24,2	55,6	Yes
			2.7.2015	8:00	23,9	48,5	24,1	53,8	Yes
			2.7.2015	8:15	23,8	54,8	24,0	53,2	Yes
			2.7.2015	8:30	24,1	57	24,0	53,4	Yes
			2.7.2015	8:45	24	58,2	24,0	54,6	Yes
			2.7.2015	9:00	24,1	52,9	24,0	55,7	Yes
			2.7.2015	9:15	24,1	55,7	24,1	56,0	Yes
			2.7.2015	9:30	24	58	24,1	56,2	Yes
			2.7.2015	9:45	24,3	58,8	24,1	56,4	Yes
			2.7.2015	10:00	24,1	58,2	24,1	57,7	Yes
			2.7.2015	10:15	24,3	58,7	24,2	58,4	Yes
			2.7.2015	10:30	24,1	57,5	24,2	58,3	Yes
		PHI_15_I0166	2.7.2015	10:45	24,4	58	24,2	58,1	Yes
			2.7.2015	11:00	24,2	56,5	24,3	57,7	Yes
			2.7.2015	11:15	24,4	58,4	24,3	57,6	Yes
			2.7.2015	11:30	24,3	54,2	24,3	56,8	Yes
			2.7.2015	11:45	24,6	57,7	24,4	56,7	Yes
			2.7.2015	12:00	24,4	55,8	24,4	56,5	Yes
			2.7.2015	12:15	24,5	53	24,5	55,2	Yes
			2.7.2015	12:30	24,4	57,1	24,5	55,9	Yes
			2.7.2015	12:45	24,4	52,2	24,4	54,5	Yes
			2.7.2015	13:00	24,5	57,1	24,5	54,9	Yes
			2.7.2015	13:15	24,3	57,1	24,4	55,9	Yes

TYPE OF TEST: ISO 19752

	PHI_15	P	2.7.2015	13:30	24,6	58,6	24,5	56,3	Yes
			2.7.2015	13:45	24,4	58	24,5	57,7	Yes
			2.7.2015	14:00	24,5	55,7	24,5	57,4	Yes
			2.7.2015	14:15	24,3	59,1	24,5	57,9	Yes
			2.7.2015	14:30	24,3	53,3	24,4	56,5	Yes
			2.7.2015	14:45	24,4	59	24,4	56,8	Yes
			2.7.2015	15:00	24,2	55,5	24,3	56,7	Yes
			2.7.2015	15:15	24,4	56,4	24,3	56,1	Yes
			2.7.2015	15:30	24,4	58,1	24,4	57,3	Yes
			2.7.2015	15:45	24,5	54,2	24,4	56,1	Yes
			2.7.2015	16:00	24,4	58,6	24,4	56,8	Yes
			2.7.2015	16:15	24,4	52,5	24,4	55,9	Yes
			2.7.2015	16:30	24,4	58,1	24,4	55,9	Yes
			2.7.2015	16:45	24,3	52,6	24,4	55,5	Yes
			2.7.2015	17:00	24,5	58,6	24,4	55,5	Yes
			2.7.2015	17:15	24,3	55,7	24,4	56,3	Yes
			2.7.2015	17:30	24,5	58,2	24,4	56,3	Yes
			2.7.2015	17:45	24,3	57,6	24,4	57,5	Yes
			2.7.2015	18:00	24,5	55,2	24,4	56,7	Yes
			2.7.2015	18:15	24,4	57,8	24,4	57,2	Yes
			2.7.2015	18:30	24,4	52,1	24,4	55,7	Yes
			2.7.2015	18:45	24,4	57,8	24,4	55,7	Yes
			2.7.2015	19:00	23,9	49,2	24,3	54,2	Yes
			2.7.2015	19:15	24	57,1	24,2	54,1	Yes
			2.7.2015	19:30	24,2	57,6	24,1	55,4	Yes
			2.7.2015	19:45	24,1	51,2	24,1	53,8	Yes
			2.7.2015	20:00	23,9	56,8	24,1	55,7	Yes
			2.7.2015	20:15	24,2	57,7	24,1	55,8	Yes
			2.7.2015	20:30	24	51,4	24,1	54,3	Yes
			2.7.2015	20:45	24	57,9	24,0	56,0	Yes
			2.7.2015	21:00	24,2	57,5	24,1	56,1	Yes
			2.7.2015	21:15	24,2	52,3	24,1	54,8	Yes
			2.7.2015	21:30	23,9	58,2	24,1	56,5	Yes
			2.7.2015	21:45	24,2	58,4	24,1	56,6	Yes
			2.7.2015	22:00	24,4	56,9	24,2	56,5	Yes
			2.7.2015	22:15	23,9	55,2	24,1	57,2	Yes
			2.7.2015	22:30	24,1	58,7	24,2	57,3	Yes
			2.7.2015	22:45	24,3	57,4	24,2	57,1	Yes
			2.7.2015	23:00	24,4	54,1	24,2	56,4	Yes
			2.7.2015	23:15	24,1	58,2	24,2	57,1	Yes
			2.7.2015	23:30	24,3	57,1	24,3	56,7	Yes
			2.7.2015	23:45	24,3	53,1	24,3	55,6	Yes
			3.7.2015	0:00	24	57,8	24,2	56,6	Yes
			3.7.2015	0:15	24,2	58,1	24,2	56,5	Yes
			3.7.2015	0:30	24,4	56,8	24,2	56,5	Yes
			3.7.2015	0:45	24,3	53,2	24,2	56,5	Yes
			3.7.2015	1:00	24,1	58,3	24,3	56,6	Yes
			3.7.2015	1:15	24,3	57,2	24,3	56,4	Yes
			3.7.2015	1:30	24,4	56,5	24,3	56,3	Yes
			3.7.2015	1:45	24,1	55,9	24,2	57,0	Yes
			3.7.2015	2:00	24,2	57,8	24,3	56,9	Yes
			3.7.2015	2:15	24,4	56,5	24,3	56,7	Yes
			3.7.2015	2:30	24,2	53,6	24,2	56,0	Yes
			3.7.2015	2:45	24,2	57,8	24,3	56,4	Yes
			3.7.2015	3:00	24,4	56,1	24,3	56,0	Yes
			3.7.2015	3:15	24,4	56,6	24,3	56,0	Yes
			3.7.2015	3:30	24,1	55,9	24,3	56,6	Yes
			3.7.2015	3:45	24,2	57,3	24,3	56,5	Yes
			3.7.2015	4:00	24,4	56	24,3	56,5	Yes
			3.7.2015	4:15	24,4	56,1	24,3	56,3	Yes
			3.7.2015	4:30	24,5	56,2	24,4	56,4	Yes
			3.7.2015	4:45	24,1	56	24,4	56,1	Yes
			3.7.2015	5:00	24,2	56,4	24,3	56,2	Yes
			3.7.2015	5:15	24,4	56,3	24,3	56,2	Yes
			3.7.2015	5:30	24,4	55,8	24,3	56,1	Yes
			3.7.2015	5:45	24,5	55,1	24,4	55,9	Yes
			3.7.2015	6:00	24	56,7	24,3	56,0	Yes
			3.7.2015	6:15	24,2	57,4	24,3	56,3	Yes
			3.7.2015	6:30	24,2	53,2	24,2	55,6	Yes
			3.7.2015	6:45	24	58,6	24,1	56,5	Yes
			3.7.2015	7:00	24,2	57,5	24,2	56,7	Yes
			3.7.2015	7:15	24	57,3	24,1	56,7	Yes
			3.7.2015	7:30	24,1	59,7	24,1	58,3	Yes
			3.7.2015	7:45	24	58,1	24,1	58,2	Yes
			3.7.2015	8:00	24,2	58,7	24,1	58,5	Yes
			3.7.2015	8:15	24	59,4	24,1	59,0	Yes
			3.7.2015	8:30	24,3	56,8	24,1	58,3	Yes
			3.7.2015	8:45	24,2	59,2	24,2	58,5	Yes
			3.7.2015	9:00	24,3	54,7	24,2	57,5	Yes
			3.7.2015	9:15	24,2	58,2	24,3	57,2	Yes
			3.7.2015	9:30	24,3	53,9	24,3	56,5	Yes

TEST REPORT

Creation date of report: 13.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_10:	PHI_15_10:	3.7.2015	9:45	24,2	58,3	24,3	56,3	Yes
		3.7.2015	10:00	24,2	54,2	24,2	56,2	Yes
		3.7.2015	10:15	24,3	57,7	24,3	56,0	Yes
		3.7.2015	10:30	24,3	56,4	24,3	56,7	Yes
		3.7.2015	10:45	24,4	58,3	24,3	56,7	Yes
		3.7.2015	11:00	24,2	59,3	24,3	57,9	Yes
		3.7.2015	11:15	24,2	54,2	24,3	57,1	Yes
		3.7.2015	11:30	24,2	59,6	24,3	57,9	Yes
		3.7.2015	11:45	24,2	55	24,2	57,0	Yes
		3.7.2015	12:00	24,4	59,2	24,3	57,0	Yes
		3.7.2015	12:15	24,2	59	24,3	58,2	Yes
		3.7.2015	12:30	24,2	54,9	24,3	57,0	Yes
		3.7.2015	12:45	24,4	59,3	24,3	58,1	Yes
		3.7.2015	13:00	24,3	57,2	24,3	57,6	Yes
		3.7.2015	13:15	24,5	59,1	24,4	57,6	Yes
		3.7.2015	13:30	24,4	59,1	24,4	58,7	Yes
		3.7.2015	13:45	24,5	56,6	24,4	58,0	Yes
		3.7.2015	14:00	24,5	59,9	24,5	58,7	Yes
		3.7.2015	14:15	24,4	53,6	24,5	57,3	Yes
		3.7.2015	14:30	24,5	60,3	24,5	57,6	Yes
		3.7.2015	14:45	24,4	57,5			No
		3.7.2015	15:00	24,6	59,2			No
		3.7.2015	15:15	24,4	59,3			No
		3.7.2015	15:30	24,5	56,4			No
		3.7.2015	15:45	24,4	59,5			No
		3.7.2015	16:00	24,5	54,5			No
		3.7.2015	16:15	24,6	59,6			No
		3.7.2015	16:30	24,4	59,2			No
		3.7.2015	16:45	24,5	55,8			No
		3.7.2015	17:00	24,5	60			No
		3.7.2015	17:15	24,4	55,1			No
		3.7.2015	17:30	24,6	59,8			No
		3.7.2015	17:45	24,4	59,2			No
		3.7.2015	18:00	24,6	55,4			No
		3.7.2015	18:15	24,5	60			No
		3.7.2015	18:30	24,4	56			No
		3.7.2015	18:45	24,6	57,7			No
		3.7.2015	19:00	23,9	49,8			No
		3.7.2015	19:15	23,6	53,1			No
		3.7.2015	19:30	23,9	58,2			No
		3.7.2015	19:45	24,2	58,2			No
		3.7.2015	20:00	24,1	52			No
		3.7.2015	20:15	24	58,6			No
		3.7.2015	20:30	24,2	58,9			No
		3.7.2015	20:45	24,1	52,4			No
		3.7.2015	21:00	24,2	59,5			No
		3.7.2015	21:15	24,4	58,5			No
		3.7.2015	21:30	23,9	56,6			No
		3.7.2015	21:45	24,1	59,9			No
		3.7.2015	22:00	24,3	59,2			No
		3.7.2015	22:15	23,9	52,9			No
		3.7.2015	22:30	24	60			No
		3.7.2015	22:45	24,2	59,4			No
		3.7.2015	23:00	24,3	54,4			No
		3.7.2015	23:15	24	59,7			No
		3.7.2015	23:30	24,2	59,6			No
		3.7.2015	23:45	24	55,2			No
		4.7.2015	0:00	24,1	60,8			No
		4.7.2015	0:15	24,3	59,2			No
		4.7.2015	0:30	24,1	52,3			No
		4.7.2015	0:45	24	60,6			No
		4.7.2015	1:00	24,2	59,6			No
		4.7.2015	1:15	24,4	58,6			No
		4.7.2015	1:30	24,1	58,2			No
		4.7.2015	1:45	24,2	59,9			No
		4.7.2015	2:00	24,4	58,4			No
		4.7.2015	2:15	24	55,1			No
		4.7.2015	2:30	24,1	60,2			No
		4.7.2015	2:45	24,2	59,1			No
		4.7.2015	3:00	24,4	58			No
		4.7.2015	3:15	24,5	58,3			No
		4.7.2015	3:30	24,1	57,7			No
		4.7.2015	3:45	24,2	60			No
		4.7.2015	4:00	24,4	58,4			No
		4.7.2015	4:15	24,4	58,6			No
		4.7.2015	4:30	24,2	55,5			No
		4.7.2015	4:45	24,3	57,9			No
		4.7.2015	5:00	24,5	54,9			No
		4.7.2015	5:15	24,1	58,9			No
		4.7.2015	5:30	24,3	57,9			No
		4.7.2015	5:45	24,4	57,4			No

TYPE OF TEST: ISO 19752

			4.7.2015	6:00	24,5	57,9		No
			4.7.2015	6:15	24,1	54,7		No
			4.7.2015	6:30	24,1	59,7		No
			4.7.2015	6:45	24,3	58,5		No
			4.7.2015	7:00	24,4	58,9		No
			4.7.2015	7:15	24,5	58,1		No
			4.7.2015	7:30	24,1	59,2		No
			4.7.2015	7:45	24,3	59,1		No
			4.7.2015	8:00	24,4	58,1		No
			4.7.2015	8:15	24,3	59,2		No
			4.7.2015	8:30	24,4	58,6		No
			4.7.2015	8:45	24,3	54,7		No
			4.7.2015	9:00	24,3	58,9		No
			4.7.2015	9:15	24,5	57,3		No
			4.7.2015	9:30	24,3	59,5		No
			4.7.2015	9:45	24,5	57,6		No
			4.7.2015	10:00	24,3	59,6		No
			4.7.2015	10:15	24,5	56,9		No
			4.7.2015	10:30	24,4	59,8		No
			4.7.2015	10:45	24,5	55,9		No
			4.7.2015	11:00	24,4	59,8		No
			4.7.2015	11:15	24,4	56,2		No
			4.7.2015	11:30	24,4	59,4		No
			4.7.2015	11:45	24,3	59,6		No
			4.7.2015	12:00	24,5	59,5		No
			4.7.2015	12:15	24,3	59,9		No
			4.7.2015	12:30	24,5	58		No
			4.7.2015	12:45	24,4	60,1		No
			4.7.2015	13:00	24,4	59,6		No
			4.7.2015	13:15	24,5	58,6		No
			4.7.2015	13:30	24,4	60,2		No
			4.7.2015	13:45	24,4	58,5		No
			4.7.2015	14:00	24,5	59,8		No
			4.7.2015	14:15	24,4	60,1		No
			4.7.2015	14:30	24,5	55,2		No
			4.7.2015	14:45	24,5	59,4		No
			4.7.2015	15:00	24,4	59,4		No
			4.7.2015	15:15	24,5	55,1		No
			4.7.2015	15:30	24,5	60,1		No
			4.7.2015	15:45	24,4	58,6		No
			4.7.2015	16:00	24,6	58,1		No
			4.7.2015	16:15	24,5	59,9		No
			4.7.2015	16:30	24,5	54,1		No
			4.7.2015	16:45	24,6	60,3		No
			4.7.2015	17:00	24,5	59,6		No
			4.7.2015	17:15	24,5	54,1		No
			4.7.2015	17:30	24,5	60,3		No
			4.7.2015	17:45	24,4	56,4		No
			4.7.2015	18:00	24,6	59		No
			4.7.2015	18:15	24,6	60		No
			4.7.2015	18:30	24,5	57,8		No
			4.7.2015	18:45	24,5	55,5		No
			4.7.2015	19:00	24,2	57,7		No
			4.7.2015	19:15	24,5	60,1		No
			4.7.2015	19:30	24,2	58,8		No
			4.7.2015	19:45	24,5	61		No
			4.7.2015	20:00	24,2	57,8		No
			4.7.2015	20:15	24,4	60,7		No
			4.7.2015	20:30	24,2	57,6		No
			4.7.2015	20:45	24,4	60,6		No
			4.7.2015	21:00	24,2	59,1		No
			4.7.2015	21:15	24,4	60,9		No
			4.7.2015	21:30	24,2	58,7		No
			4.7.2015	21:45	24,4	61,1		No
			4.7.2015	22:00	24,2	57,1		No
			4.7.2015	22:15	24,3	60,8		No
			4.7.2015	22:30	24,3	54,3		No
			4.7.2015	22:45	24,3	60,9		No
			4.7.2015	23:00	24,4	56,7		No
			4.7.2015	23:15	24,2	60,4		No
			4.7.2015	23:30	24,4	59,9		No
			4.7.2015	23:45	24,2	59,8		No
			5.7.2015	0:00	24,4	59,9		No
			5.7.2015	0:15	24,2	58,2		No
			5.7.2015	0:30	24,3	59,8		No
			5.7.2015	0:45	24,2	56,7		No
			5.7.2015	1:00	24,3	59,6		No
			5.7.2015	1:15	24,4	54,3		No
			5.7.2015	1:30	24,2	59,9		No
			5.7.2015	1:45	24,4	56,2		No
			5.7.2015	2:00	24,2	59,8		No

N/A

N/A

TYPE OF TEST: ISO 19752

N/A

5.7.2015	2:15	24,4	58,5			No
5.7.2015	2:30	24,2	58,6			No
5.7.2015	2:45	24,4	58,3			No
5.7.2015	3:00	24,2	55,9			No
5.7.2015	3:15	24,3	58,5			No
5.7.2015	3:30	24,4	57,3			No
5.7.2015	3:45	24,2	58,8			No
5.7.2015	4:00	24,4	57,6			No
5.7.2015	4:15	24,5	58,6			No
5.7.2015	4:30	24,2	56,2			No
5.7.2015	4:45	24,3	57,9			No
5.7.2015	5:00	24,4	58,1			No
5.7.2015	5:15	24,3	55,5			No
5.7.2015	5:30	24,3	58,7			No
5.7.2015	5:45	24,4	58,3			No
5.7.2015	6:00	24,4	54,3	24,4	56,7	Yes
5.7.2015	6:15	24,3	59,7	24,4	57,8	Yes
5.7.2015	6:30	24,4	58,3	24,4	57,7	Yes
5.7.2015	6:45	24,2	59,1	24,3	57,9	Yes
5.7.2015	7:00	24,3	59	24,3	59,0	Yes
5.7.2015	7:15	24,4	55,3	24,3	57,9	Yes
5.7.2015	7:30	24,2	59,9	24,3	58,3	Yes
5.7.2015	7:45	24,4	58,6	24,3	58,2	Yes
5.7.2015	8:00	24,3	56,1	24,3	57,5	Yes
5.7.2015	8:15	24,3	59,6	24,3	58,6	Yes
5.7.2015	8:30	24,4	57,9	24,4	58,1	Yes
5.7.2015	8:45	24,3	59,9	24,3	58,4	Yes
5.7.2015	9:00	24,4	58,8	24,4	59,1	Yes
5.7.2015	9:15	24,3	59,7	24,4	59,1	Yes
5.7.2015	9:30	24,4	59	24,4	59,4	Yes
5.7.2015	9:45	24,3	59,8	24,4	59,3	Yes
5.7.2015	10:00	24,4	58,6	24,4	59,3	Yes
5.7.2015	10:15	24,3	59,7	24,4	59,3	Yes
5.7.2015	10:30	24,4	55,8	24,4	58,5	Yes
5.7.2015	10:45	24,3	59,9	24,4	58,5	Yes
5.7.2015	11:00	24,4	55,1	24,4	57,6	Yes
5.7.2015	11:15	24,4	60,1	24,4	57,7	Yes
5.7.2015	11:30	24,4	55	24,4	57,5	Yes
5.7.2015	11:45	24,4	60,1	24,4	57,6	Yes
5.7.2015	12:00	24,3	57,6	24,4	58,2	Yes
5.7.2015	12:15	24,4	60,1	24,4	58,2	Yes
5.7.2015	12:30	24,3	59,9	24,4	59,4	Yes
5.7.2015	12:45	24,5	59,1	24,4	59,2	Yes
5.7.2015	13:00	24,3	60,5	24,4	59,9	Yes
5.7.2015	13:15	24,4	56,6	24,4	59,0	Yes
5.7.2015	13:30	24,4	60,7	24,4	59,2	Yes
5.7.2015	13:45	24,3	56,3	24,4	58,5	Yes
5.7.2015	14:00	24,4	60,9	24,4	58,6	Yes
5.7.2015	14:15	24,3	59,7	24,4	59,4	Yes
5.7.2015	14:30	24,5	59,5	24,4	59,1	Yes
5.7.2015	14:45	24,4	60,6	24,4	60,2	Yes
5.7.2015	15:00	24,5	56,8	24,4	59,2	Yes
5.7.2015	15:15	24,4	61,1	24,5	59,5	Yes
5.7.2015	15:30	24,4	55	24,4	58,4	Yes
5.7.2015	15:45	24,4	61,5	24,4	58,6	Yes
5.7.2015	16:00	24,4	55,5	24,4	58,3	Yes
5.7.2015	16:15	24,5	61,5	24,4	58,4	Yes
5.7.2015	16:30	24,3	59	24,4	59,4	Yes
5.7.2015	16:45	24,5	58,7	24,4	58,7	Yes
5.7.2015	17:00	24,4	60	24,4	59,8	Yes
5.7.2015	17:15	24,5	57	24,4	58,7	Yes
5.7.2015	17:30	24,4	60,6	24,5	59,1	Yes
5.7.2015	17:45	24,4	53,7	24,4	57,8	Yes
5.7.2015	18:00	24,5	61	24,5	58,1	Yes
5.7.2015	18:15	24,2	52,2	24,4	56,9	Yes
5.7.2015	18:30	23,7	49,2	24,2	54,0	Yes
5.7.2015	18:45	23,4	47,5	24,0	52,5	Yes
5.7.2015	19:00	23,5	55,7	23,7	51,2	Yes
5.7.2015	19:15	23,9	58,1	23,6	52,6	Yes
5.7.2015	19:30	24,2	57,6	23,8	54,7	Yes
5.7.2015	19:45	23,7	49,6	23,8	55,3	Yes
5.7.2015	20:00	23,9	58,4	23,9	55,9	Yes
5.7.2015	20:15	24,2	58,9	24,0	56,1	Yes
5.7.2015	20:30	23,8	50,2	23,9	54,3	Yes
5.7.2015	20:45	23,9	59	24,0	56,6	Yes
5.7.2015	21:00	24,2	59,5	24,0	56,9	Yes
5.7.2015	21:15	23,9	55,5	24,0	56,1	Yes
5.7.2015	21:30	24,1	59,7	24,0	58,4	Yes
5.7.2015	21:45	24,3	55,7	24,1	57,6	Yes
5.7.2015	22:00	23,9	57,6	24,1	57,1	Yes
5.7.2015	22:15	24,1	60,4	24,1	58,4	Yes

TYPE OF TEST: ISO 19752

5.7.2015	22:30	24,2	54,3	24,1	57,0	Yes
	22:45	23,9	58,5	24,0	57,7	Yes
	23:00	24,1	60,5	24,1	58,4	Yes
	23:15	24,3	55,8	24,1	57,3	Yes
	23:30	24	58,9	24,1	58,4	Yes
5.7.2015	23:45	24,2	60,4	24,2	58,9	Yes
	0:00	24,2	54,2	24,2	57,3	Yes
	0:15	23,8	58,2	24,1	57,9	Yes
	0:30	24,1	60,3	24,1	58,3	Yes
	0:45	24,3	60	24,1	58,2	Yes
	1:00	23,9	55,5	24,0	58,5	Yes
	1:15	24	60,4	24,1	59,1	Yes
	1:30	24,3	59,9	24,1	59,0	Yes
	1:45	24,1	52,7	24,1	57,1	Yes
	2:00	23,9	59,3	24,1	58,1	Yes
	2:15	24,1	60,5	24,1	58,1	Yes
	2:30	24,3	59,2	24,1	57,9	Yes
	2:45	24	52,8	24,1	58,0	Yes
	3:00	24	59,6	24,1	58,0	Yes
	3:15	24,2	59,7	24,1	57,8	Yes
	3:30	24,4	55,7	24,2	57,0	Yes
	3:45	24	59,4	24,2	58,6	Yes
	4:00	24,2	59,7	24,2	58,6	Yes
	4:15	24,4	58,8	24,3	58,4	Yes
	4:30	24,1	58,6	24,2	59,1	Yes
	4:45	24,2	60,3	24,2	59,4	Yes
	5:00	24,3	56,1	24,3	58,5	Yes
	5:15	24,1	60,2	24,2	58,8	Yes
	5:30	24,3	58,8	24,2	58,9	Yes
	5:45	24	58,2	24,2	58,3	Yes
	6:00	24,1	60,2	24,1	59,4	Yes
	6:15	24,4	58,8	24,2	59,0	Yes
	6:30	24,1	57,5	24,2	58,7	Yes
	6:45	24,1	60,4	24,2	59,2	Yes
	7:00	24,3	59,3	24,2	59,0	Yes
	7:15	24	57,4	24,1	58,7	Yes
	7:30	24,1	61	24,1	59,5	Yes
	7:45	24,3	59,7	24,2	59,4	Yes
	8:00	24	57,3	24,1	58,9	Yes
	8:15	24,2	60,4	24,2	59,6	Yes
	8:30	24,4	59,5	24,2	59,2	Yes
	8:45	24,3	56	24,2	58,3	Yes
	9:00	24,4	59,7	24,3	58,9	Yes
	9:15	24,4	55,4	24,4	57,7	Yes
	9:30	24,3	60,3	24,4	57,9	Yes
	9:45	24,2	54,1	24,3	57,4	Yes
	10:00	24,2	60,9	24,3	57,7	Yes
	10:15	24,4	59,9	24,3	58,8	Yes
	10:30	24,3	59,5	24,3	58,6	Yes
	10:45	24,4	59,8	24,3	60,0	Yes
	11:00	24,3	59,9	24,4	59,8	Yes
	11:15	24,5	59,7	24,4	59,7	Yes
	11:30	24,3	60,4	24,4	60,0	Yes
	11:45	24,4	57,1	24,4	59,3	Yes
	12:00	24,4	60,6	24,4	59,5	Yes
	12:15	24,4	55,2	24,4	58,3	Yes
	12:30	24,4	60,9	24,4	58,5	Yes
	12:45	24,4	57,6	24,4	58,6	Yes
	13:00	24,5	60,5	24,4	58,6	Yes
	13:15	24,4	60,7	24,4	59,9	Yes
	13:30	24,4	55,8	24,4	58,7	Yes
	13:45	24,5	60,7	24,5	59,4	Yes
	14:00	24,4	59,9	24,4	59,3	Yes
	14:15	24,5	58,1	24,5	58,6	Yes
	14:30	24,4	60,7	24,5	59,9	Yes
	14:45	24,5	56,8	24,5	58,9	Yes
	15:00	24,5	61,3	24,5	59,2	Yes
	15:15	24,5	59,7	24,5	59,6	Yes
	15:30	24,4	54,6	24,5	58,1	Yes
	15:45	24,5	61,6	24,5	59,3	Yes
	16:00	24,1	53	24,4	57,2	Yes
	16:15	24,3	60,7	24,3	57,5	Yes
	16:30	24,4	55,5	24,3	57,7	Yes
	16:45	24,5	60,8	24,3	57,5	Yes
	17:00	24,6	55,3	24,5	58,1	Yes
	17:15	24,7	61,2	24,6	58,2	Yes
	17:30	24,7	58,7	24,6	59,0	Yes
	17:45	24,9	61,3	24,7	59,1	Yes
	18:00	24,6	59,8	24,7	60,3	Yes
	18:15	24,7	59,8	24,7	59,9	Yes
	18:30	24,1	52,3	24,6	58,3	Yes

TYPE OF TEST: ISO 19752

6.7.2015	18:45	23,7	50	24,3	55,5	Yes
				24,1	55,1	Yes
				23,9	55,3	Yes
				23,9	56,1	Yes
				23,9	57,3	Yes
				23,9	57,9	Yes
				24,0	58,0	Yes
				23,9	57,3	Yes
				24,0	58,3	Yes
				24,0	58,4	Yes
				24,1	57,9	Yes
				24,0	58,2	Yes
				24,1	58,7	Yes
				24,1	58,8	Yes
				24,0	58,1	Yes
				24,0	59,2	Yes
				24,1	59,4	Yes
				24,2	59,4	Yes
				23,9	58,8	Yes
				23,9	59,5	Yes
				24,1	59,6	Yes
				24,3	59,2	Yes
				24	60,8	Yes
				24,2	61,4	Yes
				24,3	60,3	Yes
				23,9	60,4	Yes
				24,1	60,9	Yes
				24,3	60,9	Yes
				24	60	Yes
				24,2	61,4	Yes
				24,2	62,1	Yes
				24,3	62,0	Yes
				24,1	61,6	Yes
				24,2	62,4	Yes
				24,4	61,7	Yes
				24,1	62	Yes
				24,3	63,3	Yes
				24,3	62,2	Yes
				24,3	60,9	Yes
				24,1	62,7	Yes
				24,3	61,8	Yes
				24,3	60,5	Yes
				24,2	61,8	Yes
				24,4	61,7	Yes
				24,1	61,2	Yes
				24,2	62,7	Yes
				24,4	63,8	Yes
				24,4	62,9	Yes
				24,1	61,3	Yes
				24,1	61,9	Yes
				24,3	61,8	Yes
				24,4	61,1	Yes
				24,1	62,7	Yes
				24,3	62,7	Yes
				24	60,7	Yes
				24	63,3	Yes
				24,3	64,5	Yes
				24,2	61,7	Yes
				24,5	63,9	Yes
				24,3	63,8	Yes
				24,6	63,8	Yes
				24,4	63,3	Yes
				24,6	63,2	Yes
				24,4	62,9	Yes
				24,7	62,7	Yes