

TYPE OF TEST: ISO 19752

When cartridge HP CE390X is used in printer HP LJ 600 M602.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 25600 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 25635 standard pages

Date Tested:

For questions concerning testing contact

12.10.2015 - 22.10.2015

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP CE390X

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

Station 1.
Computer Model: Athlon 64X2 Dual Core 2,09 GHz
Operating System: Windows XP Professional

Station 2.
Intel(R) Pentium(R) 4 2.4 GHz
Windows XP Professional

Station 3.
Pentium(R) Dual-Core 2.60GHz,
Windows XP Professional

Printer Number 63462
Printer Type HP LJ 600 M 602
Printer Serial Number CNCVG1P2C5
Printer Firmware Version 20131122
Driver Version: PCL6-61.145.02.15638

63675
HP LJ 600 M 602
CNDVH5C01P
20150218
PCL6-61.145.02.15638

63374
HP LJ 600 M 602
CNCVF1G1QB
20121208
PCL6-61.145.02.15638

Note:

Page yield rounded to 25600. It's 1600 pages more than OEM.



TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752**Cartridges testing data:**

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071781322829-K001	PHI_15_I0320	25051	Y
	C				
	Y				
	M				
2nd set	K	15071780928829-K002	PHI_15_I0321	26000	Y
	C				
	Y				
	M				
3rd set	K	15071779528829-K003	PHI_15_I0322	25206	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	76 257	25 419	509	24 561	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071781228829-K004	PHI_15_I0323	26651	Y
	C				
	Y				
	M				
2nd set	K	15071779028829-K005	PHI_15_I0324	27616	Y
	C				
	Y				
	M				
3rd set	K	15071779428829-K006	PHI_15_I0325	25509	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	79 776	26 592	1055	24 814	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15071779128829-K007	PHI_15_I0326	26304	Y
	C				
	Y				
	M				
2nd set	K	15071779678829-K008	PHI_15_I0327	26033	Y
	C				
	Y				
	M				
3rd set	K	15071780528829-K009	PHI_15_I0328	27220	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	79 557	26 519	622	25 470	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	235 590	26 177	874	25 635	9
	C						
	Y						
	M						

Note:

Statement OEM 24000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	21,1	Allowed 21-25
Testing Room - max. running average temp. [°C]	23,5	26
Testing Room - min. running average temp. [°C]	20,0	20

Testing Room average RH. [%]	56,5	Allowed 40-60
Testing Room - max. running average RH [%]	59,6	65
Testing Room - min. running average RH [%]	47,6	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 11.10.2015 9:15 - 22.10.2015 12:45

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			11.10.2015	9:15	20,8	57,6	N/A	N/A	No
			11.10.2015	9:30	20,8	56,1	N/A	N/A	No
			11.10.2015	9:45	20,8	57,1	N/A	N/A	No
			11.10.2015	10:00	20,8	56,4	20,8	56,8	Yes
			11.10.2015	10:15	20,7	57,1	20,8	56,7	Yes
			11.10.2015	10:30	20,7	57,1	20,8	56,9	Yes
			11.10.2015	10:45	20,6	57,1	20,7	56,9	Yes
			11.10.2015	11:00	20,6	57,2	20,7	57,1	Yes
			11.10.2015	11:15	20,6	56,9	20,6	57,1	Yes
			11.10.2015	11:30	20,6	57,6	20,6	57,2	Yes
			11.10.2015	11:45	20,5	56,8	20,6	57,1	Yes
			11.10.2015	12:00	20,5	57,9	20,6	57,3	Yes
			11.10.2015	12:15	20,5	56,7	20,5	57,3	Yes
			11.10.2015	12:30	20,5	58,4	20,5	57,5	Yes
			11.10.2015	12:45	20,5	56,5	20,5	57,4	Yes
			11.10.2015	13:00	20,4	57,9	20,5	57,4	Yes
			11.10.2015	13:15	20,4	56,5	20,5	57,3	Yes
			11.10.2015	13:30	20,4	57,5	20,4	57,1	Yes
			11.10.2015	13:45	20,4	56,3	20,4	57,1	Yes
			11.10.2015	14:00	20,3	57,3	20,4	56,9	Yes
			11.10.2015	14:15	20,3	57,7	20,4	57,2	Yes
			11.10.2015	14:30	20,3	57,1	20,3	57,1	Yes
			11.10.2015	14:45	20,3	57,7	20,3	57,5	Yes
			11.10.2015	15:00	20,3	56,8	20,3	57,3	Yes
			11.10.2015	15:15	20,3	58,2	20,3	57,5	Yes
			11.10.2015	15:30	20,3	56,4	20,3	57,3	Yes
			11.10.2015	15:45	20,2	57,6	20,3	57,3	Yes
			11.10.2015	16:00	20,3	56,3	20,3	57,1	Yes
			11.10.2015	16:15	20,2	57,3	20,3	56,9	Yes
			11.10.2015	16:30	20,2	57,5	20,2	57,2	Yes
			11.10.2015	16:45	20,2	57	20,2	57,0	Yes
			11.10.2015	17:00	20,2	57,8	20,2	57,4	Yes
			11.10.2015	17:15	20,2	56,8	20,2	57,3	Yes
			11.10.2015	17:30	20,2	58,2	20,2	57,5	Yes
			11.10.2015	17:45	20,2	56,5	20,2	57,3	Yes
			11.10.2015	18:00	20,1	57,6	20,2	57,3	Yes
			11.10.2015	18:15	20,1	56,3	20,2	57,2	Yes
			11.10.2015	18:30	20,1	57,3	20,1	56,9	Yes
			11.10.2015	18:45	20,1	56,1	20,1	56,8	Yes
			11.10.2015	19:00	20,1	57,5	20,1	56,8	Yes
			11.10.2015	19:15	20,1	56,1	20,1	56,8	Yes
			11.10.2015	19:30	20	57,4	20,1	56,8	Yes
			11.10.2015	19:45	20	56,1	20,1	56,8	Yes

TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	11.10.2015	20:00	20	56,7	20,0	56,6	Yes
			11.10.2015	20:15	20	55,8	20,0	56,5	Yes
			11.10.2015	20:30	20	57	20,0	56,4	Yes
			11.10.2015	20:45	20	55,8	20,0	56,3	Yes
			11.10.2015	21:00	20,1	57,1	20,0	56,4	Yes
			11.10.2015	21:15	20,1	55,7	20,1	56,4	Yes
			11.10.2015	21:30	20,1	56,8	20,1	56,4	Yes
			11.10.2015	21:45	20,1	55,5	20,1	56,3	Yes
			11.10.2015	22:00	20,1	56,5	20,1	56,1	Yes
			11.10.2015	22:15	20,2	56,8	20,1	56,4	Yes
			11.10.2015	22:30	20,2	56,1	20,2	56,2	Yes
			11.10.2015	22:45	20,2	57,2	20,2	56,7	Yes
			11.10.2015	23:00	20,2	55,9	20,2	56,5	Yes
			11.10.2015	23:15	20,2	57	20,2	56,6	Yes
			11.10.2015	23:30	20,2	55,8	20,2	56,5	Yes
			11.10.2015	23:45	20,2	56,9	20,2	56,4	Yes
			12.10.2015	0:00	20,2	56,6	20,2	56,6	Yes
			12.10.2015	0:15	20,3	56,3	20,2	56,4	Yes
			12.10.2015	0:30	20,3	57,7	20,3	56,9	Yes
			12.10.2015	0:45	20,3	55,8	20,3	56,6	Yes
			12.10.2015	1:00	20,3	56,9	20,3	56,7	Yes
			12.10.2015	1:15	20,3	55,4	20,3	56,5	Yes
			12.10.2015	1:30	20,3	56,4	20,3	56,1	Yes
			12.10.2015	1:45	20,2	56,1	20,3	56,2	Yes
			12.10.2015	2:00	20,3	56	20,3	56,0	Yes
			12.10.2015	2:15	20,4	57,5	20,3	56,5	Yes
			12.10.2015	2:30	20,4	55,6	20,3	56,3	Yes
			12.10.2015	2:45	20,4	56,7	20,4	56,5	Yes
			12.10.2015	3:00	20,4	55,3	20,4	56,3	Yes
			12.10.2015	3:15	20,4	56,6	20,4	56,1	Yes
			12.10.2015	3:30	20,4	56	20,4	56,2	Yes
			12.10.2015	3:45	20,4	56,2	20,4	56,0	Yes
			12.10.2015	4:00	20,4	56,7	20,4	56,4	Yes
			12.10.2015	4:15	20,3	55,8	20,4	56,2	Yes
			12.10.2015	4:30	20,2	57,6	20,3	56,6	Yes
			12.10.2015	4:45	20,3	55,6	20,3	56,4	Yes
			12.10.2015	5:00	20,4	57,1	20,3	56,5	Yes
PHI_15_I0320	PHI_15_I0323	PHI_15_I0326	12.10.2015	5:15	20,5	55,1	20,4	56,4	Yes
			12.10.2015	5:30	20,5	56,4	20,4	56,1	Yes
			12.10.2015	5:45	20,5	54,9	20,5	55,9	Yes
			12.10.2015	6:00	20,5	56,2	20,5	55,7	Yes
			12.10.2015	6:15	20,6	56,2	20,5	55,9	Yes
			12.10.2015	6:30	21,3	57,8	20,7	56,3	Yes
			12.10.2015	6:45	21,8	58,8	21,1	57,3	Yes
			12.10.2015	7:00	22,1	55,4	21,5	57,1	Yes
			12.10.2015	7:15	22,2	56,6	21,9	57,2	Yes
			12.10.2015	7:30	22,3	60,6	22,1	57,9	Yes
			12.10.2015	7:45	22,5	61,2	22,3	58,5	Yes
			12.10.2015	8:00	22,5	56,2	22,4	58,7	Yes
			12.10.2015	8:15	22,8	59	22,5	59,3	Yes
			12.10.2015	8:30	22,5	58,1	22,6	58,6	Yes
			12.10.2015	8:45	22,6	57,6	22,6	57,7	Yes
			12.10.2015	9:00	22,6	56	22,6	57,7	Yes
			12.10.2015	9:15	22,8	55	22,6	56,7	Yes
			12.10.2015	9:30	22,9	56,6	22,7	56,3	Yes
			12.10.2015	9:45	23	56	22,8	55,9	Yes
			12.10.2015	10:00	22,8	59,2	22,9	56,7	Yes
			12.10.2015	10:15	22,8	55	22,9	56,7	Yes
			12.10.2015	10:30	22,9	56,9	22,9	56,8	Yes
			12.10.2015	10:45	22,8	57,8	22,8	57,2	Yes
			12.10.2015	11:00	22,9	53,5	22,9	55,8	Yes
			12.10.2015	11:15	22,9	57,2	22,9	56,4	Yes
			12.10.2015	11:30	22,9	56,3	22,9	56,2	Yes
			12.10.2015	11:45	23	53,5	22,9	55,1	Yes
			12.10.2015	12:00	22,9	57,3	22,9	56,1	Yes
			12.10.2015	12:15	23	53,6	23,0	55,2	Yes
			12.10.2015	12:30	22,8	56,4	22,9	55,2	Yes
			12.10.2015	12:45	22,9	50,6	22,9	54,5	Yes
			12.10.2015	13:00	22,8	57	22,9	54,4	Yes
			12.10.2015	13:15	23	55,2	22,9	54,8	Yes
			12.10.2015	13:30	22,9	55,3	22,9	54,5	Yes
			12.10.2015	13:45	22,9	50,8	22,9	54,6	Yes
			12.10.2015	14:00	22,9	55	22,9	54,1	Yes
			12.10.2015	14:15	22,9	57,3	22,9	54,6	Yes
			12.10.2015	14:30	22,7	52,6	22,9	53,9	Yes
			12.10.2015	14:45	22,8	55,5	22,8	55,1	Yes
			12.10.2015	15:00	22,9	56,6	22,8	55,5	Yes
			12.10.2015	15:15	22,9	57	22,8	55,4	Yes
			12.10.2015	15:30	22,9	55,5	22,9	56,2	Yes
			12.10.2015	15:45	22,8	55,7	22,9	56,2	Yes
			12.10.2015	16:00	22,8	55	22,9	55,8	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	12.10.2015	16:15	22,7	54,8	22,8	55,3	Yes
			12.10.2015	16:30	22,7	53,9	22,8	54,9	Yes
			12.10.2015	16:45	22,6	54,6	22,7	54,6	Yes
			12.10.2015	17:00	22,4	55,4	22,6	54,7	Yes
			12.10.2015	17:15	22,4	54,2	22,5	54,5	Yes
			12.10.2015	17:30	22,2	54,7	22,4	54,7	Yes
			12.10.2015	17:45	22,1	56,8	22,3	55,3	Yes
			12.10.2015	18:00	22,1	54,3	22,2	55,0	Yes
			12.10.2015	18:15	21,9	55,5	22,1	55,3	Yes
			12.10.2015	18:30	21,9	56,5	22,0	55,8	Yes
			12.10.2015	18:45	21,8	55,3	21,9	55,4	Yes
			12.10.2015	19:00	21,7	56,5	21,8	56,0	Yes
			12.10.2015	19:15	21,7	54,7	21,8	55,8	Yes
			12.10.2015	19:30	21,5	57,7	21,7	56,1	Yes
			12.10.2015	19:45	21,4	56	21,6	56,2	Yes
			12.10.2015	20:00	21,4	57,5	21,5	56,5	Yes
			12.10.2015	20:15	21,4	57,1	21,4	57,1	Yes
			12.10.2015	20:30	21,3	55,3	21,4	56,5	Yes
			12.10.2015	20:45	21,2	56	21,3	56,5	Yes
			12.10.2015	21:00	21,1	57,7	21,3	56,5	Yes
			12.10.2015	21:15	21,1	57,3	21,2	56,6	Yes
			12.10.2015	21:30	21,1	55,3	21,1	56,6	Yes
			12.10.2015	21:45	21	56,2	21,1	56,6	Yes
			12.10.2015	22:00	20,9	57,6	21,0	56,6	Yes
			12.10.2015	22:15	20,9	56	21,0	56,3	Yes
			12.10.2015	22:30	20,8	56,4	20,9	56,6	Yes
			12.10.2015	22:45	20,8	57,4	20,9	56,9	Yes
			12.10.2015	23:00	20,7	56	20,8	56,5	Yes
			12.10.2015	23:15	20,7	57,4	20,8	56,8	Yes
			12.10.2015	23:30	20,7	56,7	20,7	56,9	Yes
			12.10.2015	23:45	20,6	56,8	20,7	56,7	Yes
			13.10.2015	0:00	20,5	58	20,6	57,2	Yes
			13.10.2015	0:15	20,5	56,1	20,6	56,9	Yes
			13.10.2015	0:30	20,4	57,3	20,5	57,1	Yes
			13.10.2015	0:45	20,5	57,9	20,5	57,3	Yes
			13.10.2015	1:00	20,4	56,6	20,5	57,0	Yes
			13.10.2015	1:15	20,3	58,2	20,4	57,5	Yes
			13.10.2015	1:30	20,3	57,3	20,4	57,5	Yes
			13.10.2015	1:45	20,3	56,9	20,3	57,3	Yes
			13.10.2015	2:00	20,3	58,2	20,3	57,7	Yes
			13.10.2015	2:15	20,3	56,3	20,3	57,2	Yes
			13.10.2015	2:30	20,3	57,3	20,3	57,2	Yes
			13.10.2015	2:45	20,3	58,1	20,3	57,5	Yes
			13.10.2015	3:00	20,3	57,1	20,3	57,2	Yes
			13.10.2015	3:15	20,3	58	20,3	57,6	Yes
			13.10.2015	3:30	20,5	56,6	20,4	57,5	Yes
			13.10.2015	3:45	20,6	57,7	20,4	57,4	Yes
			13.10.2015	4:00	20,8	56	20,6	57,1	Yes
			13.10.2015	4:15	20,9	57,7	20,7	57,0	Yes
			13.10.2015	4:30	21	56,1	20,8	56,9	Yes
			13.10.2015	4:45	21,1	56,3	21,0	56,5	Yes
			13.10.2015	5:00	21,1	55,6	21,0	56,4	Yes
			13.10.2015	5:15	21,2	56,7	21,1	56,2	Yes
			13.10.2015	5:30	21,2	54,9	21,2	55,9	Yes
			13.10.2015	5:45	21,2	56,1	21,2	55,8	Yes
PHI_15_I0320	PHI_15_I0323	PHI_15_I0326	13.10.2015	6:00	21,3	54,8	21,2	55,6	Yes
			13.10.2015	6:15	21,8	58,2	21,4	56,0	Yes
			13.10.2015	6:30	22,3	56,6	21,7	56,4	Yes
			13.10.2015	6:45	22,6	56,2	22,0	56,5	Yes
			13.10.2015	7:00	22,5	56,2	22,3	56,8	Yes
			13.10.2015	7:15	22,8	55,9	22,6	56,2	Yes
			13.10.2015	7:30	22,6	58,5	22,6	56,7	Yes
			13.10.2015	7:45	22,8	56,5	22,7	56,8	Yes
			13.10.2015	8:00	22,8	57	22,8	57,0	Yes
			13.10.2015	8:15	22,8	61,7	22,8	58,4	Yes
			13.10.2015	8:30	22,8	57,8	22,8	58,3	Yes
			13.10.2015	8:45	22,7	60,4	22,8	59,2	Yes
			13.10.2015	9:00	22,9	58,4	22,8	59,6	Yes
			13.10.2015	9:15	23	58,1	22,9	58,7	Yes
			13.10.2015	9:30	22,6	59,3	22,8	59,1	Yes
			13.10.2015	9:45	22,7	57,5	22,8	58,3	Yes
			13.10.2015	10:00	22,8	57,9	22,8	58,2	Yes
			13.10.2015	10:15	22,9	57,5	22,8	58,1	Yes
			13.10.2015	10:30	23,1	56,3	22,9	57,3	Yes
			13.10.2015	10:45	23,1	56,2	23,0	57,0	Yes
PHI_15_I0320	PHI_15_I0323	PHI_15_I0326	13.10.2015	11:00	23	57,2	23,0	56,8	Yes
			13.10.2015	11:15	22,9	56	23,0	56,4	Yes
			13.10.2015	11:30	22,8	56,8	23,0	56,6	Yes
			13.10.2015	11:45	22,7	56,4	22,9	56,6	Yes
			13.10.2015	12:00	22,6	56,9	22,8	56,5	Yes
			13.10.2015	12:15	22,5	57,4	22,7	56,9	Yes

TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			13.10.2015	12:30	22,7	57,4	22,6	57,0	Yes
			13.10.2015	12:45	23	57,7	22,7	57,4	Yes
			13.10.2015	13:00	22,9	60	22,8	58,1	Yes
			13.10.2015	13:15	22,9	54,9	22,9	57,5	Yes
			13.10.2015	13:30	23	59,4	23,0	58,0	Yes
			13.10.2015	13:45	22,9	58,4	22,9	58,2	Yes
			13.10.2015	14:00	23,1	54,8	23,0	56,9	Yes
			13.10.2015	14:15	23	59,5	23,0	58,0	Yes
			13.10.2015	14:30	23	54,1	23,0	56,7	Yes
			13.10.2015	14:45	23	56,7	23,0	56,3	Yes
			13.10.2015	15:00	23	58,4	23,0	57,2	Yes
			13.10.2015	15:15	23	58,3	23,0	56,9	Yes
			13.10.2015	15:30	23	56,3	23,0	57,4	Yes
			13.10.2015	15:45	22,9	56,9	23,0	57,5	Yes
			13.10.2015	16:00	22,8	56,1	22,9	56,9	Yes
			13.10.2015	16:15	22,7	55,8	22,9	56,3	Yes
			13.10.2015	16:30	22,6	56,8	22,8	56,4	Yes
			13.10.2015	16:45	22,6	55,4	22,7	56,0	Yes
			13.10.2015	17:00	22,5	56,5	22,6	56,1	Yes
			13.10.2015	17:15	22,4	56,6	22,5	56,3	Yes
			13.10.2015	17:30	22,3	56,2	22,5	56,2	Yes
			13.10.2015	17:45	22,2	56,7	22,4	56,5	Yes
			13.10.2015	18:00	22,1	56,1	22,3	56,4	Yes
			13.10.2015	18:15	22	58,1	22,2	56,8	Yes
			13.10.2015	18:30	22	55,9	22,1	56,7	Yes
			13.10.2015	18:45	21,9	56,9	22,0	56,8	Yes
			13.10.2015	19:00	21,9	57,2	22,0	57,0	Yes
			13.10.2015	19:15	21,8	56,6	21,9	56,7	Yes
			13.10.2015	19:30	21,8	57,8	21,9	57,1	Yes
			13.10.2015	19:45	21,7	55,7	21,8	56,8	Yes
			13.10.2015	20:00	21,6	56,8	21,7	56,7	Yes
			13.10.2015	20:15	21,6	56,2	21,7	56,6	Yes
			13.10.2015	20:30	21,6	56,6	21,6	56,3	Yes
			13.10.2015	20:45	21,5	57,1	21,6	56,7	Yes
			13.10.2015	21:00	21,5	56,6	21,6	56,6	Yes
			13.10.2015	21:15	21,5	57,4	21,5	56,9	Yes
			13.10.2015	21:30	21,4	56	21,5	56,8	Yes
			13.10.2015	21:45	21,4	57,1	21,5	56,8	Yes
			13.10.2015	22:00	21,4	55,8	21,4	56,6	Yes
			13.10.2015	22:15	21,3	56,4	21,4	56,3	Yes
			13.10.2015	22:30	21,3	56,7	21,4	56,5	Yes
			13.10.2015	22:45	21,2	56,2	21,3	56,3	Yes
			13.10.2015	23:00	21,2	57,4	21,3	56,7	Yes
			13.10.2015	23:15	21,2	55,6	21,2	56,5	Yes
			13.10.2015	23:30	21,1	56,7	21,2	56,5	Yes
			13.10.2015	23:45	21,1	56,3	21,2	56,5	Yes
			14.10.2015	0:00	21,1	56,6	21,1	56,3	Yes
			14.10.2015	0:15	21,1	57,4	21,1	56,8	Yes
			14.10.2015	0:30	21,1	56,5	21,1	56,7	Yes
			14.10.2015	0:45	21,1	56,3	21,1	56,7	Yes
			14.10.2015	1:00	21	56,9	21,1	56,8	Yes
			14.10.2015	1:15	21	56,8	21,1	56,6	Yes
			14.10.2015	1:30	21	56,9	21,0	56,7	Yes
			14.10.2015	1:45	21	56	21,0	56,7	Yes
			14.10.2015	2:00	21	57,1	21,0	56,7	Yes
			14.10.2015	2:15	21	56,2	21,0	56,6	Yes
			14.10.2015	2:30	21	57,1	21,0	56,6	Yes
			14.10.2015	2:45	21	56,7	21,0	56,8	Yes
			14.10.2015	3:00	20,9	57	21,0	56,8	Yes
			14.10.2015	3:15	21	56,4	21,0	56,8	Yes
			14.10.2015	3:30	21,1	57,2	21,0	56,8	Yes
			14.10.2015	3:45	21,2	56,2	21,1	56,7	Yes
			14.10.2015	4:00	21,3	57,8	21,2	56,9	Yes
			14.10.2015	4:15	21,3	56,4	21,2	56,9	Yes
			14.10.2015	4:30	21,4	57,7	21,3	57,0	Yes
			14.10.2015	4:45	21,4	56,4	21,4	57,1	Yes
			14.10.2015	5:00	21,5	56,2	21,4	56,7	Yes
			14.10.2015	5:15	21,5	56,3	21,5	56,7	Yes
			14.10.2015	5:30	21,6	56,3	21,5	56,3	Yes
			14.10.2015	5:45	21,5	56,4	21,5	56,3	Yes
			14.10.2015	6:00	21,8	57	21,6	56,5	Yes
			14.10.2015	6:15	22,1	57,1	21,8	56,7	Yes
			14.10.2015	6:30	22,4	57,5	22,0	57,0	Yes
			14.10.2015	6:45	22,8	55,9	22,3	56,9	Yes
			14.10.2015	7:00	22,6	58,8	22,5	57,3	Yes
			14.10.2015	7:15	22,8	53,3	22,7	56,4	Yes
			14.10.2015	7:30	22,9	60,8	22,8	57,2	Yes
			14.10.2015	7:45	22,7	56	22,8	57,2	Yes
			14.10.2015	8:00	23	56,4	22,9	56,6	Yes
			14.10.2015	8:15	22,8	57	22,9	57,6	Yes
			14.10.2015	8:30	23	59,3	22,9	57,2	Yes

TYPE OF TEST: ISO 19752

PHI_15_I032	PHI_15_I0323	PHI_15_I0326	14.10.2015	8:45	23	54	23,0	56,7	Yes
			14.10.2015	9:00	23	59,7	23,0	57,5	Yes
			14.10.2015	9:15	22,9	53,2	23,0	56,6	Yes
			14.10.2015	9:30	23	58,5	23,0	56,4	Yes
			14.10.2015	9:45	23,1	52,3	23,0	55,9	Yes
			14.10.2015	10:00	23	58	23,0	55,5	Yes
			14.10.2015	10:15	23,3	57,5	23,1	56,6	Yes
			14.10.2015	10:30	23	56,8	23,1	56,2	Yes
			14.10.2015	10:45	23,3	59,1	23,2	57,9	Yes
			14.10.2015	11:00	23,1	56,1	23,2	57,4	Yes
			14.10.2015	11:15	23,3	59,2	23,2	57,8	Yes
			14.10.2015	11:30	23,2	55,7	23,2	57,5	Yes
			14.10.2015	11:45	23,3	59,2	23,2	57,6	Yes
			14.10.2015	12:00	23,1	55,9	23,2	57,5	Yes
			14.10.2015	12:15	23,3	59,2	23,2	57,5	Yes
			14.10.2015	12:30	23,1	57,1	23,2	57,9	Yes
			14.10.2015	12:45	23,3	53,5	23,2	56,4	Yes
			14.10.2015	13:00	23,1	55,2	23,2	56,3	Yes
			14.10.2015	13:15	23,2	52,6	23,2	54,6	Yes
			14.10.2015	13:30	23,2	57,9	23,2	54,8	Yes
			14.10.2015	13:45	23,4	59,4	23,2	56,3	Yes
			14.10.2015	14:00	23,2	57,5	23,3	56,9	Yes
			14.10.2015	14:15	23,2	52,3	23,3	56,8	Yes
			14.10.2015	14:30	23,1	59,1	23,2	57,1	Yes
PHI_15_I0321	PHI_15_I0323	PHI_15_I0326	14.10.2015	14:45	23,2	59,3	23,2	57,1	Yes
			14.10.2015	15:00	23,3	59,3	23,2	57,5	Yes
			14.10.2015	15:15	23,3	58,7	23,2	59,1	Yes
			14.10.2015	15:30	23,4	58,1	23,3	58,9	Yes
			14.10.2015	15:45	23,4	57,5	23,4	58,4	Yes
			14.10.2015	16:00	23,4	57	23,4	57,8	Yes
			14.10.2015	16:15	23,3	56,6	23,4	57,3	Yes
			14.10.2015	16:30	23,3	56,8	23,4	57,0	Yes
			14.10.2015	16:45	23,2	55,9	23,3	56,6	Yes
			14.10.2015	17:00	23,2	55,5	23,3	56,2	Yes
			14.10.2015	17:15	23,1	55,8	23,2	56,0	Yes
			14.10.2015	17:30	23	55,6	23,1	55,7	Yes
			14.10.2015	17:45	23	55,4	23,1	55,6	Yes
			14.10.2015	18:00	22,9	55,9	23,0	55,7	Yes
			14.10.2015	18:15	22,8	55,2	22,9	55,5	Yes
			14.10.2015	18:30	22,8	56,2	22,9	55,7	Yes
			14.10.2015	18:45	22,7	55,5	22,8	55,7	Yes
			14.10.2015	19:00	22,6	56,4	22,7	55,8	Yes
			14.10.2015	19:15	22,6	55,8	22,7	56,0	Yes
			14.10.2015	19:30	22,5	56,1	22,6	56,0	Yes
			14.10.2015	19:45	22,5	56,9	22,6	56,3	Yes
			14.10.2015	20:00	22,4	55,8	22,5	56,2	Yes
			14.10.2015	20:15	22,4	57,2	22,5	56,5	Yes
			14.10.2015	20:30	22,4	56,3	22,4	56,6	Yes
			14.10.2015	20:45	22,3	57,6	22,4	56,7	Yes
			14.10.2015	21:00	22,3	56,5	22,4	56,9	Yes
			14.10.2015	21:15	22,3	57,6	22,3	57,0	Yes
			14.10.2015	21:30	22,2	56,6	22,3	57,1	Yes
			14.10.2015	21:45	22,2	57,7	22,3	57,1	Yes
			14.10.2015	22:00	22,2	56,8	22,2	57,2	Yes
			14.10.2015	22:15	22,2	57,5	22,2	57,2	Yes
			14.10.2015	22:30	22,1	56,5	22,2	57,1	Yes
			14.10.2015	22:45	22,1	57,7	22,2	57,1	Yes
			14.10.2015	23:00	22,1	56,9	22,1	57,2	Yes
			14.10.2015	23:15	22	57,6	22,1	57,2	Yes
			14.10.2015	23:30	22	56,8	22,1	57,3	Yes
			14.10.2015	23:45	22	57,6	22,0	57,2	Yes
N/A	N/A	N/A	15.10.2015	0:00	22	57	22,0	57,3	Yes
			15.10.2015	0:15	22	56,8	22,0	57,1	Yes
			15.10.2015	0:30	21,9	57	22,0	57,1	Yes
			15.10.2015	0:45	21,9	56,5	22,0	56,8	Yes
			15.10.2015	1:00	21,9	57	21,9	56,8	Yes
			15.10.2015	1:15	21,9	57,2	21,9	56,9	Yes
			15.10.2015	1:30	21,9	56,7	21,9	56,9	Yes
			15.10.2015	1:45	21,9	56,7	21,9	56,9	Yes
			15.10.2015	2:00	21,8	57,2	21,9	57,0	Yes
			15.10.2015	2:15	21,8	56,8	21,9	56,9	Yes
			15.10.2015	2:30	21,8	57	21,8	56,9	Yes
			15.10.2015	2:45	21,8	57,3	21,8	57,1	Yes
			15.10.2015	3:00	21,8	56,9	21,8	57,0	Yes
			15.10.2015	3:15	21,8	57,5	21,8	57,2	Yes
			15.10.2015	3:30	21,8	57,7	21,8	57,4	Yes
			15.10.2015	3:45	21,9	57,2	21,8	57,3	Yes
			15.10.2015	4:00	21,9	57,1	21,9	57,4	Yes
			15.10.2015	4:15	21,9	57,8	21,9	57,5	Yes
			15.10.2015	4:30	21,9	57,1	21,9	57,3	Yes
			15.10.2015	4:45	21,9	57,7	21,9	57,4	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0321	PHI_15_I0323	PHI_15_I0326	15.10.2015	5:00	21,9	57,7	21,9	57,6	Yes
			15.10.2015	5:15	22	56,9	21,9	57,4	Yes
			15.10.2015	5:30	21,9	58,8	21,9	57,8	Yes
PHI_15_I0324	PHI_15_I0327	PHI_15_I0327	15.10.2015	5:45	22	57,3	22,0	57,7	Yes
			15.10.2015	6:00	22,2	57,5	22,0	57,6	Yes
			15.10.2015	6:15	22,6	58,2	22,2	58,0	Yes
N/A	N/A	N/A	15.10.2015	6:30	22,8	57,3	22,4	57,6	Yes
			15.10.2015	6:45	23	54,9	22,7	57,0	Yes
			15.10.2015	7:00	22,8	58,5	22,8	57,2	Yes
N/A	N/A	N/A	15.10.2015	7:15	23,1	56,6	22,9	56,8	Yes
			15.10.2015	7:30	23	54,2	23,0	56,1	Yes
			15.10.2015	7:45	23	58,2	23,0	56,9	Yes
N/A	N/A	N/A	15.10.2015	8:00	23,3	54,2	23,1	55,8	Yes
			15.10.2015	8:15	23,1	58,3	23,1	56,2	Yes
			15.10.2015	8:30	23,2	51,7	23,2	55,6	Yes
N/A	N/A	N/A	15.10.2015	8:45	23,2	58,9	23,2	55,8	Yes
			15.10.2015	9:00	23	55,1	23,1	56,0	Yes
			15.10.2015	9:15	23,2	59,6	23,2	56,3	Yes
N/A	N/A	N/A	15.10.2015	9:30	23,1	55,1	23,1	57,2	Yes
			15.10.2015	9:45	23,3	58	23,2	57,0	Yes
			15.10.2015	10:00	23,1	59,3	23,2	58,0	Yes
N/A	N/A	N/A	15.10.2015	10:15	23,1	53,3	23,2	56,4	Yes
			15.10.2015	10:30	23,2	53,8	23,2	56,1	Yes
			15.10.2015	10:45	23,1	53,5	23,1	55,0	Yes
N/A	N/A	N/A	15.10.2015	11:00	23,3	56,2	23,2	54,2	Yes
			15.10.2015	11:15	23,2	57,5	23,2	55,3	Yes
			15.10.2015	11:30	23,1	52,2	23,2	54,9	Yes
N/A	N/A	N/A	15.10.2015	11:45	23,2	55,6	23,2	55,4	Yes
			15.10.2015	12:00	23,1	49,7	23,2	53,8	Yes
			15.10.2015	12:15	23,1	57,2	23,1	53,7	Yes
N/A	N/A	N/A	15.10.2015	12:30	23,3	59,5	23,2	55,5	Yes
			15.10.2015	12:45	23,3	56,2	23,2	55,7	Yes
			15.10.2015	13:00	23,5	59,9	23,3	58,2	Yes
N/A	N/A	N/A	15.10.2015	13:15	23,2	57,6	23,3	58,3	Yes
			15.10.2015	13:30	23,2	60,2	23,3	58,5	Yes
			15.10.2015	13:45	23,3	59,9	23,3	59,4	Yes
N/A	N/A	N/A	15.10.2015	14:00	23,4	59,4	23,3	59,3	Yes
			15.10.2015	14:15	23,4	56,8	23,3	59,1	Yes
			15.10.2015	14:30	23,3	58,9	23,4	58,8	Yes
N/A	N/A	N/A	15.10.2015	14:45	23,3	60,3	23,4	58,9	Yes
			15.10.2015	15:00	23,4	59,4	23,4	58,9	Yes
			15.10.2015	15:15	23,5	58,6	23,4	59,3	Yes
N/A	N/A	N/A	15.10.2015	15:30	23,5	58	23,4	59,1	Yes
			15.10.2015	15:45	23,4	57,6	23,5	58,4	Yes
			15.10.2015	16:00	23,4	57,4	23,5	57,9	Yes
N/A	N/A	N/A	15.10.2015	16:15	23,4	56,8	23,4	57,5	Yes
			15.10.2015	16:30	23,4	56,6	23,4	57,1	Yes
			15.10.2015	16:45	23,4	56,5	23,4	56,8	Yes
N/A	N/A	N/A	15.10.2015	17:00	23,4	56,1	23,4	56,5	Yes
			15.10.2015	17:15	23,3	55,9	23,4	56,3	Yes
			15.10.2015	17:30	23,3	57,4	23,4	56,5	Yes
N/A	N/A	N/A	15.10.2015	17:45	23,2	56,6	23,3	56,5	Yes
			15.10.2015	18:00	23,2	56,2	23,3	56,5	Yes
			15.10.2015	18:15	23,1	57,8	23,2	57,0	Yes
N/A	N/A	N/A	15.10.2015	18:30	23,1	57	23,2	56,9	Yes
			15.10.2015	18:45	23,1	56,6	23,1	56,9	Yes
			15.10.2015	19:00	23	58	23,1	57,4	Yes
N/A	N/A	N/A	15.10.2015	19:15	23	57,4	23,1	57,3	Yes
			15.10.2015	19:30	22,9	56,7	23,0	57,2	Yes
			15.10.2015	19:45	22,8	57,8	22,9	57,5	Yes
N/A	N/A	N/A	15.10.2015	20:00	22,9	56,9	22,9	57,2	Yes
			15.10.2015	20:15	22,8	57,1	22,9	57,1	Yes
			15.10.2015	20:30	22,8	57,7	22,8	57,4	Yes
N/A	N/A	N/A	15.10.2015	20:45	22,7	57,3	22,8	57,3	Yes
			15.10.2015	21:00	22,7	56,9	22,8	57,3	Yes
			15.10.2015	21:15	22,7	56,5	22,7	57,1	Yes
N/A	N/A	N/A	15.10.2015	21:30	22,7	56,4	22,7	56,8	Yes
			15.10.2015	21:45	22,6	56,4	22,7	56,6	Yes
			15.10.2015	22:00	22,6	56,2	22,7	56,4	Yes
N/A	N/A	N/A	15.10.2015	22:15	22,6	56,4	22,6	56,4	Yes
			15.10.2015	22:30	22,5	56,9	22,6	56,5	Yes
			15.10.2015	22:45	22,5	56,6	22,6	56,5	Yes
N/A	N/A	N/A	15.10.2015	23:00	22,5	56,4	22,5	56,6	Yes
			15.10.2015	23:15	22,5	57,1	22,5	56,8	Yes
			15.10.2015	23:30	22,5	57,1	22,5	56,8	Yes
N/A	N/A	N/A	15.10.2015	23:45	22,5	56,8	22,5	56,9	Yes
			16.10.2015	0:00	22,4	56,6	22,5	56,9	Yes
			16.10.2015	0:15	22,4	56,3	22,5	56,7	Yes
N/A	N/A	N/A	16.10.2015	0:30	22,4	56,3	22,4	56,5	Yes
			16.10.2015	0:45	22,4	56,1	22,4	56,3	Yes
			16.10.2015	1:00	22,3	57,5	22,4	56,6	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0321	PHI_15_I0324	PHI_15_I0327	16.10.2015	1:15	22,3	56,8	22,4	56,7	Yes
			16.10.2015	1:30	22,3	56,6	22,3	56,8	Yes
			16.10.2015	1:45	22,3	56,4	22,3	56,8	Yes
			16.10.2015	2:00	22,3	56,3	22,3	56,5	Yes
			16.10.2015	2:15	22,3	56,2	22,3	56,4	Yes
			16.10.2015	2:30	22,3	56,1	22,3	56,3	Yes
			16.10.2015	2:45	22,3	57,7	22,3	56,6	Yes
			16.10.2015	3:00	22,3	57	22,3	56,8	Yes
			16.10.2015	3:15	22,3	56,7	22,3	56,9	Yes
			16.10.2015	3:30	22,3	56,4	22,3	57,0	Yes
			16.10.2015	3:45	22,3	57,5	22,3	56,9	Yes
			16.10.2015	4:00	22,3	57,4	22,3	57,0	Yes
			16.10.2015	4:15	22,3	57	22,3	57,1	Yes
			16.10.2015	4:30	22,3	56,7	22,3	57,2	Yes
			16.10.2015	4:45	22,3	56,5	22,3	56,9	Yes
			16.10.2015	5:00	22,3	56,3	22,3	56,6	Yes
			16.10.2015	5:15	22,2	57,4	22,3	56,7	Yes
			16.10.2015	5:30	22,3	56,9	22,3	56,8	Yes
			16.10.2015	5:45	22,4	57,1	22,3	56,9	Yes
			16.10.2015	6:00	22,7	56,5	22,4	57,0	Yes
			16.10.2015	6:15	22,9	56	22,6	56,6	Yes
			16.10.2015	6:30	22,8	58,2	22,7	57,0	Yes
			16.10.2015	6:45	22,9	53,2	22,8	56,0	Yes
			16.10.2015	7:00	23	57,8	22,9	56,3	Yes
			16.10.2015	7:15	22,9	58,9	22,9	57,0	Yes
			16.10.2015	7:30	22,9	51,8	22,9	55,4	Yes
			16.10.2015	7:45	22,9	57,6	22,9	56,5	Yes
			16.10.2015	8:00	22,9	52,3	22,9	55,2	Yes
			16.10.2015	8:15	23	59,3	22,9	55,3	Yes
			16.10.2015	8:30	22,9	58,3	22,9	56,9	Yes
			16.10.2015	8:45	23,1	56,2	23,0	56,5	Yes
			16.10.2015	9:00	23	59,6	23,0	58,4	Yes
			16.10.2015	9:15	23,3	60,8	23,1	58,7	Yes
			16.10.2015	9:30	23,1	54	23,1	57,7	Yes
			16.10.2015	9:45	23,2	60,3	23,2	58,7	Yes
			16.10.2015	10:00	23,4	56,1	23,3	57,8	Yes
			16.10.2015	10:15	23,2	59,3	23,2	57,4	Yes
			16.10.2015	10:30	23	56	23,2	57,9	Yes
			16.10.2015	10:45	23,1	54,8	23,2	56,6	Yes
			16.10.2015	11:00	23,1	59	23,1	57,3	Yes
			16.10.2015	11:15	23	54,1	23,1	56,0	Yes
			16.10.2015	11:30	23,1	60,6	23,1	57,1	Yes
			16.10.2015	11:45	23,1	55,8	23,1	57,4	Yes
			16.10.2015	12:00	23	58,5	23,1	57,3	Yes
			16.10.2015	12:15	22,9	51,8	23,0	56,7	Yes
			16.10.2015	12:30	23	54,6	23,0	55,2	Yes
			16.10.2015	12:45	23	59,3	23,0	56,1	Yes
			16.10.2015	13:00	23,3	61,3	23,1	56,8	Yes
			16.10.2015	13:15	23,2	53	23,1	57,1	Yes
			16.10.2015	13:30	23	56,1	23,1	57,4	Yes
			16.10.2015	13:45	23,1	52,3	23,2	55,7	Yes
			16.10.2015	14:00	23,2	57,3	23,1	54,7	Yes
			16.10.2015	14:15	23	53,6	23,1	54,8	Yes
			16.10.2015	14:30	23,1	55,1	23,1	54,6	Yes
			16.10.2015	14:45	22,8	58			No
			16.10.2015	15:00	22,8	61,2			No
			16.10.2015	15:15	22,9	62,4			No
			16.10.2015	15:30	22,9	61,9			No
			16.10.2015	15:45	23	61,3			No
			16.10.2015	16:00	23	61			No
			16.10.2015	16:15	23	60,1			No
			16.10.2015	16:30	23	60			No
			16.10.2015	16:45	23	59,6			No
			16.10.2015	17:00	23	59,3			No
			16.10.2015	17:15	22,9	58,8			No
			16.10.2015	17:30	22,9	58,4			No
			16.10.2015	17:45	22,8	58			No
			16.10.2015	18:00	22,8	58,1			No
			16.10.2015	18:15	22,8	57,8			No
			16.10.2015	18:30	22,8	57,7			No
			16.10.2015	18:45	22,8	57,7			No
			16.10.2015	19:00	22,7	57,6			No
			16.10.2015	19:15	22,7	57,5			No
			16.10.2015	19:30	22,7	57,1			No
			16.10.2015	19:45	22,7	57			No
			16.10.2015	20:00	22,6	56,7			No
			16.10.2015	20:15	22,6	56,8			No
			16.10.2015	20:30	22,6	56,7			No
			16.10.2015	20:45	22,6	56,7			No
			16.10.2015	21:00	22,6	56,6			No
			16.10.2015	21:15	22,5	56,3			No

TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752

16.10.2015	21:30	22,5	56,3		No
16.10.2015	21:45	22,5	57,8		No
16.10.2015	22:00	22,5	57,3		No
16.10.2015	22:15	22,5	56,6		No
16.10.2015	22:30	22,4	56,6		No
16.10.2015	22:45	22,4	57,5		No
16.10.2015	23:00	22,4	57,2		No
16.10.2015	23:15	22,3	56,6		No
16.10.2015	23:30	22,3	56,6		No
16.10.2015	23:45	22,3	57,8		No
17.10.2015	0:00	22,3	57,4		No
17.10.2015	0:15	22,3	57		No
17.10.2015	0:30	22,3	56,8		No
17.10.2015	0:45	22,3	56,6		No
17.10.2015	1:00	22,2	56,7		No
17.10.2015	1:15	22,2	57,5		No
17.10.2015	1:30	22,2	57,1		No
17.10.2015	1:45	22,2	56,8		No
17.10.2015	2:00	22,2	57,1		No
17.10.2015	2:15	22,1	57,6		No
17.10.2015	2:30	22,1	57,1		No
17.10.2015	2:45	22,1	56,9		No
17.10.2015	3:00	22,1	58		No
17.10.2015	3:15	22,1	57,4		No
17.10.2015	3:30	22,1	57		No
17.10.2015	3:45	22	58		No
17.10.2015	4:00	22	57,6		No
17.10.2015	4:15	22	57,1		No
17.10.2015	4:30	22	57,2		No
17.10.2015	4:45	21,9	57,8		No
17.10.2015	5:00	21,9	57,2		No
17.10.2015	5:15	21,9	57		No
17.10.2015	5:30	21,9	57,9		No
17.10.2015	5:45	21,9	57,4		No
17.10.2015	6:00	21,8	57		No
17.10.2015	6:15	21,8	57,9		No
17.10.2015	6:30	21,8	57		No
17.10.2015	6:45	21,8	57,4		No
17.10.2015	7:00	21,7	57,8		No
17.10.2015	7:15	21,7	57,3		No
17.10.2015	7:30	21,7	58		No
17.10.2015	7:45	21,7	57,9		No
17.10.2015	8:00	21,7	57,4		No
17.10.2015	8:15	21,7	57,4		No
17.10.2015	8:30	21,6	58		No
17.10.2015	8:45	21,6	57,4		No
17.10.2015	9:00	21,6	58,3		No
17.10.2015	9:15	21,6	57,9		No
17.10.2015	9:30	21,6	57,4		No
17.10.2015	9:45	21,6	58,5		No
17.10.2015	10:00	21,6	57,6		No
17.10.2015	10:15	21,5	57,2		No
17.10.2015	10:30	21,5	58,4		No
17.10.2015	10:45	21,5	57,2		No
17.10.2015	11:00	21,5	58,1		No
17.10.2015	11:15	21,5	58		No
17.10.2015	11:30	21,5	57,5		No
17.10.2015	11:45	21,4	58,5		No
17.10.2015	12:00	21,4	58,3		No
17.10.2015	12:15	21,4	57,8		No
17.10.2015	12:30	21,4	57,4		No
17.10.2015	12:45	21,4	57,1		No
17.10.2015	13:00	21,4	56,9		No
17.10.2015	13:15	21,4	56,9		No
17.10.2015	13:30	21,4	56,7		No
17.10.2015	13:45	21,4	56,6		No
17.10.2015	14:00	21,4	56,5		No
17.10.2015	14:15	21,4	56,2		No
17.10.2015	14:30	21,4	56,2		No
17.10.2015	14:45	21,4	56,2		No
17.10.2015	15:00	21,4	56,1		No
17.10.2015	15:15	21,4	56		No
17.10.2015	15:30	21,4	56		No
17.10.2015	15:45	21,4	55,9		No
17.10.2015	16:00	21,4	55,8		No
17.10.2015	16:15	21,4	56,9		No
17.10.2015	16:30	21,4	56,6		No
17.10.2015	16:45	21,4	56,4		No
17.10.2015	17:00	21,4	56,2		No
17.10.2015	17:15	21,4	56,2		No
17.10.2015	17:30	21,4	56,1		No

TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	17.10.2015	17:45	21,4	56,1			No
N/A	N/A	N/A	17.10.2015	18:00	21,4	56,1			No
N/A	N/A	N/A	17.10.2015	18:15	21,4	56			No
N/A	N/A	N/A	17.10.2015	18:30	21,4	55,9			No
N/A	N/A	N/A	17.10.2015	18:45	21,4	55,8			No
N/A	N/A	N/A	17.10.2015	19:00	21,4	56,7			No
N/A	N/A	N/A	17.10.2015	19:15	21,3	56,8			No
N/A	N/A	N/A	17.10.2015	19:30	21,4	56,4			No
N/A	N/A	N/A	17.10.2015	19:45	21,3	56,1			No
N/A	N/A	N/A	17.10.2015	20:00	21,3	57,3			No
N/A	N/A	N/A	17.10.2015	20:15	21,3	56,5			No
N/A	N/A	N/A	17.10.2015	20:30	21,3	56,2			No
N/A	N/A	N/A	17.10.2015	20:45	21,3	57,2			No
N/A	N/A	N/A	17.10.2015	21:00	21,2	57			No
N/A	N/A	N/A	17.10.2015	21:15	21,2	56,4			No
N/A	N/A	N/A	17.10.2015	21:30	21,2	56,2			No
N/A	N/A	N/A	17.10.2015	21:45	21,2	57,2			No
N/A	N/A	N/A	17.10.2015	22:00	21,2	56,6			No
N/A	N/A	N/A	17.10.2015	22:15	21,2	56,4			No
N/A	N/A	N/A	17.10.2015	22:30	21,1	57,6			No
N/A	N/A	N/A	17.10.2015	22:45	21,1	56,9			No
N/A	N/A	N/A	17.10.2015	23:00	21,1	56,6			No
N/A	N/A	N/A	17.10.2015	23:15	21	57,6			No
N/A	N/A	N/A	17.10.2015	23:30	21	56,9			No
N/A	N/A	N/A	17.10.2015	23:45	21	56,4			No
N/A	N/A	N/A	18.10.2015	0:00	21	57,6			No
N/A	N/A	N/A	18.10.2015	0:15	21	56,9			No
N/A	N/A	N/A	18.10.2015	0:30	20,9	56,4			No
N/A	N/A	N/A	18.10.2015	0:45	20,9	57,5			No
N/A	N/A	N/A	18.10.2015	1:00	20,9	56,8			No
N/A	N/A	N/A	18.10.2015	1:15	20,9	56,6			No
N/A	N/A	N/A	18.10.2015	1:30	20,8	57,5			No
N/A	N/A	N/A	18.10.2015	1:45	20,8	56,9			No
N/A	N/A	N/A	18.10.2015	2:00	20,8	57,8			No
N/A	N/A	N/A	18.10.2015	2:15	20,8	57,4			No
N/A	N/A	N/A	18.10.2015	2:30	20,8	56,7			No
N/A	N/A	N/A	18.10.2015	2:45	20,7	58,5			No
N/A	N/A	N/A	18.10.2015	3:00	20,7	57,3			No
N/A	N/A	N/A	18.10.2015	3:15	20,7	56,7			No
N/A	N/A	N/A	18.10.2015	3:30	20,6	57,9			No
N/A	N/A	N/A	18.10.2015	3:45	20,6	57,1			No
N/A	N/A	N/A	18.10.2015	4:00	20,6	58,1			No
N/A	N/A	N/A	18.10.2015	4:15	20,6	57,5			No
N/A	N/A	N/A	18.10.2015	4:30	20,5	56,8			No
N/A	N/A	N/A	18.10.2015	4:45	20,5	58			No
N/A	N/A	N/A	18.10.2015	5:00	20,5	57,1			No
N/A	N/A	N/A	18.10.2015	5:15	20,5	57,3			No
N/A	N/A	N/A	18.10.2015	5:30	20,4	57,7			No
N/A	N/A	N/A	18.10.2015	5:45	20,4	56,8			No
N/A	N/A	N/A	18.10.2015	6:00	20,4	58,1	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:15	20,3	57,2	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:30	20,3	57,9	20,4	57,5	Yes
N/A	N/A	N/A	18.10.2015	6:45	20,3	57,3	20,3	57,6	Yes
N/A	N/A	N/A	18.10.2015	7:00	20,2	57,2	20,3	57,4	Yes
N/A	N/A	N/A	18.10.2015	7:15	20,2	56,7	20,3	57,3	Yes
N/A	N/A	N/A	18.10.2015	7:30	20,2	58	20,2	57,3	Yes
N/A	N/A	N/A	18.10.2015	7:45	20,2	57,5	20,2	57,4	Yes
N/A	N/A	N/A	18.10.2015	8:00	20,2	57	20,2	57,3	Yes
N/A	N/A	N/A	18.10.2015	8:15	20,1	58	20,2	57,6	Yes
N/A	N/A	N/A	18.10.2015	8:30	20,1	57,5	20,2	57,5	Yes
N/A	N/A	N/A	18.10.2015	8:45	20,1	57,2	20,1	57,4	Yes
N/A	N/A	N/A	18.10.2015	9:00	20,1	58,5	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:15	20,1	57,9	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:30	20,1	57,4	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	9:45	20,1	57,2	20,1	57,8	Yes
N/A	N/A	N/A	18.10.2015	10:00	20,1	58,3	20,1	57,7	Yes
N/A	N/A	N/A	18.10.2015	10:15	20,1	57,7	20,1	57,7	Yes
N/A	N/A	N/A	18.10.2015	10:30	20,1	57,2	20,1	57,6	Yes
N/A	N/A	N/A	18.10.2015	10:45	20,1	56,4	20,1	57,4	Yes
N/A	N/A	N/A	18.10.2015	11:00	20,2	56,4	20,1	56,9	Yes
N/A	N/A	N/A	18.10.2015	11:15	20,2	56,3	20,2	56,6	Yes
N/A	N/A	N/A	18.10.2015	11:30	20,2	56,1	20,2	56,3	Yes
N/A	N/A	N/A	18.10.2015	11:45	20,2	56	20,2	56,2	Yes
N/A	N/A	N/A	18.10.2015	12:00	20,2	55,9	20,2	56,1	Yes
N/A	N/A	N/A	18.10.2015	12:15	20,2	55,8	20,2	56,0	Yes
N/A	N/A	N/A	18.10.2015	12:30	20,3	55,7	20,2	55,9	Yes
N/A	N/A	N/A	18.10.2015	12:45	20,3	55,7	20,3	55,8	Yes
N/A	N/A	N/A	18.10.2015	13:00	20,3	55,5	20,3	55,7	Yes
N/A	N/A	N/A	18.10.2015	13:15	20,3	55,4	20,3	55,6	Yes
N/A	N/A	N/A	18.10.2015	13:30	20,3	57,1	20,3	55,9	Yes
N/A	N/A	N/A	18.10.2015	13:45	20,3	56,7	20,3	56,2	Yes

TEST REPORT

Creation date of report: 9.12.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0321	I0324	I0327	18.10.2015	14:00	20,3	56,2	20,3	56,4	Yes
			18.10.2015	14:15	20,3	55,6	20,3	56,4	Yes
			18.10.2015	14:30	20,3	57,1	20,3	56,4	Yes
			18.10.2015	14:45	20,3	56,6	20,3	56,4	Yes
			18.10.2015	15:00	20,3	56,2	20,3	56,4	Yes
			18.10.2015	15:15	20,3	58,5	20,3	57,1	Yes
			18.10.2015	15:30	20,3	57,1	20,3	57,1	Yes
			18.10.2015	15:45	20,3	56,7	20,3	57,1	Yes
			18.10.2015	16:00	20,3	56,4	20,3	57,2	Yes
			18.10.2015	16:15	20,3	56,3	20,3	56,6	Yes
			18.10.2015	16:30	20,3	57,5	20,3	56,7	Yes
			18.10.2015	16:45	20,3	56,8	20,3	56,8	Yes
			18.10.2015	17:00	20,3	56,5	20,3	56,8	Yes
			18.10.2015	17:15	20,4	56,3	20,3	56,8	Yes
			18.10.2015	17:30	20,3	56,1	20,3	56,4	Yes
			18.10.2015	17:45	20,3	55,9	20,3	56,2	Yes
			18.10.2015	18:00	20,3	55,8	20,3	56,0	Yes
			18.10.2015	18:15	20,3	55,7	20,3	55,9	Yes
			18.10.2015	18:30	20,3	55,6	20,3	55,8	Yes
			18.10.2015	18:45	20,3	55,5	20,3	55,7	Yes
			18.10.2015	19:00	20,3	55,3	20,3	55,5	Yes
			18.10.2015	19:15	20,3	55,1	20,3	55,4	Yes
			18.10.2015	19:30	20,3	56,6	20,3	55,6	Yes
			18.10.2015	19:45	20,3	56,2	20,3	55,8	Yes
			18.10.2015	20:00	20,2	55,1	20,3	55,8	Yes
			18.10.2015	20:15	20,2	56,8	20,3	56,2	Yes
			18.10.2015	20:30	20,2	56,3	20,2	56,1	Yes
			18.10.2015	20:45	20,2	55,9	20,2	56,0	Yes
			18.10.2015	21:00	20,2	57,2	20,2	56,6	Yes
			18.10.2015	21:15	20,2	56,5	20,2	56,5	Yes
			18.10.2015	21:30	20,2	56,1	20,2	56,4	Yes
			18.10.2015	21:45	20,2	58,4	20,2	57,1	Yes
			18.10.2015	22:00	20,2	56,9	20,2	57,0	Yes
			18.10.2015	22:15	20,2	56,4	20,2	57,0	Yes
			18.10.2015	22:30	20,1	56,1	20,2	57,0	Yes
			18.10.2015	22:45	20,1	58,1	20,2	56,9	Yes
			18.10.2015	23:00	20,1	57	20,1	56,9	Yes
			18.10.2015	23:15	20,1	55,6	20,1	56,7	Yes
			18.10.2015	23:30	20,1	57,1	20,1	57,0	Yes
			18.10.2015	23:45	20,1	56,7	20,1	56,6	Yes
			19.10.2015	0:00	20,1	56,4	20,1	56,5	Yes
			19.10.2015	0:15	20,1	57,3	20,1	56,9	Yes
			19.10.2015	0:30	20,1	57,5	20,1	57,0	Yes
			19.10.2015	0:45	20,2	57	20,1	57,1	Yes
			19.10.2015	1:00	20,3	56,5	20,2	57,1	Yes
			19.10.2015	1:15	20,4	57,1	20,3	57,0	Yes
			19.10.2015	1:30	20,5	57,3	20,4	57,0	Yes
			19.10.2015	1:45	20,6	56,7	20,5	56,9	Yes
			19.10.2015	2:00	20,6	56,3	20,5	56,9	Yes
			19.10.2015	2:15	20,7	56,1	20,6	56,6	Yes
			19.10.2015	2:30	20,8	55,8	20,7	56,2	Yes
			19.10.2015	2:45	20,8	55,6	20,7	56,0	Yes
			19.10.2015	3:00	20,8	57,2	20,8	56,2	Yes
			19.10.2015	3:15	20,8	56,5	20,8	56,3	Yes
			19.10.2015	3:30	20,9	56	20,8	56,3	Yes
			19.10.2015	3:45	20,9	55,7	20,9	56,4	Yes
			19.10.2015	4:00	20,9	55,4	20,9	55,9	Yes
			19.10.2015	4:15	20,9	56,7	20,9	56,0	Yes
			19.10.2015	4:30	21	56,1	20,9	56,0	Yes
			19.10.2015	4:45	21	55,6	21,0	56,0	Yes
			19.10.2015	5:00	21	55,2	21,0	55,9	Yes
			19.10.2015	5:15	21	56,3	21,0	55,8	Yes
			19.10.2015	5:30	21	55,4	21,0	55,6	Yes
			19.10.2015	5:45	21,1	56,9	21,0	56,0	Yes
PHI_15_I0321	I0324	I0327	19.10.2015	6:00	21,4	56,8	21,1	56,4	Yes
			19.10.2015	6:15	21,8	55,9	21,3	56,3	Yes
			19.10.2015	6:30	22	56,5	21,6	56,5	Yes
			19.10.2015	6:45	22,3	55,4	21,9	56,2	Yes
			19.10.2015	7:00	22,5	56,1	22,2	56,0	Yes
			19.10.2015	7:15	22,7	55,2	22,4	55,8	Yes
			19.10.2015	7:30	22,9	55,7	22,6	55,6	Yes
			19.10.2015	7:45	22,7	58,2	22,7	56,3	Yes
			19.10.2015	8:00	22,9	53,3	22,8	55,6	Yes
			19.10.2015	8:15	22,8	57,6	22,8	56,2	Yes
			19.10.2015	8:30	22,8	55,1	22,8	56,1	Yes
			19.10.2015	8:45	23	59,6	22,9	56,4	Yes
			19.10.2015	9:00	22,9	57,1	22,9	57,4	Yes
			19.10.2015	9:15	22,9	53,4	22,9	56,3	Yes
			19.10.2015	9:30	22,7	52,8	22,9	55,7	Yes
			19.10.2015	9:45	22,9	53,3	22,9	54,2	Yes
			19.10.2015	10:00	22,9	58,8	22,9	54,6	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0322	PHI_15	PHI_15	19.10.2015	10:15	22,9	51,7	22,9	54,2	Yes
			19.10.2015	10:30	22,9	52,6	22,9	54,1	Yes
N/A	N/A	N/A	19.10.2015	10:45	23	58,6	22,9	55,4	Yes
			19.10.2015	11:00	23	53,9	23,0	54,2	Yes
			19.10.2015	11:15	22,9	57,3	23,0	55,6	Yes
			19.10.2015	11:30	22,9	54,5	23,0	56,1	Yes
			19.10.2015	11:45	23,2	60,1	23,0	56,5	Yes
			19.10.2015	12:00	23,1	52,4	23,0	56,1	Yes
			19.10.2015	12:15	23	56,2	23,1	55,8	Yes
			19.10.2015	12:30	23,2	54,3	23,1	55,8	Yes
			19.10.2015	12:45	23,1	49,1	23,1	53,0	Yes
			19.10.2015	13:00	23,1	54,4	23,1	53,5	Yes
			19.10.2015	13:15	23	52,7	23,1	52,6	Yes
			19.10.2015	13:30	23,1	50,9	23,1	51,8	Yes
			19.10.2015	13:45	23,2	53,2	23,1	52,8	Yes
			19.10.2015	14:00	23,1	49,3	23,1	51,5	Yes
			19.10.2015	14:15	22,9	47	23,1	50,1	Yes
			19.10.2015	14:30	23,1	51	23,1	50,1	Yes
			19.10.2015	14:45	22,8	53,9	23,0	50,3	Yes
			19.10.2015	15:00	22,8	56,1	22,9	52,0	Yes
			19.10.2015	15:15	22,9	56,7	22,9	54,4	Yes
			19.10.2015	15:30	23	56,3	22,9	55,8	Yes
			19.10.2015	15:45	23	55,7	22,9	56,2	Yes
			19.10.2015	16:00	23,1	55,3	23,0	56,0	Yes
			19.10.2015	16:15	23	55,4	23,0	55,7	Yes
			19.10.2015	16:30	23	55	23,0	55,4	Yes
			19.10.2015	16:45	23	54,3	23,0	55,0	Yes
			19.10.2015	17:00	22,9	55,2	23,0	55,0	Yes
			19.10.2015	17:15	22,9	54,4	23,0	54,7	Yes
			19.10.2015	17:30	22,7	55,4	22,9	54,8	Yes
			19.10.2015	17:45	22,7	55,8	22,8	55,2	Yes
			19.10.2015	18:00	22,6	55,4	22,7	55,3	Yes
			19.10.2015	18:15	22,6	56,5	22,7	55,8	Yes
			19.10.2015	18:30	22,5	55,5	22,6	55,8	Yes
			19.10.2015	18:45	22,4	57,4	22,5	56,2	Yes
			19.10.2015	19:00	22,4	55,5	22,5	56,2	Yes
			19.10.2015	19:15	22,3	56,5	22,4	56,2	Yes
			19.10.2015	19:30	22,3	55,8	22,4	56,3	Yes
			19.10.2015	19:45	22,3	55,8	22,3	55,9	Yes
			19.10.2015	20:00	22,2	57,1	22,3	56,3	Yes
			19.10.2015	20:15	22,2	56	22,3	56,2	Yes
			19.10.2015	20:30	22,1	57,2	22,2	56,5	Yes
			19.10.2015	20:45	22,1	56,2	22,2	56,6	Yes
			19.10.2015	21:00	22,1	57,6	22,1	56,8	Yes
			19.10.2015	21:15	22	56	22,1	56,8	Yes
			19.10.2015	21:30	22	57,1	22,1	56,7	Yes
			19.10.2015	21:45	22	56,3	22,0	56,8	Yes
			19.10.2015	22:00	21,9	57,4	22,0	56,7	Yes
			19.10.2015	22:15	21,9	56,4	22,0	56,8	Yes
			19.10.2015	22:30	21,8	57	21,9	56,8	Yes
			19.10.2015	22:45	21,8	56,2	21,9	56,8	Yes
			19.10.2015	23:00	21,8	57,5	21,8	56,8	Yes
			19.10.2015	23:15	21,8	56,7	21,8	56,9	Yes
			19.10.2015	23:30	21,7	57,2	21,8	56,9	Yes
			19.10.2015	23:45	21,7	56,6	21,8	57,0	Yes
			20.10.2015	0:00	21,7	57,1	21,7	56,9	Yes
			20.10.2015	0:15	21,7	56,6	21,7	56,9	Yes
			20.10.2015	0:30	21,6	57,5	21,7	57,0	Yes
			20.10.2015	0:45	21,6	56,8	21,7	57,0	Yes
			20.10.2015	1:00	21,6	58,1	21,6	57,3	Yes
			20.10.2015	1:15	21,6	56,8	21,6	57,3	Yes
			20.10.2015	1:30	21,6	56,4	21,6	57,0	Yes
			20.10.2015	1:45	21,5	57,3	21,6	57,2	Yes
			20.10.2015	2:00	21,5	56,7	21,6	56,8	Yes
			20.10.2015	2:15	21,5	58,2	21,5	57,2	Yes
			20.10.2015	2:30	21,5	57,1	21,5	57,3	Yes
			20.10.2015	2:45	21,5	56,5	21,5	57,1	Yes
			20.10.2015	3:00	21,5	57,4	21,5	57,3	Yes
			20.10.2015	3:15	21,5	57	21,5	57,0	Yes
			20.10.2015	3:30	21,6	56,5	21,5	56,9	Yes
			20.10.2015	3:45	21,6	57,7	21,6	57,2	Yes
			20.10.2015	4:00	21,8	56,9	21,6	57,0	Yes
			20.10.2015	4:15	21,8	56,3	21,7	56,9	Yes
			20.10.2015	4:30	21,8	57,3	21,8	57,1	Yes
			20.10.2015	4:45	21,9	56,5	21,8	56,8	Yes
			20.10.2015	5:00	21,9	55,9	21,9	56,5	Yes
			20.10.2015	5:15	21,9	56,8	21,9	56,6	Yes
			20.10.2015	5:30	21,9	55,8	21,9	56,3	Yes
			20.10.2015	5:45	22	56,9	21,9	56,4	Yes
			20.10.2015	6:00	22,3	55,9	22,0	56,4	Yes
			20.10.2015	6:15	22,7	57,4	22,2	56,5	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0322	PHI_15_I0324	PHI_15_I032	20.10.2015	6:30	23	55,1	22,5	56,3	Yes
			20.10.2015	6:45	22,7	58,5	22,7	56,7	Yes
PHI_15_I0325	PHI_15_I0328	PHI_15_I032	20.10.2015	7:00	22,9	52,6	22,8	55,9	Yes
			20.10.2015	7:15	22,8	57,4	22,9	55,9	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	7:30	23	53	22,9	55,4	Yes
			20.10.2015	7:45	23,1	59,8	23,0	55,7	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	8:00	23	51,4	23,0	55,4	Yes
			20.10.2015	8:15	22,9	55,5	23,0	54,9	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	8:30	23,2	58,3	23,1	56,3	Yes
			20.10.2015	8:45	23	52,3	23,0	54,4	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	9:00	23,2	56,6	23,1	55,7	Yes
			20.10.2015	9:15	23,1	50,1	23,1	54,3	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	9:30	23,2	56,1	23,1	53,8	Yes
			20.10.2015	9:45	23	51,6	23,1	53,6	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	10:00	23,2	57,9	23,1	53,9	Yes
			20.10.2015	10:15	23,1	55,7	23,1	55,3	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	10:30	23,3	54,6	23,2	55,0	Yes
			20.10.2015	10:45	23,2	57,8	23,2	56,5	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	11:00	23,1	53,5	23,2	55,4	Yes
			20.10.2015	11:15	23,3	55,9	23,2	55,5	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	11:30	23,2	49,9	23,2	54,3	Yes
			20.10.2015	11:45	23,4	54	23,3	53,3	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	12:00	23,3	49,3	23,3	52,3	Yes
			20.10.2015	12:15	23,2	51,2	23,3	51,1	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	12:30	23,3	50,9	23,3	51,4	Yes
			20.10.2015	12:45	23,2	47,6	23,3	49,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	13:00	23,2	54,8	23,2	51,1	Yes
			20.10.2015	13:15	23,3	48,7	23,3	50,5	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	13:30	23,3	55,2	23,3	51,6	Yes
			20.10.2015	13:45	23,5	55,2	23,3	53,5	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	14:00	23,3	56,3	23,4	53,9	Yes
			20.10.2015	14:15	23,2	53,5	23,3	55,1	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	14:30	23,3	49,1	23,3	53,5	Yes
			20.10.2015	14:45	22,8	53,1	23,2	53,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	15:00	22,9	56,8	23,1	53,1	Yes
			20.10.2015	15:15	23	57,1	23,0	54,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	15:30	23,1	57,6	23,0	56,2	Yes
			20.10.2015	15:45	23,1	56,4	23,0	57,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	16:00	23,2	56,5	23,1	56,9	Yes
			20.10.2015	16:15	23,2	55,7	23,2	56,6	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	16:30	23,2	55,8	23,2	56,1	Yes
			20.10.2015	16:45	23,1	55,8	23,2	56,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	17:00	23,1	55,6	23,2	55,7	Yes
			20.10.2015	17:15	23	56	23,1	55,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	17:30	22,9	55,9	23,0	55,8	Yes
			20.10.2015	17:45	22,9	55,1	23,0	55,7	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	18:00	22,8	56,2	22,9	55,8	Yes
			20.10.2015	18:15	22,8	55,2	22,9	55,6	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	18:30	22,7	56,1	22,8	55,7	Yes
			20.10.2015	18:45	22,7	55,5	22,8	55,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	19:00	22,6	56,2	22,7	55,8	Yes
			20.10.2015	19:15	22,6	56	22,7	56,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	19:30	22,5	55,7	22,6	55,9	Yes
			20.10.2015	19:45	22,5	56,2	22,6	56,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	20:00	22,4	55	22,5	55,7	Yes
			20.10.2015	20:15	22,3	56,2	22,4	55,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	20:30	22,3	56	22,4	55,9	Yes
			20.10.2015	20:45	22,3	56,3	22,3	55,9	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	21:00	22,3	56,8	22,3	56,3	Yes
			20.10.2015	21:15	22,2	56	22,3	56,3	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	21:30	22,2	57,5	22,3	56,7	Yes
			20.10.2015	21:45	22,1	56,1	22,2	56,6	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	22:00	22,1	57,1	22,2	56,7	Yes
			20.10.2015	22:15	22,1	56,2	22,1	56,7	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	22:30	22	56,7	22,1	56,5	Yes
			20.10.2015	22:45	22	56,6	22,1	56,7	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	23:00	21,9	56,8	22,0	56,6	Yes
			20.10.2015	23:15	21,9	57,1	22,0	56,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	20.10.2015	23:30	21,9	56,3	21,9	56,7	Yes
			20.10.2015	23:45	21,9	57,7	21,9	57,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	0:00	21,8	56,3	21,9	56,9	Yes
			21.10.2015	0:15	21,8	57,6	21,9	57,0	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	0:30	21,8	56,5	21,8	57,0	Yes
			21.10.2015	0:45	21,8	57	21,8	56,9	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	1:00	21,8	56,9	21,8	57,0	Yes
			21.10.2015	1:15	21,8	56,6	21,8	56,8	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	1:30	21,7	57,5	21,8	57,0	Yes
			21.10.2015	1:45	21,7	56,7	21,8	56,9	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	2:00	21,7	57,8	21,7	57,2	Yes
			21.10.2015	2:15	21,7	56,9	21,7	57,2	Yes
PHI_15_I0322	PHI_15_I0325	PHI_15_I0328	21.10.2015	2:30	21,7	57,8	21,7	57,3	Yes

TYPE OF TEST: ISO 19752

21.10.2015	2:45	21,7	57	21,7	57,4	Yes
				21,7	57,3	Yes
				21,7	57,4	Yes
				21,7	57,1	Yes
				21,7	57,3	Yes
				21,7	57,2	Yes
				21,8	57,3	Yes
				21,8	57,3	Yes
				21,8	57,3	Yes
				21,9	57,3	Yes
				21,9	57,2	Yes
				22	57,2	Yes
				22	57,1	Yes
				22,2	57,1	Yes
				22,2	56,7	Yes
				22,2	56,7	Yes
				22,2	56,3	Yes
				22,9	56,9	Yes
				22,9	56,4	Yes
				22,9	56,2	Yes
21.10.2015	7:00	23,1	55,1	23,0	56,4	Yes
				23	56,3	Yes
				23,3	57,5	Yes
				23,1	57,3	Yes
				23,3	57,1	Yes
				23,2	56,9	Yes
				23,2	55,6	Yes
				23,2	56,1	Yes
				23,3	55,8	Yes
				23,2	55,7	Yes
				23,4	55,9	Yes
				23,2	53,7	Yes
				23,3	55,0	Yes
				23,4	53,4	Yes
				23,2	51,4	Yes
				23	52,0	Yes
				23,3	52,0	Yes
				23,2	51,2	Yes
				23,2	51,5	Yes
				23,1	52,4	Yes
21.10.2015	12:30	23,1	53,7	23,0	51,3	Yes
				23,2	51,7	Yes
				23,1	51,4	Yes
				23,1	49,5	Yes
				23,1	49,5	Yes
				23,2	49,2	Yes
				23,2	48,8	Yes
				23,2	48,7	Yes
				23,2	48,6	Yes
				23,1	50,5	Yes
				23,2	53,0	Yes
				23,3	54,7	Yes
				23,3	54,9	Yes
				23,4	54,5	Yes
				23,4	54,2	Yes
				23,5	54,1	Yes
				23,5	53,9	Yes
				23,4	54,1	Yes
				23,4	54,1	Yes
				23,3	54,0	Yes
21.10.2015	17:45	23,1	54,2	23,2	54,1	Yes
				23,2	54,1	Yes
				23,1	54,1	Yes
				23,1	54,5	Yes
				23,0	54,6	Yes
				23,0	54,6	Yes
				22,9	55,1	Yes
				22,9	54,9	Yes
				22,7	54,9	Yes
				22,7	55,1	Yes
				22,6	54,7	Yes
				22,6	55,0	Yes
				22,6	55,1	Yes
				22,6	55,1	Yes
				22,5	55,4	Yes
				22,5	55,4	Yes
				22,5	55,4	Yes
				22,4	55,5	Yes
				22,3	55,7	Yes
				22,3	55,6	Yes
21.10.2015	22:45	22,3	55,2	22,3	55,6	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	21.10.2015	23:00	22,3	56	22,3	55,6	Yes
			21.10.2015	23:15	22,2	55,8	22,3	55,5	Yes
			21.10.2015	23:30	22,2	55,3	22,3	55,6	Yes
			21.10.2015	23:45	22,2	55,7	22,2	55,7	Yes
			22.10.2015	0:00	22,2	56,8	22,2	55,9	Yes
			22.10.2015	0:15	22,2	55,3	22,2	55,8	Yes
			22.10.2015	0:30	22,1	55,8	22,2	55,9	Yes
			22.10.2015	0:45	22,1	55,9	22,2	56,0	Yes
			22.10.2015	1:00	22,1	56,1	22,1	55,8	Yes
			22.10.2015	1:15	22,1	55,8	22,1	55,9	Yes
			22.10.2015	1:30	22,1	56,3	22,1	56,0	Yes
			22.10.2015	1:45	22,1	55,7	22,1	56,0	Yes
			22.10.2015	2:00	22	56,3	22,1	56,0	Yes
			22.10.2015	2:15	22	55,7	22,1	56,0	Yes
			22.10.2015	2:30	22	56,4	22,0	56,0	Yes
			22.10.2015	2:45	22	55,7	22,0	56,0	Yes
			22.10.2015	3:00	22	56,3	22,0	56,0	Yes
			22.10.2015	3:15	22	55,7	22,0	56,0	Yes
			22.10.2015	3:30	22	55,3	22,0	55,8	Yes
			22.10.2015	3:45	22	55,1	22,0	55,6	Yes
			22.10.2015	4:00	22,1	56,4	22,0	55,6	Yes
			22.10.2015	4:15	22,1	55,7	22,1	55,6	Yes
			22.10.2015	4:30	22,1	55,2	22,1	55,6	Yes
			22.10.2015	4:45	22,2	54,7	22,1	55,5	Yes
			22.10.2015	5:00	22,2	55,2	22,2	55,2	Yes
			22.10.2015	5:15	22,2	55,2	22,2	55,1	Yes
			22.10.2015	5:30	22,2	54,5	22,2	54,9	Yes
			22.10.2015	5:45	22,2	55,8	22,2	55,2	Yes
			22.10.2015	6:00	22,5	56,1	22,3	55,4	Yes
			22.10.2015	6:15	22,8	58,2	22,4	56,2	Yes
			22.10.2015	6:30	22,8	55	22,6	56,3	Yes
			22.10.2015	6:45	23	54,8	22,8	56,0	Yes
			22.10.2015	7:00	23,1	59,3	22,9	56,8	Yes
			22.10.2015	7:15	22,9	50,7	23,0	55,0	Yes
			22.10.2015	7:30	23,1	54,9	23,0	54,9	Yes
			22.10.2015	7:45	22,8	48,1	23,0	53,3	Yes
			22.10.2015	8:00	22,9	56	22,9	52,4	Yes
			22.10.2015	8:15	22,9	49,7	22,9	52,2	Yes
			22.10.2015	8:30	23	57,4	22,9	52,8	Yes
			22.10.2015	8:45	22,9	52,1	22,9	53,8	Yes
			22.10.2015	9:00	23,3	55,8	23,0	53,8	Yes
			22.10.2015	9:15	23,1	48,9	23,1	53,6	Yes
			22.10.2015	9:30	22,9	50,4	23,1	51,8	Yes
			22.10.2015	9:45	23,1	56,9	23,1	53,0	Yes
			22.10.2015	10:00	23	50,1	23,0	51,6	Yes
			22.10.2015	10:15	23,2	51,1	23,1	52,1	Yes
			22.10.2015	10:30	22,9	50,7	23,1	52,2	Yes
			22.10.2015	10:45	23,1	49,5	23,1	50,4	Yes
			22.10.2015	11:00	22,9	46,4	23,0	49,4	Yes
			22.10.2015	11:15	22,8	45,6	22,9	48,1	Yes
			22.10.2015	11:30	23	54,1	23,0	48,9	Yes
			22.10.2015	11:45	23,3	53	23,0	49,8	Yes
			22.10.2015	12:00	23,2	47,9	23,1	50,2	Yes
			22.10.2015	12:15	23,1	45,9	23,2	50,2	Yes
			22.10.2015	12:30	22,9	44,5	23,1	47,8	Yes
			22.10.2015	12:45	23,1	51,9	23,1	47,6	Yes