



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE400X
Lot/Part number:	4218049	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	11000	Take over value of existing test protocol:	(box) Yes, from ISO19798
Test device:	CNTG3Z0KY / CNCTFCS162 / CNTG2C0XK	Relative humidity:	44
Test climate:	22	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic		
Test date:	06/05/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 12744		Yes	Sample 1
2 13056		Yes	Sample 2
3 13547		Yes	We use for A1 the
4 13934		Yes	MAX, for A2 the
5 13657		Yes	MEDIAN and for A3 the
6 13058		Yes	MIN value of the list at
7 14148		Yes	left
8 14512		Yes	Sample 7
9 13869		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 11000		Yes/no	Yes
2 11000		Yes/no	Yes
3 11000		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	14512	13657	12744	13638
Yield V: $(V1+V2+V3)/3=\bar{V}$	11000	11000	11000	11000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,24

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	26,5		
Average value of the 2 areas F comparing print V1:	22,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	25		
Average value of the 2 areas F comparing print V2:	26		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	25		
Average value of the 2 areas F comparing print V3:	23,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,7	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	88,2	70,9	51,9	29,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	4,2	1,4	2,9	4,8
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	89	68,8	46,3	23,5

Color values 1 6 A F	1	6	A	F
The biggest deviation	3,1	4,5	7,3	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	3,1	4,4	3,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	88,4	70,1	50,5	29
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,5	1,7	3,3	6,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	70,1	48,5	24,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,1	4	7,2	4,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,3	3,9	2,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	69,4	48,3	30,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,3	2,2	6,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	67,7	46,1	26,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1,7	1,5	5,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,4	0,7	1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE401A
Lot/Part number:	4218056	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNTG3Z0KY / CNCTFCS162 / CNCTG2C0XK	Relative humidity:	42
Test climate:	Temperature: 23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test date:	06/05/2015

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 7946		Yes	Sample 1
2 7115		Yes	Sample 2
3 7254		Yes	We use for A1 the
4 8700		Yes	MAX, for A2 the
5 7798		Yes	MEDIAN and for A3 the
6 7580		Yes	MIN value of the list at
7 7694		Yes	left
8 7678		Yes	Sample 7
9 7874		Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 6000		Yes/no	Yes
2 6000		Yes/no	Yes
3 6000		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	8700	7694	7115	7836
Yield V: $(V1+V2+V3)/3=\bar{V}$	6000	6000	6000	6000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,31

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	51,9		
Average value of the 2 areas F comparing print V1:	49,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	53,8		
Average value of the 2 areas F comparing print V2:	49,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	51,2		
Average value of the 2 areas F comparing print V3:	49,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,6	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	91,1	76,6	54	54
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,5	2,2	3,5	3,3
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	89,4	72,5	49,9	50,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	4,7	0,5	1,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,8	2,5	3	2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	90,7	77,3	55,8	55,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	2,3	3	3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91	73,8	50,5	50,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	4,2	1	1,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	1,9	2	1,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	77	52,3	53,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	2,8	2,4	3,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,9	72	49,9	50,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	1,7	0,8	1,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	1,1	1,6	1,6
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE402A
Lot/Part number:	4218070	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNTG3Z0KY / CNCTFCS162 / CNTG2C0XK	Relative humidity:	42
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic		
Test date:	06/05/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 8245		Yes	Sample 1
2 8068		Yes	Sample 2
3 8214		Yes	Sample 3
4 9083		Yes	Sample 4
5 7962		Yes	Sample 5
6 7692		Yes	Sample 6
7 8955		Yes	Sample 7
8 8379		Yes	Sample 8
9 8214		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 6000		Yes/no	OEM Sample/Spec
2 6000		Yes/no	OEM Sample/Spec
3 6000		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	9083	8214	7692	8330
Yield V: $(V1+V2+V3)/3=\bar{V}$	6000	6000	6000	6000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,39

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	88,5		
Average value of the 2 areas F comparing print V1:	89,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	88,6		
Average value of the 2 areas F comparing print V2:	89		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,4	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	88,5		
Average value of the 2 areas F comparing print V3:	88,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,1	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	93,1	91,4	89,4	88,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	0,3	0,4	0,5
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	91,6	92	89,3	88,6

Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	0,5	1,5	1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	0,2	1,1	0,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	93,1	91,7	90	89
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,4	1,1	0,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	93,6	92,2	90,2	89,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,5	1,2	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,1	0,1	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	92,2	91,7	89,3	88,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,4	0,2	0,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,2	91,7	88,8	88,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,6	0,8	0,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	0,2	0,6	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE403A
Lot/Part number:	4218063	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6000	Take over value of existing test protocol:	(box) Yes, from ISO19798
Test device:	CNTG3Z0KY / CNCTFCS162 / CNTG2C0XK	Relative humidity:	42
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic		
Test date:	06/05/2015		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 8351		Yes	Sample 1
2 7566		Yes	Sample 2
3 7812		Yes We use for A1 the	Sample 3
4 7964		Yes MAX, for A2 the	Sample 4
5 8933		Yes MEDIAN and for A3 the	Sample 5
6 8250		Yes MIN value of the list at	Sample 6
7 9772		Yes left	Sample 7
8 8103		Yes	Sample 8
9 8540		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 6000		Yes/no Yes	OEM Sample/Spec
2 6000		Yes/no Yes	OEM Sample/Spec
3 6000		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	9772	8250	7566	8529
Yield V: $(V1+V2+V3)/3=\bar{V}$	6000	6000	6000	6000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,42

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	47		
Average value of the 2 areas F comparing print V1:	48,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	45,6		
Average value of the 2 areas F comparing print V2:	49,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	48,9		
Average value of the 2 areas F comparing print V3:	48,9		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	76,7	61,6	48,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,5	2,1	2,7	2,2
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,4	75,7	63,1	49,8

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,9	3,8	5	1,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,4	1,7	2,3	0,9
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	74,8	60,1	47
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	1,1	2	2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92	77,1	63	50,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	3,2	4,9	1,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,1	2,9	0,7
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	76,6	62,8	50,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,5	2,3	3,1	2,1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	75,5	62,1	49,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1,6	2,4	1,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,7	0,7	0,2
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed