



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CE505X
Lot/Part number:	4207166	Toner color(s):	Monochrome
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	6500	Take over value of existing test protocol : (box)	Yes, from ISO19752
	VNC3B06295 / CNCJJ86171 /		
Test device:	CNCJL29762		
Test climate:		Relative humidity:	40
Temperature:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic		
Test date:	28/11/2014		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 7800		Yes	Sample 1
2 8800		Yes	Sample 2
3 7308		Yes We use for A1 the	Sample 3
4 6790		Yes MAX, for A2 the	Sample 4
5 6729		Yes MEDIAN and for A3 the	Sample 5
6 6766		Yes MIN value of the list at	Sample 6
7 6633		Yes left	Sample 7
8 6669		Yes	Sample 8
9 7780		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 6500		Yes/no Yes	OEM Sample/Spec
2 6500		Yes/no Yes	OEM Sample/Spec
3 6500		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

	Monochrome			
	1	2	3	Average (Å or V)
Yield A: (A1+A2+A3)/3= Å	8800	6790	6633	7408
Yield V: (V1+V2+V3)/3=V	6500	6500	6500	6500
Alternative:				
Yield A: Result of test after ISO/IEC 19752 Å				
Reference to the test protocol:				
Test date:				
Yield V: Result of test after ISO/IEC 19752 V				
Reference to the test protocol:				
Test date:				
Result: EZ=Å/V				1,14
	Yes	No	Not Aplicable	
Is the expected yield (EZ) reached?	YES			
Is the expected page yield reached?	YES			

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	21,1		
Average value of the 2 areas F comparing print V1:	25,4		
Difference is not higher than Δ≤5 for Monochrome	4,3	Yes/No/Not Aplicable	Yes
Color difference ΔE≤18 for Color	Not applicable	Yes/No/Not Aplicable	Not Aplicable
Average value of the 2 areas F test print A2:	20,5		
Average value of the 2 areas F comparing print V2:	23,9		
Difference is not higher than Δ≤5 for Monochrome	3,4	Yes/No/Not Aplicable	Yes
Color difference ΔE≤18 for Color	Not applicable	Yes/No/Not Aplicable	Not Aplicable
Average value of the 2 areas F test print A3:	21,9		
Average value of the 2 areas F comparing print V3:	24,1		
Difference is not higher than Δ≤5 for Monochrome	2,2	Yes/No/Not Aplicable	Yes
Color difference ΔE≤18 for Color	Not applicable	Yes/No/Not Aplicable	Not Aplicable

Checking the fade (5.6.3)

	Monochrome			
Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,6	72,6	60,3	22,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	2,6	3	2,4
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	73,2	60,1	24,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	2	3,1	1,7	2,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	0,5	1,3	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 Monochrome

Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	72,4	62,4	21,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,1	1,4	4,6	3,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,4	72,6	60,4	22,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	5	4,3	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	3,6	0,3	3
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 Monochrome

Color values 1 6 A F	1	6	A	F
after 50 pages	89,8	69,9	60,1	23,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	3,2	4,1	2,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	70,2	61	23,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,9	3,6	4,1	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,3	0,4	0	1,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the differences in brightness between the acceptable parameters (pattern B2) $\Delta L \leq 5$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed