



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF210A
Lot/Part number:	4229496	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1600	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNF1B08828 / VNC3B17002 / VNC3G17286		
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions		Test location 2):	SERBIA
Tester 1):	Aleksandar Kojic		
Test date:	23/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	1802	Yes	Sample 1
2	1786	Yes	Sample 2
3	1805	Yes	Sample 3
4	2012	Yes	Sample 4
5	2004	Yes	Sample 5
6	2012	Yes	Sample 6
7	1887	Yes	Sample 7
8	1954	Yes	Sample 8
9	1876	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	1600	Yes/no	OEM Sample/Spec
2	1600	Yes/no	OEM Sample/Spec
3	1600	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2012	1887	1786	1895
Yield V: $(V1+V2+V3)/3=\bar{V}$	1600	1600	1600	1600

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,18

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	20		
Average value of the 2 areas F comparing print V1:	19,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	19,2		
Average value of the 2 areas F comparing print V2:	17,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	20,4		
Average value of the 2 areas F comparing print V3:	18,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,1	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	89,2	65,3	42,8	20,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,1	2,2	1,9	1,6
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	90,3	68	47	20,2

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,6	1,9	1,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,9	1,6	0	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	86,6	64,7	41,6	19,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,3	0,4	2,5	0,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,4	67,1	44,6	18,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	1	1,2	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,6	1,3	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	86,6	63,3	41,1	20,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,7	1,5	2,8	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,3	66,8	45	19,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	0,5	1,8	2,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,7	1	1	1,6
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF211A
Lot/Part number:	4243652	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNF1B08828 / VNC3B17002 / VNC3G17286		
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions		Test location 2):	SERBIA
Tester 1):	Aleksandar Kojic		
Test date:	23/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	2100	Yes	Sample 1
2	2105	Yes	Sample 2
3	1960	Yes	Sample 3
4	1908	Yes	Sample 4
5	2147	Yes	Sample 5
6	1960	Yes	Sample 6
7	1840	Yes	Sample 7
8	1940	Yes	Sample 8
9	1870	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	1800	Yes/no	OEM Sample/Spec
2	1800	Yes/no	OEM Sample/Spec
3	1800	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	2147	1960	1840	1982
Yield V: $(V1+V2+V3)/3 = \bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ = \bar{A}/\bar{V}$	1,10

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	51,4	
Average value of the 2 areas F comparing print V1:	50,1	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,3	Not Aplicable
Average value of the 2 areas F test print A2:	51,4	
Average value of the 2 areas F comparing print V2:	49,4	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2	Not Aplicable
Average value of the 2 areas F test print A3:	51	
Average value of the 2 areas F comparing print V3:	50,3	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,7	Not Aplicable

Checking the fade (5.6.3)

CYAN

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	77,1	55,4	53
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	2,8	3,8	2,9
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	74,3	51,8	51,4

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,5	0,4	1,6	1,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,7	2,4	2,2	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	89,7	73,6	52,8	51,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	2,6	0,9	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,8	74,5	50,8	50,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	0,7	1	1,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	1,9	0,1	0,6
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	88,6	73,4	52,1	50,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	1,3	2	1,3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,4	73,7	52,2	51,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	1,1	1,7	1,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	0,2	0,3	0,5
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF213A
Lot/Part number:	4229526	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNF1B08828 / VNC3B17002 / VNC3G17286		
Test climate:			
Temperature:	24	Relative humidity:	45
Deviations of the determined test conditions		Test location 2):	SERBIA
Tester 1):	Aleksandar Kojic		
Test date:	23/05/2016		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	2038	Yes	Sample 1
2	2115	Yes	Sample 2
3	2147	Yes	Sample 3
4	2187	Yes	Sample 4
5	2047	Yes	Sample 5
6	1970	Yes	Sample 6
7	2063	Yes	Sample 7
8	2165	Yes	Sample 8
9	2114	Yes	Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	1800	Yes/no	OEM Sample/Spec
2	1800	Yes/no	OEM Sample/Spec
3	1800	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2187	2114	1970	2090
Yield V: $(V1+V2+V3)/3=\bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,16

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	44,7		
Average value of the 2 areas F comparing print V1:	48,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	45,8		
Average value of the 2 areas F comparing print V2:	48,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	45,8		
Average value of the 2 areas F comparing print V3:	49		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,9	74,4	58,9	47,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	4,4	3,9	4,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	76,5	62,4	50,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,3	1,9	2,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,8	3,1	2	2,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	89	72,8	59,2	47
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	0,9	1,8	2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,6	75,5	61,8	49,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	1,4	2,2	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,5	0,4	0,3
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88	70,9	57,3	47,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	0,9	0,9	2,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91	75,8	62,1	50,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	1,4	1,6	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,5	0,5	0,7	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF212A
Lot/Part number:	4229533	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	1800	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNF1B08828 / VNC3B17002 / VNC3G17286	Relative humidity:	45
Test climate:	Temperature: 24	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test date:	23/05/2016

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 2482		Yes	Sample 1
2 2256		Yes	Sample 2
3 2030		Yes	Sample 3
4 2692		Yes	Sample 4
5 2150		Yes	Sample 5
6 2364		Yes	Sample 6
7 2381		Yes	Sample 7
8 2089		Yes	Sample 8
9 2112		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 1800		Yes/no	OEM Sample/Spec
2 1800		Yes/no	OEM Sample/Spec
3 1800		Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	2692	2256	2030	2326
Yield V: $(V1+V2+V3)/3=\bar{V}$	1800	1800	1800	1800

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,29

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	86,6		
Average value of the 2 areas F comparing print V1:	89,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	87,3		
Average value of the 2 areas F comparing print V2:	89,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	86,5		
Average value of the 2 areas F comparing print V3:	88,7		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	92,4	90,6	86,7	86,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,8	0,9	0,9
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	92,1	91,7	89,3	89,4

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	0,3	0,6	0,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	0,5	0,3	0,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,9	90,2	86,5	86,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,9	0,7	0,7	0,9
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91	91,6	89,1	89
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	0,3	0,4	0,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,4	0,3	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	92,3	88,8	85,7	86,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,3	0,8	0,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92	91	88,5	88,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	0,6	0,5	0,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,1	0,7	0,3	0,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed