



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF380X
Lot/Part number:	4236289	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	4400	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	CNB8J3SLHC / CNB8G8V9T8 / CNB8J3SM0Z	Relative humidity:	42
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic Test date: 13/07/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 5000		Yes	Sample 1
2 5012		Yes	Sample 2
3 4986		Yes We use for A1 the	Sample 3
4 5171		Yes MAX, for A2 the	Sample 4
5 4867		Yes MEDIAN and for A3 the	Sample 5
6 4916		Yes MIN value of the list at	Sample 6
7 4847		Yes left	Sample 7
8 4916		Yes	Sample 8
9 4785		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 4400		Yes/no Yes	OEM Sample/Spec
2 4400		Yes/no Yes	OEM Sample/Spec
3 4400		Yes/no Yes	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	5171	4916	4785	4957
Yield V: $(V1+V2+V3)/3=\bar{V}$	4400	4400	4400	4400

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,13

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	26,4	
Average value of the 2 areas F comparing print V1:	27,2	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,8	Not Aplicable
Average value of the 2 areas F test print A2:	26,3	
Average value of the 2 areas F comparing print V2:	27,4	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,1	Not Aplicable
Average value of the 2 areas F test print A3:	27,5	
Average value of the 2 areas F comparing print V3:	28,6	
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,1	Not Aplicable

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	88,9	68,1	48,3	28,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1	3,7	3,4	3,3
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	89,4	72,3	50,9	28,5

Color values 1 6 A F	1	6	A	F
The biggest deviation	1	5,7	3,4	2,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	2	0	0,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	88,7	66,3	45,3	26,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	3,7	1,3	1,7
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	71,6	51,1	29,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,8	4,5	3,4	4,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	0,8	2,1	2,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	67,3	47,2	28,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,3	1,8	1,2	2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,5	72,1	51	29,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	4,8	3,1	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,7	3	1,9	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF381A
Lot/Part number:	4236296	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2700	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNB8J3SLHC / CNB8G8V9T8 / CNB8J3SM0Z		
Test climate:			
Temperature:	24	Relative humidity:	44
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	20/07/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	3503	Yes	Sample 1
2	3374	Yes	Sample 2
3	3543	Yes	We use for A1 the
4	3405	Yes	MAX, for A2 the
5	3729	Yes	MEDIAN and for A3 the
6	3823	Yes	MIN value of the list at
7	3070	Yes	left
8	3035	Yes	Sample 7
9	3123	Yes	Sample 8
			Sample 9

Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	2700	Yes/no	Yes
2	2700	Yes/no	Yes
3	2700	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner? Yes/no **Yes**

If there are no information of the AMES test in the EG Safety Data Sheet

Is there a test report about the AMES test of the used toner? Yes/no **Not Aplicable**

If not: Description **All MSDSs mention Ames test**

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original? Yes/no **Yes**

Is the interaction between printer and toner module acceptable? Yes/no **Yes**

If not: Description

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted? Yes/no **Yes**

If not: Describe fault

Checking the yield number (5.5)

CYAN

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3823	3405	3035	3421
Yield V: $(V1+V2+V3)/3=\bar{V}$	2700	2700	2700	2700

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,27

	Yes	No	Not Aplicable
Is the expected yield (EZ) reached?	YES		
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	55,2		
Average value of the 2 areas F comparing print V1:	51,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	55,8		
Average value of the 2 areas F comparing print V2:	51,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	53,4		
Average value of the 2 areas F comparing print V3:	51,6		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,8	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

CYAN

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,2	77,3	56,5	54,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,2	1,5	1,9	1
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,5	77,3	54,9	51,7

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	2,5	1,8	0,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	1	0,1	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	88,1	76,6	56,6	55,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,7	1	1,3	0,5
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,7	77,1	54,9	51,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	2,3	1,7	0,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2	1,3	0,4	0,1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	87,7	76,1	55,3	53,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,4	1,1	1,3	0,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,6	77,4	55,1	51,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,6	2,1	1,8	0,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,2	1	0,5	0,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF383A
Lot/Part number:	4236302	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2700		
Test device:	CNB8J3SLHC / CNB8G8V9T8 / CNB8J3SM0Z	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test climate:			
Temperature:	24	Relative humidity:	44
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	20/07/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1 3708		Yes	Sample 1
2 3359		Yes	Sample 2
3 3482		Yes	We use for A1 the
4 3610		Yes	MAX, for A2 the
5 3725		Yes	MEDIAN and for A3 the
6 3788		Yes	MIN value of the list at
7 3858		Yes	left
8 3325		Yes	Sample 7
9 3369		Yes	Sample 8
			Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1 2700		Yes/no	Yes
2 2700		Yes/no	Yes
3 2700		Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own
ISO19752 or ISO19798 declarations of
yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	3858	3610	3325	3598
Yield V: $(V1+V2+V3)/3=\bar{V}$	2700	2700	2700	2700

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,33

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	46,3		
Average value of the 2 areas F comparing print V1:	49		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	45,3		
Average value of the 2 areas F comparing print V2:	49		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	47,3		
Average value of the 2 areas F comparing print V3:	48,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,5	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	89,1	76,2	63	47,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,2	4,1	2,5	1,7
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88,8	78,8	65,7	49,6

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,5	1,7	2,4	1,3
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,3	2,4	0,1	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	87,9	76	64,2	46,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	4,2	5,1	2,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,2	78,9	66,7	49,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	2,1	3,5	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	2,1	1,6	1
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	88,4	75,2	61,2	47,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,9	0,9	2,7	0,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,1	79,3	66,9	49,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	2,5	3,5	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,1	1,6	0,8	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	CF382A
Lot/Part number:	4236319	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	2700	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	CNB8J3SLHC / CNB8G8V9T8 / CNB8J3SM0Z		
Test climate:			
Temperature:	24	Relative humidity:	44
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test location 2):	SERBIA
Test date:	20/07/2018		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	4123	Yes	Sample 1
2	4005	Yes	Sample 2
3	3961	Yes	We use for A1 the
4	4009	Yes	MAX, for A2 the
5	3987	Yes	MEDIAN and for A3 the
6	3924	Yes	MIN value of the list at
7	3967	Yes	left
8	3845	Yes	Sample 7
9	3789	Yes	Sample 8
		Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	2700	Yes/no	Yes
2	2700	Yes/no	Yes
3	2700	Yes/no	Yes
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	4123	3967	3789	3960
Yield V: $(V1+V2+V3)/3=\bar{V}$	2700	2700	2700	2700

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,47

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	87,2		
Average value of the 2 areas F comparing print V1:	89,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	86,8		
Average value of the 2 areas F comparing print V2:	89,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,5	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	87,7		
Average value of the 2 areas F comparing print V3:	89,5		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,8	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,8	88,6	87,9	87,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,5	0,5	1,3	0,9
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,9	91	89,7	89,1

Color values 1 6 A F	1	6	A	F
The biggest deviation	2,4	0,6	0,4	0,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,9	0,1	0,9	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	91,6	89,8	88,1	87,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,9	2	1,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	92,3	91,1	89,9	89,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,6	0,3	0,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1	1,3	1,7	0,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	90,5	89,4	88	87,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,2	0,6	0,4	0,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	91,1	91,5	89,8	89,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,1	0,1	0,4	0,6
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,1	0,5	0	0
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed