



Manufacturer (trade mark):	PRPS	Type/Model OEM:	Q6460A
Lot/Part number:	4228925	Toner color(s):	BLACK
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	12000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JP9PH22011 / JPSNH11806 / JPSNH11751	Relative humidity:	47
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic		
Test date:	05/03/2019		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	12360	Yes	Sample 1
2	12561	Yes	Sample 2
3	13114	Yes	Sample 3
4	13005	Yes	Sample 4
5	12980	Yes	Sample 5
6	12697	Yes	Sample 6
7	13514	Yes	Sample 7
8	13658	Yes	Sample 8
9	12250	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	12000	Yes/no	OEM Sample/Spec
2	12000	Yes/no	OEM Sample/Spec
3	12000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

BLACK

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3 = \bar{A}$	13658	12980	12250	12963
Yield V: $(V1+V2+V3)/3 = \bar{V}$	12000	12000	12000	12000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ = \bar{A}/\bar{V}$	1,08

Is the expected yield (EZ) reached?	Yes	No	Not Aplicable
Is the expected page yield reached?	YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	24,9		
Average value of the 2 areas F comparing print V1:	24,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,8	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	27,5		
Average value of the 2 areas F comparing print V2:	24,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	25,3		
Average value of the 2 areas F comparing print V3:	24,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

BLACK

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	81	64,8	40,2	22,9
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,8	2,4	5,5	2,7
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	77,1	61,6	40,1	22,7

Color values 1 6 A F	1	6	A	F
The biggest deviation	7,5	8	5,7	2,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	4,7	5,6	0,2	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	84,1	69,6	49,4	28
Color values 1 6 A F	1	6	A	F
The biggest deviation	1,7	1,8	3,3	1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	77,9	61	37,3	22,7
Color values 1 6 A F	1	6	A	F
The biggest deviation	7,9	8,8	10,4	3,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	6	7	7,1	2,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 BLACK

Color values 1 6 A F	1	6	A	F
after 50 pages	77,5	61,9	41,5	25,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,5	4,3	3,2	0,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	77,4	60,2	37,9	23,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	7,5	8,8	8,1	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	5	4,5	4,9	1,5
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	Q6461A
Lot/Part number:	4228932	Toner color(s):	CYAN
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	12000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JP9PH22011 / JPSNH11806 / JPSNH11751	Relative humidity:	47
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	05/03/2019

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	12870	Yes	Sample 1
2	13005	Yes	Sample 2
3	13405	Yes	Sample 3
4	13111	Yes	Sample 4
5	13006	Yes	Sample 5
6	12900	Yes	Sample 6
7	12850	Yes	Sample 7
8	12639	Yes	Sample 8
9	12478	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	12000	Yes/no	OEM Sample/Spec
2	12000	Yes/no	OEM Sample/Spec
3	12000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

	CYAN				
	1	2	3	Average ($\bar{A}$ or $\bar{V}$)	
Yield A: $(A1+A2+A3)/3=\bar{A}$	13405	12900	12478	12928	
Yield V: $(V1+V2+V3)/3=\bar{V}$	12000	12000	12000	12000	
Alternative:					
Yield A: Result of test after ISO/IEC 19752 $\bar{A}$					
Reference to the test protocol:					
Test date:					
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$					
Reference to the test protocol:					
Test date:					
Result: $EZ=\bar{A}/\bar{V}$					1,08
Is the expected yield (EZ) reached?	Yes	No	Not Aplicable		
Is the expected page yield reached?	YES				

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	50,2		
Average value of the 2 areas F comparing print V1:	53,2		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	50,6		
Average value of the 2 areas F comparing print V2:	53,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	3,2	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	48,7		
Average value of the 2 areas F comparing print V3:	53,4		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,7	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

	CYAN			
Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	88	74	51	50
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	4,4	1	0,8
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	85,7	70,8	54	52,4

Color values 1 6 A F	1	6	A	F
The biggest deviation	4,4	5,8	0,8	1,4
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	3,8	1,4	0,2	0,6
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	89,6	74,1	51,6	50,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	0,9	1,1	1,3
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	85,9	71,1	55,1	53,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	5	6,2	0,6	0,8
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	3	5,3	0,5	0,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 CYAN

Color values 1 6 A F	1	6	A	F
after 50 pages	84	74,3	52,4	49,5
Color values 1 6 A F	1	6	A	F
The biggest deviation	4,2	3,9	2,9	2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	85,2	70,5	54	52,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	4,8	6,2	0,8	1,7
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,6	2,3	2,1	0,3
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	Q6463A
Lot/Part number:	4228949	Toner color(s):	MAGENTA
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	12000	Take over value of existing test protocol : (box)	Yes, from ISO19798
Test device:	JP9PH22011 / JPSNH11806 / JPSNH11751		
Test climate:	Temperature: 23		
Deviations of the determined test conditions	Tester 1): Aleksandar Kojic	Test location 2):	SERBIA
Test date:	05/03/2019		

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	13006	Yes	Sample 1
2	13560	Yes	Sample 2
3	13870	Yes	Sample 3
4	14111	Yes	Sample 4
5	13654	Yes	Sample 5
6	12877	Yes	Sample 6
7	12596	Yes	Sample 7
8	12369	Yes	Sample 8
9	12478	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	12000	Yes/no	OEM Sample/Spec
2	12000	Yes/no	OEM Sample/Spec
3	12000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

MAGENTA

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	14111	13006	12369	13162
Yield V: $(V1+V2+V3)/3=\bar{V}$	12000	12000	12000	12000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,10

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	52,5		
Average value of the 2 areas F comparing print V1:	50,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,7	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	50,1		
Average value of the 2 areas F comparing print V2:	51		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	0,9	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	47,1		
Average value of the 2 areas F comparing print V3:	51,3		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	4,2	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

MAGENTA

Test print A1				
Color values 1 6 A F	1	6	A	F
after 50 pages	90,3	74,4	85,4	51,2
Color values 1 6 A F	1	6	A	F
The biggest deviation	2,3	1,5	6,5	2,3
Comparing print V1				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,5	73	58,1	52

Color values 1 6 A F	1	6	A	F
The biggest deviation	4,4	5,4	8,2	1,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	2,1	3,9	1,7	0,4
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	90,7	77,5	66	50,1
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,8	1,8	0,8	1
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,8	73,2	59,2	51,8
Color values 1 6 A F	1	6	A	F
The biggest deviation	4,7	5,4	6,7	1,5
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	4	3,6	5,9	0,5
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 MAGENTA

Color values 1 6 A F	1	6	A	F
after 50 pages	85,5	70	59,5	48,6
Color values 1 6 A F	1	6	A	F
The biggest deviation	3,3	3,5	2,2	2,6
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	87,4	72,6	58,1	52,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	4,5	5,8	7,5	2,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	1,2	2,3	5,3	0,5
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes

If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes

If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes

If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes

If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A

If not: Describe deviation

OVERALL RESULT: Passed



Manufacturer (trade mark):	PRPS	Type/Model OEM:	Q6462A
Lot/Part number:	#N/A	Toner color(s):	YELLOW
Main application:	To be used on the relevant printers according to remanufacturer instructions		
Intended yield:	12000	Take over value of existing test protocol :	(box) Yes, from ISO19798
Test device:	JP9PH22011 / JPSNH11806 / JPSNH11751	Relative humidity:	47
Test climate:	23	Test location 2):	SERBIA
Deviations of the determined test conditions			
Tester 1):	Aleksandar Kojic	Test date:	05/03/2019

1) If values are taken over from test protocol, the signing person is responsible, that the protocols, from which the values have been taken off, are plausible and correct.

2) Either testing place or place where the protocol is made

Test sample (A)	Type	Used for valuation	Charge/Serial number
1	14000	Yes	Sample 1
2	13690	Yes	Sample 2
3	14006	Yes	Sample 3
4	12949	Yes	Sample 4
5	13666	Yes	Sample 5
6	12854	Yes	Sample 6
7	12750	Yes	Sample 7
8	12413	Yes	Sample 8
9	12690	Yes	Sample 9
Comparing Sample (B)	Type	Used for valuation	Charge/Serial number
1	12000	Yes/no	OEM Sample/Spec
2	12000	Yes/no	OEM Sample/Spec
3	12000	Yes/no	OEM Sample/Spec
4		Yes/no	
5		Yes/no	

OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield

Administrative checking of health related attributes (5.2)

Is there an EG- Safety Data Sheet of the used toner?	Yes/no	Yes
If there are no information of the AMES test in the EG Safety Data Sheet		
Is there a test report about the AMES test of the used toner?	Yes/no	Not Aplicable
If not: Description	All MSDSs mention Ames test	

Checking the influence of the toner module on the printer (5.3)

Is the toner leaking less than the original?	Yes/no	Yes
Is the interaction between printer and toner module acceptable?	Yes/no	Yes
If not: Description		

Checking the initialization (5.4)

Is the print out acceptable right after the toner module has been inserted?	Yes/no	Yes
If not: Describe fault		

Checking the yield number (5.5)

YELLOW

	1	2	3	Average ($\bar{A}$ or $\bar{V}$)
Yield A: $(A1+A2+A3)/3=\bar{A}$	14006	12949	12413	13123
Yield V: $(V1+V2+V3)/3=\bar{V}$	12000	12000	12000	12000

Alternative:

Yield A: Result of test after ISO/IEC 19752 $\bar{A}$	
Reference to the test protocol:	
Test date:	
Yield V: Result of test after ISO/IEC 19752 $\bar{V}$	
Reference to the test protocol:	
Test date:	
Result: $EZ=\bar{A}/\bar{V}$	1,09

Is the expected yield (EZ) reached?
Is the expected page yield reached?

Yes	No	Not Aplicable
YES		
YES		

Checking the black print/Color reproduction (5.6.2)

Average value of the 2 areas F test print A1:	88,2		
Average value of the 2 areas F comparing print V1:	89,8		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1,6	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A2:	89		
Average value of the 2 areas F comparing print V2:	90		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	1	Yes/No/Not Aplicable	Yes
Average value of the 2 areas F test print A3:	87,3		
Average value of the 2 areas F comparing print V3:	90,1		
Difference is not higher than $\Delta \leq 5$ for Monochrome	Not Aplicable	Yes/No/Not Aplicable	Not Aplicable
Color difference $\Delta E \leq 18$ for Color	2,8	Yes/No/Not Aplicable	Yes

Checking the fade (5.6.3)

YELLOW

Test print A1	1	6	A	F
Color values 1 6 A F after 50 pages	93,9	92,6	89,9	89
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	1,1	1	1,1
Comparing print V1	1	6	A	F
Color values 1 6 A F after 50 pages	93,8	91,9	89,6	89,4

Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	1	1,4	0,9
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,1	0,1	0,4	0,2
Difference within allowed parameters	YES	YES	YES	YES

Test print A2 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	94	92,5	90	89
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,4	0,3	0,4
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	93,9	92,2	89,6	89,3
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,3	0,9	1,6	1,2
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0	0,5	1,3	0,8
Difference within allowed parameters	YES	YES	YES	YES

Test print A3 YELLOW

Color values 1 6 A F	1	6	A	F
after 50 pages	94,3	91,6	88,6	88
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,6	1,2	1,4	1,2
Comparing print V2				
Color values 1 6 A F	1	6	A	F
after 50 pages	94	92,2	89,7	89,4
Color values 1 6 A F	1	6	A	F
The biggest deviation	0,2	0,8	1,7	1,1
Result determination	1	6	A	F
Difference $\Delta L \leq 8$	0,4	0,4	0,3	0,1
Difference within allowed parameters	YES	YES	YES	YES

Checking toner adhesion

Test process: visual (tape method):

Is the resistance in between the acceptable parameters? Yes
 If not: Describe deviation

Checking the grey page/color uniformity (5.6.5)

Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? Yes
 If not: Describe deviation

Checking the background (5.6.6)

Is the background smudge between the acceptable parameters (pattern B1-B5)? Yes
 If not: Describe deviation

Checking the ghosting (5.6.7)

Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? Yes
 If not: Describe deviation

Checking toner miscibility (5.6.8)

Is the toner miscibility given? N/A
 If not: Describe deviation

OVERALL RESULT: Passed