

TYPE OF TEST: ISO 19752

When cartridge HP Q7553A is used in printers HP LaserJet P2015 and HP LaserJet P2015d.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 4050 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 4051 standard pages

Date Tested:

For questions concerning testing contact

30.9.2015 - 7.10.2015

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP Q7553A

Shake Procedure Used

Yes

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

Station 1.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Station 2.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Station 3.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Printer Number: 62072
Printer Type: HP LaserJet P2015
Printer Serial Number: CNBW81KB26
Printer Firmware Version: 20070551
Driver Version: PCL6 - 61.074.561.43

62010
HP LaserJet P2015d
CNBW79N1R8
20070221
PCL6 - 61.074.561.43

62416
HP LaserJet P2015d
CNBW81100S
20070221
PCL6 - 61.074.561.43

Note:

Page yield rounded to 4050. It's 1050 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15062958228615-K001	PHI_15_I0266	3 624	Y
	C				
	Y				
	M				
2nd set	K	15062995428615-K002	PHI_15_I0267	3 958	Y
	C				
	Y				
	M				
3rd set	K	15062958328615-K003	PHI_15_I0268	4 118	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	11 700	3 900	252	3 475	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15062959028615-K004	PHI_15_I0269	4 504	Y
	C				
	Y				
	M				
2nd set	K	15062958028615-K005	PHI_15_I0270	4 488	Y
	C				
	Y				
	M				
3rd set	K	15062958128615-K006	PHI_15_I0271	4 200	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	13 192	4 397	171	4 109	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15062958528615-K007	PHI_15_I0272	4 355	Y
	C				
	Y				
	M				
2nd set	K	15062959328615-K008	PHI_15_I0273	4 502	Y
	C				
	Y				
	M				
3rd set	K	15062957528615-K009	PHI_15_I0274	4 367	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	13 224	4 408	82	4 270	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	38 116	4 235	297	4 051	9
	C						
	Y						
	M						

Note:
Statement OEM 3000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	23,1	Allowed 21-25
Testing Room - max. running average temp. [°C]	23,7	26
Testing Room - min. running average temp. [°C]	22,2	20

Testing Room average RH. [%]	56,3	Allowed 40-60
Testing Room - max. running average RH [%]	65,0	65
Testing Room - min. running average RH [%]	46,0	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 29.9.2015 7:45 - 7.10.2015 8:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			29.9.2015	11:45	23,2	51,7	N/A	N/A	No
			29.9.2015	12:00	23,2	47,9	N/A	N/A	No
			29.9.2015	12:15	23,1	46	N/A	N/A	No
			29.9.2015	12:30	23	44,1	23,1	47,4	Yes
			29.9.2015	12:45	23,2	52,4	23,1	47,6	Yes
			29.9.2015	13:00	23,3	47,1	23,2	47,4	Yes
			29.9.2015	13:15	23,3	47	23,2	47,7	Yes
			29.9.2015	13:30	23,3	51,9	23,3	49,6	Yes
			29.9.2015	13:45	23,4	46,7	23,3	48,2	Yes
			29.9.2015	14:00	23,3	44,6	23,3	47,6	Yes
			29.9.2015	14:15	23,4	48,8	23,4	48,0	Yes
			29.9.2015	14:30	23,2	43,9	23,3	46,0	Yes
			29.9.2015	14:45	23,1	50,2	23,3	46,9	Yes
			29.9.2015	15:00	23,3	51	23,3	48,5	Yes
			29.9.2015	15:15	23,4	52,9	23,3	49,5	Yes
			29.9.2015	15:30	23,2	51,5	23,3	51,4	Yes
			29.9.2015	15:45	23,3	52,4	23,3	52,0	Yes
			29.9.2015	16:00	23,4	54,6	23,3	52,9	Yes
			29.9.2015	16:15	23,4	52,3	23,3	52,7	Yes
			29.9.2015	16:30	23,4	53,6	23,4	53,2	Yes
			29.9.2015	16:45	23,6	54	23,5	53,6	Yes
			29.9.2015	17:00	23,5	53,8	23,5	53,4	Yes
			29.9.2015	17:15	23,5	55,2	23,5	54,2	Yes
			29.9.2015	17:30	23,6	53,5	23,6	54,1	Yes
			29.9.2015	17:45	23,6	54,4	23,6	54,2	Yes
			29.9.2015	18:00	23,4	50,8	23,5	53,5	Yes
			29.9.2015	18:15	23,3	52,8	23,5	52,9	Yes
			29.9.2015	18:30	23,4	55,2	23,4	53,3	Yes
			29.9.2015	18:45	23,5	53,4	23,4	53,1	Yes
			29.9.2015	19:00	23,5	54,4	23,4	54,0	Yes
			29.9.2015	19:15	23,5	54,8	23,5	54,5	Yes
			29.9.2015	19:30	23,5	53,5	23,5	54,0	Yes
			29.9.2015	19:45	23,5	54,6	23,5	54,3	Yes
			29.9.2015	20:00	23,5	54,9	23,5	54,5	Yes
			29.9.2015	20:15	23,5	54,1	23,5	54,3	Yes
			29.9.2015	20:30	23,5	54,9	23,5	54,6	Yes
			29.9.2015	20:45	23,6	54,2	23,5	54,5	Yes
			29.9.2015	21:00	23,5	54,8	23,5	54,5	Yes
			29.9.2015	21:15	23,4	55,7	23,5	54,9	Yes
			29.9.2015	21:30	23,5	54,3	23,5	54,8	Yes
			29.9.2015	21:45	23,4	55,2	23,5	55,0	Yes
			29.9.2015	22:00	23,5	54,6	23,5	55,0	Yes
			29.9.2015	22:15	23,4	54,5	23,5	54,7	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	29.9.2015	22:30	23,3	55,7	23,4	55,0	Yes
			29.9.2015	22:45	23,3	54,4	23,4	54,8	Yes
			29.9.2015	23:00	23,3	55,4	23,3	55,0	Yes
			29.9.2015	23:15	23,3	55,2	23,3	55,2	Yes
			29.9.2015	23:30	23,3	54,7	23,3	54,9	Yes
			29.9.2015	23:45	23,2	55,6	23,3	55,2	Yes
			30.9.2015	0:00	23,2	56,3	23,3	55,5	Yes
			30.9.2015	0:15	23,2	55,2	23,2	55,5	Yes
			30.9.2015	0:30	23,1	56,1	23,2	55,8	Yes
			30.9.2015	0:45	23,2	55,6	23,2	55,8	Yes
			30.9.2015	1:00	23,1	55,6	23,2	55,6	Yes
			30.9.2015	1:15	23,1	56,2	23,1	55,9	Yes
			30.9.2015	1:30	23,1	55	23,1	55,6	Yes
			30.9.2015	1:45	23,1	55,7	23,1	55,6	Yes
			30.9.2015	2:00	23	56,5	23,1	55,9	Yes
			30.9.2015	2:15	23	55,4	23,1	55,7	Yes
			30.9.2015	2:30	23	55,8	23,0	55,9	Yes
			30.9.2015	2:45	23	56,2	23,0	56,0	Yes
			30.9.2015	3:00	23	55,6	23,0	55,8	Yes
			30.9.2015	3:15	22,9	56,5	23,0	56,0	Yes
			30.9.2015	3:30	22,9	55,7	23,0	56,0	Yes
			30.9.2015	3:45	22,9	56,1	22,9	56,0	Yes
			30.9.2015	4:00	22,9	56,9	22,9	56,3	Yes
			30.9.2015	4:15	22,9	55,7	22,9	56,1	Yes
			30.9.2015	4:30	22,8	56,5	22,9	56,3	Yes
			30.9.2015	4:45	22,8	55,3	22,9	56,1	Yes
			30.9.2015	5:00	22,8	56,1	22,8	55,9	Yes
			30.9.2015	5:15	22,7	56,8	22,8	56,2	Yes
			30.9.2015	5:30	22,7	55,7	22,8	56,0	Yes
			30.9.2015	5:45	22,9	57	22,8	56,4	Yes
			30.9.2015	6:00	23	55,5	22,8	56,3	Yes
			30.9.2015	6:15	22,9	56,3	22,9	56,1	Yes
			30.9.2015	6:30	23,1	52,9	23,0	55,4	Yes
			30.9.2015	6:45	23	57,3	23,0	55,5	Yes
			30.9.2015	7:00	23,2	52,9	23,1	54,9	Yes
			30.9.2015	7:15	23,2	57,6	23,1	55,2	Yes
			30.9.2015	7:30	23,2	51,3	23,2	54,8	Yes
			30.9.2015	7:45	23	47,6	23,2	52,4	Yes
			30.9.2015	8:00	23,1	51	23,1	51,9	Yes
			30.9.2015	8:15	23	48	23,1	49,5	Yes
			30.9.2015	8:30	23,1	57	23,1	50,9	Yes
			30.9.2015	8:45	23,1	51,8	23,1	52,0	Yes
			30.9.2015	9:00	23,1	53	23,1	52,5	Yes
			30.9.2015	9:15	23,2	51	23,1	53,2	Yes
			30.9.2015	9:30	23,3	57,8	23,2	53,4	Yes
			30.9.2015	9:45	23,5	61	23,3	55,7	Yes
			30.9.2015	10:00	23,5	52,9	23,4	55,7	Yes
			30.9.2015	10:15	23,4	60	23,4	57,9	Yes
			30.9.2015	10:30	23,6	61,5	23,5	58,9	Yes
			30.9.2015	10:45	23,5	56,6	23,5	57,8	Yes
			30.9.2015	11:00	23,6	61	23,5	59,8	Yes
			30.9.2015	11:15	23,6	55,3	23,6	58,6	Yes
			30.9.2015	11:30	23,6	59,7	23,6	58,2	Yes
			30.9.2015	11:45	23,7	62,5	23,6	59,6	Yes
PHI_15_I0266	PHI_15_I0269	PHI_15_I0272	30.9.2015	12:00	23,6	52,1	23,6	57,4	Yes
			30.9.2015	12:15	23,6	55,7	23,6	57,5	Yes
			30.9.2015	12:30	23,5	50,6	23,6	55,2	Yes
			30.9.2015	12:45	23,4	48,9	23,5	51,8	Yes
			30.9.2015	13:00	23,3	47,3	23,5	50,6	Yes
			30.9.2015	13:15	23,3	49,3	23,4	49,0	Yes
			30.9.2015	13:30	23,3	46,4	23,3	48,0	Yes
			30.9.2015	13:45	23,2	44,3	23,3	46,8	Yes
			30.9.2015	14:00	23,2	45,2	23,3	46,3	Yes
			30.9.2015	14:15	23,4	50,6	23,3	46,6	Yes
			30.9.2015	14:30	23,4	45,3	23,3	46,4	Yes
			30.9.2015	14:45	23,4	52,8	23,4	48,5	Yes
			30.9.2015	15:00	23,4	57,4	23,4	51,5	Yes
			30.9.2015	15:15	23,5	58,6	23,4	53,5	Yes
			30.9.2015	15:30	23,6	59,3	23,5	57,0	Yes
			30.9.2015	15:45	23,6	59,7	23,5	58,8	Yes
			30.9.2015	16:00	23,6	60,3	23,6	59,5	Yes
			30.9.2015	16:15	23,7	61,1	23,6	60,1	Yes
			30.9.2015	16:30	23,7	61,5	23,7	60,7	Yes
			30.9.2015	16:45	23,7	61,5	23,7	61,1	Yes
			30.9.2015	17:00	23,6	62,3	23,7	61,6	Yes
			30.9.2015	17:15	23,6	62,7	23,7	62,0	Yes
			30.9.2015	17:30	23,6	63	23,6	62,4	Yes
			30.9.2015	17:45	23,5	63	23,6	62,8	Yes
			30.9.2015	18:00	23,5	63,7	23,6	63,1	Yes
			30.9.2015	18:15	23,5	64	23,5	63,4	Yes
			30.9.2015	18:30	23,4	64,4	23,5	63,8	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	30.9.2015	18:45	23.4	64.6	23.5	64.2	Yes
			30.9.2015	19:00	23.4	64.9	23.4	64.5	Yes
			30.9.2015	19:15	23.3	65.1	23.4	64.8	Yes
			30.9.2015	19:30	23.3	64.3	23.4	64.7	Yes
			30.9.2015	19:45	23.3	64.1	23.3	64.6	Yes
			30.9.2015	20:00	23.2	63.9	23.3	64.4	Yes
			30.9.2015	20:15	23.2	64.5	23.3	64.2	Yes
			30.9.2015	20:30	23.1	64.9	23.2	64.4	Yes
			30.9.2015	20:45	23.1	65.4	23.2	64.7	Yes
			30.9.2015	21:00	23.1	65.1	23.1	65.0	Yes
			30.9.2015	21:15	23	64.3	23.1	64.9	Yes
			30.9.2015	21:30	23	64.1	23.1	64.7	Yes
			30.9.2015	21:45	23	63.9	23.0	64.4	Yes
			30.9.2015	22:00	23	64.1	23.0	64.1	Yes
			30.9.2015	22:15	22.9	63.9	23.0	64.0	Yes
			30.9.2015	22:30	22.9	64.5	23.0	64.1	Yes
			30.9.2015	22:45	22.9	65.6	22.9	64.5	Yes
			30.9.2015	23:00	22.8	64.5	22.9	64.6	Yes
			30.9.2015	23:15	22.8	64.9	22.9	64.9	Yes
			30.9.2015	23:30	22.7	64.9	22.8	65.0	Yes
			30.9.2015	23:45	22.7	65.1	22.8	64.9	Yes
			1.10.2015	0:00	22.7	64.3	22.7	64.8	Yes
			1.10.2015	0:15	22.7	64.1	22.7	64.6	Yes
			1.10.2015	0:30	22.7	63.9	22.7	64.4	Yes
			1.10.2015	0:45	22.6	64.5	22.7	64.2	Yes
			1.10.2015	1:00	22.6	64.9	22.7	64.4	Yes
			1.10.2015	1:15	22.6	65.4	22.6	64.7	Yes
			1.10.2015	1:30	22.6	64.1	22.6	64.7	Yes
			1.10.2015	1:45	22.6	63.9	22.6	64.6	Yes
			1.10.2015	2:00	22.5	64.5	22.6	64.5	Yes
			1.10.2015	2:15	22.5	65.6	22.6	64.5	Yes
			1.10.2015	2:30	22.5	65.1	22.5	64.8	Yes
			1.10.2015	2:45	22.5	64.3	22.5	64.9	Yes
			1.10.2015	3:00	22.4	64.1	22.5	64.8	Yes
			1.10.2015	3:15	22.4	63.9	22.5	64.4	Yes
			1.10.2015	3:30	22.4	64.5	22.4	64.2	Yes
			1.10.2015	3:45	22.4	64.9	22.4	64.4	Yes
			1.10.2015	4:00	22.3	54.3	22.4	61.9	Yes
			1.10.2015	4:15	22.3	54.7	22.4	59.6	Yes
			1.10.2015	4:30	22.3	53.4	22.3	56.8	Yes
			1.10.2015	4:45	22.2	50.2	22.3	53.2	Yes
			1.10.2015	5:00	22.2	51.7	22.3	52.5	Yes
			1.10.2015	5:15	22.2	51.1	22.2	51.6	Yes
			1.10.2015	5:30	22.1	54.3	22.2	51.8	Yes
1.10.2015	5:45	22.3	54.7	22.2	53.0	Yes			
PHI_15_I0266	PHI_15_I0269	PHI_15_I0272	1.10.2015	6:00	22.5	53.4	22.3	53.4	Yes
			1.10.2015	6:15	22.9	54.3	22.5	54.2	Yes
			1.10.2015	6:30	22.7	54.7	22.6	54.3	Yes
			1.10.2015	6:45	22.8	53.4	22.7	54.0	Yes
			1.10.2015	7:00	22.7	54.3	22.8	54.2	Yes
			1.10.2015	7:15	22.7	54.7	22.7	54.3	Yes
			1.10.2015	7:30	22.9	53.4	22.8	54.0	Yes
			1.10.2015	7:45	22.8	50.2	22.8	53.2	Yes
			1.10.2015	8:00	22.8	51.7	22.8	52.5	Yes
			1.10.2015	8:15	23	51.1	22.9	51.6	Yes
			1.10.2015	8:30	22.9	50.7	22.9	50.9	Yes
			1.10.2015	8:45	23	53	22.9	51.6	Yes
			1.10.2015	9:00	22.9	49.1	23.0	51.0	Yes
			1.10.2015	9:15	22.9	53.9	22.9	51.7	Yes
			1.10.2015	9:30	22.9	48.9	22.9	51.2	Yes
			1.10.2015	9:45	23	53.7	22.9	51.4	Yes
			1.10.2015	10:00	23	46.8	23.0	50.8	Yes
			1.10.2015	10:15	22.9	47.4	23.0	49.2	Yes
			1.10.2015	10:30	23.1	49.4	23.0	49.3	Yes
			1.10.2015	10:45	23.1	51.6	23.0	48.8	Yes
			1.10.2015	11:00	23	46.6	23.0	48.8	Yes
			1.10.2015	11:15	23.1	49.1	23.1	49.2	Yes
			1.10.2015	11:30	23.1	53.1	23.1	50.1	Yes
			PHI_15_I0267	1.10.2015	11:45	23.2	50.3	23.1	49.8
1.10.2015				12:00	23.2	52.7	23.2	51.3	Yes
1.10.2015				12:15	23.4	50.3	23.2	51.6	Yes
1.10.2015				12:30	23.3	47.4	23.3	50.2	Yes
1.10.2015				12:45	23.3	48.8	23.3	49.8	Yes
1.10.2015				13:00	23.1	47.8	23.3	48.6	Yes
1.10.2015				13:15	23.3	47.5	23.3	47.9	Yes
1.10.2015				13:30	23.3	53.8	23.3	49.5	Yes
1.10.2015				13:45	23.3	45.4	23.3	48.6	Yes
1.10.2015				14:00	23.5	50.5	23.4	49.3	Yes
PHI_15_I0273			1.10.2015	14:15	23.4	46.9	23.4	49.2	Yes
			1.10.2015	14:30	23.2	46.7	23.4	47.4	Yes
			1.10.2015	14:45	23.5	51.7	23.4	49.0	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	1.10.2015	15:00	23	46,7	23,3	48,0	Yes
			1.10.2015	15:15	22,7	53	23,1	49,5	Yes
			1.10.2015	15:30	22,9	53,4	23,0	51,2	Yes
			1.10.2015	15:45	23,2	54,9	23,0	52,0	Yes
			1.10.2015	16:00	23,2	50,5	23,0	53,0	Yes
			1.10.2015	16:15	22,9	55	23,1	53,5	Yes
			1.10.2015	16:30	23,1	53,9	23,1	53,6	Yes
			1.10.2015	16:45	23,3	54,4	23,1	53,5	Yes
			1.10.2015	17:00	23,3	54,6	23,2	54,5	Yes
			1.10.2015	17:15	23,5	54,5	23,3	54,4	Yes
			1.10.2015	17:30	23,5	54,2	23,4	54,4	Yes
			1.10.2015	17:45	23,5	55,1	23,5	54,6	Yes
			1.10.2015	18:00	23,5	49,6	23,5	53,4	Yes
			1.10.2015	18:15	23,1	55,3	23,4	53,6	Yes
			1.10.2015	18:30	23,3	54,5	23,4	53,6	Yes
			1.10.2015	18:45	23,3	55,3	23,3	53,7	Yes
			1.10.2015	19:00	23,5	54,1	23,3	54,8	Yes
			1.10.2015	19:15	23,5	54,9	23,4	54,7	Yes
			1.10.2015	19:30	23,5	55	23,5	54,8	Yes
			1.10.2015	19:45	23,6	54,2	23,5	54,6	Yes
			1.10.2015	20:00	23,5	54,8	23,5	54,7	Yes
			1.10.2015	20:15	23,5	54,2	23,5	54,6	Yes
			1.10.2015	20:30	23,5	54,1	23,5	54,3	Yes
			1.10.2015	20:45	23,5	55,5	23,5	54,7	Yes
			1.10.2015	21:00	23,5	54,3	23,5	54,5	Yes
			1.10.2015	21:15	23,4	54,5	23,5	54,6	Yes
			1.10.2015	21:30	23,4	55,3	23,5	54,9	Yes
			1.10.2015	21:45	23,3	54,1	23,4	54,6	Yes
			1.10.2015	22:00	23,3	55,1	23,4	54,8	Yes
			1.10.2015	22:15	23,3	54,2	23,3	54,7	Yes
			1.10.2015	22:30	23,1	53,5	23,3	54,2	Yes
			1.10.2015	22:45	23,1	54,9	23,2	54,4	Yes
			1.10.2015	23:00	23,1	54,5	23,2	54,3	Yes
			1.10.2015	23:15	23	55	23,1	54,5	Yes
			1.10.2015	23:30	23	53,5	23,1	54,5	Yes
			1.10.2015	23:45	23	54,9	23,0	54,5	Yes
			2.10.2015	0:00	23	55,2	23,0	54,7	Yes
			2.10.2015	0:15	22,9	55	23,0	54,7	Yes
			2.10.2015	0:30	22,9	56	23,0	55,3	Yes
			2.10.2015	0:45	22,9	54,9	22,9	55,3	Yes
			2.10.2015	1:00	22,9	55,8	22,9	55,4	Yes
			2.10.2015	1:15	22,9	54,6	22,9	55,3	Yes
			2.10.2015	1:30	22,8	56,2	22,9	55,4	Yes
			2.10.2015	1:45	22,8	54,7	22,9	55,3	Yes
			2.10.2015	2:00	22,8	56	22,8	55,4	Yes
			2.10.2015	2:15	22,8	54,5	22,8	55,4	Yes
			2.10.2015	2:30	22,7	55,4	22,8	55,2	Yes
			2.10.2015	2:45	22,7	54,9	22,8	55,2	Yes
			2.10.2015	3:00	22,7	55,2	22,7	55,0	Yes
			2.10.2015	3:15	22,7	54,9	22,7	55,1	Yes
			2.10.2015	3:30	22,6	54,8	22,7	55,0	Yes
			2.10.2015	3:45	22,6	55,8	22,7	55,2	Yes
			2.10.2015	4:00	22,6	54,5	22,6	55,0	Yes
			2.10.2015	4:15	22,5	55,4	22,6	55,1	Yes
			2.10.2015	4:30	22,5	55,5	22,6	55,3	Yes
			2.10.2015	4:45	22,5	55	22,5	55,1	Yes
			2.10.2015	5:00	22,4	56,1	22,5	55,5	Yes
			2.10.2015	5:15	22,4	54,8	22,5	55,4	Yes
			2.10.2015	5:30	22,4	56,2	22,4	55,5	Yes
			2.10.2015	5:45	22,5	54,6	22,4	55,4	Yes
PHI_15_I0267	PHI_15_I0269	HI_15_I0273	2.10.2015	6:00	22,8	54,7	22,5	55,1	Yes
			2.10.2015	6:15	22,7	54,6	22,6	55,0	Yes
			2.10.2015	6:30	23	56,7	22,8	55,2	Yes
			2.10.2015	6:45	22,9	57,4	22,9	55,9	Yes
			2.10.2015	7:00	23,1	52,1	22,9	55,2	Yes
			2.10.2015	7:15	22,9	49,3	23,0	53,9	Yes
			2.10.2015	7:30	22,9	52,3	23,0	52,8	Yes
			2.10.2015	7:45	22,8	48,6	22,9	50,6	Yes
			2.10.2015	8:00	22,8	50,2	22,9	50,1	Yes
			2.10.2015	8:15	22,9	48,7	22,9	50,0	Yes
			2.10.2015	8:30	22,8	53,4	22,8	50,2	Yes
			2.10.2015	8:45	22,9	51,9	22,9	51,1	Yes
			2.10.2015	9:00	23	56,3	22,9	52,6	Yes
			2.10.2015	9:15	22,9	48,6	22,9	52,6	Yes
			2.10.2015	9:30	22,8	48,3	22,9	51,3	Yes
			2.10.2015	9:45	23	55,2	22,9	52,1	Yes
			2.10.2015	10:00	23,1	57,2	23,0	52,3	Yes
			2.10.2015	10:15	23,2	50,8	23,0	52,9	Yes
			2.10.2015	10:30	23,2	57,9	23,1	55,3	Yes
			2.10.2015	10:45	23,2	54,5	23,2	55,1	Yes
			2.10.2015	11:00	23,4	56	23,3	54,8	Yes

TYPE OF TEST: ISO 19752

PHI_15_10268	PHI	P	2.10.2015	11:15	23,3	55,6	23,3	56,0	Yes
			2.10.2015	11:30	23,4	56,3	23,3	55,6	Yes
			2.10.2015	11:45	23,3	58,4	23,4	56,6	Yes
			2.10.2015	12:00	23,2	56,3	23,3	56,7	Yes
			2.10.2015	12:15	23,2	58,2	23,3	57,3	Yes
			2.10.2015	12:30	23,4	55,4	23,3	57,1	Yes
			2.10.2015	12:45	23,4	57,4	23,3	56,8	Yes
			2.10.2015	13:00	23,3	51	23,3	55,5	Yes
			2.10.2015	13:15	23,4	52,7	23,4	54,1	Yes
			2.10.2015	13:30	23,3	55,7	23,4	54,2	Yes
			2.10.2015	13:45	23,4	51,9	23,4	52,8	Yes
			2.10.2015	14:00	23,4	49	23,4	52,3	Yes
			2.10.2015	14:15	23,3	47,8	23,4	51,1	Yes
			2.10.2015	14:30	23,3	46,3	23,4	48,8	Yes
			2.10.2015	14:45	23,2	53,7			No
			2.10.2015	15:00	23,3	55,7			No
			2.10.2015	15:15	23,5	52,9			No
			2.10.2015	15:30	23,2	55,8			No
			2.10.2015	15:45	23,4	55			No
			2.10.2015	16:00	23,5	55,7			No
			2.10.2015	16:15	23,5	53,4			No
			2.10.2015	16:30	23,2	55,4			No
			2.10.2015	16:45	23,3	54,9			No
			2.10.2015	17:00	23,4	56			No
			2.10.2015	17:15	23,5	54,4			No
			2.10.2015	17:30	23,2	54,9			No
			2.10.2015	17:45	23,3	54,9			No
			2.10.2015	18:00	23,4	56,2			No
			2.10.2015	18:15	23,5	54,4			No
			2.10.2015	18:30	23,5	55			No
			2.10.2015	18:45	23,6	54,8			No
			2.10.2015	19:00	23,6	54,6			No
			2.10.2015	19:15	23,6	55,7			No
			2.10.2015	19:30	23,7	53,9			No
			2.10.2015	19:45	23,6	54,4			No
			2.10.2015	20:00	23,6	55			No
			2.10.2015	20:15	23,6	54,2			No
			2.10.2015	20:30	23,6	55,1			No
			2.10.2015	20:45	23,6	54,5			No
			2.10.2015	21:00	23,6	55			No
			2.10.2015	21:15	23,5	55,6			No
			2.10.2015	21:30	23,6	54,2			No
			2.10.2015	21:45	23,5	55			No
			2.10.2015	22:00	23,5	54,6			No
			2.10.2015	22:15	23,4	55,1			No
			2.10.2015	22:30	23,4	55,1			No
			2.10.2015	22:45	23,4	54,1			No
			2.10.2015	23:00	23,4	55			No
			2.10.2015	23:15	23,3	56			No
			2.10.2015	23:30	23,3	54,4			No
			2.10.2015	23:45	23,3	55,3			No
			3.10.2015	0:00	23,3	55,7			No
			3.10.2015	0:15	23,3	54,9			No
			3.10.2015	0:30	23,2	55,4			No
			3.10.2015	0:45	23,2	55,6			No
			3.10.2015	1:00	23,2	55,1			No
			3.10.2015	1:15	23,1	55,5			No
			3.10.2015	1:30	23,1	56,1			No
			3.10.2015	1:45	23,1	55			No
			3.10.2015	2:00	23,1	55,8			No
			3.10.2015	2:15	23	56,4			No
			3.10.2015	2:30	23	55,9			No
			3.10.2015	2:45	23	55,9			No
			3.10.2015	3:00	23	56,8			No
			3.10.2015	3:15	23	55			No
			3.10.2015	3:30	22,9	56,1			No
			3.10.2015	3:45	22,9	57			No
			3.10.2015	4:00	22,9	55,5			No
			3.10.2015	4:15	22,9	56,3			No
			3.10.2015	4:30	22,9	56,8			No
			3.10.2015	4:45	22,8	55,9			No
			3.10.2015	5:00	22,8	56,8			No
			3.10.2015	5:15	22,8	55,6			No
			3.10.2015	5:30	22,8	56,5			No
			3.10.2015	5:45	22,8	55,6			No
			3.10.2015	6:00	22,7	56,4			No
			3.10.2015	6:15	22,7	55,7			No
			3.10.2015	6:30	22,7	55,8			No
			3.10.2015	6:45	22,7	55,9			No
			3.10.2015	7:00	22,6	55,9			No
			3.10.2015	7:15	22,6	56,8			No

TYPE OF TEST: ISO 19752

			3.10.2015	7:30	22,6	55,7		No
			3.10.2015	7:45	22,6	56,5		No
			3.10.2015	8:00	22,5	56,6		No
			3.10.2015	8:15	22,5	56,1		No
			3.10.2015	8:30	22,5	57,1		No
			3.10.2015	8:45	22,5	55,8		No
			3.10.2015	9:00	22,5	56,6		No
			3.10.2015	9:15	22,5	55,9		No
			3.10.2015	9:30	22,5	56,4		No
			3.10.2015	9:45	22,5	56,4		No
			3.10.2015	10:00	22,5	56		No
			3.10.2015	10:15	22,4	57,2		No
			3.10.2015	10:30	22,4	55,7		No
			3.10.2015	10:45	22,4	56,7		No
			3.10.2015	11:00	22,4	55,6		No
			3.10.2015	11:15	22,4	56,1		No
			3.10.2015	11:30	22,4	56,8		No
			3.10.2015	11:45	22,4	56,1		No
			3.10.2015	12:00	22,4	57,3		No
			3.10.2015	12:15	22,4	56		No
			3.10.2015	12:30	22,4	56,8		No
			3.10.2015	12:45	22,4	56		No
			3.10.2015	13:00	22,4	57,6		No
			3.10.2015	13:15	22,5	56,2		No
			3.10.2015	13:30	22,5	55,8		No
			3.10.2015	13:45	22,5	56,4		No
			3.10.2015	14:00	22,6	55,8		No
			3.10.2015	14:15	22,5	57,5		No
			3.10.2015	14:30	22,6	56		No
			3.10.2015	14:45	22,7	55,5		No
			3.10.2015	15:00	22,7	56,5		No
			3.10.2015	15:15	22,7	55,2		No
			3.10.2015	15:30	22,7	56,2		No
			3.10.2015	15:45	22,8	55,1		No
			3.10.2015	16:00	22,8	56,8		No
			3.10.2015	16:15	22,9	56,1		No
			3.10.2015	16:30	22,9	57		No
			3.10.2015	16:45	23	56,3		No
			3.10.2015	17:00	23,1	56,9		No
			3.10.2015	17:15	23,1	56,5		No
			3.10.2015	17:30	23,2	55,8		No
			3.10.2015	17:45	23,2	56,6		No
			3.10.2015	18:00	23,3	55,8		No
			3.10.2015	18:15	23,2	56,9		No
			3.10.2015	18:30	23,3	55,9		No
			3.10.2015	18:45	23,3	55,9		No
			3.10.2015	19:00	23,3	56,2		No
			3.10.2015	19:15	23,4	55,5		No
			3.10.2015	19:30	23,3	56,6		No
			3.10.2015	19:45	23,4	55,7		No
			3.10.2015	20:00	23,3	55,9		No
			3.10.2015	20:15	23,4	55,2		No
			3.10.2015	20:30	23,3	56,3		No
			3.10.2015	20:45	23,4	55,4		No
			3.10.2015	21:00	23,3	56,3		No
			3.10.2015	21:15	23,4	55,5		No
			3.10.2015	21:30	23,3	56,3		No
			3.10.2015	21:45	23,3	55,7		No
			3.10.2015	22:00	23,3	56,4		No
			3.10.2015	22:15	23,3	55,6		No
			3.10.2015	22:30	23,3	56,3		No
			3.10.2015	22:45	23,3	55,5		No
			3.10.2015	23:00	23,2	56,8		No
			3.10.2015	23:15	23,3	55		No
			3.10.2015	23:30	23,2	55,9		No
			3.10.2015	23:45	23,2	55,3		No
			4.10.2015	0:00	23,2	56,1		No
			4.10.2015	0:15	23,2	55,4		No
			4.10.2015	0:30	23,2	56,3		No
			4.10.2015	0:45	23,2	55,5		No
			4.10.2015	1:00	23,1	56,4		No
			4.10.2015	1:15	23,1	55,5		No
			4.10.2015	1:30	23,1	56,4		No
			4.10.2015	1:45	23,1	55,5		No
			4.10.2015	2:00	23,1	56,3		No
			4.10.2015	2:15	23,1	55,6		No
			4.10.2015	2:30	23,1	56,5		No
			4.10.2015	2:45	23,1	55,7		No
			4.10.2015	3:00	23	56,5		No
			4.10.2015	3:15	23	55,9		No
			4.10.2015	3:30	23	56,6		No

TEST REPORT

Creation date of report: 29.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

	4.10.2015	3:45	23	55,9		No
	4.10.2015	4:00	23	56,5		No
	4.10.2015	4:15	23	56		No
	4.10.2015	4:30	23	56,9		No
	4.10.2015	4:45	22,9	56,2		No
	4.10.2015	5:00	22,9	56,6		No
	4.10.2015	5:15	22,9	56,1		No
	4.10.2015	5:30	22,9	56,8		No
	4.10.2015	5:45	22,9	56,2		No
	4.10.2015	6:00	22,9	57,5		No
	4.10.2015	6:15	22,9	56,2		No
	4.10.2015	6:30	22,8	57,7		No
	4.10.2015	6:45	22,8	56,2		No
	4.10.2015	7:00	22,8	56,8		No
	4.10.2015	7:15	22,8	56,2		No
	4.10.2015	7:30	22,8	57,1		No
	4.10.2015	7:45	22,8	56,3		No
	4.10.2015	8:00	22,7	56,8		No
	4.10.2015	8:15	22,7	56,3		No
	4.10.2015	8:30	22,7	57		No
	4.10.2015	8:45	22,7	56,4		No
	4.10.2015	9:00	22,7	57,4		No
	4.10.2015	9:15	22,7	56,6		No
	4.10.2015	9:30	22,7	56,8		No
	4.10.2015	9:45	22,6	56,9		No
	4.10.2015	10:00	22,6	56,2		No
	4.10.2015	10:15	22,6	57,1		No
	4.10.2015	10:30	22,6	56,5		No
	4.10.2015	10:45	22,6	57,3		No
	4.10.2015	11:00	22,6	56,9		No
	4.10.2015	11:15	22,6	56,3		No
	4.10.2015	11:30	22,6	57,1		No
	4.10.2015	11:45	22,6	56,6		No
	4.10.2015	12:00	22,7	56,2		No
	4.10.2015	12:15	22,7	55,8		No
	4.10.2015	12:30	22,7	55,6		No
	4.10.2015	12:45	22,7	56,8		No
	4.10.2015	13:00	22,7	56,2		No
	4.10.2015	13:15	22,7	55,9		No
	4.10.2015	13:30	22,7	55,6		No
	4.10.2015	13:45	22,7	56,7		No
	4.10.2015	14:00	22,8	56,6		No
	4.10.2015	14:15	22,8	55,9		No
	4.10.2015	14:30	22,7	57,1		No
	4.10.2015	14:45	22,8	56,7		No
	4.10.2015	15:00	22,8	57,1		No
	4.10.2015	15:15	22,8	57		No
	4.10.2015	15:30	22,8	56,6		No
	4.10.2015	15:45	22,9	57,6		No
	4.10.2015	16:00	22,9	57		No
	4.10.2015	16:15	22,9	56,6		No
	4.10.2015	16:30	22,9	57,5		No
	4.10.2015	16:45	22,9	57		No
	4.10.2015	17:00	23	56,5		No
	4.10.2015	17:15	23	56,7		No
	4.10.2015	17:30	23	57		No
	4.10.2015	17:45	23	56,5		No
	4.10.2015	18:00	23	56		No
	4.10.2015	18:15	23	56,9		No
	4.10.2015	18:30	23	56,4		No
	4.10.2015	18:45	23	56,7		No
	4.10.2015	19:00	23	56,9		No
	4.10.2015	19:15	23	56,3		No
	4.10.2015	19:30	23	56,7		No
	4.10.2015	19:45	23	56,8		No
	4.10.2015	20:00	23	56,8		No
	4.10.2015	20:15	23	56,6		No
	4.10.2015	20:30	23	56,2		No
	4.10.2015	20:45	23	57,1		No
	4.10.2015	21:00	23	56,5		No
	4.10.2015	21:15	23	56		No
	4.10.2015	21:30	23	56,9		No
	4.10.2015	21:45	23	56,3		No
	4.10.2015	22:00	22,9	56,9		No
	4.10.2015	22:15	22,9	56,6		No
	4.10.2015	22:30	22,9	56		No
	4.10.2015	22:45	22,9	56,8		No
	4.10.2015	23:00	22,9	56,2		No
	4.10.2015	23:15	22,9	57		No
	4.10.2015	23:30	22,9	56,5		No
	4.10.2015	23:45	22,9	56,8		No

TYPE OF TEST: ISO 19752

PHI_15_I0268	PHI_15_I0270	PHI_15_I0273	5.10.2015	0:00	22,8	56,8			No
			5.10.2015	0:15	22,8	56,2			No
			5.10.2015	0:30	22,8	56,9			No
			5.10.2015	0:45	22,8	56,4			No
			5.10.2015	1:00	22,8	57,3			No
			5.10.2015	1:15	22,8	56,7			No
			5.10.2015	1:30	22,8	56,8			No
			5.10.2015	1:45	22,8	57			No
			5.10.2015	2:00	22,7	56,4			No
			5.10.2015	2:15	22,7	57,1			No
			5.10.2015	2:30	22,7	56,5			No
			5.10.2015	2:45	22,7	57,6			No
			5.10.2015	3:00	22,7	56,8			No
			5.10.2015	3:15	22,7	56,8			No
			5.10.2015	3:30	22,7	57			No
			5.10.2015	3:45	22,7	56,4			No
			5.10.2015	4:00	22,6	57,2			No
			5.10.2015	4:15	22,6	56,7			No
			5.10.2015	4:30	22,6	56,2			No
			5.10.2015	4:45	22,6	55,8			No
			5.10.2015	5:00	22,6	56,9			No
			5.10.2015	5:15	22,6	55,9			No
			5.10.2015	5:30	22,5	56,8			No
			5.10.2015	5:45	22,6	56,4			No
			5.10.2015	6:00	22,8	58,2	22,6	56,8	Yes
			5.10.2015	6:15	23	53,6	22,7	56,3	Yes
			5.10.2015	6:30	23	59,6	22,9	57,0	Yes
			5.10.2015	6:45	23,1	55,1	23,0	56,6	Yes
			5.10.2015	7:00	22,9	52,4	23,0	55,2	Yes
			5.10.2015	7:15	23,1	54,9	23,0	55,5	Yes
			5.10.2015	7:30	23	51,7	23,0	53,5	Yes
			5.10.2015	7:45	23,1	53,5	23,0	53,1	Yes
			5.10.2015	8:00	23,1	49,9	23,1	52,5	Yes
			5.10.2015	8:15	23	55,1	23,1	52,6	Yes
			5.10.2015	8:30	23,1	51,7	23,1	52,6	Yes
			5.10.2015	8:45	23,2	52	23,1	52,2	Yes
			5.10.2015	9:00	23,1	57,6	23,1	54,1	Yes
PHI_15_I0271	PHI_15_I0273	PHI_15_I0273	5.10.2015	9:15	23,2	58,6	23,2	55,0	Yes
			5.10.2015	9:30	23,1	50,2	23,2	54,6	Yes
			5.10.2015	9:45	23	56,2	23,1	55,7	Yes
			5.10.2015	10:00	23,2	57,7	23,1	55,7	Yes
			5.10.2015	10:15	23,3	53,5	23,2	54,4	Yes
			5.10.2015	10:30	23,1	47	23,2	53,6	Yes
			5.10.2015	10:45	23	50,8	23,2	52,3	Yes
			5.10.2015	11:00	23,1	48,2	23,1	49,9	Yes
			5.10.2015	11:15	23	46,1	23,1	48,0	Yes
			5.10.2015	11:30	23	52,4	23,0	49,4	Yes
			5.10.2015	11:45	23,2	52,7	23,1	49,9	Yes
			5.10.2015	12:00	23,2	47	23,1	49,6	Yes
			5.10.2015	12:15	23,1	50	23,1	50,5	Yes
			5.10.2015	12:30	23,2	47	23,2	49,2	Yes
			5.10.2015	12:45	23,2	53	23,2	49,3	Yes
			5.10.2015	13:00	23,2	48	23,2	49,5	Yes
			5.10.2015	13:15	23,3	54	23,2	50,5	Yes
			5.10.2015	13:30	23,4	48,5	23,3	50,9	Yes
			5.10.2015	13:45	23,4	52,1	23,3	50,7	Yes
			5.10.2015	14:00	23,4	48,4	23,4	50,8	Yes
			5.10.2015	14:15	23,4	47,6	23,4	49,2	Yes
			5.10.2015	14:30	23,4	50,7	23,4	49,7	Yes
			5.10.2015	14:45	23,5	56,1	23,4	50,7	Yes
			5.10.2015	15:00	23,6	54,8	23,5	52,3	Yes
			5.10.2015	15:15	23,2	56,8	23,4	54,6	Yes
			5.10.2015	15:30	23,4	56,9	23,4	56,2	Yes
			5.10.2015	15:45	23,5	56,2	23,4	56,2	Yes
			5.10.2015	16:00	23,6	55,8	23,4	56,4	Yes
			5.10.2015	16:15	23,6	55,1	23,5	56,0	Yes
			5.10.2015	16:30	23,6	56,1	23,6	55,8	Yes
			5.10.2015	16:45	23,6	55,7	23,6	55,7	Yes
			5.10.2015	17:00	23,6	55,2	23,6	55,5	Yes
			5.10.2015	17:15	23,6	56,3	23,6	55,8	Yes
			5.10.2015	17:30	23,6	55,6	23,6	55,7	Yes
			5.10.2015	17:45	23,6	55	23,6	55,5	Yes
			5.10.2015	18:00	23,6	55,9	23,6	55,7	Yes
			5.10.2015	18:15	23,6	55,5	23,6	55,5	Yes
			5.10.2015	18:30	23,6	56,3	23,6	55,7	Yes
			5.10.2015	18:45	23,6	55,9	23,6	55,9	Yes
			5.10.2015	19:00	23,6	55,4	23,6	55,8	Yes
			5.10.2015	19:15	23,6	56,7	23,6	56,1	Yes
			5.10.2015	19:30	23,6	55,6	23,6	55,9	Yes
			5.10.2015	19:45	23,6	56,2	23,6	56,0	Yes
			5.10.2015	20:00	23,6	55,2	23,6	55,9	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	5.10.2015	20:15	23,5	56,3	23,6	55,8	Yes
			5.10.2015	20:30	23,5	55,7	23,6	55,9	Yes
			5.10.2015	20:45	23,5	57	23,5	56,1	Yes
			5.10.2015	21:00	23,5	56	23,5	56,3	Yes
			5.10.2015	21:15	23,4	57	23,5	56,4	Yes
			5.10.2015	21:30	23,4	56	23,5	56,5	Yes
			5.10.2015	21:45	23,4	57,1	23,4	56,5	Yes
			5.10.2015	22:00	23,4	56,4	23,4	56,6	Yes
			5.10.2015	22:15	23,3	57,4	23,4	56,7	Yes
			5.10.2015	22:30	23,3	56	23,4	56,7	Yes
			5.10.2015	22:45	23,2	57,5	23,3	56,8	Yes
			5.10.2015	23:00	23,2	56,2	23,3	56,8	Yes
			5.10.2015	23:15	23,2	57,6	23,2	56,8	Yes
			5.10.2015	23:30	23,2	56,3	23,2	56,9	Yes
			5.10.2015	23:45	23,1	57,9	23,2	57,0	Yes
			6.10.2015	0:00	23,1	56,4	23,2	57,1	Yes
			6.10.2015	0:15	23,1	57,7	23,1	57,1	Yes
			6.10.2015	0:30	23,1	56,6	23,1	57,2	Yes
			6.10.2015	0:45	23	57,9	23,1	57,2	Yes
			6.10.2015	1:00	23,1	56,7	23,1	57,2	Yes
			6.10.2015	1:15	23	57,4	23,1	57,2	Yes
			6.10.2015	1:30	23	56,8	23,0	57,2	Yes
			6.10.2015	1:45	23	57,2	23,0	57,0	Yes
			6.10.2015	2:00	23	56,9	23,0	57,1	Yes
			6.10.2015	2:15	22,9	56,7	23,0	56,9	Yes
			6.10.2015	2:30	22,9	57,1	23,0	57,0	Yes
			6.10.2015	2:45	22,9	57,3	22,9	57,0	Yes
			6.10.2015	3:00	22,9	57,3	22,9	57,1	Yes
			6.10.2015	3:15	22,9	56,9	22,9	57,2	Yes
			6.10.2015	3:30	22,8	57,5	22,9	57,3	Yes
			6.10.2015	3:45	22,8	56,7	22,9	57,1	Yes
			6.10.2015	4:00	22,8	57,6	22,8	57,2	Yes
			6.10.2015	4:15	22,8	57	22,8	57,2	Yes
			6.10.2015	4:30	22,7	57,9	22,8	57,3	Yes
			6.10.2015	4:45	22,7	57,1	22,8	57,4	Yes
			6.10.2015	5:00	22,7	57,8	22,7	57,5	Yes
			6.10.2015	5:15	22,7	56,7	22,7	57,4	Yes
			6.10.2015	5:30	22,7	57,2	22,7	57,2	Yes
			6.10.2015	5:45	22,6	57,4	22,7	57,3	Yes
PHI_15_I0268	PHI_15_I0271	PHI_15_I0273	6.10.2015	6:00	22,7	56,8	22,7	57,0	Yes
			6.10.2015	6:15	22,8	53,1	22,7	56,1	Yes
			6.10.2015	6:30	23	59,4	22,8	56,7	Yes
			6.10.2015	6:45	23	59,7	22,9	57,3	Yes
			6.10.2015	7:00	23	51,8	23,0	56,0	Yes
			6.10.2015	7:15	23	50,4	23,0	55,3	Yes
			6.10.2015	7:30	23	49,5	23,0	52,9	Yes
			6.10.2015	7:45	23	48	23,0	49,9	Yes
			6.10.2015	8:00	23	46	23,0	48,5	Yes
			6.10.2015	8:15	22,9	46,2	23,0	47,4	Yes
			6.10.2015	8:30	22,9	52,3	23,0	48,1	Yes
			6.10.2015	8:45	23,1	52,3	23,0	49,2	Yes
			6.10.2015	9:00	23	48,8	23,0	49,9	Yes
			6.10.2015	9:15	23	55,8	23,0	52,3	Yes
			6.10.2015	9:30	23,2	58,7	23,1	53,9	Yes
			6.10.2015	9:45	23,1	57,8	23,1	55,3	Yes
			6.10.2015	10:00	23,2	55,4	23,1	56,9	Yes
			6.10.2015	10:15	23,1	50,3	23,2	55,6	Yes
			6.10.2015	10:30	23,3	54,1	23,2	54,4	Yes
			6.10.2015	10:45	23,3	50,1	23,2	52,5	Yes
			6.10.2015	11:00	23,3	51,8	23,3	51,6	Yes
			6.10.2015	11:15	23,4	49,9	23,3	51,5	Yes
			6.10.2015	11:30	23,3	54,4	23,3	51,6	Yes
			6.10.2015	11:45	23,4	53,5	23,4	52,4	Yes
			6.10.2015	12:00	23,4	48,7	23,4	51,6	Yes
			6.10.2015	12:15	23,3	49,2	23,4	51,5	Yes
			6.10.2015	12:30	23,4	49,3	23,4	50,2	Yes
			6.10.2015	12:45	23,4	52,9	23,4	50,0	Yes
			6.10.2015	13:00	23,5	50,1	23,4	50,4	Yes
			6.10.2015	13:15	23,6	51,5	23,5	51,0	Yes
			6.10.2015	13:30	23,6	48,3	23,5	50,7	Yes
			6.10.2015	13:45	23,5	47	23,6	49,2	Yes
			6.10.2015	14:00	23,5	48,6	23,6	48,9	Yes
			6.10.2015	14:15	23,5	47,1	23,5	47,8	Yes
			6.10.2015	14:30	23,7	49,4	23,6	48,0	Yes
			6.10.2015	14:45	23,2	48,5	23,5	48,4	Yes
			6.10.2015	15:00	23,4	54,2	23,5	49,8	Yes
			6.10.2015	15:15	23,5	52,3	23,5	51,1	Yes
			6.10.2015	15:30	23,2	56,3	23,3	52,8	Yes
			6.10.2015	15:45	23,4	57,5	23,4	55,1	Yes
			6.10.2015	16:00	23,6	55,3	23,4	55,4	Yes
			6.10.2015	16:15	23,2	58	23,4	56,8	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	6.10.2015	16:30	23,4	58	23,4	57,2	Yes
			6.10.2015	16:45	23,6	57,3	23,5	57,2	Yes
			6.10.2015	17:00	23,6	56,9	23,5	57,6	Yes
			6.10.2015	17:15	23,7	56,3	23,6	57,1	Yes
			6.10.2015	17:30	23,7	55,7	23,7	56,6	Yes
			6.10.2015	17:45	23,7	55,3	23,7	56,1	Yes
			6.10.2015	18:00	23,7	55	23,7	55,6	Yes
			6.10.2015	18:15	23,7	54,8	23,7	55,2	Yes
			6.10.2015	18:30	23,6	56	23,7	55,3	Yes
			6.10.2015	18:45	23,6	55,4	23,7	55,3	Yes
			6.10.2015	19:00	23,6	55	23,6	55,3	Yes
			6.10.2015	19:15	23,6	56	23,6	55,6	Yes
			6.10.2015	19:30	23,6	55,1	23,6	55,4	Yes
			6.10.2015	19:45	23,5	56	23,6	55,5	Yes
			6.10.2015	20:00	23,5	55,6	23,6	55,7	Yes
			6.10.2015	20:15	23,5	56	23,5	55,7	Yes
			6.10.2015	20:30	23,5	55,6	23,5	55,8	Yes
			6.10.2015	20:45	23,4	56,7	23,5	56,0	Yes
			6.10.2015	21:00	23,4	56	23,5	56,1	Yes
			6.10.2015	21:15	23,3	57,1	23,4	56,4	Yes
			6.10.2015	21:30	23,4	56,2	23,4	56,5	Yes
			6.10.2015	21:45	23,3	57,1	23,4	56,6	Yes
			6.10.2015	22:00	23,3	56,6	23,3	56,8	Yes
			6.10.2015	22:15	23,3	56,7	23,3	56,7	Yes
			6.10.2015	22:30	23,3	56,5	23,3	56,7	Yes
			6.10.2015	22:45	23,3	55,9	23,3	56,4	Yes
			6.10.2015	23:00	23,2	57	23,3	56,5	Yes
			6.10.2015	23:15	23,2	55,9	23,3	56,3	Yes
			6.10.2015	23:30	23,1	57	23,2	56,5	Yes
			6.10.2015	23:45	23,1	56,3	23,2	56,6	Yes
			7.10.2015	0:00	23,1	57,5	23,1	56,7	Yes
			7.10.2015	0:15	23,1	56,7	23,1	56,9	Yes
			7.10.2015	0:30	23,1	57,3	23,1	57,0	Yes
			7.10.2015	0:45	23,1	57,2	23,1	57,2	Yes
			7.10.2015	1:00	23,1	56,5	23,1	56,9	Yes
			7.10.2015	1:15	23	57,8	23,1	57,2	Yes
			7.10.2015	1:30	23,1	57	23,1	57,1	Yes
			7.10.2015	1:45	23	56,6	23,1	57,0	Yes
			7.10.2015	2:00	23	57,5	23,0	57,2	Yes
			7.10.2015	2:15	23	56,9	23,0	57,0	Yes
			7.10.2015	2:30	23	57,7	23,0	57,2	Yes
			7.10.2015	2:45	23	57,4	23,0	57,4	Yes
	7.10.2015	3:00	23	56,9	23,0	57,2	Yes		
	7.10.2015	3:15	22,9	58,4	23,0	57,6	Yes		
	7.10.2015	3:30	22,9	57,4	23,0	57,5	Yes		
	7.10.2015	3:45	22,9	56,8	22,9	57,4	Yes		
	7.10.2015	4:00	22,9	58,1	22,9	57,7	Yes		
	7.10.2015	4:15	22,9	57,4	22,9	57,4	Yes		
	7.10.2015	4:30	22,9	56,9	22,9	57,3	Yes		
	7.10.2015	4:45	22,9	58	22,9	57,6	Yes		
	7.10.2015	5:00	22,9	57,3	22,9	57,4	Yes		
	7.10.2015	5:15	22,9	58,1	22,9	57,6	Yes		
	7.10.2015	5:30	22,8	57,5	22,9	57,7	Yes		
	7.10.2015	5:45	22,8	57	22,9	57,5	Yes		
PHI_15_I0273			7.10.2015	6:00	22,8	58,1	22,8	57,7	Yes
			7.10.2015	6:15	22,8	57,4	22,8	57,5	Yes
			7.10.2015	6:30	23	54,2	22,9	56,7	Yes
			7.10.2015	6:45	23,1	62	22,9	57,9	Yes
			7.10.2015	7:00	23	52,6	23,0	56,6	Yes
			7.10.2015	7:15	22,9	50	23,0	54,7	Yes
			7.10.2015	7:30	22,9	51,9	23,0	54,1	Yes
			7.10.2015	7:45	23	50,8	23,0	51,3	Yes
			7.10.2015	8:00	23	51,6	23,0	51,1	Yes
			7.10.2015	8:15	23,2	54,3	23,0	52,2	Yes
			7.10.2015	8:30	23,2	57,3	23,1	53,5	Yes