

TYPE OF TEST: ISO 19752

When cartridge HP Q7553X is used in printer HP LJ P2015 and HP LJ P2015d.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 8550 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 8594 standard pages

Date Tested:

For questions concerning testing contact

15.10.2015 - 3.11.2015

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

HP Q7553X

Shake Procedure Used

Yes

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

Station 1.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Station 2.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Station 3.
Computer Model: Intel(R) Pentium(R) 4 3.0 GHz
Operating System: Windows XP Professional

Printer Number 63072
Printer Type HP LJ P2015
Printer Serial Number CNFD114371
Printer Firmware Version 20070221
Driver Version: PCL6-61.074.561.43

62010
HP LJ P2015d
CNBW79N1R8
20070221
PCL6-61.074.561.43

62416
HP LJ P2015d
CNBW81100S
20070221
PCL6-61.074.561.43

Note:

Page yield rounded to 8550. It's 1550 pages more than OEM.



TEST REPORT

Creation date of report: 13.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartridge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	150593687288615-K001	PHI_15_I0347	8 164	Y
	C				
	Y				
	M				
2nd set	K	15059368928615-K002	PHI_15_I0348	7 929	Y
	C				
	Y				
	M				
3rd set	K	15059375028615-K003	PHI_15_I0349	8 226	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	24 319	8 106	157	7 842	3
C					
Y					
M					

Station 2	Color	Cartridge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15059369028615-K004	PHI_15_I0350	9 567	Y
	C				
	Y				
	M				
2nd set	K	15059370028615-K005	PHI_15_I0351	9 517	Y
	C				
	Y				
	M				
3rd set	K	15059374728615-K006	PHI_15_I0352	9 331	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	28 415	9 472	124	9 262	3
C					
Y					
M					

Station 3	Color	Cartridge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15059375328615-K007	PHI_15_I0353	9 836	Y
	C				
	Y				
	M				
2nd set	K	15059370428615-K008	PHI_15_I0354	9 399	Y
	C				
	Y				
	M				
3rd set	K	15059375228615-K009	PHI_15_I0355	9 390	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	28 625	9 542	255	9 112	3
C					
Y					
M					

Summary	Color	Cartridges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	81 359	9 040	719	8 594	9
	C						
	Y						
	M						

Note:

Statement OEM 7000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	22,7	Allowed 21-25
Testing Room - max. running average temp. [°C]	23,7	26
Testing Room - min. running average temp. [°C]	20,0	20

Testing Room average RH. [%]	56,9	Allowed 40-60
Testing Room - max. running average RH [%]	59,9	65
Testing Room - min. running average RH [%]	43,2	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 14.10.2015 9:15 - 3.11.2015 8:00

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			14.10.2015	9:15	22,9	53,2	N/A	N/A	No
			14.10.2015	9:30	23	58,5	N/A	N/A	No
			14.10.2015	9:45	23,1	52,3	N/A	N/A	No
			14.10.2015	10:00	23	58	23,0	55,5	Yes
			14.10.2015	10:15	23,3	57,5	23,1	56,6	Yes
			14.10.2015	10:30	23	56,8	23,1	56,2	Yes
			14.10.2015	10:45	23,3	59,1	23,2	57,9	Yes
			14.10.2015	11:00	23,1	56,1	23,2	57,4	Yes
			14.10.2015	11:15	23,3	59,2	23,2	57,8	Yes
			14.10.2015	11:30	23,2	55,7	23,2	57,5	Yes
			14.10.2015	11:45	23,3	59,2	23,2	57,6	Yes
			14.10.2015	12:00	23,1	55,9	23,2	57,5	Yes
			14.10.2015	12:15	23,3	59,2	23,2	57,5	Yes
			14.10.2015	12:30	23,1	57,1	23,2	57,9	Yes
			14.10.2015	12:45	23,3	53,5	23,2	56,4	Yes
			14.10.2015	13:00	23,1	55,2	23,2	56,3	Yes
			14.10.2015	13:15	23,2	52,6	23,2	54,6	Yes
			14.10.2015	13:30	23,2	57,9	23,2	54,8	Yes
			14.10.2015	13:45	23,4	59,4	23,2	56,3	Yes
			14.10.2015	14:00	23,2	57,5	23,3	56,9	Yes
			14.10.2015	14:15	23,2	52,3	23,3	56,8	Yes
			14.10.2015	14:30	23,1	59,1	23,2	57,1	Yes
			14.10.2015	14:45	23,2	59,3	23,2	57,1	Yes
			14.10.2015	15:00	23,3	59,3	23,2	57,5	Yes
			14.10.2015	15:15	23,3	58,7	23,2	59,1	Yes
			14.10.2015	15:30	23,4	58,1	23,3	58,9	Yes
			14.10.2015	15:45	23,4	57,5	23,4	58,4	Yes
			14.10.2015	16:00	23,4	57	23,4	57,8	Yes
			14.10.2015	16:15	23,3	56,6	23,4	57,3	Yes
			14.10.2015	16:30	23,3	56,8	23,4	57,0	Yes
			14.10.2015	16:45	23,2	55,9	23,3	56,6	Yes
			14.10.2015	17:00	23,2	55,5	23,3	56,2	Yes
			14.10.2015	17:15	23,1	55,8	23,2	56,0	Yes
			14.10.2015	17:30	23	55,6	23,1	55,7	Yes
			14.10.2015	17:45	23	55,4	23,1	55,6	Yes
			14.10.2015	18:00	22,9	55,9	23,0	55,7	Yes
			14.10.2015	18:15	22,8	55,2	22,9	55,5	Yes
			14.10.2015	18:30	22,8	56,2	22,9	55,7	Yes
			14.10.2015	18:45	22,7	55,5	22,8	55,7	Yes
			14.10.2015	19:00	22,6	56,4	22,7	55,8	Yes
			14.10.2015	19:15	22,6	55,8	22,7	56,0	Yes
			14.10.2015	19:30	22,5	56,1	22,6	56,0	Yes
			14.10.2015	19:45	22,5	56,9	22,6	56,3	Yes
			14.10.2015	20:00	22,4	55,8	22,5	56,2	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	14.10.2015	20:15	22,4	57,2	22,5	56,5	Yes
			14.10.2015	20:30	22,4	56,3	22,4	56,6	Yes
			14.10.2015	20:45	22,3	57,6	22,4	56,7	Yes
			14.10.2015	21:00	22,3	56,5	22,4	56,9	Yes
			14.10.2015	21:15	22,3	57,6	22,3	57,0	Yes
			14.10.2015	21:30	22,2	56,6	22,3	57,1	Yes
			14.10.2015	21:45	22,2	57,7	22,3	57,1	Yes
			14.10.2015	22:00	22,2	56,8	22,2	57,2	Yes
			14.10.2015	22:15	22,2	57,5	22,2	57,2	Yes
			14.10.2015	22:30	22,1	56,5	22,2	57,1	Yes
			14.10.2015	22:45	22,1	57,7	22,2	57,1	Yes
			14.10.2015	23:00	22,1	56,9	22,1	57,2	Yes
			14.10.2015	23:15	22	57,6	22,1	57,2	Yes
			14.10.2015	23:30	22	56,8	22,1	57,3	Yes
			14.10.2015	23:45	22	57,6	22,0	57,2	Yes
			15.10.2015	0:00	22	57	22,0	57,3	Yes
			15.10.2015	0:15	22	56,8	22,0	57,1	Yes
			15.10.2015	0:30	21,9	57	22,0	57,1	Yes
			15.10.2015	0:45	21,9	56,5	22,0	56,8	Yes
			15.10.2015	1:00	21,9	57	21,9	56,8	Yes
			15.10.2015	1:15	21,9	57,2	21,9	56,9	Yes
			15.10.2015	1:30	21,9	56,7	21,9	56,9	Yes
			15.10.2015	1:45	21,9	56,7	21,9	56,9	Yes
			15.10.2015	2:00	21,8	57,2	21,9	57,0	Yes
			15.10.2015	2:15	21,8	56,8	21,9	56,9	Yes
			15.10.2015	2:30	21,8	57	21,8	56,9	Yes
			15.10.2015	2:45	21,8	57,3	21,8	57,1	Yes
			15.10.2015	3:00	21,8	56,9	21,8	57,0	Yes
			15.10.2015	3:15	21,8	57,5	21,8	57,2	Yes
			15.10.2015	3:30	21,8	57,7	21,8	57,4	Yes
			15.10.2015	3:45	21,9	57,2	21,8	57,3	Yes
			15.10.2015	4:00	21,9	57,1	21,9	57,4	Yes
			15.10.2015	4:15	21,9	57,8	21,9	57,5	Yes
			15.10.2015	4:30	21,9	57,1	21,9	57,3	Yes
			15.10.2015	4:45	21,9	57,7	21,9	57,4	Yes
			15.10.2015	5:00	21,9	57,7	21,9	57,6	Yes
			15.10.2015	5:15	22	56,9	21,9	57,4	Yes
			15.10.2015	5:30	21,9	58,8	21,9	57,8	Yes
			15.10.2015	5:45	22	57,3	22,0	57,7	Yes
			15.10.2015	6:00	22,2	57,5	22,0	57,6	Yes
			15.10.2015	6:15	22,6	58,2	22,2	58,0	Yes
			15.10.2015	6:30	22,8	57,3	22,4	57,6	Yes
			15.10.2015	6:45	23	54,9	22,7	57,0	Yes
			15.10.2015	7:00	22,8	58,5	22,8	57,2	Yes
			15.10.2015	7:15	23,1	56,6	22,9	56,8	Yes
			15.10.2015	7:30	23	54,2	23,0	56,1	Yes
			15.10.2015	7:45	23	58,2	23,0	56,9	Yes
			15.10.2015	8:00	23,3	54,2	23,1	55,8	Yes
			15.10.2015	8:15	23,1	58,3	23,1	56,2	Yes
			15.10.2015	8:30	23,2	51,7	23,2	55,6	Yes
			15.10.2015	8:45	23,2	58,9	23,2	55,8	Yes
			15.10.2015	9:00	23	55,1	23,1	56,0	Yes
PHI_15_I0347	PHI_15_I0350	PHI_15_I0353	15.10.2015	9:15	23,2	59,6	23,2	56,3	Yes
			15.10.2015	9:30	23,1	55,1	23,1	57,2	Yes
			15.10.2015	9:45	23,3	58	23,2	57,0	Yes
			15.10.2015	10:00	23,1	59,3	23,2	58,0	Yes
			15.10.2015	10:15	23,1	53,3	23,2	56,4	Yes
			15.10.2015	10:30	23,2	53,8	23,2	56,1	Yes
			15.10.2015	10:45	23,1	53,5	23,1	55,0	Yes
			15.10.2015	11:00	23,3	56,2	23,2	54,2	Yes
			15.10.2015	11:15	23,2	57,5	23,2	55,3	Yes
			15.10.2015	11:30	23,1	52,2	23,2	54,9	Yes
			15.10.2015	11:45	23,2	55,6	23,2	55,4	Yes
			15.10.2015	12:00	23,1	49,7	23,2	53,8	Yes
			15.10.2015	12:15	23,1	57,2	23,1	53,7	Yes
			15.10.2015	12:30	23,3	59,5	23,2	55,5	Yes
			15.10.2015	12:45	23,3	56,2	23,2	55,7	Yes
			15.10.2015	13:00	23,5	59,9	23,3	58,2	Yes
			15.10.2015	13:15	23,2	57,6	23,3	58,3	Yes
			15.10.2015	13:30	23,2	60,2	23,3	58,5	Yes
			15.10.2015	13:45	23,3	59,9	23,3	59,4	Yes
			15.10.2015	14:00	23,4	59,4	23,3	59,3	Yes
			15.10.2015	14:15	23,4	56,8	23,3	59,1	Yes
			15.10.2015	14:30	23,3	58,9	23,4	58,8	Yes
			15.10.2015	14:45	23,3	60,3	23,4	58,9	Yes
			15.10.2015	15:00	23,4	59,4	23,4	58,9	Yes
			15.10.2015	15:15	23,5	58,6	23,4	59,3	Yes
			15.10.2015	15:30	23,5	58	23,4	59,1	Yes
			15.10.2015	15:45	23,4	57,6	23,5	58,4	Yes
			15.10.2015	16:00	23,4	57,4	23,5	57,9	Yes
			15.10.2015	16:15	23,4	56,8	23,4	57,5	Yes
			15.10.2015	16:30	23,4	56,6	23,4	57,1	Yes
			15.10.2015	16:45	23,4	56,5	23,4	56,8	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	15.10.2015	17:00	23,4	56,1	23,4	56,5	Yes
			15.10.2015	17:15	23,3	55,9	23,4	56,3	Yes
			15.10.2015	17:30	23,3	57,4	23,4	56,5	Yes
			15.10.2015	17:45	23,2	56,6	23,3	56,5	Yes
			15.10.2015	18:00	23,2	56,2	23,3	56,5	Yes
			15.10.2015	18:15	23,1	57,8	23,2	57,0	Yes
			15.10.2015	18:30	23,1	57	23,2	56,9	Yes
			15.10.2015	18:45	23,1	56,6	23,1	56,9	Yes
			15.10.2015	19:00	23	58	23,1	57,4	Yes
			15.10.2015	19:15	23	57,4	23,1	57,3	Yes
			15.10.2015	19:30	22,9	56,7	23,0	57,2	Yes
			15.10.2015	19:45	22,8	57,8	22,9	57,5	Yes
			15.10.2015	20:00	22,9	56,9	22,9	57,2	Yes
			15.10.2015	20:15	22,8	57,1	22,9	57,1	Yes
			15.10.2015	20:30	22,8	57,7	22,8	57,4	Yes
			15.10.2015	20:45	22,7	57,3	22,8	57,3	Yes
			15.10.2015	21:00	22,7	56,9	22,8	57,3	Yes
			15.10.2015	21:15	22,7	56,5	22,7	57,1	Yes
			15.10.2015	21:30	22,7	56,4	22,7	56,8	Yes
			15.10.2015	21:45	22,6	56,4	22,7	56,6	Yes
			15.10.2015	22:00	22,6	56,2	22,7	56,4	Yes
			15.10.2015	22:15	22,6	56,4	22,6	56,4	Yes
			15.10.2015	22:30	22,5	56,9	22,6	56,5	Yes
			15.10.2015	22:45	22,5	56,6	22,6	56,5	Yes
			15.10.2015	23:00	22,5	56,4	22,5	56,6	Yes
			15.10.2015	23:15	22,5	57,1	22,5	56,8	Yes
			15.10.2015	23:30	22,5	57,1	22,5	56,8	Yes
			15.10.2015	23:45	22,5	56,8	22,5	56,9	Yes
			16.10.2015	0:00	22,4	56,6	22,5	56,9	Yes
			16.10.2015	0:15	22,4	56,3	22,5	56,7	Yes
			16.10.2015	0:30	22,4	56,3	22,4	56,5	Yes
			16.10.2015	0:45	22,4	56,1	22,4	56,3	Yes
			16.10.2015	1:00	22,3	57,5	22,4	56,6	Yes
			16.10.2015	1:15	22,3	56,8	22,4	56,7	Yes
			16.10.2015	1:30	22,3	56,6	22,3	56,8	Yes
			16.10.2015	1:45	22,3	56,4	22,3	56,8	Yes
			16.10.2015	2:00	22,3	56,3	22,3	56,5	Yes
			16.10.2015	2:15	22,3	56,2	22,3	56,4	Yes
			16.10.2015	2:30	22,3	56,1	22,3	56,3	Yes
			16.10.2015	2:45	22,3	57,7	22,3	56,6	Yes
			16.10.2015	3:00	22,3	57	22,3	56,8	Yes
			16.10.2015	3:15	22,3	56,7	22,3	56,9	Yes
			16.10.2015	3:30	22,3	56,4	22,3	57,0	Yes
			16.10.2015	3:45	22,3	57,5	22,3	56,9	Yes
			16.10.2015	4:00	22,3	57,4	22,3	57,0	Yes
			16.10.2015	4:15	22,3	57	22,3	57,1	Yes
			16.10.2015	4:30	22,3	56,7	22,3	57,2	Yes
			16.10.2015	4:45	22,3	56,5	22,3	56,9	Yes
			16.10.2015	5:00	22,3	56,3	22,3	56,6	Yes
			16.10.2015	5:15	22,2	57,4	22,3	56,7	Yes
			16.10.2015	5:30	22,3	56,9	22,3	56,8	Yes
			16.10.2015	5:45	22,4	57,1	22,3	56,9	Yes
PHI_15_I0347	PHI_15_I0350	PHI_15_I0353	16.10.2015	6:00	22,7	56,5	22,4	57,0	Yes
			16.10.2015	6:15	22,9	56	22,6	56,6	Yes
			16.10.2015	6:30	22,8	58,2	22,7	57,0	Yes
			16.10.2015	6:45	22,9	53,2	22,8	56,0	Yes
			16.10.2015	7:00	23	57,8	22,9	56,3	Yes
			16.10.2015	7:15	22,9	58,9	22,9	57,0	Yes
			16.10.2015	7:30	22,9	51,8	22,9	55,4	Yes
			16.10.2015	7:45	22,9	57,6	22,9	56,5	Yes
			16.10.2015	8:00	22,9	52,3	22,9	55,2	Yes
			16.10.2015	8:15	23	59,3	22,9	55,3	Yes
			16.10.2015	8:30	22,9	58,3	22,9	56,9	Yes
			16.10.2015	8:45	23,1	56,2	23,0	56,5	Yes
			16.10.2015	9:00	23	59,6	23,0	58,4	Yes
			16.10.2015	9:15	23,3	60,8	23,1	58,7	Yes
			16.10.2015	9:30	23,1	54	23,1	57,7	Yes
			16.10.2015	9:45	23,2	60,3	23,2	58,7	Yes
			16.10.2015	10:00	23,4	56,1	23,3	57,8	Yes
			16.10.2015	10:15	23,2	59,3	23,2	57,4	Yes
			16.10.2015	10:30	23	56	23,2	57,9	Yes
			16.10.2015	10:45	23,1	54,8	23,2	56,6	Yes
			16.10.2015	11:00	23,1	59	23,1	57,3	Yes
			16.10.2015	11:15	23	54,1	23,1	56,0	Yes
			16.10.2015	11:30	23,1	60,6	23,1	57,1	Yes
			16.10.2015	11:45	23,1	55,8	23,1	57,4	Yes
			16.10.2015	12:00	23	58,5	23,1	57,3	Yes
			16.10.2015	12:15	22,9	51,8	23,0	56,7	Yes
			16.10.2015	12:30	23	54,6	23,0	55,2	Yes
			16.10.2015	12:45	23	59,3	23,0	56,1	Yes
			16.10.2015	13:00	23,3	61,3	23,1	56,8	Yes
			16.10.2015	13:15	23,2	53	23,1	57,1	Yes
			16.10.2015	13:30	23	56,1	23,1	57,4	Yes

TEST REPORT

Creation date of report: 13.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			16.10.2015	13:45	23,1	52,3	23,2	55,7	Yes
			16.10.2015	14:00	23,2	57,3	23,1	54,7	Yes
			16.10.2015	14:15	23	53,6	23,1	54,8	Yes
			16.10.2015	14:30	23,1	55,1	23,1	54,6	Yes
			16.10.2015	14:45	22,8	58			No
			16.10.2015	15:00	22,8	61,2			No
			16.10.2015	15:15	22,9	62,4			No
			16.10.2015	15:30	22,9	61,9			No
			16.10.2015	15:45	23	61,3			No
			16.10.2015	16:00	23	61			No
			16.10.2015	16:15	23	60,1			No
			16.10.2015	16:30	23	60			No
			16.10.2015	16:45	23	59,6			No
			16.10.2015	17:00	23	59,3			No
			16.10.2015	17:15	22,9	58,8			No
			16.10.2015	17:30	22,9	58,4			No
			16.10.2015	17:45	22,8	58			No
			16.10.2015	18:00	22,8	58,1			No
			16.10.2015	18:15	22,8	57,8			No
			16.10.2015	18:30	22,8	57,7			No
			16.10.2015	18:45	22,8	57,7			No
			16.10.2015	19:00	22,7	57,6			No
			16.10.2015	19:15	22,7	57,5			No
			16.10.2015	19:30	22,7	57,1			No
			16.10.2015	19:45	22,7	57			No
			16.10.2015	20:00	22,6	56,7			No
			16.10.2015	20:15	22,6	56,8			No
			16.10.2015	20:30	22,6	56,7			No
			16.10.2015	20:45	22,6	56,7			No
			16.10.2015	21:00	22,6	56,6			No
			16.10.2015	21:15	22,5	56,3			No
			16.10.2015	21:30	22,5	56,3			No
			16.10.2015	21:45	22,5	57,8			No
			16.10.2015	22:00	22,5	57,3			No
			16.10.2015	22:15	22,5	56,6			No
			16.10.2015	22:30	22,4	56,6			No
			16.10.2015	22:45	22,4	57,5			No
			16.10.2015	23:00	22,4	57,2			No
			16.10.2015	23:15	22,3	56,6			No
			16.10.2015	23:30	22,3	56,6			No
			16.10.2015	23:45	22,3	57,8			No
			17.10.2015	0:00	22,3	57,4			No
			17.10.2015	0:15	22,3	57			No
			17.10.2015	0:30	22,3	56,8			No
			17.10.2015	0:45	22,3	56,6			No
			17.10.2015	1:00	22,2	56,7			No
			17.10.2015	1:15	22,2	57,5			No
			17.10.2015	1:30	22,2	57,1			No
			17.10.2015	1:45	22,2	56,8			No
			17.10.2015	2:00	22,2	57,1			No
			17.10.2015	2:15	22,1	57,6			No
			17.10.2015	2:30	22,1	57,1			No
			17.10.2015	2:45	22,1	56,9			No
			17.10.2015	3:00	22,1	58			No
			17.10.2015	3:15	22,1	57,4			No
			17.10.2015	3:30	22,1	57			No
			17.10.2015	3:45	22	58			No
			17.10.2015	4:00	22	57,6			No
			17.10.2015	4:15	22	57,1			No
			17.10.2015	4:30	22	57,2			No
			17.10.2015	4:45	21,9	57,8			No
			17.10.2015	5:00	21,9	57,2			No
			17.10.2015	5:15	21,9	57			No
			17.10.2015	5:30	21,9	57,9			No
			17.10.2015	5:45	21,9	57,4			No
			17.10.2015	6:00	21,8	57			No
			17.10.2015	6:15	21,8	57,9			No
			17.10.2015	6:30	21,8	57			No
			17.10.2015	6:45	21,8	57,4			No
			17.10.2015	7:00	21,7	57,8			No
			17.10.2015	7:15	21,7	57,3			No
			17.10.2015	7:30	21,7	58			No
			17.10.2015	7:45	21,7	57,9			No
			17.10.2015	8:00	21,7	57,4			No
			17.10.2015	8:15	21,7	57,4			No
			17.10.2015	8:30	21,6	58			No
			17.10.2015	8:45	21,6	57,4			No
			17.10.2015	9:00	21,6	58,3			No
			17.10.2015	9:15	21,6	57,9			No
			17.10.2015	9:30	21,6	57,4			No
			17.10.2015	9:45	21,6	58,5			No
			17.10.2015	10:00	21,6	57,6			No
			17.10.2015	10:15	21,5	57,2			No

TEST REPORT

Creation date of report: 13.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	17.10.2015	10:30	21,5	58,4			No
			17.10.2015	10:45	21,5	57,2			No
			17.10.2015	11:00	21,5	58,1			No
			17.10.2015	11:15	21,5	58			No
			17.10.2015	11:30	21,5	57,5			No
			17.10.2015	11:45	21,4	58,5			No
			17.10.2015	12:00	21,4	58,3			No
			17.10.2015	12:15	21,4	57,8			No
			17.10.2015	12:30	21,4	57,4			No
			17.10.2015	12:45	21,4	57,1			No
			17.10.2015	13:00	21,4	56,9			No
			17.10.2015	13:15	21,4	56,9			No
			17.10.2015	13:30	21,4	56,7			No
			17.10.2015	13:45	21,4	56,6			No
			17.10.2015	14:00	21,4	56,5			No
			17.10.2015	14:15	21,4	56,2			No
			17.10.2015	14:30	21,4	56,2			No
			17.10.2015	14:45	21,4	56,2			No
			17.10.2015	15:00	21,4	56,1			No
			17.10.2015	15:15	21,4	56			No
			17.10.2015	15:30	21,4	56			No
			17.10.2015	15:45	21,4	55,9			No
			17.10.2015	16:00	21,4	55,8			No
			17.10.2015	16:15	21,4	56,9			No
			17.10.2015	16:30	21,4	56,6			No
			17.10.2015	16:45	21,4	56,4			No
			17.10.2015	17:00	21,4	56,2			No
			17.10.2015	17:15	21,4	56,2			No
			17.10.2015	17:30	21,4	56,1			No
			17.10.2015	17:45	21,4	56,1			No
			17.10.2015	18:00	21,4	56,1			No
			17.10.2015	18:15	21,4	56			No
			17.10.2015	18:30	21,4	55,9			No
			17.10.2015	18:45	21,4	55,8			No
			17.10.2015	19:00	21,4	56,7			No
			17.10.2015	19:15	21,3	56,8			No
			17.10.2015	19:30	21,4	56,4			No
			17.10.2015	19:45	21,3	56,1			No
			17.10.2015	20:00	21,3	57,3			No
			17.10.2015	20:15	21,3	56,5			No
			17.10.2015	20:30	21,3	56,2			No
			17.10.2015	20:45	21,3	57,2			No
			17.10.2015	21:00	21,2	57			No
			17.10.2015	21:15	21,2	56,4			No
			17.10.2015	21:30	21,2	56,2			No
			17.10.2015	21:45	21,2	57,2			No
			17.10.2015	22:00	21,2	56,6			No
			17.10.2015	22:15	21,2	56,4			No
			17.10.2015	22:30	21,1	57,6			No
			17.10.2015	22:45	21,1	56,9			No
			17.10.2015	23:00	21,1	56,6			No
			17.10.2015	23:15	21	57,6			No
			17.10.2015	23:30	21	56,9			No
			17.10.2015	23:45	21	56,4			No
			18.10.2015	0:00	21	57,6			No
			18.10.2015	0:15	21	56,9			No
			18.10.2015	0:30	20,9	56,4			No
			18.10.2015	0:45	20,9	57,5			No
			18.10.2015	1:00	20,9	56,8			No
			18.10.2015	1:15	20,9	56,6			No
			18.10.2015	1:30	20,8	57,5			No
			18.10.2015	1:45	20,8	56,9			No
			18.10.2015	2:00	20,8	57,8			No
			18.10.2015	2:15	20,8	57,4			No
			18.10.2015	2:30	20,8	56,7			No
			18.10.2015	2:45	20,7	58,5			No
			18.10.2015	3:00	20,7	57,3			No
			18.10.2015	3:15	20,7	56,7			No
			18.10.2015	3:30	20,6	57,9			No
			18.10.2015	3:45	20,6	57,1			No
			18.10.2015	4:00	20,6	58,1			No
			18.10.2015	4:15	20,6	57,5			No
			18.10.2015	4:30	20,5	56,8			No
			18.10.2015	4:45	20,5	58			No
			18.10.2015	5:00	20,5	57,1			No
			18.10.2015	5:15	20,5	57,3			No
			18.10.2015	5:30	20,4	57,7			No
			18.10.2015	5:45	20,4	56,8			No
			18.10.2015	6:00	20,4	58,1	20,4	57,5	Yes
			18.10.2015	6:15	20,3	57,2	20,4	57,5	Yes
			18.10.2015	6:30	20,3	57,9	20,4	57,5	Yes
			18.10.2015	6:45	20,3	57,3	20,3	57,6	Yes
			18.10.2015	7:00	20,2	57,2	20,3	57,4	Yes

TYPE OF TEST: ISO 19752

			18.10.2015	7:15	20,2	56,7	20,3	57,3	Yes
			18.10.2015	7:30	20,2	58	20,2	57,3	Yes
			18.10.2015	7:45	20,2	57,5	20,2	57,4	Yes
			18.10.2015	8:00	20,2	57	20,2	57,3	Yes
			18.10.2015	8:15	20,1	58	20,2	57,6	Yes
			18.10.2015	8:30	20,1	57,5	20,2	57,5	Yes
			18.10.2015	8:45	20,1	57,2	20,1	57,4	Yes
			18.10.2015	9:00	20,1	58,5	20,1	57,8	Yes
			18.10.2015	9:15	20,1	57,9	20,1	57,8	Yes
			18.10.2015	9:30	20,1	57,4	20,1	57,8	Yes
			18.10.2015	9:45	20,1	57,2	20,1	57,8	Yes
			18.10.2015	10:00	20,1	58,3	20,1	57,7	Yes
			18.10.2015	10:15	20,1	57,7	20,1	57,7	Yes
			18.10.2015	10:30	20,1	57,2	20,1	57,6	Yes
			18.10.2015	10:45	20,1	56,4	20,1	57,4	Yes
			18.10.2015	11:00	20,2	56,4	20,1	56,9	Yes
			18.10.2015	11:15	20,2	56,3	20,2	56,6	Yes
			18.10.2015	11:30	20,2	56,1	20,2	56,3	Yes
			18.10.2015	11:45	20,2	56	20,2	56,2	Yes
			18.10.2015	12:00	20,2	55,9	20,2	56,1	Yes
			18.10.2015	12:15	20,2	55,8	20,2	56,0	Yes
			18.10.2015	12:30	20,3	55,7	20,2	55,9	Yes
			18.10.2015	12:45	20,3	55,7	20,3	55,8	Yes
			18.10.2015	13:00	20,3	55,5	20,3	55,7	Yes
			18.10.2015	13:15	20,3	55,4	20,3	55,6	Yes
			18.10.2015	13:30	20,3	57,1	20,3	55,9	Yes
			18.10.2015	13:45	20,3	56,7	20,3	56,2	Yes
			18.10.2015	14:00	20,3	56,2	20,3	56,4	Yes
			18.10.2015	14:15	20,3	55,6	20,3	56,4	Yes
			18.10.2015	14:30	20,3	57,1	20,3	56,4	Yes
			18.10.2015	14:45	20,3	56,6	20,3	56,4	Yes
			18.10.2015	15:00	20,3	56,2	20,3	56,4	Yes
			18.10.2015	15:15	20,3	58,5	20,3	57,1	Yes
			18.10.2015	15:30	20,3	57,1	20,3	57,1	Yes
			18.10.2015	15:45	20,3	56,7	20,3	57,1	Yes
			18.10.2015	16:00	20,3	56,4	20,3	57,2	Yes
			18.10.2015	16:15	20,3	56,3	20,3	56,6	Yes
			18.10.2015	16:30	20,3	57,5	20,3	56,7	Yes
			18.10.2015	16:45	20,3	56,8	20,3	56,8	Yes
			18.10.2015	17:00	20,3	56,5	20,3	56,8	Yes
			18.10.2015	17:15	20,4	56,3	20,3	56,8	Yes
			18.10.2015	17:30	20,3	56,1	20,3	56,4	Yes
			18.10.2015	17:45	20,3	55,9	20,3	56,2	Yes
			18.10.2015	18:00	20,3	55,8	20,3	56,0	Yes
			18.10.2015	18:15	20,3	55,7	20,3	55,9	Yes
			18.10.2015	18:30	20,3	55,6	20,3	55,8	Yes
			18.10.2015	18:45	20,3	55,5	20,3	55,7	Yes
			18.10.2015	19:00	20,3	55,3	20,3	55,5	Yes
			18.10.2015	19:15	20,3	55,1	20,3	55,4	Yes
			18.10.2015	19:30	20,3	56,6	20,3	55,6	Yes
			18.10.2015	19:45	20,3	56,2	20,3	55,8	Yes
			18.10.2015	20:00	20,2	55,1	20,3	55,8	Yes
			18.10.2015	20:15	20,2	56,8	20,3	56,2	Yes
			18.10.2015	20:30	20,2	56,3	20,2	56,1	Yes
			18.10.2015	20:45	20,2	55,9	20,2	56,0	Yes
			18.10.2015	21:00	20,2	57,2	20,2	56,6	Yes
			18.10.2015	21:15	20,2	56,5	20,2	56,5	Yes
			18.10.2015	21:30	20,2	56,1	20,2	56,4	Yes
			18.10.2015	21:45	20,2	58,4	20,2	57,1	Yes
			18.10.2015	22:00	20,2	56,9	20,2	57,0	Yes
			18.10.2015	22:15	20,2	56,4	20,2	57,0	Yes
			18.10.2015	22:30	20,1	56,1	20,2	57,0	Yes
			18.10.2015	22:45	20,1	58,1	20,2	56,9	Yes
			18.10.2015	23:00	20,1	57	20,1	56,9	Yes
			18.10.2015	23:15	20,1	55,6	20,1	56,7	Yes
			18.10.2015	23:30	20,1	57,1	20,1	57,0	Yes
			18.10.2015	23:45	20,1	56,7	20,1	56,6	Yes
			19.10.2015	0:00	20,1	56,4	20,1	56,5	Yes
			19.10.2015	0:15	20,1	57,3	20,1	56,9	Yes
			19.10.2015	0:30	20,1	57,5	20,1	57,0	Yes
			19.10.2015	0:45	20,2	57	20,1	57,1	Yes
			19.10.2015	1:00	20,3	56,5	20,2	57,1	Yes
			19.10.2015	1:15	20,4	57,1	20,3	57,0	Yes
			19.10.2015	1:30	20,5	57,3	20,4	57,0	Yes
			19.10.2015	1:45	20,6	56,7	20,5	56,9	Yes
			19.10.2015	2:00	20,6	56,3	20,5	56,9	Yes
			19.10.2015	2:15	20,7	56,1	20,6	56,6	Yes
			19.10.2015	2:30	20,8	55,8	20,7	56,2	Yes
			19.10.2015	2:45	20,8	55,6	20,7	56,0	Yes
			19.10.2015	3:00	20,8	57,2	20,8	56,2	Yes
			19.10.2015	3:15	20,8	56,5	20,8	56,3	Yes
			19.10.2015	3:30	20,9	56	20,8	56,3	Yes
			19.10.2015	3:45	20,9	55,7	20,9	56,4	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	19.10.2015	4:00	20,9	55,4	20,9	55,9	Yes
			19.10.2015	4:15	20,9	56,7	20,9	56,0	Yes
			19.10.2015	4:30	21	56,1	20,9	56,0	Yes
PHI_15_I0347	PHI_15_I0350	PHI_15_I0353	19.10.2015	4:45	21	55,6	21,0	56,0	Yes
			19.10.2015	5:00	21	55,2	21,0	55,9	Yes
			19.10.2015	5:15	21	56,3	21,0	55,8	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	5:30	21	55,4	21,0	55,6	Yes
			19.10.2015	5:45	21,1	56,9	21,0	56,0	Yes
			19.10.2015	6:00	21,4	56,8	21,1	56,4	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	6:15	21,8	55,9	21,3	56,3	Yes
			19.10.2015	6:30	22	56,5	21,6	56,5	Yes
			19.10.2015	6:45	22,3	55,4	21,9	56,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	7:00	22,5	56,1	22,2	56,0	Yes
			19.10.2015	7:15	22,7	55,2	22,4	55,8	Yes
			19.10.2015	7:30	22,9	55,7	22,6	55,6	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	7:45	22,7	58,2	22,7	56,3	Yes
			19.10.2015	8:00	22,9	53,3	22,8	55,6	Yes
			19.10.2015	8:15	22,8	57,6	22,8	56,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	8:30	22,8	55,1	22,8	56,1	Yes
			19.10.2015	8:45	23	59,6	22,9	56,4	Yes
			19.10.2015	9:00	22,9	57,1	22,9	57,4	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	9:15	22,9	53,4	22,9	56,3	Yes
			19.10.2015	9:30	22,7	52,8	22,9	55,7	Yes
			19.10.2015	9:45	22,9	53,3	22,9	54,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	10:00	22,9	58,8	22,9	54,6	Yes
			19.10.2015	10:15	22,9	51,7	22,9	54,2	Yes
			19.10.2015	10:30	22,9	52,6	22,9	54,1	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	10:45	23	58,6	22,9	55,4	Yes
			19.10.2015	11:00	23	53,9	23,0	54,2	Yes
			19.10.2015	11:15	22,9	57,3	23,0	55,6	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	11:30	22,9	54,5	23,0	56,1	Yes
			19.10.2015	11:45	23,2	60,1	23,0	56,5	Yes
			19.10.2015	12:00	23,1	52,4	23,0	56,1	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	12:15	23	56,2	23,1	55,8	Yes
			19.10.2015	12:30	23,2	54,3	23,1	55,8	Yes
			19.10.2015	12:45	23,1	49,1	23,1	53,0	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	13:00	23,1	54,4	23,1	53,5	Yes
			19.10.2015	13:15	23	52,7	23,1	52,6	Yes
			19.10.2015	13:30	23,1	50,9	23,1	51,8	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	13:45	23,2	53,2	23,1	52,8	Yes
			19.10.2015	14:00	23,1	49,3	23,1	51,5	Yes
			19.10.2015	14:15	22,9	47	23,1	50,1	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	14:30	23,1	51	23,1	50,1	Yes
			19.10.2015	14:45	22,8	53,9	23,0	50,3	Yes
			19.10.2015	15:00	22,8	56,1	22,9	52,0	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	15:15	22,9	56,7	22,9	54,4	Yes
			19.10.2015	15:30	23	56,3	22,9	55,8	Yes
			19.10.2015	15:45	23	55,7	22,9	56,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	16:00	23,1	55,3	23,0	56,0	Yes
			19.10.2015	16:15	23	55,4	23,0	55,7	Yes
			19.10.2015	16:30	23	55	23,0	55,4	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	16:45	23	54,3	23,0	55,0	Yes
			19.10.2015	17:00	22,9	55,2	23,0	55,0	Yes
			19.10.2015	17:15	22,9	54,4	23,0	54,7	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	17:30	22,7	55,4	22,9	54,8	Yes
			19.10.2015	17:45	22,7	55,8	22,8	55,2	Yes
			19.10.2015	18:00	22,6	55,4	22,7	55,3	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	18:15	22,6	56,5	22,7	55,8	Yes
			19.10.2015	18:30	22,5	55,5	22,6	55,8	Yes
			19.10.2015	18:45	22,4	57,4	22,5	56,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	19:00	22,4	55,5	22,5	56,2	Yes
			19.10.2015	19:15	22,3	56,5	22,4	56,2	Yes
			19.10.2015	19:30	22,3	55,8	22,4	56,3	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	19:45	22,3	55,8	22,3	55,9	Yes
			19.10.2015	20:00	22,2	57,1	22,3	56,3	Yes
			19.10.2015	20:15	22,2	56	22,3	56,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	20:30	22,1	57,2	22,2	56,5	Yes
			19.10.2015	20:45	22,1	56,2	22,2	56,6	Yes
			19.10.2015	21:00	22,1	57,6	22,1	56,8	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	21:15	22	56	22,1	56,8	Yes
			19.10.2015	21:30	22	57,1	22,1	56,7	Yes
			19.10.2015	21:45	22	56,3	22,0	56,8	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	22:00	21,9	57,4	22,0	56,7	Yes
			19.10.2015	22:15	21,9	56,4	22,0	56,8	Yes
			19.10.2015	22:30	21,8	57	21,9	56,8	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	22:45	21,8	56,2	21,9	56,8	Yes
			19.10.2015	23:00	21,8	57,5	21,8	56,8	Yes
			19.10.2015	23:15	21,8	56,7	21,8	56,9	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	19.10.2015	23:30	21,7	57,2	21,8	56,9	Yes
			19.10.2015	23:45	21,7	56,6	21,8	57,0	Yes
			20.10.2015	0:00	21,7	57,1	21,7	56,9	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	20.10.2015	0:15	21,7	56,6	21,7	56,9	Yes
			20.10.2015	0:30	21,6	57,5	21,7	57,0	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	20.10.2015	0:45	21,6	56,8	21,7	57,0	Yes
			20.10.2015	1:00	21,6	58,1	21,6	57,3	Yes
			20.10.2015	1:15	21,6	56,8	21,6	57,3	Yes
			20.10.2015	1:30	21,6	56,4	21,6	57,0	Yes
			20.10.2015	1:45	21,5	57,3	21,6	57,2	Yes
			20.10.2015	2:00	21,5	56,7	21,6	56,8	Yes
			20.10.2015	2:15	21,5	58,2	21,5	57,2	Yes
			20.10.2015	2:30	21,5	57,1	21,5	57,3	Yes
			20.10.2015	2:45	21,5	56,5	21,5	57,1	Yes
			20.10.2015	3:00	21,5	57,4	21,5	57,3	Yes
			20.10.2015	3:15	21,5	57	21,5	57,0	Yes
			20.10.2015	3:30	21,6	56,5	21,5	56,9	Yes
			20.10.2015	3:45	21,6	57,7	21,6	57,2	Yes
			20.10.2015	4:00	21,8	56,9	21,6	57,0	Yes
			20.10.2015	4:15	21,8	56,3	21,7	56,9	Yes
			20.10.2015	4:30	21,8	57,3	21,8	57,1	Yes
			20.10.2015	4:45	21,9	56,5	21,8	56,8	Yes
			20.10.2015	5:00	21,9	55,9	21,9	56,5	Yes
			20.10.2015	5:15	21,9	56,8	21,9	56,6	Yes
			20.10.2015	5:30	21,9	55,8	21,9	56,3	Yes
			20.10.2015	5:45	22	56,9	21,9	56,4	Yes
			20.10.2015	6:00	22,3	55,9	22,0	56,4	Yes
			20.10.2015	6:15	22,7	57,4	22,2	56,5	Yes
			20.10.2015	6:30	23	55,1	22,5	56,3	Yes
			20.10.2015	6:45	22,7	58,5	22,7	56,7	Yes
			20.10.2015	7:00	22,9	52,6	22,8	55,9	Yes
			20.10.2015	7:15	22,8	57,4	22,9	55,9	Yes
			20.10.2015	7:30	23	53	22,9	55,4	Yes
			20.10.2015	7:45	23,1	59,8	23,0	55,7	Yes
			20.10.2015	8:00	23	51,4	23,0	55,4	Yes
			20.10.2015	8:15	22,9	55,5	23,0	54,9	Yes
			20.10.2015	8:30	23,2	58,3	23,1	56,3	Yes
			20.10.2015	8:45	23	52,3	23,0	54,4	Yes
			20.10.2015	9:00	23,2	56,6	23,1	55,7	Yes
			20.10.2015	9:15	23,1	50,1	23,1	54,3	Yes
			20.10.2015	9:30	23,2	56,1	23,1	53,8	Yes
			20.10.2015	9:45	23	51,6	23,1	53,6	Yes
			20.10.2015	10:00	23,2	57,9	23,1	53,9	Yes
			20.10.2015	10:15	23,1	55,7	23,1	55,3	Yes
			20.10.2015	10:30	23,3	54,6	23,2	55,0	Yes
			20.10.2015	10:45	23,2	57,8	23,2	56,5	Yes
			20.10.2015	11:00	23,1	53,5	23,2	55,4	Yes
			20.10.2015	11:15	23,3	55,9	23,2	55,5	Yes
			20.10.2015	11:30	23,2	49,9	23,2	54,3	Yes
			20.10.2015	11:45	23,4	54	23,3	53,3	Yes
			20.10.2015	12:00	23,3	49,3	23,3	52,3	Yes
			20.10.2015	12:15	23,2	51,2	23,3	51,1	Yes
			20.10.2015	12:30	23,3	50,9	23,3	51,4	Yes
			20.10.2015	12:45	23,2	47,6	23,3	49,8	Yes
			20.10.2015	13:00	23,2	54,8	23,2	51,1	Yes
			20.10.2015	13:15	23,3	48,7	23,3	50,5	Yes
			20.10.2015	13:30	23,3	55,2	23,3	51,6	Yes
			20.10.2015	13:45	23,5	55,2	23,3	53,5	Yes
			20.10.2015	14:00	23,3	56,3	23,4	53,9	Yes
			20.10.2015	14:15	23,2	53,5	23,3	55,1	Yes
			20.10.2015	14:30	23,3	49,1	23,3	53,5	Yes
			20.10.2015	14:45	22,8	53,1	23,2	53,0	Yes
			20.10.2015	15:00	22,9	56,8	23,1	53,1	Yes
			20.10.2015	15:15	23	57,1	23,0	54,0	Yes
			20.10.2015	15:30	23,1	57,6	23,0	56,2	Yes
			20.10.2015	15:45	23,1	56,4	23,0	57,0	Yes
			20.10.2015	16:00	23,2	56,5	23,1	56,9	Yes
			20.10.2015	16:15	23,2	55,7	23,2	56,6	Yes
			20.10.2015	16:30	23,2	55,8	23,2	56,1	Yes
			20.10.2015	16:45	23,1	55,8	23,2	56,0	Yes
			20.10.2015	17:00	23,1	55,6	23,2	55,7	Yes
			20.10.2015	17:15	23	56	23,1	55,8	Yes
			20.10.2015	17:30	22,9	55,9	23,0	55,8	Yes
			20.10.2015	17:45	22,9	55,1	23,0	55,7	Yes
			20.10.2015	18:00	22,8	56,2	22,9	55,8	Yes
			20.10.2015	18:15	22,8	55,2	22,9	55,6	Yes
			20.10.2015	18:30	22,7	56,1	22,8	55,7	Yes
			20.10.2015	18:45	22,7	55,5	22,8	55,8	Yes
			20.10.2015	19:00	22,6	56,2	22,7	55,8	Yes
			20.10.2015	19:15	22,6	56	22,7	56,0	Yes
			20.10.2015	19:30	22,5	55,7	22,6	55,9	Yes
			20.10.2015	19:45	22,5	56,2	22,6	56,0	Yes
			20.10.2015	20:00	22,4	55	22,5	55,7	Yes
			20.10.2015	20:15	22,3	56,2	22,4	55,8	Yes
			20.10.2015	20:30	22,3	56	22,4	55,9	Yes
			20.10.2015	20:45	22,3	56,3	22,3	55,9	Yes
			20.10.2015	21:00	22,3	56,8	22,3	56,3	Yes
			20.10.2015	21:15	22,2	56	22,3	56,3	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	20.10.2015	21:30	22,2	57,5	22,3	56,7	Yes
			20.10.2015	21:45	22,1	56,1	22,2	56,6	Yes
			20.10.2015	22:00	22,1	57,1	22,2	56,7	Yes
			20.10.2015	22:15	22,1	56,2	22,1	56,7	Yes
			20.10.2015	22:30	22	56,7	22,1	56,5	Yes
			20.10.2015	22:45	22	56,6	22,1	56,7	Yes
			20.10.2015	23:00	21,9	56,8	22,0	56,6	Yes
			20.10.2015	23:15	21,9	57,1	22,0	56,8	Yes
			20.10.2015	23:30	21,9	56,3	21,9	56,7	Yes
			20.10.2015	23:45	21,9	57,7	21,9	57,0	Yes
			21.10.2015	0:00	21,8	56,3	21,9	56,9	Yes
			21.10.2015	0:15	21,8	57,6	21,9	57,0	Yes
			21.10.2015	0:30	21,8	56,5	21,8	57,0	Yes
			21.10.2015	0:45	21,8	57	21,8	56,9	Yes
			21.10.2015	1:00	21,8	56,9	21,8	57,0	Yes
			21.10.2015	1:15	21,8	56,6	21,8	56,8	Yes
			21.10.2015	1:30	21,7	57,5	21,8	57,0	Yes
			21.10.2015	1:45	21,7	56,7	21,8	56,9	Yes
			21.10.2015	2:00	21,7	57,8	21,7	57,2	Yes
			21.10.2015	2:15	21,7	56,9	21,7	57,2	Yes
			21.10.2015	2:30	21,7	57,8	21,7	57,3	Yes
			21.10.2015	2:45	21,7	57	21,7	57,4	Yes
			21.10.2015	3:00	21,7	57,4	21,7	57,3	Yes
			21.10.2015	3:15	21,7	57,3	21,7	57,4	Yes
			21.10.2015	3:30	21,7	56,7	21,7	57,1	Yes
			21.10.2015	3:45	21,7	57,8	21,7	57,3	Yes
			21.10.2015	4:00	21,8	56,8	21,7	57,2	Yes
			21.10.2015	4:15	21,8	57,7	21,8	57,3	Yes
			21.10.2015	4:30	21,8	56,8	21,8	57,3	Yes
			21.10.2015	4:45	21,8	57,8	21,8	57,3	Yes
			21.10.2015	5:00	21,9	56,9	21,8	57,3	Yes
			21.10.2015	5:15	21,9	57,3	21,9	57,2	Yes
			21.10.2015	5:30	22	56,6	21,9	57,2	Yes
PHI_15_I0348	PHI_15_I0350	PHI_15_I0353	21.10.2015	5:45	22	57,7	22,0	57,1	Yes
			21.10.2015	6:00	22,2	56,6	22,0	57,1	Yes
			21.10.2015	6:15	22,7	55,7	22,2	56,7	Yes
			21.10.2015	6:30	22,5	58,4	22,4	57,1	Yes
			21.10.2015	6:45	22,9	54,4	22,6	56,3	Yes
			21.10.2015	7:00	22,9	59	22,8	56,9	Yes
			21.10.2015	7:15	23,1	53,8	22,9	56,4	Yes
			21.10.2015	7:30	22,9	57,7	23,0	56,2	Yes
			21.10.2015	7:45	23,1	55,1	23,0	56,4	Yes
			21.10.2015	8:00	23	58,5	23,0	56,3	Yes
			21.10.2015	8:15	23,3	58,8	23,1	57,5	Yes
			21.10.2015	8:30	23,1	56,8	23,1	57,3	Yes
			21.10.2015	8:45	23,3	54,1	23,2	57,1	Yes
			21.10.2015	9:00	23,2	57,8	23,2	56,9	Yes
			21.10.2015	9:15	23,3	53,7	23,2	55,6	Yes
			21.10.2015	9:30	23,2	58,7	23,3	56,1	Yes
			21.10.2015	9:45	23,3	52,8	23,3	55,8	Yes
			21.10.2015	10:00	23,2	57,5	23,3	55,7	Yes
			21.10.2015	10:15	23,4	54,5	23,3	55,9	Yes
			21.10.2015	10:30	23,2	50,1	23,3	53,7	Yes
			21.10.2015	10:45	23,3	57,7	23,3	55,0	Yes
			21.10.2015	11:00	23,4	51,2	23,3	53,4	Yes
			21.10.2015	11:15	23,2	46,4	23,3	51,4	Yes
			21.10.2015	11:30	23	52,5	23,2	52,0	Yes
			21.10.2015	11:45	23,3	58	23,2	52,0	Yes
			21.10.2015	12:00	23,1	48	23,2	51,2	Yes
			21.10.2015	12:15	22,8	47,5	23,1	51,5	Yes
			21.10.2015	12:30	23,1	56,1	23,1	52,4	Yes
			21.10.2015	12:45	23,1	53,7	23,0	51,3	Yes
			21.10.2015	13:00	23,2	49,4	23,1	51,7	Yes
			21.10.2015	13:15	23,1	46,5	23,1	51,4	Yes
			21.10.2015	13:30	22,9	48,3	23,1	49,5	Yes
			21.10.2015	13:45	23,3	53,8	23,1	49,5	Yes
			21.10.2015	14:00	23,3	48,1	23,2	49,2	Yes
			21.10.2015	14:15	23,2	45,1	23,2	48,8	Yes
			21.10.2015	14:30	23	47,6	23,2	48,7	Yes
N/A	N/A	N/A	21.10.2015	14:45	23,1	53,7	23,2	48,6	Yes
			21.10.2015	15:00	23,2	55,4	23,1	50,5	Yes
			21.10.2015	15:15	23,3	55,1	23,2	53,0	Yes
			21.10.2015	15:30	23,4	54,4	23,3	54,7	Yes
			21.10.2015	15:45	23,4	54,7	23,3	54,9	Yes
			21.10.2015	16:00	23,5	53,7	23,4	54,5	Yes
			21.10.2015	16:15	23,4	53,9	23,4	54,2	Yes
			21.10.2015	16:30	23,5	54	23,5	54,1	Yes
			21.10.2015	16:45	23,4	53,8	23,5	53,9	Yes
			21.10.2015	17:00	23,3	54,6	23,4	54,1	Yes
			21.10.2015	17:15	23,3	54,1	23,4	54,1	Yes
			21.10.2015	17:30	23,2	53,6	23,3	54,0	Yes
			21.10.2015	17:45	23,1	54,2	23,2	54,1	Yes
			21.10.2015	18:00	23,1	54,6	23,2	54,1	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	21.10.2015	18:15	23	54	23.1	54.1	Yes
			21.10.2015	18:30	23	55	23.1	54.5	Yes
			21.10.2015	18:45	22.9	54.8	23.0	54.6	Yes
			21.10.2015	19:00	22.9	54.7	23.0	54.6	Yes
			21.10.2015	19:15	22.9	55.7	22.9	55.1	Yes
			21.10.2015	19:30	22.8	54.3	22.9	54.9	Yes
			21.10.2015	19:45	22.7	54.9	22.8	54.9	Yes
			21.10.2015	20:00	22.7	55.3	22.8	55.1	Yes
			21.10.2015	20:15	22.6	54.4	22.7	54.7	Yes
			21.10.2015	20:30	22.6	55.3	22.7	55.0	Yes
			21.10.2015	20:45	22.6	55.5	22.6	55.1	Yes
			21.10.2015	21:00	22.5	55.1	22.6	55.1	Yes
			21.10.2015	21:15	22.5	55.5	22.6	55.4	Yes
			21.10.2015	21:30	22.5	55.6	22.5	55.4	Yes
			21.10.2015	21:45	22.5	55.2	22.5	55.4	Yes
			21.10.2015	22:00	22.4	55.8	22.5	55.5	Yes
			21.10.2015	22:15	22.3	56.1	22.4	55.7	Yes
			21.10.2015	22:30	22.3	55.1	22.4	55.6	Yes
			21.10.2015	22:45	22.3	55.2	22.3	55.6	Yes
			21.10.2015	23:00	22.3	56	22.3	55.6	Yes
			21.10.2015	23:15	22.2	55.8	22.3	55.5	Yes
			21.10.2015	23:30	22.2	55.3	22.3	55.6	Yes
			21.10.2015	23:45	22.2	55.7	22.2	55.7	Yes
			22.10.2015	0:00	22.2	56.8	22.2	55.9	Yes
			22.10.2015	0:15	22.2	55.3	22.2	55.8	Yes
			22.10.2015	0:30	22.1	55.8	22.2	55.9	Yes
			22.10.2015	0:45	22.1	55.9	22.2	56.0	Yes
			22.10.2015	1:00	22.1	56.1	22.1	55.8	Yes
			22.10.2015	1:15	22.1	55.8	22.1	55.9	Yes
			22.10.2015	1:30	22.1	56.3	22.1	56.0	Yes
			22.10.2015	1:45	22.1	55.7	22.1	56.0	Yes
			22.10.2015	2:00	22	56.3	22.1	56.0	Yes
			22.10.2015	2:15	22	55.7	22.1	56.0	Yes
			22.10.2015	2:30	22	56.4	22.0	56.0	Yes
			22.10.2015	2:45	22	55.7	22.0	56.0	Yes
			22.10.2015	3:00	22	56.3	22.0	56.0	Yes
			22.10.2015	3:15	22	55.7	22.0	56.0	Yes
			22.10.2015	3:30	22	55.3	22.0	55.8	Yes
			22.10.2015	3:45	22	55.1	22.0	55.6	Yes
			22.10.2015	4:00	22.1	56.4	22.0	55.6	Yes
			22.10.2015	4:15	22.1	55.7	22.1	55.6	Yes
			22.10.2015	4:30	22.1	55.2	22.1	55.6	Yes
			22.10.2015	4:45	22.2	54.7	22.1	55.5	Yes
			22.10.2015	5:00	22.2	55.2	22.2	55.2	Yes
			22.10.2015	5:15	22.2	55.2	22.2	55.1	Yes
			22.10.2015	5:30	22.2	54.5	22.2	54.9	Yes
			22.10.2015	5:45	22.2	55.8	22.2	55.2	Yes
PHI_15_I0348	PHI_15_I0351	PHI_15_I0354	22.10.2015	6:00	22.5	56.1	22.3	55.4	Yes
			22.10.2015	6:15	22.8	58.2	22.4	56.2	Yes
			22.10.2015	6:30	22.8	55	22.6	56.3	Yes
			22.10.2015	6:45	23	54.8	22.8	56.0	Yes
			22.10.2015	7:00	23.1	59.3	22.9	56.8	Yes
			22.10.2015	7:15	22.9	50.7	23.0	55.0	Yes
			22.10.2015	7:30	23.1	54.9	23.0	54.9	Yes
			22.10.2015	7:45	22.8	48.1	23.0	53.3	Yes
			22.10.2015	8:00	22.9	56	22.9	52.4	Yes
			22.10.2015	8:15	22.9	49.7	22.9	52.2	Yes
			22.10.2015	8:30	23	57.4	22.9	52.8	Yes
			22.10.2015	8:45	22.9	52.1	22.9	53.8	Yes
			22.10.2015	9:00	23.3	55.8	23.0	53.8	Yes
			22.10.2015	9:15	23.1	48.9	23.1	53.6	Yes
			22.10.2015	9:30	22.9	50.4	23.1	51.8	Yes
			22.10.2015	9:45	23.1	56.9	23.1	53.0	Yes
			22.10.2015	10:00	23	50.1	23.0	51.6	Yes
			22.10.2015	10:15	23.2	51.1	23.1	52.1	Yes
			22.10.2015	10:30	22.9	50.7	23.1	52.2	Yes
			22.10.2015	10:45	23.1	49.5	23.1	50.4	Yes
			22.10.2015	11:00	22.9	46.4	23.0	49.4	Yes
			22.10.2015	11:15	22.8	45.6	22.9	48.1	Yes
			22.10.2015	11:30	23	54.1	23.0	48.9	Yes
PHI_15_I0349	PHI_15_I0351	PHI_15_I0354	22.10.2015	11:45	23.3	53	23.0	49.8	Yes
			22.10.2015	12:00	23.2	47.9	23.1	50.2	Yes
			22.10.2015	12:15	23.1	45.9	23.2	50.2	Yes
			22.10.2015	12:30	22.9	44.5	23.1	47.8	Yes
			22.10.2015	12:45	23.1	51.9	23.1	47.6	Yes
			22.10.2015	13:00	22.9	48	23.0	47.6	Yes
			22.10.2015	13:15	23.1	48.4	23.0	48.2	Yes
			22.10.2015	13:30	23	45.8	23.0	48.5	Yes
			22.10.2015	13:45	22.8	43.7	23.0	46.5	Yes
			22.10.2015	14:00	22.8	42.9	22.9	45.2	Yes
			22.10.2015	14:15	23	48.4	22.9	45.2	Yes
			22.10.2015	14:30	22.9	44.3	22.9	44.8	Yes
			22.10.2015	14:45	22.9	52.6	22.9	47.1	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	22.10.2015	15:00	23	54,1	23,0	49,9	Yes
			22.10.2015	15:15	23,2	55,3	23,0	51,6	Yes
			22.10.2015	15:30	23,3	55,3	23,1	54,3	Yes
			22.10.2015	15:45	23,4	55,9	23,2	55,2	Yes
			22.10.2015	16:00	23,4	54,6	23,3	55,3	Yes
			22.10.2015	16:15	23,4	55,6	23,4	55,4	Yes
			22.10.2015	16:30	23,4	53,8	23,4	55,0	Yes
			22.10.2015	16:45	23,4	54,2	23,4	54,6	Yes
			22.10.2015	17:00	23,4	55,3	23,4	54,7	Yes
			22.10.2015	17:15	23,3	54,1	23,4	54,4	Yes
			22.10.2015	17:30	23,3	55,1	23,4	54,7	Yes
			22.10.2015	17:45	23,3	55	23,3	54,9	Yes
			22.10.2015	18:00	23,2	54,7	23,3	54,7	Yes
			22.10.2015	18:15	23,2	55,4	23,3	55,1	Yes
			22.10.2015	18:30	23,2	55,9	23,2	55,3	Yes
			22.10.2015	18:45	23,2	55	23,2	55,3	Yes
			22.10.2015	19:00	23,1	55,4	23,2	55,4	Yes
			22.10.2015	19:15	23,1	56,3	23,2	55,7	Yes
			22.10.2015	19:30	23,1	54,6	23,1	55,3	Yes
			22.10.2015	19:45	23	55,4	23,1	55,4	Yes
			22.10.2015	20:00	23	55,8	23,1	55,5	Yes
			22.10.2015	20:15	22,9	55,2	23,0	55,3	Yes
			22.10.2015	20:30	22,9	56,9	23,0	55,8	Yes
			22.10.2015	20:45	22,9	55,1	22,9	55,8	Yes
			22.10.2015	21:00	22,9	55,9	22,9	55,8	Yes
			22.10.2015	21:15	22,8	56,3	22,9	56,1	Yes
			22.10.2015	21:30	22,8	55,5	22,9	55,7	Yes
			22.10.2015	21:45	22,7	57,3	22,8	56,3	Yes
			22.10.2015	22:00	22,7	55,6	22,8	56,2	Yes
			22.10.2015	22:15	22,7	56	22,7	56,1	Yes
			22.10.2015	22:30	22,6	56	22,7	56,2	Yes
			22.10.2015	22:45	22,6	55	22,7	55,7	Yes
			22.10.2015	23:00	22,6	56,1	22,6	55,8	Yes
			22.10.2015	23:15	22,5	56,3	22,6	55,9	Yes
			22.10.2015	23:30	22,5	55,2	22,6	55,7	Yes
			22.10.2015	23:45	22,5	55,7	22,5	55,8	Yes
			23.10.2015	0:00	22,5	56,8	22,5	56,0	Yes
			23.10.2015	0:15	22,5	55,7	22,5	55,9	Yes
			23.10.2015	0:30	22,4	56,9	22,5	56,3	Yes
			23.10.2015	0:45	22,4	55,9	22,5	56,3	Yes
			23.10.2015	1:00	22,4	55,4	22,4	56,0	Yes
			23.10.2015	1:15	22,4	56,2	22,4	56,1	Yes
			23.10.2015	1:30	22,4	55,7	22,4	55,8	Yes
			23.10.2015	1:45	22,4	56,4	22,4	55,9	Yes
			23.10.2015	2:00	22,4	55,9	22,4	56,1	Yes
			23.10.2015	2:15	22,4	56,6	22,4	56,2	Yes
			23.10.2015	2:30	22,4	55,6	22,4	56,1	Yes
			23.10.2015	2:45	22,3	56,1	22,4	56,1	Yes
			23.10.2015	3:00	22,3	55,8	22,4	56,0	Yes
			23.10.2015	3:15	22,3	56,2	22,3	55,9	Yes
			23.10.2015	3:30	22,4	55,4	22,3	55,9	Yes
			23.10.2015	3:45	22,4	57,1	22,4	56,1	Yes
			23.10.2015	4:00	22,4	55,9	22,4	56,2	Yes
			23.10.2015	4:15	22,4	56	22,4	56,1	Yes
			23.10.2015	4:30	22,5	56,5	22,4	56,4	Yes
			23.10.2015	4:45	22,5	55,5	22,5	56,0	Yes
			23.10.2015	5:00	22,5	56,4	22,5	56,1	Yes
			23.10.2015	5:15	22,5	55,9	22,5	56,1	Yes
			23.10.2015	5:30	22,5	55,2	22,5	55,8	Yes
			23.10.2015	5:45	22,5	56,3	22,5	56,0	Yes
PHI_15_I0349	PHI_15_I0351	PHI_15_I0354	23.10.2015	6:00	22,9	56,8	22,6	56,1	Yes
			23.10.2015	6:15	22,8	56,4	22,7	56,2	Yes
			23.10.2015	6:30	23	59,4	22,8	57,2	Yes
			23.10.2015	6:45	23	53,6	22,9	56,6	Yes
			23.10.2015	7:00	23,1	59,3	23,0	57,2	Yes
			23.10.2015	7:15	23,2	51,8	23,1	56,0	Yes
			23.10.2015	7:30	23,2	57,3	23,1	55,5	Yes
			23.10.2015	7:45	23,1	49,7	23,2	54,5	Yes
			23.10.2015	8:00	23	47,9	23,1	51,7	Yes
			23.10.2015	8:15	22,9	49,2	23,1	51,0	Yes
			23.10.2015	8:30	23,1	52,7	23,0	49,9	Yes
			23.10.2015	8:45	23,2	54,6	23,1	51,1	Yes
			23.10.2015	9:00	23,1	47,8	23,1	51,1	Yes
			23.10.2015	9:15	23,2	51,9	23,2	51,8	Yes
			23.10.2015	9:30	23,1	49,7	23,2	51,0	Yes
			23.10.2015	9:45	23,3	56,6	23,2	51,5	Yes
			23.10.2015	10:00	23,3	48	23,2	51,6	Yes
			23.10.2015	10:15	23,1	46,1	23,2	50,1	Yes
			23.10.2015	10:30	23,3	54,6	23,3	51,3	Yes
			23.10.2015	10:45	23,2	47,6	23,2	49,1	Yes
			23.10.2015	11:00	23,1	45,1	23,2	48,4	Yes
			23.10.2015	11:15	22,9	47,4	23,1	48,7	Yes
			23.10.2015	11:30	23,2	55,7	23,1	49,0	Yes

TYPE OF TEST: ISO 19752

			23.10.2015	11:45	23,4	50,8	23,2	49,8	Yes
			23.10.2015	12:00	23,1	45,1	23,2	49,8	Yes
			23.10.2015	12:15	22,8	42,6	23,1	48,6	Yes
			23.10.2015	12:30	23	54,7	23,1	48,3	Yes
			23.10.2015	12:45	23,3	52,9	23,1	48,8	Yes
			23.10.2015	13:00	23	50	23,0	50,1	Yes
			23.10.2015	13:15	23,3	52,9	23,2	52,6	Yes
			23.10.2015	13:30	23,3	55,9	23,2	52,9	Yes
			23.10.2015	13:45	23,3	49,4	23,2	52,1	Yes
			23.10.2015	14:00	23	50,2	23,2	52,1	Yes
			23.10.2015	14:15	23,3	50,9	23,2	51,6	Yes
			23.10.2015	14:30	22,9	45,6	23,1	49,0	Yes
			23.10.2015	14:45	22,3	48,9			No
			23.10.2015	15:00	22,5	55,1			No
			23.10.2015	15:15	22,7	55,2			No
			23.10.2015	15:30	23	55,4			No
			23.10.2015	15:45	23,1	55,7			No
			23.10.2015	16:00	23,3	54,9			No
			23.10.2015	16:15	23,3	54,7			No
			23.10.2015	16:30	23,3	54,3			No
			23.10.2015	16:45	23,4	53,5			No
			23.10.2015	17:00	23,4	53,1			No
			23.10.2015	17:15	23,3	52,6			No
			23.10.2015	17:30	23,3	51,9			No
			23.10.2015	17:45	23,3	51,3			No
			23.10.2015	18:00	23,3	51,1			No
			23.10.2015	18:15	23,2	50,8			No
			23.10.2015	18:30	23,2	50,5			No
			23.10.2015	18:45	23,2	50,4			No
			23.10.2015	19:00	23,1	50,1			No
			23.10.2015	19:15	23,1	49,9			No
			23.10.2015	19:30	23,1	49,4			No
			23.10.2015	19:45	23	49			No
			23.10.2015	20:00	23	48,6			No
			23.10.2015	20:15	22,9	48,4			No
			23.10.2015	20:30	22,9	48,4			No
			23.10.2015	20:45	22,9	48,3			No
			23.10.2015	21:00	22,8	48,2			No
			23.10.2015	21:15	22,8	47,6			No
			23.10.2015	21:30	22,8	47,5			No
			23.10.2015	21:45	22,7	47,5			No
			23.10.2015	22:00	22,7	47,5			No
			23.10.2015	22:15	22,7	46,9			No
			23.10.2015	22:30	22,6	46,5			No
			23.10.2015	22:45	22,6	46,6			No
			23.10.2015	23:00	22,6	46,4			No
			23.10.2015	23:15	22,5	46,3			No
			23.10.2015	23:30	22,5	47,1			No
			23.10.2015	23:45	22,5	46,9			No
			24.10.2015	0:00	22,4	46,5			No
			24.10.2015	0:15	22,4	46,5			No
			24.10.2015	0:30	22,4	46,3			No
			24.10.2015	0:45	22,3	46,2			No
			24.10.2015	1:00	22,3	46,2			No
			24.10.2015	1:15	22,3	46			No
			24.10.2015	1:30	22,3	46			No
			24.10.2015	1:45	22,2	45,9			No
			24.10.2015	2:00	22,2	45,8			No
			24.10.2015	2:15	22,1	46,5			No
			24.10.2015	2:30	22,1	46,2			No
			24.10.2015	2:45	22,1	46			No
			24.10.2015	3:00	22,1	45,8			No
			24.10.2015	3:15	22	45,8			No
			24.10.2015	3:30	22	46,2			No
			24.10.2015	3:45	22	46,3			No
			24.10.2015	4:00	21,9	45,9			No
			24.10.2015	4:15	21,9	45,8			No
			24.10.2015	4:30	21,9	45,7			No
			24.10.2015	4:45	21,9	45,5			No
			24.10.2015	5:00	21,8	46,2			No
			24.10.2015	5:15	21,8	45,9			No
			24.10.2015	5:30	21,7	45,6			No
			24.10.2015	5:45	21,7	45,3			No
			24.10.2015	6:00	21,7	45,2			No
			24.10.2015	6:15	21,6	45,1			No
			24.10.2015	6:30	21,6	45,8			No
			24.10.2015	6:45	21,5	45,7			No
			24.10.2015	7:00	21,5	45,3			No
			24.10.2015	7:15	21,5	45,1			No
			24.10.2015	7:30	21,4	44,9			No
			24.10.2015	7:45	21,4	44,7			No
			24.10.2015	8:00	21,4	44,6			No
			24.10.2015	8:15	21,4	45,9			No

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	24.10.2015	8:30	21,4	45,4		No
			24.10.2015	8:45	21,3	45,1		No
			24.10.2015	9:00	21,3	44,8		No
			24.10.2015	9:15	21,3	44,7		No
			24.10.2015	9:30	21,3	46,3		No
			24.10.2015	9:45	21,3	45,4		No
			24.10.2015	10:00	21,2	45,3		No
			24.10.2015	10:15	21,2	45,1		No
			24.10.2015	10:30	21,2	44,9		No
			24.10.2015	10:45	21,2	44,8		No
			24.10.2015	11:00	21,2	45,7		No
			24.10.2015	11:15	21,2	45,5		No
			24.10.2015	11:30	21,1	45,4		No
			24.10.2015	11:45	21,1	45,4		No
			24.10.2015	12:00	21,1	45,4		No
			24.10.2015	12:15	21,1	45,5		No
			24.10.2015	12:30	21,1	45,6		No
			24.10.2015	12:45	21,2	45,7		No
			24.10.2015	13:00	21,2	45,8		No
			24.10.2015	13:15	21,2	45,9		No
			24.10.2015	13:30	21,2	46		No
			24.10.2015	13:45	21,3	46,1		No
			24.10.2015	14:00	21,3	46,2		No
			24.10.2015	14:15	21,3	46,2		No
			24.10.2015	14:30	21,4	46,3		No
			24.10.2015	14:45	21,4	46,4		No
			24.10.2015	15:00	21,5	46,4		No
			24.10.2015	15:15	21,5	46,5		No
			24.10.2015	15:30	21,6	46,6		No
			24.10.2015	15:45	21,7	46,6		No
			24.10.2015	16:00	21,7	46,6		No
			24.10.2015	16:15	21,8	46,7		No
			24.10.2015	16:30	21,8	46,6		No
			24.10.2015	16:45	21,9	46,6		No
			24.10.2015	17:00	21,9	46,5		No
			24.10.2015	17:15	22	46,5		No
			24.10.2015	17:30	22	46,4		No
			24.10.2015	17:45	22	46,3		No
			24.10.2015	18:00	22,1	46,2		No
			24.10.2015	18:15	22,1	46,2		No
			24.10.2015	18:30	22,1	46,1		No
			24.10.2015	18:45	22,1	46		No
			24.10.2015	19:00	22,1	46,8		No
			24.10.2015	19:15	22,1	46,6		No
			24.10.2015	19:30	22,1	46,5		No
			24.10.2015	19:45	22,1	46,3		No
			24.10.2015	20:00	22,1	45,8		No
			24.10.2015	20:15	22,1	45,8		No
			24.10.2015	20:30	22,1	45,8		No
			24.10.2015	20:45	22	46,6		No
			24.10.2015	21:00	22	46,3		No
			24.10.2015	21:15	22	46,1		No
			24.10.2015	21:30	22	45,9		No
			24.10.2015	21:45	21,9	45,8		No
			24.10.2015	22:00	21,9	45,7		No
			24.10.2015	22:15	21,9	45,6		No
			24.10.2015	22:30	21,8	45,4		No
			24.10.2015	22:45	21,8	45,3		No
			24.10.2015	23:00	21,8	45,3		No
			24.10.2015	23:15	21,8	44,6		No
			24.10.2015	23:30	21,7	46,1		No
			24.10.2015	23:45	21,7	45,7		No
			25.10.2015	0:00	21,7	45,5		No
			25.10.2015	0:15	21,6	45,3		No
			25.10.2015	0:30	21,6	44,9		No
			25.10.2015	0:45	21,6	46,3		No
			25.10.2015	1:00	21,5	45,7		No
			25.10.2015	1:15	21,5	45,5		No
			25.10.2015	1:30	21,5	45,2		No
			25.10.2015	1:45	21,5	45		No
			25.10.2015	2:00	21,4	44,7		No
			25.10.2015	2:15	21,4	44,6		No
			25.10.2015	2:30	21,4	45,8		No
			25.10.2015	2:45	21,4	45,6		No
			25.10.2015	3:00	21,3	45,2		No
			25.10.2015	3:15	21,3	45		No
			25.10.2015	3:30	21,3	44,7		No
			25.10.2015	3:45	21,3	45,9		No
			25.10.2015	4:00	21,2	45,4		No
			25.10.2015	4:15	21,2	45,1		No
			25.10.2015	4:30	21,2	44,9		No
			25.10.2015	4:45	21,2	44,7		No
			25.10.2015	5:00	21,1	45,3		No

TYPE OF TEST: ISO 19752

	25.10.2015	5:15	21,1	45			No
	25.10.2015	5:30	21,1	44,8			No
	25.10.2015	5:45	21	44,6			No
	25.10.2015	6:00	21	45,7	21,1	45,0	Yes
	25.10.2015	6:15	21	45,3	21,0	45,1	Yes
	25.10.2015	6:30	21	45	21,0	45,2	Yes
	25.10.2015	6:45	20,9	45,7	21,0	45,4	Yes
	25.10.2015	7:00	20,9	45,3	21,0	45,3	Yes
	25.10.2015	7:15	20,9	45	20,9	45,3	Yes
	25.10.2015	7:30	20,8	45,9	20,9	45,5	Yes
	25.10.2015	7:45	20,8	45,2	20,9	45,4	Yes
	25.10.2015	8:00	20,8	44,9	20,8	45,3	Yes
	25.10.2015	8:15	20,8	45,5	20,8	45,4	Yes
	25.10.2015	8:30	20,7	45,3	20,8	45,2	Yes
	25.10.2015	8:45	20,7	45	20,8	45,2	Yes
	25.10.2015	9:00	20,7	45,7	20,7	45,4	Yes
	25.10.2015	9:15	20,7	45,3	20,7	45,3	Yes
	25.10.2015	9:30	20,7	45,1	20,7	45,3	Yes
	25.10.2015	9:45	20,6	46,3	20,7	45,6	Yes
	25.10.2015	10:00	20,6	45,5	20,7	45,6	Yes
	25.10.2015	10:15	20,6	45,3	20,6	45,6	Yes
	25.10.2015	10:30	20,6	45,1	20,6	45,6	Yes
	25.10.2015	10:45	20,5	45	20,6	45,2	Yes
	25.10.2015	11:00	20,5	44,9	20,6	45,1	Yes
	25.10.2015	11:15	20,5	44,9	20,5	45,0	Yes
	25.10.2015	11:30	20,5	44,8	20,5	44,9	Yes
	25.10.2015	11:45	20,5	44,8	20,5	44,9	Yes
	25.10.2015	12:00	20,5	45,8	20,5	45,1	Yes
	25.10.2015	12:15	20,4	45,4	20,5	45,2	Yes
	25.10.2015	12:30	20,4	45,3	20,5	45,3	Yes
	25.10.2015	12:45	20,4	45,2	20,4	45,4	Yes
	25.10.2015	13:00	20,4	45,1	20,4	45,3	Yes
	25.10.2015	13:15	20,4	45,1	20,4	45,2	Yes
	25.10.2015	13:30	20,4	45	20,4	45,1	Yes
	25.10.2015	13:45	20,4	45	20,4	45,1	Yes
	25.10.2015	14:00	20,3	45	20,4	45,0	Yes
	25.10.2015	14:15	20,3	45	20,4	45,0	Yes
	25.10.2015	14:30	20,3	45	20,3	45,0	Yes
	25.10.2015	14:45	20,3	45	20,3	45,0	Yes
	25.10.2015	15:00	20,3	44,9	20,3	45,0	Yes
	25.10.2015	15:15	20,3	44,9	20,3	45,0	Yes
	25.10.2015	15:30	20,3	44,9	20,3	44,9	Yes
	25.10.2015	15:45	20,3	44,9	20,3	44,9	Yes
	25.10.2015	16:00	20,3	45	20,3	44,9	Yes
	25.10.2015	16:15	20,3	45	20,3	45,0	Yes
	25.10.2015	16:30	20,3	45	20,3	45,0	Yes
	25.10.2015	16:45	20,3	45	20,3	45,0	Yes
	25.10.2015	17:00	20,3	45	20,3	45,0	Yes
	25.10.2015	17:15	20,3	44,9	20,3	45,0	Yes
	25.10.2015	17:30	20,3	46,2	20,3	45,3	Yes
	25.10.2015	17:45	20,3	46,3	20,3	45,6	Yes
	25.10.2015	18:00	20,3	45,9	20,3	45,8	Yes
	25.10.2015	18:15	20,3	45,8	20,3	46,1	Yes
	25.10.2015	18:30	20,3	45,7	20,3	45,9	Yes
	25.10.2015	18:45	20,3	45,6	20,3	45,8	Yes
	25.10.2015	19:00	20,3	45,5	20,3	45,7	Yes
	25.10.2015	19:15	20,2	45,4	20,3	45,6	Yes
	25.10.2015	19:30	20,2	45,4	20,3	45,5	Yes
	25.10.2015	19:45	20,2	45,4	20,2	45,4	Yes
	25.10.2015	20:00	20,2	45,4	20,2	45,4	Yes
	25.10.2015	20:15	20,2	45,3	20,2	45,4	Yes
	25.10.2015	20:30	20,2	45,2	20,2	45,3	Yes
	25.10.2015	20:45	20,1	45,3	20,2	45,3	Yes
	25.10.2015	21:00	20,1	45	20,2	45,2	Yes
	25.10.2015	21:15	20,1	45	20,1	45,1	Yes
	25.10.2015	21:30	20,1	44,9	20,1	45,1	Yes
	25.10.2015	21:45	20,1	44,9	20,1	45,0	Yes
	25.10.2015	22:00	20,1	44,9	20,1	44,9	Yes
	25.10.2015	22:15	20	44,9	20,1	44,9	Yes
	25.10.2015	22:30	20	46,1	20,1	45,2	Yes
	25.10.2015	22:45	20	45,9	20,0	45,5	Yes
	25.10.2015	23:00	20	45,6	20,0	45,6	Yes
	25.10.2015	23:15	20	45,4	20,0	45,8	Yes
	25.10.2015	23:30	20	45,2	20,0	45,5	Yes
	25.10.2015	23:45	20	45,2	20,0	45,4	Yes
	26.10.2015	0:00	20	45,1	20,0	45,2	Yes
	26.10.2015	0:15	20	44,8	20,0	45,1	Yes
	26.10.2015	0:30	19,9	45,6	20,0	45,2	Yes
	26.10.2015	0:45	19,9	45,4	20,0	45,2	Yes
	26.10.2015	1:00	20	45,3	20,0	45,3	Yes
	26.10.2015	1:15	20	45,4	20,0	45,4	Yes
	26.10.2015	1:30	20	45,5	20,0	45,4	Yes
	26.10.2015	1:45	20	45,6	20,0	45,5	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0349	PHI_15_I0351	PHI_15_I0354	26.10.2015	2:00	20,1	45,8	20,0	45,6	Yes
			26.10.2015	2:15	20,3	45,5	20,1	45,6	Yes
			26.10.2015	2:30	20,4	45,5	20,2	45,6	Yes
			26.10.2015	2:45	20,5	45,4	20,3	45,6	Yes
			26.10.2015	3:00	20,6	45,4	20,5	45,5	Yes
			26.10.2015	3:15	20,7	45,2	20,6	45,4	Yes
			26.10.2015	3:30	20,7	45,1	20,6	45,3	Yes
			26.10.2015	3:45	20,8	45	20,7	45,2	Yes
			26.10.2015	4:00	20,9	44,9	20,8	45,1	Yes
			26.10.2015	4:15	20,9	46,3	20,8	45,3	Yes
			26.10.2015	4:30	20,9	45,9	20,9	45,5	Yes
			26.10.2015	4:45	21	45,7	20,9	45,7	Yes
			26.10.2015	5:00	21	45,5	21,0	45,9	Yes
			26.10.2015	5:15	21	45,4	21,0	45,6	Yes
			26.10.2015	5:30	21,1	45,2	21,0	45,5	Yes
			26.10.2015	5:45	21,1	45,2	21,1	45,3	Yes
			26.10.2015	6:00	21,1	45,1	21,1	45,2	Yes
			26.10.2015	6:15	21,2	45,9	21,1	45,4	Yes
			26.10.2015	6:30	21,2	45,6	21,2	45,5	Yes
			26.10.2015	6:45	21,3	45,4	21,2	45,5	Yes
			26.10.2015	7:00	21,5	45,7	21,3	45,7	Yes
			26.10.2015	7:15	22	46,7	21,5	45,9	Yes
			26.10.2015	7:30	22,3	46,5	21,8	46,1	Yes
			26.10.2015	7:45	22,5	44	22,1	45,7	Yes
			26.10.2015	8:00	22,7	47,7	22,4	46,2	Yes
			26.10.2015	8:15	22,5	48,1	22,5	46,6	Yes
			26.10.2015	8:30	22,8	49,4	22,6	47,3	Yes
PHI_15_I0352	PHI_15_I0352	PHI_15_I0354	26.10.2015	8:45	22,8	45,1	22,7	47,6	Yes
			26.10.2015	9:00	23,1	50,2	22,8	48,2	Yes
			26.10.2015	9:15	22,8	43,9	22,9	47,2	Yes
			26.10.2015	9:30	22,9	52,4	22,9	47,9	Yes
			26.10.2015	9:45	23	47,3	23,0	48,5	Yes
			26.10.2015	10:00	22,8	48,1	22,9	47,9	Yes
			26.10.2015	10:15	22,9	45,2	22,9	48,3	Yes
			26.10.2015	10:30	22,9	51,1	22,9	47,9	Yes
			26.10.2015	10:45	22,8	43,9	22,9	47,1	Yes
			26.10.2015	11:00	22,9	50,5	22,9	47,7	Yes
			26.10.2015	11:15	22,8	48,6	22,9	48,5	Yes
			26.10.2015	11:30	23	49,2	22,9	48,1	Yes
			26.10.2015	11:45	22,8	43,6	22,9	48,0	Yes
			26.10.2015	12:00	22,7	48,7	22,8	47,5	Yes
			26.10.2015	12:15	23,1	53,4	22,9	48,7	Yes
			26.10.2015	12:30	22,9	45,5	22,9	47,8	Yes
			26.10.2015	12:45	23	53,5	22,9	50,3	Yes
			26.10.2015	13:00	23,3	51,7	23,1	51,0	Yes
			26.10.2015	13:15	23,1	44,1	23,1	48,7	Yes
			26.10.2015	13:30	22,7	44,8	23,0	48,5	Yes
			26.10.2015	13:45	23	52,8	23,0	48,4	Yes
			26.10.2015	14:00	23,2	48,4	23,0	47,5	Yes
			26.10.2015	14:15	22,9	47,9	23,0	48,5	Yes
			26.10.2015	14:30	23,2	48,8	23,1	49,5	Yes
N/A	N/A	N/A	26.10.2015	14:45	23,1	44,3	23,1	47,4	Yes
			26.10.2015	15:00	22,9	43,1	23,0	46,0	Yes
			26.10.2015	15:15	22,7	44,6	23,0	45,2	Yes
			26.10.2015	15:30	22,9	43,1	22,9	43,8	Yes
			26.10.2015	15:45	22,3	41,9	22,7	43,2	Yes
			26.10.2015	16:00	22,4	50,9	22,6	45,1	Yes
			26.10.2015	16:15	22,7	53,5	22,6	47,4	Yes
			26.10.2015	16:30	23	52,6	22,6	49,7	Yes
			26.10.2015	16:45	23,1	51,9	22,8	52,2	Yes
			26.10.2015	17:00	23,2	51	23,0	52,3	Yes
			26.10.2015	17:15	23,3	50,1	23,2	51,4	Yes
			26.10.2015	17:30	23,3	49,9	23,2	50,7	Yes
			26.10.2015	17:45	23,3	49,6	23,3	50,2	Yes
			26.10.2015	18:00	23,4	49,1	23,3	49,7	Yes
			26.10.2015	18:15	23,4	48,8	23,4	49,4	Yes
			26.10.2015	18:30	23,3	48,4	23,4	49,0	Yes
			26.10.2015	18:45	23,3	48,2	23,4	48,6	Yes
			26.10.2015	19:00	23,3	48	23,3	48,4	Yes
			26.10.2015	19:15	23,3	47,9	23,3	48,1	Yes
			26.10.2015	19:30	23,3	47,7	23,3	48,0	Yes
			26.10.2015	19:45	23,2	47,6	23,3	47,8	Yes
			26.10.2015	20:00	23,2	47,5	23,3	47,7	Yes
			26.10.2015	20:15	23,2	47,4	23,2	47,6	Yes
			26.10.2015	20:30	23,2	46,8	23,2	47,3	Yes
			26.10.2015	20:45	23,1	46,5	23,2	47,1	Yes
			26.10.2015	21:00	23,1	46,1	23,2	46,7	Yes
			26.10.2015	21:15	23	46,1	23,1	46,4	Yes
			26.10.2015	21:30	23	46,1	23,1	46,2	Yes
			26.10.2015	21:45	23	46	23,0	46,1	Yes
			26.10.2015	22:00	23	45,9	23,0	46,0	Yes
			26.10.2015	22:15	22,9	45,5	23,0	45,9	Yes
			26.10.2015	22:30	22,9	45,5	23,0	45,7	Yes

TYPE OF TEST: ISO 19752

			26.10.2015	22:45	22,9	45,4	22,9	45,6	Yes
			26.10.2015	23:00	22,8	45,3	22,9	45,4	Yes
			26.10.2015	23:15	22,8	46,4	22,9	45,7	Yes
			26.10.2015	23:30	22,8	45,6	22,8	45,7	Yes
			26.10.2015	23:45	22,7	45,5	22,8	45,7	Yes
			27.10.2015	0:00	22,7	45,3	22,8	45,7	Yes
			27.10.2015	0:15	22,7	45	22,7	45,4	Yes
			27.10.2015	0:30	22,6	44,9	22,7	45,2	Yes
			27.10.2015	0:45	22,6	44,9	22,7	45,0	Yes
			27.10.2015	1:00	22,6	44,9	22,6	44,9	Yes
			27.10.2015	1:15	22,5	44,8	22,6	44,9	Yes
			27.10.2015	1:30	22,5	45,8	22,6	45,1	Yes
			27.10.2015	1:45	22,5	45,6	22,5	45,3	Yes
			27.10.2015	2:00	22,5	45,4	22,5	45,4	Yes
			27.10.2015	2:15	22,5	45,3	22,5	45,5	Yes
			27.10.2015	2:30	22,4	45,3	22,5	45,4	Yes
			27.10.2015	2:45	22,4	46,4	22,5	45,6	Yes
			27.10.2015	3:00	22,4	46,1	22,4	45,8	Yes
			27.10.2015	3:15	22,4	45,8	22,4	45,9	Yes
			27.10.2015	3:30	22,3	45,7	22,4	46,0	Yes
			27.10.2015	3:45	22,3	45,6	22,4	45,8	Yes
			27.10.2015	4:00	22,3	45,6	22,3	45,7	Yes
			27.10.2015	4:15	22,3	45,4	22,3	45,6	Yes
			27.10.2015	4:30	22,3	45,4	22,3	45,5	Yes
			27.10.2015	4:45	22,3	46,4	22,3	45,7	Yes
			27.10.2015	5:00	22,4	46	22,3	45,8	Yes
			27.10.2015	5:15	22,5	45,9	22,4	45,9	Yes
			27.10.2015	5:30	22,5	45,7	22,4	46,0	Yes
			27.10.2015	5:45	22,5	45,6	22,5	45,8	Yes
			27.10.2015	6:00	22,5	45,5	22,5	45,7	Yes
			27.10.2015	6:15	22,5	45,1	22,5	45,5	Yes
			27.10.2015	6:30	22,5	45,9	22,5	45,5	Yes
			27.10.2015	6:45	22,6	45,6	22,5	45,5	Yes
			27.10.2015	7:00	22,8	45,7	22,6	45,6	Yes
			27.10.2015	7:15	22,7	44,2	22,7	45,4	Yes
			27.10.2015	7:30	23	50,8	22,8	46,6	Yes
			27.10.2015	7:45	22,7	42,7	22,8	45,9	Yes
			27.10.2015	8:00	22,7	52,7	22,8	47,6	Yes
			27.10.2015	8:15	23,2	51,9	22,9	49,5	Yes
			27.10.2015	8:30	22,9	43,2	22,9	47,6	Yes
			27.10.2015	8:45	22,6	41,9	22,9	47,4	Yes
			27.10.2015	9:00	22,8	49	22,9	46,5	Yes
			27.10.2015	9:15	22,6	42,3	22,7	44,1	Yes
			27.10.2015	9:30	22,2	41,4	22,6	43,7	Yes
			27.10.2015	9:45	22,7	51,4	22,6	46,0	Yes
			27.10.2015	10:00	22,9	45,7	22,6	45,2	Yes
			27.10.2015	10:15	22,6	42,2	22,6	45,2	Yes
			27.10.2015	10:30	22,4	40,9	22,7	45,1	Yes
			27.10.2015	10:45	22,7	51,4	22,7	45,1	Yes
			27.10.2015	11:00	23,1	47,5	22,7	45,5	Yes
			27.10.2015	11:15	23,1	49,7	22,8	47,4	Yes
			27.10.2015	11:30	22,9	44,6	23,0	48,3	Yes
			27.10.2015	11:45	23,3	52,8	23,1	48,7	Yes
			27.10.2015	12:00	23,3	45,9	23,2	48,3	Yes
			27.10.2015	12:15	23	48	23,1	47,8	Yes
			27.10.2015	12:30	23	42,6	23,2	47,3	Yes
			27.10.2015	12:45	23,1	53,4	23,1	47,5	Yes
			27.10.2015	13:00	23,4	49,4	23,1	48,4	Yes
			27.10.2015	13:15	23	46,5	23,1	48,0	Yes
			27.10.2015	13:30	23,3	53,2	23,2	50,6	Yes
			27.10.2015	13:45	23,1	48,6	23,2	49,4	Yes
			27.10.2015	14:00	23,4	49,3	23,2	49,4	Yes
			27.10.2015	14:15	23,1	43,6	23,2	48,7	Yes
			27.10.2015	14:30	22,9	42,5	23,1	46,0	Yes
			27.10.2015	14:45	22,8	47,8	23,1	45,8	Yes
			27.10.2015	15:00	23,1	44,3	23,0	44,6	Yes
			27.10.2015	15:15	23,2	50,2	23,0	46,2	Yes
			27.10.2015	15:30	22,9	42,4	23,0	46,2	Yes
			27.10.2015	15:45	22,3	41,1	22,9	44,5	Yes
			27.10.2015	16:00	22,1	46	22,6	44,9	Yes
			27.10.2015	16:15	22,5	52,4	22,5	45,5	Yes
			27.10.2015	16:30	22,9	52,6	22,5	48,0	Yes
			27.10.2015	16:45	23,2	53,3	22,7	51,1	Yes
			27.10.2015	17:00	23,4	53,7	23,0	53,0	Yes
			27.10.2015	17:15	22,7	46	23,1	51,4	Yes
			27.10.2015	17:30	22,6	54,1	23,0	51,8	Yes
			27.10.2015	17:45	22,8	55,9	22,9	52,4	Yes
			27.10.2015	18:00	23	54,3	22,8	52,6	Yes
			27.10.2015	18:15	23,1	54,9	22,9	54,8	Yes
			27.10.2015	18:30	23,1	53,9	23,0	54,8	Yes
			27.10.2015	18:45	23,1	54,7	23,1	54,5	Yes
			27.10.2015	19:00	23,2	54,2	23,1	54,4	Yes
			27.10.2015	19:15	23,1	54,4	23,1	54,3	Yes

TYPE OF TEST: ISO 19752

			27.10.2015	19:30	23,2	54,7	23,2	54,5	Yes
			27.10.2015	19:45	23,2	54,1	23,2	54,4	Yes
			27.10.2015	20:00	23,2	55,3	23,2	54,6	Yes
			27.10.2015	20:15	23,2	53,8	23,2	54,5	Yes
			27.10.2015	20:30	23,1	53,9	23,2	54,3	Yes
			27.10.2015	20:45	23,1	55,5	23,2	54,6	Yes
			27.10.2015	21:00	23	55,2	23,1	54,6	Yes
			27.10.2015	21:15	23	54,1	23,1	54,7	Yes
			27.10.2015	21:30	23	55,9	23,0	55,2	Yes
			27.10.2015	21:45	23	55,1	23,0	55,1	Yes
			27.10.2015	22:00	23	54,8	23,0	55,0	Yes
			27.10.2015	22:15	22,9	55,4	23,0	55,3	Yes
			27.10.2015	22:30	22,9	54,6	23,0	55,0	Yes
			27.10.2015	22:45	22,8	56	22,9	55,2	Yes
			27.10.2015	23:00	22,9	55	22,9	55,3	Yes
			27.10.2015	23:15	22,8	54,6	22,9	55,1	Yes
			27.10.2015	23:30	22,7	54,5	22,8	55,0	Yes
			27.10.2015	23:45	22,7	56	22,8	55,0	Yes
			28.10.2015	0:00	22,7	55,3	22,7	55,1	Yes
			28.10.2015	0:15	22,6	54,4	22,7	55,1	Yes
			28.10.2015	0:30	22,6	54,8	22,7	55,1	Yes
			28.10.2015	0:45	22,6	55,5	22,6	55,0	Yes
			28.10.2015	1:00	22,5	56,5	22,6	55,3	Yes
			28.10.2015	1:15	22,5	54,9	22,6	55,4	Yes
			28.10.2015	1:30	22,5	55,2	22,5	55,5	Yes
			28.10.2015	1:45	22,5	55,9	22,5	55,6	Yes
			28.10.2015	2:00	22,5	55,2	22,5	55,3	Yes
			28.10.2015	2:15	22,5	55,5	22,5	55,5	Yes
			28.10.2015	2:30	22,5	56	22,5	55,7	Yes
			28.10.2015	2:45	22,5	54,9	22,5	55,4	Yes
			28.10.2015	3:00	22,4	55,7	22,5	55,5	Yes
			28.10.2015	3:15	22,4	56	22,5	55,7	Yes
			28.10.2015	3:30	22,4	55,1	22,4	55,4	Yes
			28.10.2015	3:45	22,4	55,8	22,4	55,7	Yes
			28.10.2015	4:00	22,4	56,7	22,4	55,9	Yes
			28.10.2015	4:15	22,4	55,1	22,4	55,7	Yes
			28.10.2015	4:30	22,4	56,1	22,4	55,9	Yes
			28.10.2015	4:45	22,4	55,2	22,4	55,8	Yes
			28.10.2015	5:00	22,4	55,8	22,4	55,6	Yes
			28.10.2015	5:15	22,5	55,1	22,4	55,6	Yes
			28.10.2015	5:30	22,5	55,8	22,5	55,5	Yes
			28.10.2015	5:45	22,5	55,9	22,5	55,7	Yes
			28.10.2015	6:00	22,5	55,4	22,5	55,6	Yes
			28.10.2015	6:15	22,5	55,3	22,5	55,6	Yes
			28.10.2015	6:30	22,5	55,2	22,5	55,5	Yes
			28.10.2015	6:45	22,5	54,6	22,5	55,1	Yes
			28.10.2015	7:00	22,5	55,3	22,5	55,1	Yes
			28.10.2015	7:15	22,5	55,7	22,5	55,2	Yes
			28.10.2015	7:30	22,5	54,6	22,5	55,1	Yes
			28.10.2015	7:45	22,5	54,9	22,5	55,1	Yes
			28.10.2015	8:00	22,5	55,5	22,5	55,2	Yes
			28.10.2015	8:15	22,5	54,3	22,5	54,8	Yes
			28.10.2015	8:30	22,5	54,9	22,5	54,9	Yes
			28.10.2015	8:45	22,5	55,6	22,5	55,1	Yes
			28.10.2015	9:00	22,5	54,6	22,5	54,9	Yes
			28.10.2015	9:15	22,5	54,1	22,5	54,8	Yes
			28.10.2015	9:30	22,4	54,3	22,5	54,7	Yes
			28.10.2015	9:45	22,4	54,6	22,5	54,4	Yes
			28.10.2015	10:00	22,4	54,2	22,4	54,3	Yes
			28.10.2015	10:15	22,4	54,3	22,4	54,4	Yes
			28.10.2015	10:30	22,4	55,3	22,4	54,6	Yes
			28.10.2015	10:45	22,4	54,3	22,4	54,5	Yes
			28.10.2015	11:00	22,4	55,5	22,4	54,9	Yes
			28.10.2015	11:15	22,4	55,2	22,4	55,1	Yes
			28.10.2015	11:30	22,4	54,9	22,4	55,0	Yes
			28.10.2015	11:45	22,4	55,1	22,4	55,2	Yes
			28.10.2015	12:00	22,4	54,3	22,4	54,9	Yes
			28.10.2015	12:15	22,4	54,3	22,4	54,7	Yes
			28.10.2015	12:30	22,5	54,1	22,4	54,5	Yes
			28.10.2015	12:45	22,4	54,9	22,4	54,4	Yes
			28.10.2015	13:00	22,4	54,9	22,4	54,6	Yes
			28.10.2015	13:15	22,4	54,8	22,4	54,7	Yes
			28.10.2015	13:30	22,5	54,5	22,4	54,8	Yes
			28.10.2015	13:45	22,5	55,7	22,5	55,0	Yes
			28.10.2015	14:00	22,5	54,6	22,5	54,9	Yes
			28.10.2015	14:15	22,5	55	22,5	55,0	Yes
			28.10.2015	14:30	22,5	54,2	22,5	54,9	Yes
			28.10.2015	14:45	22,5	54,9	22,5	54,7	Yes
			28.10.2015	15:00	22,6	54,6	22,5	54,7	Yes
			28.10.2015	15:15	22,5	54,5	22,5	54,6	Yes
			28.10.2015	15:30	22,6	54,8	22,6	54,7	Yes
			28.10.2015	15:45	22,6	55,4	22,6	54,8	Yes
			28.10.2015	16:00	22,5	54	22,6	54,7	Yes

TYPE OF TEST: ISO 19752

			28.10.2015	16:15	22,5	54,9	22,6	54,8	Yes
			28.10.2015	16:30	22,5	55,2	22,5	54,9	Yes
			28.10.2015	16:45	22,5	54,2	22,5	54,6	Yes
			28.10.2015	17:00	22,5	54,9	22,5	54,8	Yes
			28.10.2015	17:15	22,5	55,4	22,5	54,9	Yes
			28.10.2015	17:30	22,4	54,6	22,5	54,8	Yes
			28.10.2015	17:45	22,4	54,9	22,5	55,0	Yes
			28.10.2015	18:00	22,4	55,2	22,4	55,0	Yes
			28.10.2015	18:15	22,4	56,3	22,4	55,3	Yes
			28.10.2015	18:30	22,4	55,3	22,4	55,4	Yes
			28.10.2015	18:45	22,4	54,4	22,4	55,3	Yes
			28.10.2015	19:00	22,3	54,7	22,4	55,2	Yes
			28.10.2015	19:15	22,3	55,5	22,4	55,0	Yes
			28.10.2015	19:30	22,3	56,3	22,3	55,2	Yes
			28.10.2015	19:45	22,3	55,7	22,3	55,6	Yes
			28.10.2015	20:00	22,3	54,9	22,3	55,6	Yes
			28.10.2015	20:15	22,3	55,3	22,3	55,6	Yes
			28.10.2015	20:30	22,2	54,3	22,3	55,1	Yes
			28.10.2015	20:45	22,1	54,9	22,2	54,9	Yes
			28.10.2015	21:00	22,1	54,5	22,2	54,8	Yes
			28.10.2015	21:15	22,1	55,9	22,1	54,9	Yes
			28.10.2015	21:30	22,1	56,6	22,1	55,5	Yes
			28.10.2015	21:45	22	56,2	22,1	55,8	Yes
			28.10.2015	22:00	22	55,8	22,1	56,1	Yes
			28.10.2015	22:15	22	54,2	22,0	55,7	Yes
			28.10.2015	22:30	22	55,5	22,0	55,4	Yes
			28.10.2015	22:45	22	56,6	22,0	55,5	Yes
			28.10.2015	23:00	21,9	56,4	22,0	55,7	Yes
			28.10.2015	23:15	21,9	54,7	22,0	55,8	Yes
			28.10.2015	23:30	21,8	54,9	21,9	55,7	Yes
			28.10.2015	23:45	21,8	56,7	21,9	55,7	Yes
			29.10.2015	0:00	21,8	56,5	21,8	55,7	Yes
			29.10.2015	0:15	21,8	55,3	21,8	55,9	Yes
			29.10.2015	0:30	21,8	55	21,8	55,9	Yes
			29.10.2015	0:45	21,8	55,9	21,8	55,7	Yes
			29.10.2015	1:00	21,7	56,8	21,8	55,8	Yes
			29.10.2015	1:15	21,7	56,6	21,8	56,1	Yes
			29.10.2015	1:30	21,7	55,9	21,7	56,3	Yes
			29.10.2015	1:45	21,7	56	21,7	56,3	Yes
			29.10.2015	2:00	21,7	56,9	21,7	56,4	Yes
			29.10.2015	2:15	21,8	55,8	21,7	56,2	Yes
			29.10.2015	2:30	21,7	56,5	21,7	56,3	Yes
			29.10.2015	2:45	21,7	56,6	21,7	56,5	Yes
			29.10.2015	3:00	21,7	56,1	21,7	56,3	Yes
			29.10.2015	3:15	21,7	57	21,7	56,6	Yes
			29.10.2015	3:30	21,7	56,1	21,7	56,5	Yes
			29.10.2015	3:45	21,7	56,3	21,7	56,4	Yes
			29.10.2015	4:00	21,7	56,9	21,7	56,6	Yes
			29.10.2015	4:15	21,7	56	21,7	56,3	Yes
			29.10.2015	4:30	21,7	56,5	21,7	56,4	Yes
			29.10.2015	4:45	21,7	55,7	21,7	56,3	Yes
			29.10.2015	5:00	21,7	56,4	21,7	56,2	Yes
			29.10.2015	5:15	21,8	56,2	21,7	56,2	Yes
			29.10.2015	5:30	21,8	56,2	21,8	56,1	Yes
			29.10.2015	5:45	21,8	56,2	21,8	56,3	Yes
			29.10.2015	6:00	21,8	56,3	21,8	56,2	Yes
			29.10.2015	6:15	21,8	56,7	21,8	56,4	Yes
			29.10.2015	6:30	21,9	56,1	21,8	56,3	Yes
			29.10.2015	6:45	21,9	56,6	21,9	56,4	Yes
			29.10.2015	7:00	22,1	59,4	21,9	57,2	Yes
			29.10.2015	7:15	22,5	57,9	22,1	57,5	Yes
			29.10.2015	7:30	22,9	57,9	22,4	58,0	Yes
			29.10.2015	7:45	22,7	59,7	22,6	58,7	Yes
			29.10.2015	8:00	23,2	59,5	22,8	58,8	Yes
			29.10.2015	8:15	23	57,9	23,0	58,8	Yes
			29.10.2015	8:30	23,3	62,4	23,1	59,9	Yes
			29.10.2015	8:45	23,2	53,4	23,2	58,3	Yes
			29.10.2015	9:00	23,2	50,9	23,2	56,2	Yes
			29.10.2015	9:15	22,9	46,1	23,2	53,2	Yes
			29.10.2015	9:30	22,8	54,9	23,0	51,3	Yes
			29.10.2015	9:45	23,2	56,8	23,0	52,2	Yes
			29.10.2015	10:00	22,9	50,4	23,0	52,1	Yes
			29.10.2015	10:15	23,2	56,9	23,0	54,8	Yes
			29.10.2015	10:30	23	48,1	23,1	53,1	Yes
			29.10.2015	10:45	22,6	44,8	22,9	50,1	Yes
			29.10.2015	11:00	22,8	56,5	22,9	51,6	Yes
			29.10.2015	11:15	23	50,7	22,9	50,0	Yes
			29.10.2015	11:30	22,7	46,4	22,8	49,6	Yes
			29.10.2015	11:45	22,7	56,7	22,8	52,6	Yes
			29.10.2015	12:00	23,1	59,4	22,9	53,3	Yes
			29.10.2015	12:15	23,3	51,8	23,0	53,6	Yes
			29.10.2015	12:30	23,1	56,6	23,1	56,1	Yes
			29.10.2015	12:45	23,4	59,6	23,2	56,9	Yes

PHI_15_I0352

PHI_15_I0355

TEST REPORT

Creation date of report: 13.11.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	29.10.2015	13:00	23,2	49,4	23,3	54,4	Yes
			29.10.2015	13:15	23,2	58,5	23,2	56,0	Yes
			29.10.2015	13:30	23,3	51,2	23,3	54,7	Yes
			29.10.2015	13:45	23	46,8	23,2	51,5	Yes
			29.10.2015	14:00	23,1	56,3	23,2	53,2	Yes
			29.10.2015	14:15	23,1	48,6	23,1	50,7	Yes
			29.10.2015	14:30	23,1	54,2	23,1	51,5	Yes
			29.10.2015	14:45	23,1	48,9	23,1	52,0	Yes
			29.10.2015	15:00	23,3	57,6	23,2	52,3	Yes
			29.10.2015	15:15	23,3	48,4	23,2	52,3	Yes
			29.10.2015	15:30	23	49,5	23,2	51,1	Yes
			29.10.2015	15:45	22,9	55,2	23,1	52,7	Yes
			29.10.2015	16:00	23	57	23,1	52,5	Yes
			29.10.2015	16:15	23,1	56,7	23,0	54,6	Yes
			29.10.2015	16:30	23,2	55,6	23,1	56,1	Yes
			29.10.2015	16:45	23,2	55,4	23,1	56,2	Yes
			29.10.2015	17:00	23,2	55,4	23,2	55,8	Yes
			29.10.2015	17:15	23,2	54	23,2	55,1	Yes
			29.10.2015	17:30	23,2	54,6	23,2	54,9	Yes
			29.10.2015	17:45	23,2	54,3	23,2	54,6	Yes
			29.10.2015	18:00	23,2	54,2	23,2	54,3	Yes
			29.10.2015	18:15	23,1	54,6	23,2	54,4	Yes
			29.10.2015	18:30	23,1	53,7	23,2	54,2	Yes
			29.10.2015	18:45	23	54,1	23,1	54,2	Yes
			29.10.2015	19:00	23	54,3	23,1	54,2	Yes
			29.10.2015	19:15	22,9	54,3	23,0	54,1	Yes
			29.10.2015	19:30	22,8	54,9	22,9	54,4	Yes
			29.10.2015	19:45	22,8	54,9	22,9	54,6	Yes
			29.10.2015	20:00	22,7	54,7	22,8	54,7	Yes
			29.10.2015	20:15	22,7	55,2	22,8	54,9	Yes
			29.10.2015	20:30	22,7	54,3	22,7	54,8	Yes
			29.10.2015	20:45	22,6	54,8	22,7	54,8	Yes
			29.10.2015	21:00	22,5	54,5	22,6	54,7	Yes
			29.10.2015	21:15	22,5	54,8	22,6	54,6	Yes
			29.10.2015	21:30	22,4	55,1	22,5	54,8	Yes
			29.10.2015	21:45	22,4	55,6	22,5	55,0	Yes
			29.10.2015	22:00	22,4	55,6	22,4	55,3	Yes
			29.10.2015	22:15	22,3	55	22,4	55,3	Yes
			29.10.2015	22:30	22,3	55,8	22,4	55,5	Yes
			29.10.2015	22:45	22,3	56,1	22,3	55,6	Yes
			29.10.2015	23:00	22,3	55,3	22,3	55,6	Yes
			29.10.2015	23:15	22,2	55,2	22,3	55,6	Yes
			29.10.2015	23:30	22,2	56,1	22,3	55,7	Yes
			29.10.2015	23:45	22,2	55,3	22,2	55,5	Yes
			30.10.2015	0:00	22,1	56	22,2	55,7	Yes
			30.10.2015	0:15	22,1	55,6	22,2	55,8	Yes
			30.10.2015	0:30	22,1	55,7	22,1	55,7	Yes
			30.10.2015	0:45	22	56,5	22,1	56,0	Yes
			30.10.2015	1:00	22	56,4	22,1	56,1	Yes
			30.10.2015	1:15	22	55,7	22,0	56,1	Yes
			30.10.2015	1:30	22	56,5	22,0	56,3	Yes
			30.10.2015	1:45	22	55,9	22,0	56,1	Yes
			30.10.2015	2:00	22	56,5	22,0	56,2	Yes
			30.10.2015	2:15	21,9	56,2	22,0	56,3	Yes
			30.10.2015	2:30	21,9	57,1	22,0	56,4	Yes
			30.10.2015	2:45	21,9	56,6	21,9	56,6	Yes
			30.10.2015	3:00	21,9	57,3	21,9	56,8	Yes
			30.10.2015	3:15	21,9	56,5	21,9	56,9	Yes
			30.10.2015	3:30	21,9	57,1	21,9	56,9	Yes
			30.10.2015	3:45	21,9	56,5	21,9	56,9	Yes
			30.10.2015	4:00	21,9	56,9	21,9	56,8	Yes
			30.10.2015	4:15	21,9	56,6	21,9	56,8	Yes
			30.10.2015	4:30	21,9	56,6	21,9	56,7	Yes
			30.10.2015	4:45	21,9	57,1	21,9	56,8	Yes
N/A	PHI_15_I0352	I0355	30.10.2015	5:00	22	56,4	21,9	56,7	Yes
			30.10.2015	5:15	22	56,9	22,0	56,8	Yes
			30.10.2015	5:30	22	56,3	22,0	56,7	Yes
			30.10.2015	5:45	22	56,8	22,0	56,6	Yes
			30.10.2015	6:00	22	56,2	22,0	56,6	Yes
			30.10.2015	6:15	22	56,7	22,0	56,5	Yes
			30.10.2015	6:30	22	56,1	22,0	56,5	Yes
			30.10.2015	6:45	22	56,6	22,0	56,4	Yes
			30.10.2015	7:00	22,1	57,6	22,0	56,8	Yes
			30.10.2015	7:15	22,5	57	22,2	56,8	Yes
			30.10.2015	7:30	22,9	56,9	22,4	57,0	Yes
			30.10.2015	7:45	22,8	60,4	22,6	58,0	Yes
			30.10.2015	8:00	23,1	53,4	22,8	56,9	Yes
			30.10.2015	8:15	22,8	58,4	22,9	57,3	Yes
			30.10.2015	8:30	23,2	59,1	23,0	57,8	Yes
			30.10.2015	8:45	22,9	49,2	23,0	55,0	Yes
			30.10.2015	9:00	22,8	58	22,9	56,2	Yes
			30.10.2015	9:15	23,1	60,1	23,0	56,6	Yes
			30.10.2015	9:30	22,9	53,9	22,9	55,3	Yes

TYPE OF TEST: ISO 19752

PHI_15	30.10.2015	9:45	23,2	60,8	23,0	58,2	Yes
	30.10.2015	10:00	23,1	50,3	23,1	56,3	Yes
	30.10.2015	10:15	23,1	59,9	23,1	56,2	Yes
	30.10.2015	10:30	23,4	57,5	23,2	57,1	Yes
	30.10.2015	10:45	23,1	55,2	23,2	55,7	Yes
	30.10.2015	11:00	23,4	56,1	23,3	57,2	Yes
	30.10.2015	11:15	23,1	48,1	23,3	54,2	Yes
	30.10.2015	11:30	23	57,9	23,2	54,3	Yes
	30.10.2015	11:45	23,3	53,8	23,2	54,0	Yes
	30.10.2015	12:00	22,9	45,9	23,1	51,4	Yes
	30.10.2015	12:15	23	57,8	23,1	53,9	Yes
	30.10.2015	12:30	23,3	58,8	23,1	54,1	Yes
	30.10.2015	12:45	23,1	53,1	23,1	53,9	Yes
	30.10.2015	13:00	23,4	60,1	23,2	57,5	Yes
	30.10.2015	13:15	23,1	49,9	23,2	55,5	Yes
	30.10.2015	13:30	22,9	48	23,1	52,8	Yes
	30.10.2015	13:45	23,2	59	23,2	54,3	Yes
	30.10.2015	14:00	23,3	51,6	23,1	52,1	Yes
	30.10.2015	14:15	22,9	46,1	23,1	51,2	Yes
	30.10.2015	14:30	23	58,6	23,1	53,8	Yes
	30.10.2015	14:45	23,3	52,8			No
	30.10.2015	15:00	22,9	47,1			No
	30.10.2015	15:15	23	55,9			No
	30.10.2015	15:30	23,2	55,7			No
	30.10.2015	15:45	23,3	57			No
	30.10.2015	16:00	23,4	56,4			No
	30.10.2015	16:15	23,4	55,4			No
	30.10.2015	16:30	23,4	55,6			No
	30.10.2015	16:45	23,4	55,2			No
	30.10.2015	17:00	23,3	55,7			No
	30.10.2015	17:15	23,3	54,9			No
	30.10.2015	17:30	23,2	55,3			No
	30.10.2015	17:45	23,2	54,7			No
	30.10.2015	18:00	23,1	54,7			No
	30.10.2015	18:15	23,1	55			No
	30.10.2015	18:30	23,1	54,3			No
	30.10.2015	18:45	23	54,5			No
	30.10.2015	19:00	22,9	54,8			No
	30.10.2015	19:15	22,9	54,4			No
	30.10.2015	19:30	22,8	55,3			No
	30.10.2015	19:45	22,8	54,7			No
	30.10.2015	20:00	22,7	55,3			No
	30.10.2015	20:15	22,7	55,7			No
	30.10.2015	20:30	22,7	54,8			No
	30.10.2015	20:45	22,6	55,8			No
	30.10.2015	21:00	22,5	54,1			No
	30.10.2015	21:15	22,5	55,3			No
	30.10.2015	21:30	22,4	54,4			No
	30.10.2015	21:45	22,4	55,5			No
	30.10.2015	22:00	22,4	54,5			No
	30.10.2015	22:15	22,3	55			No
	30.10.2015	22:30	22,3	54,7			No
	30.10.2015	22:45	22,2	55,3			No
	30.10.2015	23:00	22,2	54,5			No
	30.10.2015	23:15	22,2	55			No
	30.10.2015	23:30	22,1	55,8			No
	30.10.2015	23:45	22,1	54,8			No
N/A	31.10.2015	0:00	22	56,3			No
	31.10.2015	0:15	22	54,6			No
	31.10.2015	0:30	22	55,5			No
	31.10.2015	0:45	22	54,8			No
	31.10.2015	1:00	21,9	56			No
	31.10.2015	1:15	21,9	54,9			No
	31.10.2015	1:30	21,9	56,5			No
	31.10.2015	1:45	21,8	55,2			No
	31.10.2015	2:00	21,8	56,4			No
	31.10.2015	2:15	21,8	55,3			No
	31.10.2015	2:30	21,8	56,9			No
	31.10.2015	2:45	21,7	55,5			No
	31.10.2015	3:00	21,7	57,1			No
	31.10.2015	3:15	21,7	55,7			No
	31.10.2015	3:30	21,7	56,4			No
	31.10.2015	3:45	21,6	55,8			No
	31.10.2015	4:00	21,6	56			No
	31.10.2015	4:15	21,6	55,8			No
	31.10.2015	4:30	21,6	56,1			No
	31.10.2015	4:45	21,5	56,1			No
	31.10.2015	5:00	21,5	55,3			No
	31.10.2015	5:15	21,5	56,5			No
	31.10.2015	5:30	21,4	55,5			No
	31.10.2015	5:45	21,4	57,8			No
	31.10.2015	6:00	21,4	55,7			No
	31.10.2015	6:15	21,4	56,9			No

TYPE OF TEST: ISO 19752

PHI_15_I0355

31.10.2015	6:30	21,3	55,9		No
31.10.2015	6:45	21,3	56,7		No
31.10.2015	7:00	21,3	55,8		No
31.10.2015	7:15	21,2	55,7		No
31.10.2015	7:30	21,2	55,2		No
31.10.2015	7:45	21,2	56		No
31.10.2015	8:00	21,1	55,5		No
31.10.2015	8:15	21,1	56,1		No
31.10.2015	8:30	21,1	55,6		No
31.10.2015	8:45	21,1	55,1		No
31.10.2015	9:00	21	56,5		No
31.10.2015	9:15	21,1	55,9		No
31.10.2015	9:30	21,1	56,3		No
31.10.2015	9:45	21,1	56,3		No
31.10.2015	10:00	21,1	55,4		No
31.10.2015	10:15	21	56,6		No
31.10.2015	10:30	21	55,7		No
31.10.2015	10:45	21	56,9		No
31.10.2015	11:00	21	55,9		No
31.10.2015	11:15	21	55,4		No
31.10.2015	11:30	21	56,2		No
31.10.2015	11:45	21	55,3		No
31.10.2015	12:00	21	56,4		No
31.10.2015	12:15	21	55,8		No
31.10.2015	12:30	21	56,1		No
31.10.2015	12:45	21	56,2		No
31.10.2015	13:00	21	56		No
31.10.2015	13:15	21	56,7		No
31.10.2015	13:30	21	56,2		No
31.10.2015	13:45	21,1	55,9		No
31.10.2015	14:00	21,1	56,8		No
31.10.2015	14:15	21,1	56,4		No
31.10.2015	14:30	21,2	56		No
31.10.2015	14:45	21,2	55,7		No
31.10.2015	15:00	21,2	55,5		No
31.10.2015	15:15	21,2	56,3		No
31.10.2015	15:30	21,3	55,7		No
31.10.2015	15:45	21,3	55,3		No
31.10.2015	16:00	21,4	55		No
31.10.2015	16:15	21,4	56,1		No
31.10.2015	16:30	21,4	55,5		No
31.10.2015	16:45	21,5	55		No
31.10.2015	17:00	21,5	56,3		No
31.10.2015	17:15	21,5	55,5		No
31.10.2015	17:30	21,5	56,3		No
31.10.2015	17:45	21,5	55,9		No
31.10.2015	18:00	21,6	56,3		No
31.10.2015	18:15	21,6	56,1		No
31.10.2015	18:30	21,6	55,9		No
31.10.2015	18:45	21,6	56,3		No
31.10.2015	19:00	21,6	55,7		No
31.10.2015	19:15	21,6	56,5		No
31.10.2015	19:30	21,6	55,7		No
31.10.2015	19:45	21,5	56,6		No
31.10.2015	20:00	21,6	55,9		No
31.10.2015	20:15	21,5	56,2		No
31.10.2015	20:30	21,5	56,1		No
31.10.2015	20:45	21,5	56,1		No
31.10.2015	21:00	21,5	55,5		No
31.10.2015	21:15	21,4	55,6		No
31.10.2015	21:30	21,4	55,8		No
31.10.2015	21:45	21,4	55,6		No
31.10.2015	22:00	21,4	56,1		No
31.10.2015	22:15	21,4	55,6		No
31.10.2015	22:30	21,3	56,2		No
31.10.2015	22:45	21,3	55,5		No
31.10.2015	23:00	21,3	56,4		No
31.10.2015	23:15	21,3	55,5		No
31.10.2015	23:30	21,2	56,6		No
31.10.2015	23:45	21,2	55,7		No
1.11.2015	0:00	21,2	55,1		No
1.11.2015	0:15	21,2	55,4		No
1.11.2015	0:30	21,1	54,8		No
1.11.2015	0:45	21,1	55,5		No
1.11.2015	1:00	21,1	54,9		No
1.11.2015	1:15	21,1	55,6		No
1.11.2015	1:30	21	55,1		No
1.11.2015	1:45	21	55,5		No
1.11.2015	2:00	21	54,8		No
1.11.2015	2:15	20,9	55,5		No
1.11.2015	2:30	20,9	55,3		No
1.11.2015	2:45	20,9	55,2		No
1.11.2015	3:00	20,9	55,9		No

TYPE OF TEST: ISO 19752

N/A	N/A	1.11.2015	3:15	20,9	55,1			No
		1.11.2015	3:30	20,8	55,8			No
		1.11.2015	3:45	20,8	55,1			No
		1.11.2015	4:00	20,8	55,8			No
		1.11.2015	4:15	20,8	55,1			No
		1.11.2015	4:30	20,7	55,9			No
		1.11.2015	4:45	20,7	55,1			No
		1.11.2015	5:00	20,7	56,1			No
		1.11.2015	5:15	20,7	55,4			No
		1.11.2015	5:30	20,6	55,9			No
		1.11.2015	5:45	20,6	55,5			No
		1.11.2015	6:00	20,6	54,9	20,6	55,4	Yes
		1.11.2015	6:15	20,6	55,8	20,6	55,5	Yes
		1.11.2015	6:30	20,6	55,1	20,6	55,3	Yes
		1.11.2015	6:45	20,5	56	20,6	55,5	Yes
		1.11.2015	7:00	20,5	55,3	20,6	55,6	Yes
		1.11.2015	7:15	20,5	55,9	20,5	55,6	Yes
		1.11.2015	7:30	20,4	54,9	20,5	55,5	Yes
		1.11.2015	7:45	20,4	56,1	20,5	55,6	Yes
		1.11.2015	8:00	20,4	55,4	20,4	55,6	Yes
		1.11.2015	8:15	20,3	56,2	20,4	55,7	Yes
		1.11.2015	8:30	20,3	55,4	20,4	55,8	Yes
		1.11.2015	8:45	20,3	55,9	20,3	55,7	Yes
		1.11.2015	9:00	20,3	55,9	20,3	55,9	Yes
		1.11.2015	9:15	20,3	56,2	20,3	55,9	Yes
		1.11.2015	9:30	20,3	56	20,3	56,0	Yes
		1.11.2015	9:45	20,2	57,1	20,3	56,3	Yes
		1.11.2015	10:00	20,4	56,5	20,3	56,5	Yes
		1.11.2015	10:15	20,5	57,8	20,4	56,9	Yes
		1.11.2015	10:30	20,7	56,5	20,5	57,0	Yes
		1.11.2015	10:45	20,8	56,9	20,6	56,9	Yes
		1.11.2015	11:00	21	56,6	20,8	57,0	Yes
		1.11.2015	11:15	21	55,7	20,9	56,4	Yes
		1.11.2015	11:30	21,1	56,6	21,0	56,5	Yes
		1.11.2015	11:45	21,2	54,9	21,1	56,0	Yes
		1.11.2015	12:00	21,2	56,2	21,1	55,9	Yes
		1.11.2015	12:15	21,3	55,3	21,2	55,8	Yes
		1.11.2015	12:30	21,3	55,7	21,3	55,5	Yes
		1.11.2015	12:45	21,3	55,6	21,3	55,7	Yes
		1.11.2015	13:00	21,4	55,2	21,3	55,5	Yes
		1.11.2015	13:15	21,4	56	21,4	55,6	Yes
		1.11.2015	13:30	21,4	55,3	21,4	55,5	Yes
		1.11.2015	13:45	21,5	55,7	21,4	55,6	Yes
		1.11.2015	14:00	21,5	56	21,5	55,8	Yes
		1.11.2015	14:15	21,6	55,3	21,5	55,6	Yes
		1.11.2015	14:30	21,6	56,5	21,6	55,9	Yes
		1.11.2015	14:45	21,7	55,8	21,6	55,9	Yes
		1.11.2015	15:00	21,7	56,4	21,7	56,0	Yes
		1.11.2015	15:15	21,8	55,4	21,7	56,0	Yes
		1.11.2015	15:30	21,8	56,2	21,8	56,0	Yes
		1.11.2015	15:45	21,9	55,5	21,8	55,9	Yes
		1.11.2015	16:00	21,9	56	21,9	55,8	Yes
		1.11.2015	16:15	22	55,5	21,9	55,8	Yes
		1.11.2015	16:30	22	56	22,0	55,8	Yes
		1.11.2015	16:45	22,1	55,3	22,0	55,7	Yes
		1.11.2015	17:00	22,1	55,8	22,1	55,7	Yes
		1.11.2015	17:15	22,1	54,9	22,1	55,5	Yes
		1.11.2015	17:30	22,2	55,7	22,1	55,4	Yes
		1.11.2015	17:45	22,2	54,8	22,2	55,3	Yes
		1.11.2015	18:00	22,2	55,7	22,2	55,3	Yes
		1.11.2015	18:15	22,3	54,8	22,2	55,3	Yes
		1.11.2015	18:30	22,3	55,4	22,3	55,2	Yes
		1.11.2015	18:45	22,3	54,5	22,3	55,1	Yes
		1.11.2015	19:00	22,3	55,2	22,3	55,0	Yes
		1.11.2015	19:15	22,3	54,9	22,3	55,0	Yes
		1.11.2015	19:30	22,3	54,9	22,3	54,9	Yes
		1.11.2015	19:45	22,3	55,3	22,3	55,1	Yes
		1.11.2015	20:00	22,3	54,7	22,3	55,0	Yes
		1.11.2015	20:15	22,4	55,4	22,3	55,1	Yes
		1.11.2015	20:30	22,4	54,5	22,4	55,0	Yes
		1.11.2015	20:45	22,4	55	22,4	54,9	Yes
		1.11.2015	21:00	22,4	54	22,4	54,7	Yes
		1.11.2015	21:15	22,4	54,2	22,4	54,4	Yes
		1.11.2015	21:30	22,4	55,2	22,4	54,6	Yes
		1.11.2015	21:45	22,5	54	22,4	54,4	Yes
		1.11.2015	22:00	22,4	54,8	22,4	54,6	Yes
		1.11.2015	22:15	22,5	53,7	22,5	54,4	Yes
		1.11.2015	22:30	22,4	54,9	22,5	54,4	Yes
		1.11.2015	22:45	22,4	54,6	22,4	54,5	Yes
		1.11.2015	23:00	22,4	54,7	22,4	54,5	Yes
		1.11.2015	23:15	22,4	54,1	22,4	54,6	Yes
		1.11.2015	23:30	22,4	54,6	22,4	54,5	Yes
		1.11.2015	23:45	22,4	55	22,4	54,6	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0355	2.11.2015	0:00	22,4	54,2	22,4	54,5	Yes
	2.11.2015	0:15	22,4	54,7	22,4	54,6	Yes
	2.11.2015	0:30	22,4	53,7	22,4	54,4	Yes
	2.11.2015	0:45	22,3	54,9	22,4	54,4	Yes
	2.11.2015	1:00	22,4	53,9	22,4	54,3	Yes
	2.11.2015	1:15	22,3	54,7	22,4	54,3	Yes
	2.11.2015	1:30	22,4	54,1	22,4	54,4	Yes
	2.11.2015	1:45	22,3	55	22,4	54,4	Yes
	2.11.2015	2:00	22,4	54,6	22,4	54,6	Yes
	2.11.2015	2:15	22,4	54,7	22,4	54,6	Yes
	2.11.2015	2:30	22,4	55,4	22,4	54,9	Yes
	2.11.2015	2:45	22,4	54,5	22,4	54,8	Yes
	2.11.2015	3:00	22,4	55,3	22,4	55,0	Yes
	2.11.2015	3:15	22,4	54,1	22,4	54,8	Yes
	2.11.2015	3:30	22,5	53,3	22,4	54,3	Yes
	2.11.2015	3:45	22,5	52,5	22,5	53,8	Yes
	2.11.2015	4:00	22,5	52	22,5	53,0	Yes
	2.11.2015	4:15	22,5	51,5	22,5	52,3	Yes
	2.11.2015	4:30	22,5	51,1	22,5	51,8	Yes
	2.11.2015	4:45	22,5	50,8	22,5	51,4	Yes
	2.11.2015	5:00	22,5	50,3	22,5	50,9	Yes
	2.11.2015	5:15	22,6	50	22,5	50,6	Yes
	2.11.2015	5:30	22,6	49,6	22,6	50,2	Yes
	2.11.2015	5:45	22,6	49,3	22,6	49,8	Yes
	2.11.2015	6:00	22,6	49	22,6	49,5	Yes
	2.11.2015	6:15	22,6	48,2	22,6	49,0	Yes
	2.11.2015	6:30	22,6	47,4	22,6	48,5	Yes
	2.11.2015	6:45	22,6	47,3	22,6	48,0	Yes
	2.11.2015	7:00	22,7	48,3	22,6	47,8	Yes
	2.11.2015	7:15	22,7	50,8	22,7	48,5	Yes
	2.11.2015	7:30	22,9	52,1	22,7	49,6	Yes
	2.11.2015	7:45	22,9	55,8	22,8	51,8	Yes
	2.11.2015	8:00	23	49,7	22,9	52,1	Yes
	2.11.2015	8:15	23,1	57,1	23,0	53,7	Yes
	2.11.2015	8:30	23	50,9	23,0	53,4	Yes
	2.11.2015	8:45	23,2	55,5	23,1	53,3	Yes
	2.11.2015	9:00	23,1	47,6	23,1	52,8	Yes
	2.11.2015	9:15	23,3	52,9	23,2	51,7	Yes
	2.11.2015	9:30	23,1	50,6	23,2	51,7	Yes
	2.11.2015	9:45	23,3	53,7	23,2	51,2	Yes
	2.11.2015	10:00	23,3	47,5	23,3	51,2	Yes
	2.11.2015	10:15	23,2	44,8	23,2	49,2	Yes
	2.11.2015	10:30	23,1	43,8	23,2	47,5	Yes
	2.11.2015	10:45	23,2	52,4	23,2	47,1	Yes
	2.11.2015	11:00	23,4	49,8	23,2	47,7	Yes
	2.11.2015	11:15	23,3	44,8	23,3	47,7	Yes
	2.11.2015	11:30	23,4	53,4	23,3	50,1	Yes
	2.11.2015	11:45	23,4	47,7	23,4	48,9	Yes
	2.11.2015	12:00	23,2	42,7	23,3	47,2	Yes
	2.11.2015	12:15	23,4	52,9	23,4	49,2	Yes
	2.11.2015	12:30	23,3	47,9	23,3	47,8	Yes
	2.11.2015	12:45	23,5	57,8	23,4	50,3	Yes
	2.11.2015	13:00	23,5	48	23,4	51,7	Yes
	2.11.2015	13:15	23,3	43,6	23,4	49,3	Yes
	2.11.2015	13:30	23,1	43,8	23,4	48,3	Yes
	2.11.2015	13:45	23,4	55	23,3	47,6	Yes
	2.11.2015	14:00	23,3	45,6	23,3	47,0	Yes
	2.11.2015	14:15	23,1	44,6	23,2	47,3	Yes
	2.11.2015	14:30	23,3	54,5	23,3	49,9	Yes
	2.11.2015	14:45	23,4	49,5	23,3	48,6	Yes
	2.11.2015	15:00	23,5	56,2	23,3	51,2	Yes
	2.11.2015	15:15	23,5	50	23,4	52,6	Yes
	2.11.2015	15:30	23,1	51,1	23,4	51,7	Yes
	2.11.2015	15:45	23,3	55,4	23,4	53,2	Yes
	2.11.2015	16:00	23,4	55,3	23,3	53,0	Yes
	2.11.2015	16:15	23,5	56,1	23,3	54,5	Yes
	2.11.2015	16:30	23,6	54,5	23,5	55,3	Yes
	2.11.2015	16:45	23,7	53,8	23,6	54,9	Yes
	2.11.2015	17:00	23,7	54	23,6	54,6	Yes
	2.11.2015	17:15	23,7	53,1	23,7	53,9	Yes
	2.11.2015	17:30	23,7	53,1	23,7	53,5	Yes
	2.11.2015	17:45	23,7	53,2	23,7	53,4	Yes
	2.11.2015	18:00	23,7	53,2	23,7	53,2	Yes
	2.11.2015	18:15	23,7	53,2	23,7	53,2	Yes
	2.11.2015	18:30	23,6	52,4	23,7	53,0	Yes
	2.11.2015	18:45	23,6	52,9	23,7	52,9	Yes
	2.11.2015	19:00	23,6	53	23,6	52,9	Yes
	2.11.2015	19:15	23,5	53,6	23,6	53,0	Yes
	2.11.2015	19:30	23,5	53,1	23,6	53,2	Yes
	2.11.2015	19:45	23,4	54	23,5	53,4	Yes
	2.11.2015	20:00	23,4	53,4	23,5	53,5	Yes
	2.11.2015	20:15	23,3	54	23,4	53,6	Yes
	2.11.2015	20:30	23,3	52,6	23,4	53,5	Yes

TYPE OF TEST: ISO 19752

	N/A	2.11.2015	20:45	23,2	53,8	23,3	53,5	Yes
		2.11.2015	21:00	23,2	52,4	23,3	53,2	Yes
		2.11.2015	21:15	23,1	53,8	23,2	53,2	Yes
		2.11.2015	21:30	23,1	53,9	23,2	53,5	Yes
		2.11.2015	21:45	23	53,9	23,1	53,5	Yes
		2.11.2015	22:00	22,9	54,8	23,0	54,1	Yes
		2.11.2015	22:15	22,9	52,9	23,0	53,9	Yes
		2.11.2015	22:30	22,8	54,8	22,9	54,1	Yes
		2.11.2015	22:45	22,8	52,8	22,9	53,8	Yes
		2.11.2015	23:00	22,7	54,5	22,8	53,8	Yes
		2.11.2015	23:15	22,7	52	22,8	53,5	Yes
		2.11.2015	23:30	22,6	54,1	22,7	53,4	Yes
		2.11.2015	23:45	22,5	53,7	22,6	53,6	Yes
		3.11.2015	0:00	22,5	53,3	22,6	53,3	Yes
		3.11.2015	0:15	22,4	53,4	22,5	53,6	Yes
		3.11.2015	0:30	22,4	53,8	22,5	53,6	Yes
		3.11.2015	0:45	22,3	53,4	22,4	53,5	Yes
		3.11.2015	1:00	22,3	54,7	22,4	53,8	Yes
		3.11.2015	1:15	22,3	53,7	22,3	53,9	Yes
		3.11.2015	1:30	22,2	53,9	22,3	53,9	Yes
		3.11.2015	1:45	22,2	54,7	22,3	54,3	Yes
		3.11.2015	2:00	22,2	54,5	22,2	54,2	Yes
		3.11.2015	2:15	22,1	55,5	22,2	54,7	Yes
		3.11.2015	2:30	22,1	55,9	22,2	55,2	Yes
		3.11.2015	2:45	22,1	55	22,1	55,2	Yes
		3.11.2015	3:00	22,1	55,6	22,1	55,5	Yes
		3.11.2015	3:15	22	54,8	22,1	55,3	Yes
		3.11.2015	3:30	22	55	22,1	55,1	Yes
		3.11.2015	3:45	22	55,6	22,0	55,3	Yes
		3.11.2015	4:00	22	54,2	22,0	54,9	Yes
		3.11.2015	4:15	22	55,7	22,0	55,1	Yes
		3.11.2015	4:30	22,1	55,3	22,0	55,2	Yes
		3.11.2015	4:45	22,3	55,4	22,1	55,2	Yes
		3.11.2015	5:00	22,4	55,5	22,2	55,5	Yes
		3.11.2015	5:15	22,5	54,6	22,3	55,2	Yes
		3.11.2015	5:30	22,5	55,2	22,4	55,2	Yes
		3.11.2015	5:45	22,6	54,3	22,5	54,9	Yes
	PHI_15_10355	3.11.2015	6:00	22,6	54,5	22,6	54,7	Yes
		3.11.2015	6:15	22,7	54,3	22,6	54,6	Yes
		3.11.2015	6:30	22,7	53,3	22,7	54,1	Yes
		3.11.2015	6:45	22,7	54,2	22,7	54,1	Yes
		3.11.2015	7:00	22,9	55,5	22,8	54,3	Yes
		3.11.2015	7:15	23,1	55,3	22,9	54,6	Yes
		3.11.2015	7:30	23,1	57,3	23,0	55,6	Yes
		3.11.2015	7:45	23,1	54	23,1	55,5	Yes
		3.11.2015	8:00	23,3	55	23,2	55,4	Yes