

TYPE OF TEST: ISO 19752

When cartridge Kyocera TK-130 is used in printers ECOSYS FS-1300D and ECOSYS FS-1028MFP.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 7200 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 7237 standard pages

Date Tested:

18.2.2015 - 10.3.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Kyocera TK-130

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Pentium(R) Dual-Core 2.60GHz	Pentium(R) Dual-Core 2.60GHz	Pentium(R) Dual-Core 2.60GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63520	62939	63521
Printer Type	ECOSYS FS-1300D	ECOSYS FS-1028MFP	ECOSYS FS-1300D
Serial Nr.	XLY9676870	QUVOX25777	XLY9X16501
Driver Version:	PCL6 - 6.2.1113	PCL6 - 6.2.1113	PCL6 - 6.2.1113

Note:

Page yield rounded to 7200. It's the same like OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14043849728710 - K001	PHI_15_I0037	7 341	Y
	C				
	Y				
	M				
2nd set	K	14043850428710 - K002	PHI_15_I0038	7 250	Y
	C				
	Y				
	M				
3rd set	K	14043850228710 - K003	PHI_15_I0039	6 897	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	21 488	7 163	235	6 767	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14043849928710 - K004	PHI_15_I0040	7 822	Y
	C				
	Y				
	M				
2nd set	K	14043850328710 - K005	PHI_15_I0041	7 559	Y
	C				
	Y				
	M				
3rd set	K	14043849328710 - K006	PHI_15_I0042	7 991	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	23 372	7 791	218	7 424	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14043850528710 - K007	PHI_15_I0043	8 146	Y
	C				
	Y				
	M				
2nd set	K	14043849828710 - K008	PHI_15_I0044	7 144	Y
	C				
	Y				
	M				
3rd set	K	14043850128710 - K009	PHI_15_I0045	7 304	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	22 594	7 531	538	6 624	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	67 454	7 495	416	7 237	9
	C						
	Y						
	M						

Note:
Statement OEM 7200 pages

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	23,1	Allowed 23
Testing Room - max. running average temp. [°C]	24,3	26
Testing Room - min. running average temp. [°C]	20,5	20

Testing Room average RH. [%]	52,6	Allowed 50
Testing Room - max. running average RH [%]	58,2	65
Testing Room - min. running average RH [%]	36,0	35

Note:

During tests was temperatures and humidity in accordance with the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 18.2.2015 8:15 - 10.3.2015 10:00

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			17.2.2015	8:15	24	46,1	N/A	N/A	Yes
			17.2.2015	8:30	24	46,7	N/A	N/A	Yes
			17.2.2015	8:45	24	47	N/A	N/A	Yes
			17.2.2015	9:00	23,9	45,6	24,0	46,4	Yes
			17.2.2015	9:15	24,1	44,7	24,0	46,0	Yes
			17.2.2015	9:30	24,2	46,8	24,1	46,0	Yes
			17.2.2015	9:45	24	47,2	24,1	46,1	Yes
			17.2.2015	10:00	24	47,1	24,1	46,5	Yes
			17.2.2015	10:15	24,2	45,7	24,1	46,7	Yes
			17.2.2015	10:30	24,1	47,4	24,1	46,9	Yes
			17.2.2015	10:45	24	47,1	24,1	46,8	Yes
			17.2.2015	11:00	24	45,8	24,1	46,5	Yes
			17.2.2015	11:15	24,1	44,3	24,1	46,2	Yes
			17.2.2015	11:30	24,2	47	24,1	46,1	Yes
			17.2.2015	11:45	24,2	47,6	24,1	46,2	Yes
			17.2.2015	12:00	24,2	46,6	24,2	46,4	Yes
			17.2.2015	12:15	24,1	46,5	24,2	46,9	Yes
			17.2.2015	12:30	24	46,6	24,1	46,8	Yes
			17.2.2015	12:45	24	43,9	24,1	45,9	Yes
			17.2.2015	13:00	24	46,3	24,0	45,8	Yes
			17.2.2015	13:15	24,1	45,2	24,0	45,5	Yes
			17.2.2015	13:30	24,1	45,4	24,1	45,2	Yes
			17.2.2015	13:45	24,2	45,2	24,1	45,5	Yes
			17.2.2015	14:00	24,2	45,3	24,2	45,3	Yes
			17.2.2015	14:15	24,2	45,5	24,2	45,4	Yes
			17.2.2015	14:30	24,2	45,4	24,2	45,4	Yes
			17.2.2015	14:45	24,2	46,2	24,2	45,6	Yes
			17.2.2015	15:00	24,2	45,9	24,2	45,8	Yes
			17.2.2015	15:15	24,2	46	24,2	45,9	Yes
			17.2.2015	15:30	24,2	46,3	24,2	46,1	Yes
			17.2.2015	15:45	24,2	46,3	24,2	46,1	Yes
			17.2.2015	16:00	24,2	47,2	24,2	46,5	Yes
			17.2.2015	16:15	24,2	46,7	24,2	46,6	Yes
			17.2.2015	16:30	24,2	47,4	24,2	46,9	Yes
			17.2.2015	16:45	24,2	47,4	24,2	47,2	Yes
			17.2.2015	17:00	24,1	48,3	24,2	47,5	Yes
			17.2.2015	17:15	24,1	48,6	24,2	47,9	Yes
			17.2.2015	17:30	24,1	48,4	24,1	48,2	Yes
			17.2.2015	17:45	24	48,2	24,1	48,4	Yes
			17.2.2015	18:00	24	48	24,1	48,3	Yes
			17.2.2015	18:15	23,9	48,2	24,0	48,2	Yes
			17.2.2015	18:30	23,9	48	24,0	48,1	Yes
			17.2.2015	18:45	23,9	48,3	23,9	48,1	Yes
			17.2.2015	19:00	23,9	48,6	23,9	48,3	Yes
			17.2.2015	19:15	23,9	48,6	23,9	48,4	Yes
			17.2.2015	19:30	23,9	48,2	23,9	48,4	Yes
			17.2.2015	19:45	23,9	48,1	23,9	48,4	Yes
			17.2.2015	20:00	23,9	48,2	23,9	48,3	Yes
			17.2.2015	20:15	23,8	48,4	23,9	48,2	Yes
			17.2.2015	20:30	23,8	48,7	23,9	48,4	Yes

TYPE OF TEST: ISO 19752

			17.2.2015	20:45	23,8	48,7	23,8	48,5	Yes
			17.2.2015	21:00	23,8	48,9	23,8	48,7	Yes
			17.2.2015	21:15	23,8	48,7	23,8	48,8	Yes
			17.2.2015	21:30	23,8	48,8	23,8	48,8	Yes
			17.2.2015	21:45	23,8	48,9	23,8	48,8	Yes
			17.2.2015	22:00	23,8	49,3	23,8	48,9	Yes
			17.2.2015	22:15	23,8	48,8	23,8	49,0	Yes
			17.2.2015	22:30	23,8	47,8	23,8	48,7	Yes
			17.2.2015	22:45	23,7	47,8	23,8	48,4	Yes
			17.2.2015	23:00	23,6	47,5	23,7	48,0	Yes
			17.2.2015	23:15	23,5	46,5	23,7	47,4	Yes
			17.2.2015	23:30	23,4	46,4	23,6	47,1	Yes
			17.2.2015	23:45	23,3	46,4	23,5	46,7	Yes
			18.2.2015	0:00	23,3	46,1	23,4	46,4	Yes
			18.2.2015	0:15	23,2	46,7	23,3	46,4	Yes
			18.2.2015	0:30	23,1	46,5	23,2	46,4	Yes
			18.2.2015	0:45	23,1	47,2	23,2	46,6	Yes
			18.2.2015	1:00	23	47,4	23,1	47,0	Yes
			18.2.2015	1:15	23	48	23,1	47,3	Yes
			18.2.2015	1:30	22,9	48,2	23,0	47,7	Yes
			18.2.2015	1:45	22,9	48,3	23,0	48,0	Yes
			18.2.2015	2:00	22,9	48	22,9	48,1	Yes
			18.2.2015	2:15	22,8	47,5	22,9	48,0	Yes
			18.2.2015	2:30	22,8	47,9	22,9	47,9	Yes
			18.2.2015	2:45	22,7	47,8	22,8	47,8	Yes
			18.2.2015	3:00	22,7	48,1	22,8	47,8	Yes
			18.2.2015	3:15	22,7	47,7	22,7	47,9	Yes
			18.2.2015	3:30	22,7	47,7	22,7	47,8	Yes
			18.2.2015	3:45	22,8	48	22,7	47,9	Yes
			18.2.2015	4:00	22,9	47,9	22,8	47,8	Yes
			18.2.2015	4:15	22,9	47,7	22,8	47,8	Yes
			18.2.2015	4:30	23	47,6	22,9	47,8	Yes
			18.2.2015	4:45	23	47,8	23,0	47,8	Yes
			18.2.2015	5:00	23,1	47,8	23,0	47,7	Yes
			18.2.2015	5:15	23,1	47,4	23,1	47,7	Yes
			18.2.2015	5:30	23,1	47,4	23,1	47,6	Yes
			18.2.2015	5:45	23,2	48	23,1	47,7	Yes
			18.2.2015	6:00	23,2	48,4	23,2	47,8	Yes
			18.2.2015	6:15	23,2	48,4	23,2	48,1	Yes
			18.2.2015	6:30	23,4	48	23,3	48,2	Yes
			18.2.2015	6:45	23,6	47,7	23,4	48,1	Yes
			18.2.2015	7:00	23,9	47,7	23,5	48,0	Yes
			18.2.2015	7:15	23,7	47,7	23,7	47,8	Yes
			18.2.2015	7:30	24	46,7	23,8	47,5	Yes
			18.2.2015	7:45	23,9	48	23,9	47,5	Yes
			18.2.2015	8:00	23,8	46,8	23,9	47,3	Yes
			18.2.2015	8:15	24	44,3	23,9	46,5	Yes
			18.2.2015	8:30	24	47,7	23,9	46,7	Yes
			18.2.2015	8:45	23,9	48	23,9	46,7	Yes
			18.2.2015	9:00	23,9	45,8	24,0	46,5	Yes
			18.2.2015	9:15	23,9	44,9	23,9	46,6	Yes
			18.2.2015	9:30	24,1	46	24,0	46,2	Yes
			18.2.2015	9:45	24	47,5	24,0	46,1	Yes
			18.2.2015	10:00	24	47	24,0	46,4	Yes
			18.2.2015	10:15	23,9	44,8	24,0	46,3	Yes
			18.2.2015	10:30	24,1	45,7	24,0	46,3	Yes
			18.2.2015	10:45	24,1	48,4	24,0	46,5	Yes
			18.2.2015	11:00	24	47,6	24,0	46,6	Yes
			18.2.2015	11:15	23,9	46,1	24,0	47,0	Yes
			18.2.2015	11:30	24,1	45	24,0	46,8	Yes
			18.2.2015	11:45	24,1	48,8	24,0	46,9	Yes
			18.2.2015	12:00	24	49	24,0	47,2	Yes
			18.2.2015	12:15	24	47	24,1	47,5	Yes
			18.2.2015	12:30	24	44,6	24,0	47,4	Yes
			18.2.2015	12:45	24,2	48,7	24,1	47,3	Yes
			18.2.2015	13:00	24	49,6	24,1	47,5	Yes
			18.2.2015	13:15	24	48,4	24,1	47,8	Yes
			18.2.2015	13:30	24	45,5	24,1	48,1	Yes
			18.2.2015	13:45	24,2	49,3	24,1	48,2	Yes
			18.2.2015	14:00	24	49,3	24,1	48,1	Yes
			18.2.2015	14:15	24,1	46,2	24,1	47,6	Yes
			18.2.2015	14:30	24,2	46,8	24,1	47,9	Yes
			18.2.2015	14:45	24,2	49,9	24,1	48,1	Yes
			18.2.2015	15:00	24,2	49,8	24,2	48,2	Yes
			18.2.2015	15:15	24,1	49,3	24,2	49,0	Yes
			18.2.2015	15:30	24,1	47,7	24,2	49,2	Yes
			18.2.2015	15:45	24,2	49,7	24,2	49,1	Yes
			18.2.2015	16:00	24,3	49,8	24,2	49,1	Yes
			18.2.2015	16:15	24,3	49,2	24,2	49,1	Yes
			18.2.2015	16:30	24,2	49,6	24,3	49,6	Yes
			18.2.2015	16:45	24,2	49,1	24,3	49,4	Yes
			18.2.2015	17:00	24,1	49,9	24,2	49,5	Yes
			18.2.2015	17:15	24,1	48,9	24,2	49,4	Yes
			18.2.2015	17:30	24	49,2	24,1	49,3	Yes
			18.2.2015	17:45	23,9	49	24,0	49,3	Yes
			18.2.2015	18:00	23,8	48,6	24,0	48,9	Yes
			18.2.2015	18:15	23,7	49,5	23,9	49,1	Yes
			18.2.2015	18:30	23,7	49,2	23,8	49,1	Yes

TYPE OF TEST: ISO 19752

18.2.2015	N/A	N/A	18:45	23,7	49,2	23,7	49,1	Yes
			19:00	23,7	49,4	23,7	49,3	Yes
			19:15	23,6	49,3	23,7	49,3	Yes
			19:30	23,6	49,1	23,7	49,3	Yes
			19:45	23,6	48,3	23,6	49,0	Yes
			20:00	23,5	47,9	23,6	48,7	Yes
			20:15	23,5	48,1	23,6	48,4	Yes
			20:30	23,5	48,5	23,5	48,2	Yes
			20:45	23,4	48,6	23,5	48,3	Yes
			21:00	23,4	48,6	23,5	48,5	Yes
			21:15	23,4	48,5	23,4	48,6	Yes
			21:30	23,4	48,6	23,4	48,6	Yes
			21:45	23,4	48,8	23,4	48,6	Yes
			22:00	23,4	48,9	23,4	48,7	Yes
			22:15	23,4	48,5	23,4	48,7	Yes
			22:30	23,3	47,5	23,4	48,4	Yes
			22:45	23,3	48,1	23,4	48,3	Yes
			23:00	23,2	48,4	23,3	48,1	Yes
			23:15	23,1	47,4	23,2	47,9	Yes
			23:30	23,1	47,4	23,2	47,8	Yes
			23:45	23	47,8	23,1	47,8	Yes
			0:00	23	48,1	23,1	47,7	Yes
			0:15	22,9	48,4	23,0	47,9	Yes
			0:30	22,9	49	23,0	48,3	Yes
			0:45	22,8	49,1	22,9	48,7	Yes
			1:00	22,8	48,8	22,9	48,8	Yes
			1:15	22,8	49,3	22,8	49,1	Yes
			1:30	22,8	49,9	22,8	49,3	Yes
			1:45	22,7	50,5	22,8	49,6	Yes
			2:00	22,7	50,5	22,8	50,1	Yes
			2:15	22,7	50,3	22,7	50,3	Yes
			2:30	22,7	50,7	22,7	50,5	Yes
			2:45	22,7	50,5	22,7	50,5	Yes
			3:00	22,7	50,8	22,7	50,6	Yes
			3:15	22,7	51,2	22,7	50,8	Yes
			3:30	22,7	51,7	22,7	51,1	Yes
			3:45	22,7	51,6	22,7	51,3	Yes
			4:00	22,8	51,9	22,7	51,6	Yes
			4:15	22,8	51,9	22,8	51,8	Yes
			4:30	22,9	52,1	22,8	51,9	Yes
			4:45	22,9	52,2	22,9	52,0	Yes
			5:00	22,9	52,1	22,9	52,1	Yes
			5:15	22,9	51,5	22,9	52,0	Yes
			5:30	22,9	51	22,9	51,7	Yes
			5:45	23	51,3	22,9	51,5	Yes
19.2.2015	N/A	N/A	6:00	23	51,4	23,0	51,3	Yes
			6:15	23	51,5	23,0	51,3	Yes
			6:30	23,1	52,1	23,0	51,6	Yes
			6:45	23,2	51,6	23,1	51,7	Yes
			7:00	23,4	51,2	23,2	51,6	Yes
			7:15	23,7	50,4	23,4	51,3	Yes
			7:30	23,8	48,7	23,5	50,5	Yes
			7:45	23,8	50,7	23,7	50,3	Yes
			8:00	23,7	48,3	23,8	49,5	Yes
			8:15	23,9	49,9	23,8	49,4	Yes
			8:30	23,8	48,7	23,8	49,4	Yes
			8:45	23,9	46,3	23,8	48,3	Yes
			9:00	24	50,1	23,9	48,8	Yes
			9:15	23,8	49,7	23,9	48,7	Yes
			9:30	23,8	45,3	23,9	47,9	Yes
			9:45	23,9	49,6	23,9	48,7	Yes
			10:00	23,8	49,3	23,8	48,5	Yes
			10:15	24	45,4	23,9	47,4	Yes
			10:30	24	49,3	23,9	48,4	Yes
			10:45	23,9	49,1	23,9	48,3	Yes
			11:00	24	45,5	24,0	47,3	Yes
			11:15	24,1	49,1	24,0	48,3	Yes
			11:30	24	46,1	24,0	47,5	Yes
			11:45	24	48	24,0	47,2	Yes
			12:00	24,2	46,2	24,1	47,4	Yes
			12:15	24,2	48,2	24,1	47,1	Yes
			12:30	24	48,6	24,1	47,8	Yes
			12:45	23,9	47,2	24,1	47,6	Yes
			13:00	24	48,5	24,0	48,1	Yes
			13:15	24,1	48,1	24,0	48,1	Yes
			13:30	24,1	48	24,0	48,0	Yes
			13:45	24,1	47,9	24,1	48,1	Yes
			14:00	24	46,1	24,1	47,5	Yes
			14:15	24,1	47,6	24,1	47,4	Yes
			14:30	24,2	50,8	24,1	48,1	Yes
			14:45	24,3	50,1	24,2	48,7	Yes
			15:00	24,3	49,9	24,2	49,6	Yes
			15:15	24,3	49,7	24,3	50,1	Yes
			15:30	24,2	49,7	24,3	49,9	Yes
			15:45	24,2	49,7	24,3	49,8	Yes
			16:00	24,1	49,8	24,2	49,7	Yes
			16:15	24	49,4	24,1	49,7	Yes
			16:30	24	49,3	24,1	49,6	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	19.2.2015	16:45	23,9	49,6	24,0	49,5	Yes
		19.2.2015	17:00	23,8	50,1	23,9	49,6	Yes
		19.2.2015	17:15	23,7	50,7	23,9	49,9	Yes
		19.2.2015	17:30	23,7	50,2	23,8	50,2	Yes
		19.2.2015	17:45	23,6	50,1	23,7	50,3	Yes
		19.2.2015	18:00	23,5	49,6	23,6	50,2	Yes
		19.2.2015	18:15	23,5	49,8	23,6	49,9	Yes
		19.2.2015	18:30	23,5	49,9	23,5	49,9	Yes
		19.2.2015	18:45	23,5	50,1	23,5	49,9	Yes
		19.2.2015	19:00	23,4	50,3	23,5	50,0	Yes
		19.2.2015	19:15	23,4	50,4	23,5	50,2	Yes
		19.2.2015	19:30	23,4	49,9	23,4	50,2	Yes
		19.2.2015	19:45	23,4	49,4	23,4	50,0	Yes
		19.2.2015	20:00	23,4	49,1	23,4	49,7	Yes
		19.2.2015	20:15	23,3	49,2	23,4	49,4	Yes
		19.2.2015	20:30	23,3	49,5	23,4	49,3	Yes
		19.2.2015	20:45	23,3	49,7	23,3	49,4	Yes
		19.2.2015	21:00	23,3	50	23,3	49,6	Yes
		19.2.2015	21:15	23,3	49,6	23,3	49,7	Yes
		19.2.2015	21:30	23,3	49,5	23,3	49,7	Yes
		19.2.2015	21:45	23,3	49,8	23,3	49,7	Yes
		19.2.2015	22:00	23,3	49,9	23,3	49,7	Yes
		19.2.2015	22:15	23,3	49,4	23,3	49,7	Yes
		19.2.2015	22:30	23,2	48,4	23,3	49,4	Yes
		19.2.2015	22:45	23,1	48,6	23,2	49,1	Yes
		19.2.2015	23:00	23,1	48,6	23,2	48,8	Yes
		19.2.2015	23:15	23	47,6	23,1	48,3	Yes
		19.2.2015	23:30	22,9	47,2	23,0	48,0	Yes
		19.2.2015	23:45	22,9	47,5	23,0	47,7	Yes
		20.2.2015	0:00	22,8	47,9	22,9	47,6	Yes
		20.2.2015	0:15	22,8	47,9	22,9	47,6	Yes
		20.2.2015	0:30	22,7	48	22,8	47,8	Yes
		20.2.2015	0:45	22,6	48,7	22,7	48,1	Yes
		20.2.2015	1:00	22,6	48,8	22,7	48,4	Yes
		20.2.2015	1:15	22,5	49	22,6	48,6	Yes
		20.2.2015	1:30	22,5	49,2	22,6	48,9	Yes
		20.2.2015	1:45	22,5	49,5	22,5	49,1	Yes
		20.2.2015	2:00	22,5	49,6	22,5	49,3	Yes
		20.2.2015	2:15	22,4	49,7	22,5	49,5	Yes
		20.2.2015	2:30	22,4	49,7	22,5	49,6	Yes
		20.2.2015	2:45	22,4	50	22,4	49,8	Yes
		20.2.2015	3:00	22,4	49,8	22,4	49,8	Yes
		20.2.2015	3:15	22,4	50,3	22,4	50,0	Yes
		20.2.2015	3:30	22,4	50,6	22,4	50,2	Yes
		20.2.2015	3:45	22,5	50,6	22,4	50,3	Yes
		20.2.2015	4:00	22,6	50,5	22,5	50,5	Yes
		20.2.2015	4:15	22,7	50,5	22,6	50,6	Yes
		20.2.2015	4:30	22,7	50,3	22,6	50,5	Yes
		20.2.2015	4:45	22,8	50,4	22,7	50,4	Yes
		20.2.2015	5:00	22,8	50,2	22,8	50,4	Yes
		20.2.2015	5:15	22,9	49,8	22,8	50,2	Yes
		20.2.2015	5:30	22,9	49	22,9	49,9	Yes
		20.2.2015	5:45	22,9	49,1	22,9	49,5	Yes
PHI_15_I0040	PHI_15_I0043	20.2.2015	6:00	23	49,2	22,9	49,3	Yes
		20.2.2015	6:15	23	49,1	23,0	49,1	Yes
		20.2.2015	6:30	23,1	48,7	23,0	49,0	Yes
		20.2.2015	6:45	23,1	48,6	23,1	48,9	Yes
		20.2.2015	7:00	23,1	48,5	23,1	48,7	Yes
		20.2.2015	7:15	23,1	48,2	23,1	48,5	Yes
		20.2.2015	7:30	23,2	48,2	23,1	48,4	Yes
		20.2.2015	7:45	23,2	48	23,2	48,2	Yes
		20.2.2015	8:00	23,2	48,1	23,2	48,1	Yes
		20.2.2015	8:15	23,2	46,8	23,2	47,8	Yes
		20.2.2015	8:30	23,2	46	23,2	47,2	Yes
		20.2.2015	8:45	23,2	45,3	23,2	46,6	Yes
		20.2.2015	9:00	23,2	45,8	23,2	46,0	Yes
		20.2.2015	9:15	23,2	45,7	23,2	45,7	Yes
		20.2.2015	9:30	23,2	46	23,2	45,7	Yes
		20.2.2015	9:45	23,3	46	23,2	45,9	Yes
		20.2.2015	10:00	23,3	45,9	23,3	45,9	Yes
		20.2.2015	10:15	23,3	45,9	23,3	46,0	Yes
		20.2.2015	10:30	23,4	46,1	23,3	46,0	Yes
		20.2.2015	10:45	23,4	46,2	23,4	46,0	Yes
		20.2.2015	11:00	23,6	46,3	23,4	46,1	Yes
		20.2.2015	11:15	23,6	46,2	23,5	46,2	Yes
		20.2.2015	11:30	23,7	46,2	23,6	46,2	Yes
		20.2.2015	11:45	23,9	46,3	23,7	46,3	Yes
		20.2.2015	12:00	23,9	47	23,8	46,4	Yes
		20.2.2015	12:15	23,9	48,6	23,9	47,0	Yes
		20.2.2015	12:30	24	50	23,9	48,0	Yes
		20.2.2015	12:45	23,9	49,1	23,9	48,7	Yes
		20.2.2015	13:00	24	48,8	24,0	49,1	Yes
		20.2.2015	13:15	24,1	45,9	24,0	48,5	Yes
		20.2.2015	13:30	24,1	48,2	24,0	48,0	Yes
		20.2.2015	13:45	23,9	48,9	24,0	48,0	Yes
		20.2.2015	14:00	24,1	48,4	24,1	47,9	Yes
		20.2.2015	14:15	24,2	48,2	24,1	48,4	Yes
		20.2.2015	14:30	24	47,5	24,1	48,3	Yes

TYPE OF TEST: ISO 19752

	20.2.2015	14:45	24,1	48,5		No
	20.2.2015	15:00	24,2	48,4		No
	20.2.2015	15:15	24	47,5		No
	20.2.2015	15:30	24,1	48,4		No
	20.2.2015	15:45	24,2	48		No
	20.2.2015	16:00	24,2	47,9		No
	20.2.2015	16:15	24,3	47,8		No
	20.2.2015	16:30	24,3	47,5		No
	20.2.2015	16:45	24,3	48		No
	20.2.2015	17:00	24,3	48,1		No
	20.2.2015	17:15	24,3	47,8		No
	20.2.2015	17:30	24,3	48,1		No
	20.2.2015	17:45	24,3	47,9		No
	20.2.2015	18:00	24,3	48,2		No
	20.2.2015	18:15	24,3	48,3		No
	20.2.2015	18:30	23,9	48,6		No
	20.2.2015	18:45	24	48,6		No
	20.2.2015	19:00	24,1	47,8		No
	20.2.2015	19:15	24,2	47,6		No
	20.2.2015	19:30	24,2	47,3		No
	20.2.2015	19:45	24,2	46,9		No
	20.2.2015	20:00	24,2	46,5		No
	20.2.2015	20:15	24,2	46,3		No
	20.2.2015	20:30	24,2	46,1		No
	20.2.2015	20:45	24,2	46		No
	20.2.2015	21:00	24,2	45,7		No
	20.2.2015	21:15	24,2	45,4		No
	20.2.2015	21:30	24,2	45,3		No
	20.2.2015	21:45	24,2	45,5		No
	20.2.2015	22:00	24,2	45,4		No
	20.2.2015	22:15	24,2	45		No
	20.2.2015	22:30	24,2	44,5		No
	20.2.2015	22:45	24,1	44,3		No
	20.2.2015	23:00	24,1	44,1		No
	20.2.2015	23:15	24	43,1		No
	20.2.2015	23:30	23,9	42,6		No
	20.2.2015	23:45	23,8	42,6		No
	21.2.2015	0:00	23,7	42,4		No
	21.2.2015	0:15	23,6	42,4		No
	21.2.2015	0:30	23,6	42,5		No
	21.2.2015	0:45	23,5	42,6		No
	21.2.2015	1:00	23,5	42,5		No
	21.2.2015	1:15	23,4	42,3		No
	21.2.2015	1:30	23,4	42		No
	21.2.2015	1:45	23,3	41,7		No
	21.2.2015	2:00	23,3	41,4		No
	21.2.2015	2:15	23,2	41,2		No
	21.2.2015	2:30	23,1	40,8		No
	21.2.2015	2:45	23,1	40,5		No
	21.2.2015	3:00	23	40,1		No
	21.2.2015	3:15	22,9	40		No
	21.2.2015	3:30	22,9	39,8		No
	21.2.2015	3:45	22,8	39,6		No
	21.2.2015	4:00	22,8	39,4		No
	21.2.2015	4:15	22,7	39,1		No
	21.2.2015	4:30	22,7	39		No
	21.2.2015	4:45	22,6	38,9		No
	21.2.2015	5:00	22,6	38,8		No
	21.2.2015	5:15	22,5	38,5		No
	21.2.2015	5:30	22,5	38,3		No
	21.2.2015	5:45	22,4	38,1		No
	21.2.2015	6:00	22,4	38		No
	21.2.2015	6:15	22,3	37,9		No
	21.2.2015	6:30	22,3	37,2		No
	21.2.2015	6:45	22,2	36,9		No
	21.2.2015	7:00	22,1	36,9		No
	21.2.2015	7:15	22,1	36,7		No
	21.2.2015	7:30	22	36,6		No
	21.2.2015	7:45	22	36,5		No
	21.2.2015	8:00	21,9	36,3		No
	21.2.2015	8:15	22	36,3		No
	21.2.2015	8:30	22	36,1		No
	21.2.2015	8:45	21,9	36		No
	21.2.2015	9:00	21,9	35,7		No
	21.2.2015	9:15	21,9	35,6		No
	21.2.2015	9:30	21,8	35,4		No
	21.2.2015	9:45	21,8	35,4		No
	21.2.2015	10:00	21,8	35,2		No
	21.2.2015	10:15	21,7	35,1		No
	21.2.2015	10:30	21,7	35		No
	21.2.2015	10:45	21,6	34,7		No
	21.2.2015	11:00	21,6	34,7		No
	21.2.2015	11:15	21,6	34,9		No
	21.2.2015	11:30	21,6	35,2		No
	21.2.2015	11:45	21,5	35,2		No
	21.2.2015	12:00	21,5	35,3		No
	21.2.2015	12:15	21,5	35,4		No
	21.2.2015	12:30	21,5	35,6		No

TYPE OF TEST: ISO 19752

N/A	N/A	21.2.2015	12:45	21,5	35,8			No
		21.2.2015	13:00	21,5	35,9			No
		21.2.2015	13:15	21,5	36			No
		21.2.2015	13:30	21,5	36,3			No
		21.2.2015	13:45	21,5	36,5			No
		21.2.2015	14:00	21,5	36,7			No
		21.2.2015	14:15	21,6	36,9			No
		21.2.2015	14:30	21,6	36,7			No
		21.2.2015	14:45	21,6	37			No
		21.2.2015	15:00	21,7	37,2			No
		21.2.2015	15:15	21,7	37,5			No
		21.2.2015	15:30	21,7	37,7			No
		21.2.2015	15:45	21,8	37,9			No
		21.2.2015	16:00	21,8	38,2			No
		21.2.2015	16:15	21,8	39,3			No
		21.2.2015	16:30	21,9	41,8			No
		21.2.2015	16:45	21,9	44,6			No
		21.2.2015	17:00	21,9	45,3			No
		21.2.2015	17:15	22	45,9			No
		21.2.2015	17:30	22	46,9			No
		21.2.2015	17:45	22	48,1			No
		21.2.2015	18:00	22	47,6			No
		21.2.2015	18:15	21,9	49,3			No
		21.2.2015	18:30	21,9	49,6			No
		21.2.2015	18:45	21,9	49,7			No
		21.2.2015	19:00	21,9	50			No
		21.2.2015	19:15	21,8	50,3			No
		21.2.2015	19:30	21,8	50,7			No
		21.2.2015	19:45	21,7	50,8			No
		21.2.2015	20:00	21,7	50			No
		21.2.2015	20:15	21,6	50,6			No
		21.2.2015	20:30	21,6	51			No
		21.2.2015	20:45	21,5	51,6			No
		21.2.2015	21:00	21,5	51,7			No
		21.2.2015	21:15	21,5	51,9			No
		21.2.2015	21:30	21,4	52,1			No
		21.2.2015	21:45	21,4	52,2			No
		21.2.2015	22:00	21,4	52,6			No
		21.2.2015	22:15	21,4	52,8			No
		21.2.2015	22:30	21,3	52,6			No
		21.2.2015	22:45	21,3	52,9			No
		21.2.2015	23:00	21,2	53,1			No
		21.2.2015	23:15	21,2	51,6			No
		21.2.2015	23:30	21,1	52,4			No
		21.2.2015	23:45	21	52,5			No
		22.2.2015	0:00	21	52,7			No
		22.2.2015	0:15	21	53,4			No
		22.2.2015	0:30	21	53,2			No
		22.2.2015	0:45	20,9	54,1			No
		22.2.2015	1:00	20,9	54,7			No
		22.2.2015	1:15	20,9	54,6			No
		22.2.2015	1:30	20,9	54,3			No
		22.2.2015	1:45	20,9	54			No
		22.2.2015	2:00	20,9	54			No
		22.2.2015	2:15	20,9	54,2			No
		22.2.2015	2:30	20,9	54,8			No
		22.2.2015	2:45	20,9	54,9			No
		22.2.2015	3:00	20,9	54,8			No
		22.2.2015	3:15	20,9	54,9			No
		22.2.2015	3:30	20,9	55,1			No
		22.2.2015	3:45	20,9	55			No
		22.2.2015	4:00	20,9	55			No
		22.2.2015	4:15	20,9	54,3			No
		22.2.2015	4:30	21	54,1			No
		22.2.2015	4:45	21,1	55,2			No
		22.2.2015	5:00	21,2	55,4			No
		22.2.2015	5:15	21,4	55,7			No
		22.2.2015	5:30	21,5	54,8			No
		22.2.2015	5:45	21,5	55,2			No
		22.2.2015	6:00	21,6	55,3			No
		22.2.2015	6:15	21,7	54,4	21,6	54,9	Yes
		22.2.2015	6:30	21,7	54	21,6	54,7	Yes
		22.2.2015	6:45	21,7	54,4	21,7	54,5	Yes
		22.2.2015	7:00	21,8	54,7	21,7	54,4	Yes
		22.2.2015	7:15	21,8	54,4	21,8	54,4	Yes
		22.2.2015	7:30	21,8	54,5	21,8	54,5	Yes
		22.2.2015	7:45	21,9	54	21,8	54,4	Yes
		22.2.2015	8:00	21,9	55	21,9	54,5	Yes
		22.2.2015	8:15	21,9	54,3	21,9	54,5	Yes
		22.2.2015	8:30	21,9	53,9	21,9	54,3	Yes
		22.2.2015	8:45	21,9	53,7	21,9	54,2	Yes
		22.2.2015	9:00	21,9	54,3	21,9	54,1	Yes
		22.2.2015	9:15	21,8	53,9	21,9	54,0	Yes
		22.2.2015	9:30	21,8	54	21,9	54,0	Yes
		22.2.2015	9:45	21,7	54,5	21,8	54,2	Yes
		22.2.2015	10:00	21,7	53,9	21,8	54,1	Yes
		22.2.2015	10:15	21,7	54,3	21,7	54,2	Yes
		22.2.2015	10:30	21,6	53,9	21,7	54,2	Yes

TYPE OF TEST: ISO 19752

N/A			22.2.2015	10:45	21,6	52,4	21,7	53,6	Yes
			22.2.2015	11:00	21,5	53,1	21,6	53,4	Yes
			22.2.2015	11:15	21,5	53,9	21,6	53,3	Yes
			22.2.2015	11:30	21,5	54	21,5	53,4	Yes
			22.2.2015	11:45	21,5	53,8	21,5	53,7	Yes
			22.2.2015	12:00	21,4	54,3	21,5	54,0	Yes
			22.2.2015	12:15	21,4	55,7	21,5	54,5	Yes
			22.2.2015	12:30	21,4	55,2	21,4	54,8	Yes
			22.2.2015	12:45	21,4	54,9	21,4	55,0	Yes
			22.2.2015	13:00	21,4	54,4	21,4	55,1	Yes
			22.2.2015	13:15	21,3	55	21,4	54,9	Yes
			22.2.2015	13:30	21,3	54,7	21,4	54,8	Yes
			22.2.2015	13:45	21,3	53,8	21,3	54,5	Yes
			22.2.2015	14:00	21,3	55	21,3	54,6	Yes
			22.2.2015	14:15	21,3	54,1	21,3	54,4	Yes
			22.2.2015	14:30	21,2	53,2	21,3	54,0	Yes
			22.2.2015	14:45	21,2	55,1	21,3	54,4	Yes
			22.2.2015	15:00	21,2	55,2	21,2	54,4	Yes
			22.2.2015	15:15	21,2	55,7	21,2	54,8	Yes
			22.2.2015	15:30	21,2	55,3	21,2	55,3	Yes
			22.2.2015	15:45	21,2	54,6	21,2	55,2	Yes
			22.2.2015	16:00	21,2	55,7	21,2	55,3	Yes
			22.2.2015	16:15	21,2	55,7	21,2	55,3	Yes
			22.2.2015	16:30	21,2	54,4	21,2	55,1	Yes
			22.2.2015	16:45	21,1	55,3	21,2	55,3	Yes
			22.2.2015	17:00	21,1	56	21,2	55,4	Yes
			22.2.2015	17:15	21,1	55,6	21,1	55,3	Yes
			22.2.2015	17:30	21,1	54,5	21,1	55,4	Yes
			22.2.2015	17:45	21,1	55,8	21,1	55,5	Yes
			22.2.2015	18:00	21,1	55,6	21,1	55,4	Yes
			22.2.2015	18:15	21,1	54,6	21,1	55,1	Yes
			22.2.2015	18:30	21	56	21,1	55,5	Yes
			22.2.2015	18:45	21	55,8	21,1	55,5	Yes
			22.2.2015	19:00	21	54,8	21,0	55,3	Yes
			22.2.2015	19:15	21	55,1	21,0	55,4	Yes
			22.2.2015	19:30	21	55,8	21,0	55,4	Yes
			22.2.2015	19:45	21	55,5	21,0	55,3	Yes
			22.2.2015	20:00	20,9	53,5	21,0	55,0	Yes
			22.2.2015	20:15	20,9	54,7	21,0	54,9	Yes
			22.2.2015	20:30	21	55,5	21,0	54,8	Yes
			22.2.2015	20:45	21,1	56,4	21,0	55,0	Yes
			22.2.2015	21:00	21,2	56	21,1	55,7	Yes
			22.2.2015	21:15	21,3	55,6	21,2	55,9	Yes
			22.2.2015	21:30	21,4	56,1	21,3	56,0	Yes
			22.2.2015	21:45	21,4	55,6	21,3	55,8	Yes
			22.2.2015	22:00	21,5	55,2	21,4	55,6	Yes
			22.2.2015	22:15	21,5	55,4	21,5	55,6	Yes
			22.2.2015	22:30	21,6	55,5	21,5	55,4	Yes
			22.2.2015	22:45	21,6	54,7	21,6	55,2	Yes
			22.2.2015	23:00	21,6	55,4	21,6	55,3	Yes
			22.2.2015	23:15	21,7	54	21,6	54,9	Yes
			22.2.2015	23:30	21,7	54,8	21,7	54,7	Yes
			22.2.2015	23:45	21,7	55,2	21,7	54,9	Yes
			23.2.2015	0:00	21,7	55	21,7	54,8	Yes
			23.2.2015	0:15	21,8	55,3	21,7	55,1	Yes
			23.2.2015	0:30	21,8	55,6	21,8	55,3	Yes
			23.2.2015	0:45	21,8	55,2	21,8	55,3	Yes
			23.2.2015	1:00	21,9	55,1	21,8	55,3	Yes
			23.2.2015	1:15	21,9	55,2	21,9	55,3	Yes
			23.2.2015	1:30	21,9	54,9	21,9	55,1	Yes
			23.2.2015	1:45	21,9	54,8	21,9	55,0	Yes
			23.2.2015	2:00	22	55,3	21,9	55,1	Yes
			23.2.2015	2:15	22	54,8	22,0	55,0	Yes
			23.2.2015	2:30	22	54,5	22,0	54,9	Yes
			23.2.2015	2:45	22	54,9	22,0	54,9	Yes
			23.2.2015	3:00	22,1	54,4	22,0	54,7	Yes
			23.2.2015	3:15	22,1	55,2	22,1	54,8	Yes
			23.2.2015	3:30	22,1	54,7	22,1	54,8	Yes
			23.2.2015	3:45	22,1	55,1	22,1	54,9	Yes
			23.2.2015	4:00	22,1	55,9	22,1	55,2	Yes
			23.2.2015	4:15	22,1	56,2	22,1	55,5	Yes
			23.2.2015	4:30	22,2	55,6	22,1	55,7	Yes
			23.2.2015	4:45	22,2	56,6	22,2	56,1	Yes
			23.2.2015	5:00	22,3	55,7	22,2	56,0	Yes
			23.2.2015	5:15	22,3	55,3	22,3	55,8	Yes
			23.2.2015	5:30	22,3	55,4	22,3	55,8	Yes
			23.2.2015	5:45	22,3	56	22,3	55,6	Yes
			23.2.2015	6:00	22,3	56,5	22,3	55,8	Yes
			23.2.2015	6:15	22,4	55,8	22,3	55,9	Yes
			23.2.2015	6:30	22,4	56	22,4	56,1	Yes
			23.2.2015	6:45	22,4	55,6	22,4	56,0	Yes
			23.2.2015	7:00	22,6	56	22,5	55,9	Yes
			23.2.2015	7:15	22,8	55,7	22,6	55,8	Yes
			23.2.2015	7:30	23	55,7	22,7	55,8	Yes
			23.2.2015	7:45	23,1	55,8	22,9	55,8	Yes
			23.2.2015	8:00	23,3	55,6	23,1	55,7	Yes
			23.2.2015	8:15	23,4	55,2	23,2	55,6	Yes
			23.2.2015	8:30	23,6	55	23,4	55,4	Yes

TYPE OF TEST: ISO 19752

	PHI_15_I0041	PHI_15_I0044	23.2.2015	8:45	23,7	54,6	23,5	55,1	Yes
			23.2.2015	9:00	23,8	53,3	23,6	54,5	Yes
			23.2.2015	9:15	23,8	54,5	23,7	54,4	Yes
			23.2.2015	9:30	23,7	53,2	23,8	53,9	Yes
			23.2.2015	9:45	23,9	54,8	23,8	54,0	Yes
			23.2.2015	10:00	23,8	54,8	23,8	54,3	Yes
			23.2.2015	10:15	23,8	52,2	23,8	53,8	Yes
			23.2.2015	10:30	23,9	53,9	23,9	53,9	Yes
			23.2.2015	10:45	23,8	54,1	23,8	53,8	Yes
			23.2.2015	11:00	24	51,8	23,9	53,0	Yes
			23.2.2015	11:15	23,9	54,3	23,9	53,5	Yes
			23.2.2015	11:30	23,8	52,7	23,9	53,2	Yes
			23.2.2015	11:45	24	54	23,9	53,2	Yes
			23.2.2015	12:00	23,8	53,5	23,9	53,6	Yes
			23.2.2015	12:15	23,8	52,4	23,9	53,2	Yes
			23.2.2015	12:30	23,9	49,6	23,9	52,4	Yes
			23.2.2015	12:45	23,9	52,8	23,9	52,1	Yes
			23.2.2015	13:00	23,8	51,5	23,9	51,6	Yes
			23.2.2015	13:15	24	52,5	23,9	51,6	Yes
			23.2.2015	13:30	23,8	51,9	23,9	52,2	Yes
			23.2.2015	13:45	24	52,2	23,9	52,0	Yes
			23.2.2015	14:00	23,9	51,5	23,9	52,0	Yes
			23.2.2015	14:15	24,1	52,7	24,0	52,1	Yes
			23.2.2015	14:30	24	51,2	24,0	51,9	Yes
			23.2.2015	14:45	24	52,6	24,0	52,0	Yes
			23.2.2015	15:00	24,1	52,9	24,1	52,4	Yes
			23.2.2015	15:15	24,1	52,6	24,1	52,3	Yes
			23.2.2015	15:30	24,1	51,9	24,1	52,5	Yes
			23.2.2015	15:45	24	52,2	24,1	52,4	Yes
			23.2.2015	16:00	23,9	52,6	24,0	52,3	Yes
			23.2.2015	16:15	23,9	52,6	24,0	52,3	Yes
			23.2.2015	16:30	23,8	52,9	23,9	52,6	Yes
			23.2.2015	16:45	23,7	53	23,8	52,8	Yes
			23.2.2015	17:00	23,6	53,1	23,8	52,9	Yes
			23.2.2015	17:15	23,5	54,4	23,7	53,4	Yes
			23.2.2015	17:30	23,4	53	23,6	53,4	Yes
			23.2.2015	17:45	23,4	53,5	23,5	53,5	Yes
			23.2.2015	18:00	23,3	53,6	23,4	53,6	Yes
			23.2.2015	18:15	23,2	54	23,3	53,5	Yes
			23.2.2015	18:30	23,1	54,5	23,3	53,9	Yes
			23.2.2015	18:45	23	54,5	23,2	54,2	Yes
			23.2.2015	19:00	23	54,8	23,1	54,5	Yes
			23.2.2015	19:15	22,9	54,9	23,0	54,7	Yes
			23.2.2015	19:30	22,9	52,4	23,0	54,2	Yes
			23.2.2015	19:45	22,8	52,2	22,9	53,6	Yes
			23.2.2015	20:00	22,7	50,5	22,8	52,5	Yes
			23.2.2015	20:15	22,6	52,6	22,8	51,9	Yes
			23.2.2015	20:30	22,5	53,5	22,7	52,2	Yes
			23.2.2015	20:45	22,5	53,4	22,6	52,5	Yes
			23.2.2015	21:00	22,5	53,9	22,5	53,4	Yes
			23.2.2015	21:15	22,4	51,7	22,5	53,1	Yes
			23.2.2015	21:30	22,4	53,1	22,5	53,0	Yes
			23.2.2015	21:45	22,3	53,6	22,4	53,1	Yes
			23.2.2015	22:00	22,3	54	22,4	53,1	Yes
			23.2.2015	22:15	22,2	51,4	22,3	53,0	Yes
			23.2.2015	22:30	22,2	51,6	22,3	52,7	Yes
			23.2.2015	22:45	22,1	52,5	22,2	52,4	Yes
			23.2.2015	23:00	22,1	53,3	22,2	52,2	Yes
			23.2.2015	23:15	22	51,3	22,1	52,2	Yes
			23.2.2015	23:30	22	52,7	22,1	52,5	Yes
			23.2.2015	23:45	22	53,4	22,0	52,7	Yes
			24.2.2015	0:00	21,9	53,8	22,0	52,8	Yes
			24.2.2015	0:15	21,9	53,8	22,0	53,4	Yes
			24.2.2015	0:30	21,9	54,3	21,9	53,8	Yes
			24.2.2015	0:45	21,9	55	21,9	54,2	Yes
			24.2.2015	1:00	21,9	55,1	21,9	54,6	Yes
			24.2.2015	1:15	21,9	55,2	21,9	54,9	Yes
			24.2.2015	1:30	21,9	55,6	21,9	55,2	Yes
			24.2.2015	1:45	21,9	56,4	21,9	55,6	Yes
			24.2.2015	2:00	21,9	56,8	21,9	56,0	Yes
			24.2.2015	2:15	21,9	57,1	21,9	56,5	Yes
			24.2.2015	2:30	21,8	57,3	21,9	56,9	Yes
			24.2.2015	2:45	21,8	57,4	21,9	57,2	Yes
			24.2.2015	3:00	21,8	57,7	21,8	57,4	Yes
			24.2.2015	3:15	21,8	57,9	21,8	57,6	Yes
			24.2.2015	3:30	21,9	57,6	21,8	57,7	Yes
			24.2.2015	3:45	22	57,7	21,9	57,7	Yes
			24.2.2015	4:00	22	57,9	21,9	57,8	Yes
			24.2.2015	4:15	22,1	57,5	22,0	57,7	Yes
			24.2.2015	4:30	22,1	57,7	22,1	57,7	Yes
			24.2.2015	4:45	22,2	57,4	22,1	57,6	Yes
			24.2.2015	5:00	22,2	57,5	22,2	57,5	Yes
			24.2.2015	5:15	22,3	56,4	22,2	57,3	Yes
			24.2.2015	5:30	22,3	56,1	22,3	56,9	Yes
			24.2.2015	5:45	22,3	56,8	22,3	56,7	Yes
			24.2.2015	6:00	22,3	57,2	22,3	56,6	Yes
			24.2.2015	6:15	22,4	57,6	22,3	56,9	Yes
			24.2.2015	6:30	22,4	57,2	22,4	57,2	Yes

TYPE OF TEST: ISO 19752

	PHI_15_I0041	PHI_15_I0044	24.2.2015	6:45	22,4	57,5	22,4	57,4	Yes
			24.2.2015	7:00	22,4	57,1	22,4	57,4	Yes
			24.2.2015	7:15	22,5	56,6	22,4	57,1	Yes
			24.2.2015	7:30	22,6	56,2	22,5	56,9	Yes
			24.2.2015	7:45	22,9	56,1	22,6	56,5	Yes
			24.2.2015	8:00	23,1	56	22,8	56,2	Yes
			24.2.2015	8:15	23,2	55,6	23,0	56,0	Yes
			24.2.2015	8:30	23,4	55,4	23,2	55,8	Yes
			24.2.2015	8:45	23,6	55,1	23,3	55,5	Yes
			24.2.2015	9:00	23,8	55,1	23,5	55,3	Yes
			24.2.2015	9:15	23,9	54	23,7	54,9	Yes
			24.2.2015	9:30	24	55,1	23,8	54,8	Yes
			24.2.2015	9:45	23,9	54,3	23,9	54,6	Yes
			24.2.2015	10:00	24,1	54,1	24,0	54,4	Yes
			24.2.2015	10:15	24	56	24,0	54,9	Yes
			24.2.2015	10:30	24	56,1	24,0	55,1	Yes
			24.2.2015	10:45	24	53,5	24,0	54,9	Yes
			24.2.2015	11:00	24	51,8	24,0	54,4	Yes
			24.2.2015	11:15	24,1	55,8	24,0	54,3	Yes
			24.2.2015	11:30	24	55,5	24,0	54,2	Yes
			24.2.2015	11:45	24	54,2	24,0	54,3	Yes
			24.2.2015	12:00	24,1	52,5	24,1	54,5	Yes
			24.2.2015	12:15	24,1	51,2	24,1	53,4	Yes
			24.2.2015	12:30	24,2	52,5	24,1	52,6	Yes
			24.2.2015	12:45	24,2	54,2	24,2	52,6	Yes
			24.2.2015	13:00	24,1	55,4	24,2	53,3	Yes
			24.2.2015	13:15	24,1	55,2	24,2	54,3	Yes
			24.2.2015	13:30	24,1	54,8	24,1	54,9	Yes
			24.2.2015	13:45	24,1	54,1	24,1	54,9	Yes
			24.2.2015	14:00	24,1	52,1	24,1	54,1	Yes
			24.2.2015	14:15	24,1	50,4	24,1	52,9	Yes
			24.2.2015	14:30	24,2	52,3	24,1	52,2	Yes
			24.2.2015	14:45	24,2	55,7	24,2	52,6	Yes
			24.2.2015	15:00	24,1	55,5	24,2	53,5	Yes
			24.2.2015	15:15	24,2	53,9	24,2	54,4	Yes
			24.2.2015	15:30	24,2	53,8	24,2	54,7	Yes
			24.2.2015	15:45	24,2	54,5	24,2	54,4	Yes
			24.2.2015	16:00	24,2	53,5	24,2	53,9	Yes
			24.2.2015	16:15	24,2	54	24,2	54,0	Yes
			24.2.2015	16:30	24,1	54,3	24,2	54,1	Yes
			24.2.2015	16:45	24,1	54,4	24,2	54,1	Yes
			24.2.2015	17:00	24	54	24,1	54,2	Yes
			24.2.2015	17:15	23,9	54,5	24,0	54,3	Yes
			24.2.2015	17:30	23,9	54,1	24,0	54,3	Yes
			24.2.2015	17:45	23,8	54,1	23,9	54,2	Yes
			24.2.2015	18:00	23,7	54,3	23,8	54,3	Yes
			24.2.2015	18:15	23,6	54,8	23,8	54,3	Yes
			24.2.2015	18:30	23,6	54,4	23,7	54,4	Yes
			24.2.2015	18:45	23,5	54,8	23,6	54,6	Yes
			24.2.2015	19:00	23,5	54,9	23,6	54,7	Yes
			24.2.2015	19:15	23,4	54,7	23,5	54,7	Yes
			24.2.2015	19:30	23,4	55,3	23,5	54,9	Yes
			24.2.2015	19:45	23,3	54,2	23,4	54,8	Yes
			24.2.2015	20:00	23,2	55,3	23,3	54,9	Yes
			24.2.2015	20:15	23,2	55	23,3	55,0	Yes
			24.2.2015	20:30	23,1	55,3	23,2	55,0	Yes
			24.2.2015	20:45	23,1	54,8	23,2	55,1	Yes
			24.2.2015	21:00	23,1	55,5	23,1	55,2	Yes
			24.2.2015	21:15	23	53,8	23,1	54,9	Yes
			24.2.2015	21:30	22,9	55,4	23,0	54,9	Yes
			24.2.2015	21:45	22,9	56,1	23,0	55,2	Yes
			24.2.2015	22:00	22,9	56,4	22,9	55,4	Yes
			24.2.2015	22:15	22,8	53,9	22,9	55,5	Yes
			24.2.2015	22:30	22,7	54,1	22,8	55,1	Yes
			24.2.2015	22:45	22,6	55,8	22,8	55,1	Yes
			24.2.2015	23:00	22,6	55,4	22,7	54,8	Yes
			24.2.2015	23:15	22,5	54,3	22,6	54,9	Yes
			24.2.2015	23:30	22,5	56,7	22,6	55,6	Yes
			24.2.2015	23:45	22,5	55,3	22,5	55,4	Yes
			25.2.2015	0:00	22,4	55,6	22,5	55,5	Yes
			25.2.2015	0:15	22,4	56,6	22,5	56,1	Yes
			25.2.2015	0:30	22,4	56,4	22,4	56,0	Yes
			25.2.2015	0:45	22,4	55,5	22,4	56,0	Yes
			25.2.2015	1:00	22,4	56,1	22,4	56,2	Yes
			25.2.2015	1:15	22,4	56,4	22,4	56,1	Yes
			25.2.2015	1:30	22,3	56,5	22,4	56,1	Yes
			25.2.2015	1:45	22,3	55,9	22,4	56,2	Yes
			25.2.2015	2:00	22,3	56,2	22,3	56,3	Yes
			25.2.2015	2:15	22,3	56,5	22,3	56,3	Yes
			25.2.2015	2:30	22,3	55,9	22,3	56,1	Yes
			25.2.2015	2:45	22,3	56,2	22,3	56,2	Yes
			25.2.2015	3:00	22,3	56,6	22,3	56,3	Yes
			25.2.2015	3:15	22,3	56,6	22,3	56,3	Yes
			25.2.2015	3:30	22,3	56,2	22,3	56,4	Yes
			25.2.2015	3:45	22,4	56,5	22,3	56,5	Yes
			25.2.2015	4:00	22,4	56	22,4	56,3	Yes
			25.2.2015	4:15	22,5	55,8	22,4	56,1	Yes
			25.2.2015	4:30	22,5	56,2	22,5	56,1	Yes

TYPE OF TEST: ISO 19752

			25.2.2015	4:45	22,6	56	22,5	56,0	Yes
			25.2.2015	5:00	22,6	55,5	22,6	55,9	Yes
			25.2.2015	5:15	22,6	55,4	22,6	55,8	Yes
			25.2.2015	5:30	22,7	55,4	22,6	55,6	Yes
			25.2.2015	5:45	22,7	55,8	22,7	55,5	Yes
			25.2.2015	6:00	22,9	55,4	22,7	55,5	Yes
			25.2.2015	6:15	23,1	55	22,9	55,4	Yes
			25.2.2015	6:30	23,3	55,1	23,0	55,3	Yes
			25.2.2015	6:45	23,5	55,2	23,2	55,2	Yes
			25.2.2015	7:00	23,6	53,9	23,4	54,8	Yes
			25.2.2015	7:15	23,8	53	23,6	54,3	Yes
			25.2.2015	7:30	23,7	55,1	23,7	54,3	Yes
			25.2.2015	7:45	23,7	54,4	23,7	54,1	Yes
			25.2.2015	8:00	23,8	50,7	23,8	53,3	Yes
			25.2.2015	8:15	23,9	51,6	23,8	53,0	Yes
			25.2.2015	8:30	23,9	54,7	23,8	52,9	Yes
			25.2.2015	8:45	23,8	55	23,9	53,0	Yes
			25.2.2015	9:00	23,9	54,8	23,9	54,0	Yes
			25.2.2015	9:15	23,9	52,9	23,9	54,4	Yes
			25.2.2015	9:30	23,9	50	23,9	53,2	Yes
			25.2.2015	9:45	24	51,5	23,9	52,3	Yes
			25.2.2015	10:00	23,9	54,3	23,9	52,2	Yes
			25.2.2015	10:15	23,9	53,8	23,9	52,4	Yes
			25.2.2015	10:30	23,9	52	23,9	52,9	Yes
			25.2.2015	10:45	24	50,8	23,9	52,7	Yes
			25.2.2015	11:00	24	54,1	24,0	52,7	Yes
			25.2.2015	11:15	24	53,7	24,0	52,7	Yes
			25.2.2015	11:30	24	53,1	24,0	52,9	Yes
			25.2.2015	11:45	24	52	24,0	53,2	Yes
			25.2.2015	12:00	24	50,9	24,0	52,4	Yes
			25.2.2015	12:15	24,1	50,8	24,0	51,7	Yes
			25.2.2015	12:30	24,2	54,1	24,1	52,0	Yes
			25.2.2015	12:45	24,1	54,5	24,1	52,6	Yes
			25.2.2015	13:00	24,1	52,4	24,1	53,0	Yes
			25.2.2015	13:15	24	51,9	24,1	53,2	Yes
			25.2.2015	13:30	24	49,9	24,1	52,2	Yes
			25.2.2015	13:45	24,2	53,9	24,1	52,0	Yes
			25.2.2015	14:00	24,1	54,5	24,1	52,6	Yes
			25.2.2015	14:15	24,1	52,7	24,1	52,8	Yes
			25.2.2015	14:30	24	53	24,1	53,5	Yes
			25.2.2015	14:45	24,1	52,2	24,1	53,1	Yes
			25.2.2015	15:00	23,9	54,1	24,0	53,0	Yes
			25.2.2015	15:15	24	53,7	24,0	53,3	Yes
			25.2.2015	15:30	24,1	54,5	24,0	53,6	Yes
			25.2.2015	15:45	24,1	54,9	24,0	54,3	Yes
			25.2.2015	16:00	24,1	55,1	24,1	54,6	Yes
			25.2.2015	16:15	24,1	54	24,1	54,6	Yes
			25.2.2015	16:30	24	54,8	24,1	54,7	Yes
			25.2.2015	16:45	24	54,9	24,1	54,7	Yes
			25.2.2015	17:00	23,9	55,4	24,0	54,8	Yes
			25.2.2015	17:15	23,9	55,5	24,0	55,2	Yes
			25.2.2015	17:30	23,8	54,3	23,9	55,0	Yes
			25.2.2015	17:45	23,7	55,2	23,8	55,1	Yes
			25.2.2015	18:00	23,6	55,1	23,8	55,0	Yes
			25.2.2015	18:15	23,6	55,3	23,7	55,0	Yes
			25.2.2015	18:30	23,5	55,9	23,6	55,4	Yes
			25.2.2015	18:45	23,5	55,8	23,6	55,5	Yes
			25.2.2015	19:00	23,5	55,7	23,5	55,7	Yes
			25.2.2015	19:15	23,4	55,5	23,5	55,7	Yes
			25.2.2015	19:30	23,4	55,8	23,5	55,7	Yes
			25.2.2015	19:45	23,3	56,1	23,4	55,8	Yes
			25.2.2015	20:00	23,2	55,4	23,3	55,7	Yes
			25.2.2015	20:15	23,2	55,3	23,3	55,7	Yes
			25.2.2015	20:30	23,1	55,8	23,2	55,7	Yes
			25.2.2015	20:45	23,1	56	23,2	55,6	Yes
			25.2.2015	21:00	23,1	55,6	23,1	55,7	Yes
			25.2.2015	21:15	23	55,7	23,1	55,8	Yes
			25.2.2015	21:30	22,9	55,7	23,0	55,8	Yes
			25.2.2015	21:45	22,9	56,2	23,0	55,8	Yes
			25.2.2015	22:00	22,9	56,1	22,9	55,9	Yes
			25.2.2015	22:15	22,9	55,8	22,9	56,0	Yes
			25.2.2015	22:30	22,8	55,3	22,9	55,9	Yes
			25.2.2015	22:45	22,7	55,8	22,8	55,8	Yes
			25.2.2015	23:00	22,7	56,1	22,8	55,8	Yes
			25.2.2015	23:15	22,6	54,9	22,7	55,5	Yes
			25.2.2015	23:30	22,6	55,4	22,7	55,6	Yes
			25.2.2015	23:45	22,5	56,1	22,6	55,6	Yes
			26.2.2015	0:00	22,5	56,6	22,6	55,8	Yes
			26.2.2015	0:15	22,5	56,1	22,5	56,1	Yes
			26.2.2015	0:30	22,4	56,3	22,5	56,3	Yes
			26.2.2015	0:45	22,4	56,8	22,5	56,5	Yes
			26.2.2015	1:00	22,4	55,4	22,4	56,2	Yes
			26.2.2015	1:15	22,3	56	22,4	56,1	Yes
			26.2.2015	1:30	22,3	56	22,4	56,1	Yes
			26.2.2015	1:45	22,3	56,5	22,3	56,0	Yes
			26.2.2015	2:00	22,3	56,6	22,3	56,3	Yes
			26.2.2015	2:15	22,2	56,9	22,3	56,5	Yes
			26.2.2015	2:30	22,2	56,6	22,3	56,7	Yes

TYPE OF TEST: ISO 19752

	N/A	N/A	26.2.2015	2:45	22,2	56,9	22,2	56,8	Yes
			26.2.2015	3:00	22,2	56,9	22,2	56,8	Yes
			26.2.2015	3:15	22,2	57	22,2	56,9	Yes
			26.2.2015	3:30	22,3	56,7	22,2	56,9	Yes
			26.2.2015	3:45	22,4	57,3	22,3	57,0	Yes
			26.2.2015	4:00	22,5	56,1	22,4	56,8	Yes
			26.2.2015	4:15	22,5	56,8	22,4	56,7	Yes
			26.2.2015	4:30	22,6	56,1	22,5	56,6	Yes
			26.2.2015	4:45	22,6	56,5	22,6	56,4	Yes
			26.2.2015	5:00	22,7	56,5	22,6	56,5	Yes
			26.2.2015	5:15	22,7	55,8	22,7	56,2	Yes
			26.2.2015	5:30	22,7	55,2	22,7	56,0	Yes
			26.2.2015	5:45	22,8	55,6	22,7	55,8	Yes
			26.2.2015	6:00	22,8	56,1	22,8	55,7	Yes
			26.2.2015	6:15	22,9	56,4	22,8	55,8	Yes
			26.2.2015	6:30	23,2	56,6	22,9	56,2	Yes
			26.2.2015	6:45	23,4	56,8	23,1	56,5	Yes
			26.2.2015	7:00	23,7	56,6	23,3	56,6	Yes
			26.2.2015	7:15	23,6	54,1	23,5	56,0	Yes
			26.2.2015	7:30	23,8	56,4	23,6	56,0	Yes
			26.2.2015	7:45	23,8	57,2	23,7	56,1	Yes
			26.2.2015	8:00	23,7	54,2	23,7	55,5	Yes
			26.2.2015	8:15	23,8	51,8	23,8	54,9	Yes
			26.2.2015	8:30	23,9	55,5	23,8	54,7	Yes
			26.2.2015	8:45	23,9	55,9	23,8	54,4	Yes
			26.2.2015	9:00	23,9	55,7	23,9	54,7	Yes
			26.2.2015	9:15	23,9	53,9	23,9	55,3	Yes
	N/A	N/A	26.2.2015	9:30	23,9	52,1	23,9	54,4	Yes
			26.2.2015	9:45	24	54,6	23,9	54,1	Yes
			26.2.2015	10:00	24	56,3	24,0	54,2	Yes
			26.2.2015	10:15	24	56,2	24,0	54,8	Yes
			26.2.2015	10:30	24	55,2	24,0	55,6	Yes
			26.2.2015	10:45	24	53,4	24,0	55,3	Yes
			26.2.2015	11:00	24	51,2	24,0	54,0	Yes
			26.2.2015	11:15	24,1	54,2	24,0	53,5	Yes
			26.2.2015	11:30	24,1	56,3	24,1	53,8	Yes
			26.2.2015	11:45	24,1	56	24,1	54,4	Yes
			26.2.2015	12:00	24	55,3	24,1	55,5	Yes
			26.2.2015	12:15	24	53,8	24,1	55,4	Yes
			26.2.2015	12:30	24,1	52,5	24,1	54,4	Yes
			26.2.2015	12:45	24,2	52	24,1	53,4	Yes
			26.2.2015	13:00	24,2	53,7	24,1	53,0	Yes
			26.2.2015	13:15	24,2	56	24,2	53,6	Yes
			26.2.2015	13:30	24,1	55,9	24,2	54,4	Yes
			26.2.2015	13:45	24,1	54,1	24,2	54,9	Yes
			26.2.2015	14:00	24,1	52,2	24,1	54,6	Yes
			26.2.2015	14:15	24,2	52,3	24,1	53,6	Yes
			26.2.2015	14:30	24,2	54,5	24,2	53,3	Yes
			26.2.2015	14:45	24,2	55,8	24,2	53,7	Yes
			26.2.2015	15:00	23,9	53,6	24,1	54,1	Yes
			26.2.2015	15:15	24	54,5	24,1	54,6	Yes
			26.2.2015	15:30	24,1	53,6	24,1	54,4	Yes
			26.2.2015	15:45	24,1	52,8	24,0	53,6	Yes
			26.2.2015	16:00	24,1	53,7	24,1	53,7	Yes
			26.2.2015	16:15	24,1	53,6	24,1	53,4	Yes
			26.2.2015	16:30	24,1	53,4	24,1	53,4	Yes
			26.2.2015	16:45	24	53,6	24,1	53,6	Yes
			26.2.2015	17:00	23,9	54,1	24,0	53,7	Yes
			26.2.2015	17:15	23,9	53,9	24,0	53,8	Yes
			26.2.2015	17:30	23,8	53,6	23,9	53,8	Yes
			26.2.2015	17:45	23,8	53,5	23,9	53,8	Yes
			26.2.2015	18:00	23,6	54,3	23,8	53,8	Yes
			26.2.2015	18:15	23,6	54	23,7	53,9	Yes
			26.2.2015	18:30	23,6	55	23,7	54,2	Yes
			26.2.2015	18:45	23,5	55	23,6	54,6	Yes
			26.2.2015	19:00	23,5	55	23,6	54,8	Yes
			26.2.2015	19:15	23,4	54,8	23,5	55,0	Yes
			26.2.2015	19:30	23,3	55,2	23,4	55,0	Yes
			26.2.2015	19:45	23,3	54,6	23,4	54,9	Yes
			26.2.2015	20:00	23,2	55,1	23,3	54,9	Yes
			26.2.2015	20:15	23,1	55,2	23,2	55,0	Yes
			26.2.2015	20:30	23,1	55	23,2	55,0	Yes
			26.2.2015	20:45	23,1	54,9	23,1	55,1	Yes
			26.2.2015	21:00	23	55,3	23,1	55,1	Yes
			26.2.2015	21:15	23	53,9	23,1	54,8	Yes
			26.2.2015	21:30	22,9	54,8	23,0	54,7	Yes
			26.2.2015	21:45	22,9	55,3	23,0	54,8	Yes
			26.2.2015	22:00	22,8	55,4	22,9	54,9	Yes
			26.2.2015	22:15	22,8	54,1	22,9	54,9	Yes
			26.2.2015	22:30	22,7	53,3	22,8	54,5	Yes
			26.2.2015	22:45	22,6	55,2	22,7	54,5	Yes
			26.2.2015	23:00	22,6	54,8	22,7	54,4	Yes
			26.2.2015	23:15	22,5	53,2	22,6	54,1	Yes
			26.2.2015	23:30	22,5	55,5	22,6	54,7	Yes
			26.2.2015	23:45	22,4	55,7	22,5	54,8	Yes
			27.2.2015	0:00	22,4	55,8	22,5	55,1	Yes
			27.2.2015	0:15	22,4	56,6	22,4	55,9	Yes
			27.2.2015	0:30	22,3	55,6	22,4	55,9	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0042	PHI_15_I0045	27.2.2015	0:45	22,3	55,9	22,4	56,0	Yes
		27.2.2015	1:00	22,3	56,5	22,3	56,2	Yes
		27.2.2015	1:15	22,3	56,1	22,3	56,0	Yes
		27.2.2015	1:30	22,3	56,2	22,3	56,2	Yes
		27.2.2015	1:45	22,3	56,6	22,3	56,4	Yes
		27.2.2015	2:00	22,3	55,7	22,3	56,2	Yes
		27.2.2015	2:15	22,2	56,1	22,3	56,2	Yes
		27.2.2015	2:30	22,2	56,6	22,3	56,3	Yes
		27.2.2015	2:45	22,2	55,9	22,2	56,1	Yes
		27.2.2015	3:00	22,2	57,1	22,2	56,4	Yes
		27.2.2015	3:15	22,2	55,8	22,2	56,4	Yes
		27.2.2015	3:30	22,2	56,6	22,2	56,4	Yes
		27.2.2015	3:45	22,3	56,3	22,2	56,5	Yes
		27.2.2015	4:00	22,4	56	22,3	56,2	Yes
		27.2.2015	4:15	22,5	56,2	22,4	56,3	Yes
		27.2.2015	4:30	22,5	56,1	22,4	56,2	Yes
		27.2.2015	4:45	22,6	55,4	22,5	55,9	Yes
		27.2.2015	5:00	22,6	56,1	22,6	56,0	Yes
		27.2.2015	5:15	22,6	55,2	22,6	55,7	Yes
		27.2.2015	5:30	22,6	55,4	22,6	55,5	Yes
		27.2.2015	5:45	22,7	55,2	22,6	55,5	Yes
		27.2.2015	6:00	22,7	55,5	22,7	55,3	Yes
		27.2.2015	6:15	22,8	56	22,7	55,5	Yes
		27.2.2015	6:30	22,9	55,4	22,8	55,5	Yes
		27.2.2015	6:45	23,1	55,3	22,9	55,6	Yes
		27.2.2015	7:00	23,3	54,1	23,0	55,2	Yes
		27.2.2015	7:15	23,5	54,3	23,2	54,8	Yes
		27.2.2015	7:30	23,6	54,6	23,4	54,6	Yes
		27.2.2015	7:45	23,8	55,2	23,6	54,6	Yes
		27.2.2015	8:00	23,8	55,8	23,7	55,0	Yes
		27.2.2015	8:15	23,7	55	23,7	55,2	Yes
		27.2.2015	8:30	23,9	54,7	23,8	55,2	Yes
		27.2.2015	8:45	24	58	23,9	55,9	Yes
		27.2.2015	9:00	24	58,6	23,9	56,6	Yes
		27.2.2015	9:15	23,9	58,1	24,0	57,4	Yes
		27.2.2015	9:30	23,9	55,9	24,0	57,7	Yes
		27.2.2015	9:45	24,1	58,7	24,0	57,8	Yes
		27.2.2015	10:00	24	58,8	24,0	57,9	Yes
		27.2.2015	10:15	24	58	24,0	57,9	Yes
		27.2.2015	10:30	24,1	55,3	24,1	57,7	Yes
		27.2.2015	10:45	24,1	58,8	24,1	57,7	Yes
		27.2.2015	11:00	24,1	59,6	24,1	57,9	Yes
		27.2.2015	11:15	24	58,1	24,1	58,0	Yes
		27.2.2015	11:30	24,1	56,3	24,1	58,2	Yes
		27.2.2015	11:45	24,2	58,2	24,1	58,1	Yes
		27.2.2015	12:00	24,1	59	24,1	57,9	Yes
		27.2.2015	12:15	24,1	58,4	24,1	58,0	Yes
		27.2.2015	12:30	24,1	56,7	24,1	58,1	Yes
		27.2.2015	12:45	24,2	57,4	24,1	57,9	Yes
		27.2.2015	13:00	24,2	59,5	24,2	58,0	Yes
		27.2.2015	13:15	24,2	58,1	24,2	57,9	Yes
		27.2.2015	13:30	24,1	57	24,2	58,0	Yes
		27.2.2015	13:45	24,1	51,6	24,2	56,6	Yes
		27.2.2015	14:00	24,1	57,7	24,1	56,1	Yes
		27.2.2015	14:15	24,1	54,1	24,1	55,1	Yes
		27.2.2015	14:30	24,3	57,8	24,2	55,3	Yes
PHI_15_I0042	PHI_15_I0045	1.3.2015	6:00	21	55,3	23,4	56,2	Yes
		1.3.2015	6:15	21,1	56,4	22,6	55,9	Yes
		1.3.2015	6:30	21,2	53,9	21,9	55,9	Yes
		1.3.2015	6:45	21,2	54,9	21,1	55,1	Yes
		1.3.2015	7:00	21,3	54,1	21,2	54,8	Yes
		1.3.2015	7:15	21,3	55,4	21,3	54,6	Yes
		1.3.2015	7:30	21,3	55,1	21,3	54,9	Yes
		1.3.2015	7:45	21,4	55,5	21,3	55,0	Yes
		1.3.2015	8:00	21,4	56	21,4	55,5	Yes
		1.3.2015	8:15	21,4	55,8	21,4	55,6	Yes
		1.3.2015	8:30	21,4	56,2	21,4	55,9	Yes
		1.3.2015	8:45	21,4	56	21,4	56,0	Yes
		1.3.2015	9:00	21,3	56,3	21,4	56,1	Yes
		1.3.2015	9:15	21,3	55,2	21,4	55,9	Yes
		1.3.2015	9:30	21,2	57,2	21,3	56,2	Yes
		1.3.2015	9:45	21,2	55,6	21,3	56,1	Yes
		1.3.2015	10:00	21,1	56,8	21,2	56,2	Yes
		1.3.2015	10:15	21,1	56,1	21,2	56,4	Yes
		1.3.2015	10:30	21,1	56,6	21,1	56,3	Yes
		1.3.2015	10:45	21	57,1	21,1	56,7	Yes
		1.3.2015	11:00	21	55,4	21,1	56,3	Yes
		1.3.2015	11:15	21	56,8	21,0	56,5	Yes
		1.3.2015	11:30	20,9	56,1	21,0	56,4	Yes
		1.3.2015	11:45	21	56,4	21,0	56,2	Yes
		1.3.2015	12:00	20,9	56,2	21,0	56,4	Yes
		1.3.2015	12:15	21	55,2	21,0	56,0	Yes
		1.3.2015	12:30	20,8	57,1	20,9	56,2	Yes
		1.3.2015	12:45	20,9	55,7	20,9	56,1	Yes
		1.3.2015	13:00	20,9	57,1	20,9	56,3	Yes
		1.3.2015	13:15	20,9	56,1	20,9	56,5	Yes
		1.3.2015	13:30	20,9	55,2	20,9	56,0	Yes
		1.3.2015	13:45	20,9	56,2	20,9	56,2	Yes

TYPE OF TEST: ISO 19752

N/A	1.3.2015	14:00	20,9	55,4	20,9	55,7	Yes
	1.3.2015	14:15	20,9	56	20,9	55,7	Yes
	1.3.2015	14:30	20,8	55,5	20,9	55,8	Yes
	1.3.2015	14:45	20,8	54,5	20,9	55,4	Yes
	1.3.2015	15:00	20,7	57	20,8	55,8	Yes
	1.3.2015	15:15	20,8	55,2	20,8	55,6	Yes
	1.3.2015	15:30	20,7	56,7	20,8	55,9	Yes
	1.3.2015	15:45	20,7	55,7	20,7	56,2	Yes
	1.3.2015	16:00	20,7	56,4	20,7	56,0	Yes
	1.3.2015	16:15	20,7	55,7	20,7	56,1	Yes
	1.3.2015	16:30	20,7	56,3	20,7	56,0	Yes
	1.3.2015	16:45	20,7	55,9	20,7	56,1	Yes
	1.3.2015	17:00	20,7	55,6	20,7	55,9	Yes
	1.3.2015	17:15	20,7	56,2	20,7	56,0	Yes
	1.3.2015	17:30	20,7	55	20,7	55,7	Yes
	1.3.2015	17:45	20,6	56,8	20,7	55,9	Yes
	1.3.2015	18:00	20,7	55,4	20,7	55,9	Yes
	1.3.2015	18:15	20,6	57,6	20,7	56,2	Yes
	1.3.2015	18:30	20,6	55,5	20,6	56,3	Yes
	1.3.2015	18:45	20,6	56,6	20,6	56,3	Yes
	1.3.2015	19:00	20,6	56,2	20,6	56,5	Yes
	1.3.2015	19:15	20,6	56,2	20,6	56,1	Yes
	1.3.2015	19:30	20,6	56,3	20,6	56,3	Yes
	1.3.2015	19:45	20,6	56,7	20,6	56,4	Yes
	1.3.2015	20:00	20,5	55,6	20,6	56,2	Yes
	1.3.2015	20:15	20,4	55,8	20,5	56,1	Yes
	1.3.2015	20:30	20,6	55,7	20,5	56,0	Yes
	1.3.2015	20:45	20,6	56,4	20,5	55,9	Yes
	1.3.2015	21:00	20,8	55,1	20,6	55,8	Yes
	1.3.2015	21:15	20,9	56,1	20,7	55,8	Yes
	1.3.2015	21:30	21	55,3	20,8	55,7	Yes
	1.3.2015	21:45	21	56,7	20,9	55,8	Yes
	1.3.2015	22:00	21,1	55,2	21,0	55,8	Yes
	1.3.2015	22:15	21,1	56,5	21,1	55,9	Yes
	1.3.2015	22:30	21,2	55,3	21,1	55,9	Yes
	1.3.2015	22:45	21,2	55,9	21,2	55,7	Yes
	1.3.2015	23:00	21,2	56,3	21,2	56,0	Yes
	1.3.2015	23:15	21,3	54,1	21,2	55,4	Yes
	1.3.2015	23:30	21,3	55,2	21,3	55,4	Yes
	1.3.2015	23:45	21,3	56,5	21,3	55,5	Yes
	2.3.2015	0:00	21,4	55,5	21,3	55,3	Yes
	2.3.2015	0:15	21,4	56,1	21,4	55,8	Yes
	2.3.2015	0:30	21,4	56,1	21,4	56,1	Yes
	2.3.2015	0:45	21,4	56,3	21,4	56,0	Yes
	2.3.2015	1:00	21,4	56,2	21,4	56,2	Yes
	2.3.2015	1:15	21,5	55,8	21,4	56,1	Yes
	2.3.2015	1:30	21,5	56,5	21,5	56,2	Yes
	2.3.2015	1:45	21,6	55,7	21,5	56,1	Yes
	2.3.2015	2:00	21,5	56,4	21,5	56,1	Yes
	2.3.2015	2:15	21,6	56	21,6	56,2	Yes
	2.3.2015	2:30	21,6	56,5	21,6	56,2	Yes
	2.3.2015	2:45	21,7	55,2	21,6	56,0	Yes
	2.3.2015	3:00	21,6	57,2	21,6	56,2	Yes
	2.3.2015	3:15	21,7	55,3	21,7	56,1	Yes
	2.3.2015	3:30	21,7	57,3	21,7	56,3	Yes
	2.3.2015	3:45	21,8	55,6	21,7	56,4	Yes
	2.3.2015	4:00	21,8	56,8	21,8	56,3	Yes
	2.3.2015	4:15	21,8	55,8	21,8	56,4	Yes
	2.3.2015	4:30	21,8	55,8	21,8	56,0	Yes
	2.3.2015	4:45	21,8	55,9	21,8	56,1	Yes
	2.3.2015	5:00	21,9	55,9	21,8	55,9	Yes
	2.3.2015	5:15	21,9	56,6	21,9	56,1	Yes
	2.3.2015	5:30	21,9	54,9	21,9	55,8	Yes
	2.3.2015	5:45	21,9	56	21,9	55,9	Yes
	2.3.2015	6:00	22	55,1	21,9	55,7	Yes
	2.3.2015	6:15	22,1	55,8	22,0	55,5	Yes
	2.3.2015	6:30	22,3	55,3	22,1	55,6	Yes
	2.3.2015	6:45	22,5	54,6	22,2	55,2	Yes
	2.3.2015	7:00	22,8	54,3	22,4	55,0	Yes
	2.3.2015	7:15	23	54,2	22,7	54,6	Yes
	2.3.2015	7:30	23,2	55,3	22,9	54,6	Yes
	2.3.2015	7:45	23,4	54,1	23,1	54,5	Yes
	2.3.2015	8:00	23,6	54,7	23,3	54,6	Yes
	2.3.2015	8:15	23,6	54,4	23,5	54,6	Yes
	2.3.2015	8:30	23,5	53,9	23,5	54,3	Yes
	2.3.2015	8:45	23,6	52,5	23,6	53,9	Yes
	2.3.2015	9:00	23,7	52,1	23,6	53,2	Yes
	2.3.2015	9:15	23,7	53,6	23,6	53,0	Yes
	2.3.2015	9:30	23,6	54,3	23,7	53,1	Yes
	2.3.2015	9:45	23,6	53,4	23,7	53,4	Yes
	2.3.2015	10:00	23,7	51,3	23,7	53,2	Yes
	2.3.2015	10:15	23,8	52,9	23,7	53,0	Yes
	2.3.2015	10:30	23,7	54,7	23,7	53,1	Yes
	2.3.2015	10:45	23,7	54	23,7	53,2	Yes
	2.3.2015	11:00	23,7	52,8	23,7	53,6	Yes
	2.3.2015	11:15	23,7	49,9	23,7	52,9	Yes
	2.3.2015	11:30	23,8	54,1	23,7	52,7	Yes
	2.3.2015	11:45	23,8	54,6	23,8	52,9	Yes

PHI_15_I0042

TYPE OF TEST: ISO 19752

0037	N/A	N/A	N/A	2.3.2015	12:00	23,8	53,9	23,8	53,1	Yes
				2.3.2015	12:15	23,8	53,4	23,8	54,0	Yes
PHI_15_I0037				2.3.2015	12:30	23,8	51,8	23,8	53,4	Yes
				2.3.2015	12:45	23,9	51,6	23,8	52,7	Yes
				2.3.2015	13:00	23,9	54,5	23,9	52,8	Yes
				2.3.2015	13:15	23,9	54,5	23,9	53,1	Yes
				2.3.2015	13:30	23,8	54,3	23,9	53,7	Yes
				2.3.2015	13:45	23,9	53,5	23,9	54,2	Yes
				2.3.2015	14:00	23,9	52,3	23,9	53,7	Yes
				2.3.2015	14:15	23,9	51,3	23,9	52,9	Yes
				2.3.2015	14:30	24	55,3	23,9	53,1	Yes
				2.3.2015	14:45	23,9	55,1	23,9	53,5	Yes
				2.3.2015	15:00	23,9	54,6	23,9	54,1	Yes
				2.3.2015	15:15	23,9	53,4	23,9	54,6	Yes
				2.3.2015	15:30	24	51,1	23,9	53,6	Yes
				2.3.2015	15:45	24	54,4	24,0	53,4	Yes
				2.3.2015	16:00	23,9	54,9	24,0	53,5	Yes
				2.3.2015	16:15	23,9	53,7	24,0	53,5	Yes
				2.3.2015	16:30	24	53,7	24,0	54,2	Yes
				2.3.2015	16:45	24	53	24,0	53,8	Yes
				2.3.2015	17:00	23,9	53,9	24,0	53,6	Yes
				2.3.2015	17:15	23,9	54	24,0	53,7	Yes
				2.3.2015	17:30	23,8	54,3	23,9	53,8	Yes
				2.3.2015	17:45	23,8	54,1	23,9	54,1	Yes
				2.3.2015	18:00	23,7	54,5	23,8	54,2	Yes
				2.3.2015	18:15	23,6	54,8	23,7	54,4	Yes
				2.3.2015	18:30	23,6	54,8	23,7	54,6	Yes
				2.3.2015	18:45	23,4	55,9	23,6	55,0	Yes
				2.3.2015	19:00	23,4	54,3	23,5	55,0	Yes
				2.3.2015	19:15	23,3	55,6	23,4	55,2	Yes
				2.3.2015	19:30	23,2	56,1	23,3	55,5	Yes
				2.3.2015	19:45	23,2	56,3	23,3	55,6	Yes
				2.3.2015	20:00	23,2	54,5	23,2	55,6	Yes
				2.3.2015	20:15	23,1	55,7	23,2	55,7	Yes
				2.3.2015	20:30	23,1	55,2	23,2	55,4	Yes
				2.3.2015	20:45	23,1	55,5	23,1	55,2	Yes
				2.3.2015	21:00	23,1	55,6	23,1	55,5	Yes
				2.3.2015	21:15	23,2	54,6	23,1	55,2	Yes
				2.3.2015	21:30	23,1	55,9	23,1	55,4	Yes
				2.3.2015	21:45	23	55,6	23,1	55,4	Yes
				2.3.2015	22:00	23,1	54,8	23,1	55,2	Yes
				2.3.2015	22:15	23	56,4	23,1	55,7	Yes
				2.3.2015	22:30	22,9	56,2	23,0	55,8	Yes
				2.3.2015	22:45	22,9	57	23,0	56,1	Yes
				2.3.2015	23:00	22,9	55,4	22,9	56,3	Yes
				2.3.2015	23:15	22,8	53,7	22,9	55,6	Yes
				2.3.2015	23:30	22,7	56	22,8	55,5	Yes
				2.3.2015	23:45	22,6	56,8	22,8	55,5	Yes
				3.3.2015	0:00	22,6	57,4	22,7	56,0	Yes
				3.3.2015	0:15	22,5	57,7	22,6	57,0	Yes
				3.3.2015	0:30	22,5	56,7	22,6	57,2	Yes
				3.3.2015	0:45	22,5	58	22,5	57,5	Yes
				3.3.2015	1:00	22,4	56,5	22,5	57,2	Yes
				3.3.2015	1:15	22,4	58,1	22,5	57,3	Yes
				3.3.2015	1:30	22,4	56,6	22,4	57,3	Yes
				3.3.2015	1:45	22,4	57,4	22,4	57,2	Yes
				3.3.2015	2:00	22,3	56,7	22,4	57,2	Yes
				3.3.2015	2:15	22,3	57	22,4	56,9	Yes
				3.3.2015	2:30	22,3	56,4	22,3	56,9	Yes
				3.3.2015	2:45	22,3	56,7	22,3	56,7	Yes
				3.3.2015	3:00	22,2	56,1	22,3	56,6	Yes
				3.3.2015	3:15	22,2	56,9	22,3	56,5	Yes
				3.3.2015	3:30	22,3	55,7	22,3	56,4	Yes
				3.3.2015	3:45	22,3	55,7	22,3	56,1	Yes
				3.3.2015	4:00	22,4	55,8	22,3	56,0	Yes
				3.3.2015	4:15	22,4	55,5	22,4	55,7	Yes
				3.3.2015	4:30	22,4	56,4	22,4	55,9	Yes
				3.3.2015	4:45	22,5	55,5	22,4	55,8	Yes
				3.3.2015	5:00	22,5	56,9	22,5	56,1	Yes
				3.3.2015	5:15	22,5	54,7	22,5	55,9	Yes
				3.3.2015	5:30	22,5	54,9	22,5	55,5	Yes
				3.3.2015	5:45	22,5	56	22,5	55,6	Yes
				3.3.2015	6:00	22,6	56,8	22,5	55,6	Yes
				3.3.2015	6:15	22,6	55,5	22,6	55,8	Yes
				3.3.2015	6:30	22,7	56,6	22,6	56,2	Yes
				3.3.2015	6:45	22,8	54,9	22,7	56,0	Yes
				3.3.2015	7:00	22,9	55,2	22,8	55,6	Yes
				3.3.2015	7:15	23,1	55,2	22,9	55,5	Yes
				3.3.2015	7:30	23,3	55,9	23,0	55,3	Yes
				3.3.2015	7:45	23,5	54,4	23,2	55,2	Yes
				3.3.2015	8:00	23,6	53,7	23,4	54,8	Yes
				3.3.2015	8:15	23,7	53,6	23,5	54,4	Yes
				3.3.2015	8:30	23,9	53,9	23,7	53,9	Yes
				3.3.2015	8:45	23,9	52,5	23,8	53,4	Yes
				3.3.2015	9:00	23,9	50,5	23,9	52,6	Yes
				3.3.2015	9:15	23,9	53,6	23,9	52,6	Yes
				3.3.2015	9:30	23,9	53,8	23,9	52,6	Yes
				3.3.2015	9:45	23,8	52,2	23,9	52,5	Yes

TYPE OF TEST: ISO 19752

PHI_15_I	3.3.2015	10:00	23,9	53,1	23,9	53,2	Yes
	3.3.2015	10:15	24	49,9	23,9	52,3	Yes
	3.3.2015	10:30	24	50,9	23,9	51,5	Yes
	3.3.2015	10:45	24	52,2	24,0	51,5	Yes
	3.3.2015	11:00	24	54	24,0	51,8	Yes
	3.3.2015	11:15	24	54,1	24,0	52,8	Yes
	3.3.2015	11:30	24	53,5	24,0	53,5	Yes
	3.3.2015	11:45	24	53,2	24,0	53,7	Yes
	3.3.2015	12:00	24	53,5	24,0	53,6	Yes
	3.3.2015	12:15	24	52,7	24,0	53,2	Yes
	3.3.2015	12:30	24	51,2	24,0	52,7	Yes
	3.3.2015	12:45	24,1	49,6	24,0	51,8	Yes
	3.3.2015	13:00	24,1	51,5	24,1	51,3	Yes
	3.3.2015	13:15	24,1	54,2	24,1	51,6	Yes
	3.3.2015	13:30	24,1	54	24,1	52,3	Yes
	3.3.2015	13:45	24,1	54,4	24,1	53,5	Yes
	3.3.2015	14:00	24,1	54,5	24,1	54,3	Yes
	3.3.2015	14:15	24,1	55,2	24,1	54,5	Yes
	3.3.2015	14:30	24,1	54,2	24,1	54,6	Yes
	3.3.2015	14:45	24	52,5	24,1	54,1	Yes
N/A	3.3.2015	15:00	24,1	53,6	24,1	53,9	Yes
	3.3.2015	15:15	24	53,9	24,1	53,6	Yes
	3.3.2015	15:30	24,1	53	24,1	53,3	Yes
	3.3.2015	15:45	24,1	52,9	24,1	53,4	Yes
	3.3.2015	16:00	24,1	53,1	24,1	53,2	Yes
	3.3.2015	16:15	24,1	52,5	24,1	52,9	Yes
	3.3.2015	16:30	24,1	53,3	24,1	53,0	Yes
	3.3.2015	16:45	24,1	53,4	24,1	53,1	Yes
	3.3.2015	17:00	24	53,5	24,1	53,2	Yes
	3.3.2015	17:15	24	54,2	24,1	53,6	Yes
	3.3.2015	17:30	24	53,2	24,0	53,6	Yes
	3.3.2015	17:45	24	54,7	24,0	53,9	Yes
	3.3.2015	18:00	23,9	53,7	24,0	54,0	Yes
	3.3.2015	18:15	23,9	54,8	24,0	54,1	Yes
	3.3.2015	18:30	23,8	53,4	23,9	54,2	Yes
	3.3.2015	18:45	23,9	54	23,9	54,0	Yes
	3.3.2015	19:00	23,8	55,1	23,9	54,3	Yes
	3.3.2015	19:15	23,8	53,1	23,8	53,9	Yes
	3.3.2015	19:30	23,8	54,9	23,8	54,3	Yes
	3.3.2015	19:45	23,7	54,5	23,8	54,4	Yes
	3.3.2015	20:00	23,6	55,3	23,7	54,5	Yes
	3.3.2015	20:15	23,6	55,4	23,7	55,0	Yes
	3.3.2015	20:30	23,7	53,4	23,7	54,7	Yes
	3.3.2015	20:45	23,6	55,1	23,6	54,8	Yes
	3.3.2015	21:00	23,6	54,1	23,6	54,5	Yes
	3.3.2015	21:15	23,6	54,4	23,6	54,3	Yes
	3.3.2015	21:30	23,5	55,4	23,6	54,8	Yes
	3.3.2015	21:45	23,6	54,1	23,6	54,5	Yes
	3.3.2015	22:00	23,6	54	23,6	54,5	Yes
	3.3.2015	22:15	23,5	55,8	23,6	54,8	Yes
	3.3.2015	22:30	23,5	55,6	23,6	54,9	Yes
	3.3.2015	22:45	23,4	56,5	23,5	55,5	Yes
	3.3.2015	23:00	23,4	55,6	23,5	55,9	Yes
	3.3.2015	23:15	23,3	53,9	23,4	55,4	Yes
	3.3.2015	23:30	23,2	55,2	23,3	55,3	Yes
	3.3.2015	23:45	23,1	56	23,3	55,2	Yes
	4.3.2015	0:00	23	56,5	23,2	55,4	Yes
	4.3.2015	0:15	23	56,9	23,1	56,2	Yes
	4.3.2015	0:30	23	55,5	23,0	56,2	Yes
	4.3.2015	0:45	22,9	56,9	23,0	56,5	Yes
	4.3.2015	1:00	22,9	56,1	23,0	56,4	Yes
	4.3.2015	1:15	22,9	56,7	22,9	56,3	Yes
	4.3.2015	1:30	22,9	56,4	22,9	56,5	Yes
	4.3.2015	1:45	22,8	56	22,9	56,3	Yes
	4.3.2015	2:00	22,8	57	22,9	56,5	Yes
	4.3.2015	2:15	22,8	55,9	22,8	56,3	Yes
	4.3.2015	2:30	22,7	56,9	22,8	56,5	Yes
	4.3.2015	2:45	22,7	56,9	22,8	56,7	Yes
	4.3.2015	3:00	22,7	55,8	22,7	56,4	Yes
	4.3.2015	3:15	22,6	56,9	22,7	56,6	Yes
	4.3.2015	3:30	22,7	56	22,7	56,4	Yes
	4.3.2015	3:45	22,7	56,2	22,7	56,2	Yes
	4.3.2015	4:00	22,8	55,5	22,7	56,2	Yes
	4.3.2015	4:15	22,8	55,9	22,8	55,9	Yes
	4.3.2015	4:30	22,9	55,4	22,8	55,8	Yes
	4.3.2015	4:45	22,9	56,1	22,9	55,7	Yes
	4.3.2015	5:00	22,9	55,3	22,9	55,7	Yes
	4.3.2015	5:15	22,9	55,5	22,9	55,6	Yes
	4.3.2015	5:30	22,9	55,4	22,9	55,6	Yes
	4.3.2015	5:45	23	56,5	22,9	55,7	Yes
	4.3.2015	6:00	23	56,6	23,0	56,0	Yes
	4.3.2015	6:15	23,2	55,7	23,0	56,1	Yes
	4.3.2015	6:30	23,3	56,2	23,1	56,3	Yes
	4.3.2015	6:45	23,6	54,7	23,3	55,8	Yes
	4.3.2015	7:00	23,6	55,4	23,4	55,5	Yes
	4.3.2015	7:15	23,7	52,2	23,6	54,6	Yes
	4.3.2015	7:30	23,8	55,3	23,7	54,4	Yes
	4.3.2015	7:45	23,8	55,8	23,7	54,7	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0037	4.3.2015	8:00	23,8	53,6	23,8	54,2	Yes
	4.3.2015	8:15	23,9	50,9	23,8	53,9	Yes
	4.3.2015	8:30	24	51,8	23,9	53,0	Yes
	4.3.2015	8:45	24	54,6	23,9	52,7	Yes
	4.3.2015	9:00	24	54,4	24,0	52,9	Yes
	4.3.2015	9:15	23,9	54,8	24,0	53,9	Yes
	4.3.2015	9:30	24	53,4	24,0	54,3	Yes
	4.3.2015	9:45	24	52	24,0	53,7	Yes
	4.3.2015	10:00	24,1	50,2	24,0	52,6	Yes
	4.3.2015	10:15	24,1	52,5	24,1	52,0	Yes
	4.3.2015	10:30	24,1	55,7	24,1	52,6	Yes
	4.3.2015	10:45	24	54,8	24,1	53,3	Yes
	4.3.2015	11:00	24,1	53	24,1	54,0	Yes
	4.3.2015	11:15	24,2	51,1	24,1	53,7	Yes
	4.3.2015	11:30	24,2	53,7	24,1	53,2	Yes
	4.3.2015	11:45	24,2	54,8	24,2	53,2	Yes
	4.3.2015	12:00	24,1	54,4	24,2	53,5	Yes
	4.3.2015	12:15	24,1	52,1	24,2	53,8	Yes
	4.3.2015	12:30	24,1	49	24,1	52,6	Yes
	4.3.2015	12:45	24,2	54	24,1	52,4	Yes
PHI_15_I0038	4.3.2015	13:00	24,2	54,5	24,2	52,4	Yes
	4.3.2015	13:15	24,1	54	24,2	52,9	Yes
	4.3.2015	13:30	24,1	54,3	24,2	54,2	Yes
	4.3.2015	13:45	24,1	52,2	24,1	53,8	Yes
	4.3.2015	14:00	24,2	50,2	24,1	52,7	Yes
	4.3.2015	14:15	24,1	54,7	24,1	52,9	Yes
	4.3.2015	14:30	24	51,9	24,1	52,3	Yes
	4.3.2015	14:45	24,1	55	24,1	53,0	Yes
	4.3.2015	15:00	23,9	54,3	24,0	54,0	Yes
	4.3.2015	15:15	24,1	52,8	24,0	53,5	Yes
	4.3.2015	15:30	24,2	53,7	24,1	54,0	Yes
	4.3.2015	15:45	24	52,8	24,1	53,4	Yes
	4.3.2015	16:00	24	53,4	24,1	53,2	Yes
	4.3.2015	16:15	24,1	53,6	24,1	53,4	Yes
	4.3.2015	16:30	24,1	53,1	24,1	53,2	Yes
	4.3.2015	16:45	24,1	53,1	24,1	53,3	Yes
	4.3.2015	17:00	24,1	53,1	24,1	53,2	Yes
	4.3.2015	17:15	24	54,9	24,1	53,6	Yes
	4.3.2015	17:30	24,1	53,7	24,1	53,7	Yes
	4.3.2015	17:45	24	55,2	24,1	54,2	Yes
N/A	4.3.2015	18:00	24,1	53,5	24,1	54,3	Yes
	4.3.2015	18:15	24,1	54,8	24,1	54,3	Yes
	4.3.2015	18:30	24,1	53,1	24,1	54,2	Yes
	4.3.2015	18:45	24,1	54,2	24,1	53,9	Yes
	4.3.2015	19:00	24,2	53,1	24,1	53,8	Yes
	4.3.2015	19:15	24,1	54,6	24,1	53,8	Yes
	4.3.2015	19:30	24,2	54,1	24,2	54,0	Yes
	4.3.2015	19:45	24,1	53,3	24,2	53,8	Yes
	4.3.2015	20:00	24,1	54	24,1	54,0	Yes
	4.3.2015	20:15	24,1	54,2	24,1	53,9	Yes
	4.3.2015	20:30	24,1	52,7	24,1	53,6	Yes
	4.3.2015	20:45	24	54,1	24,1	53,8	Yes
	4.3.2015	21:00	24,1	54,1	24,1	53,8	Yes
	4.3.2015	21:15	24,1	53,1	24,1	53,5	Yes
	4.3.2015	21:30	24,1	54,8	24,1	54,0	Yes
	4.3.2015	21:45	24,1	52,8	24,1	53,7	Yes
	4.3.2015	22:00	24	53,8	24,1	53,6	Yes
	4.3.2015	22:15	24	53,9	24,1	53,8	Yes
	4.3.2015	22:30	24	53,2	24,0	53,4	Yes
	4.3.2015	22:45	23,9	53,8	24,0	53,7	Yes
	4.3.2015	23:00	23,9	54,4	24,0	53,8	Yes
	4.3.2015	23:15	23,8	52,7	23,9	53,5	Yes
	4.3.2015	23:30	23,7	54,4	23,8	53,8	Yes
	4.3.2015	23:45	23,6	54	23,8	53,9	Yes
	5.3.2015	0:00	23,6	54,4	23,7	53,9	Yes
	5.3.2015	0:15	23,5	54	23,6	54,2	Yes
	5.3.2015	0:30	23,5	55,2	23,6	54,4	Yes
	5.3.2015	0:45	23,5	54,1	23,5	54,4	Yes
	5.3.2015	1:00	23,4	55,9	23,5	54,8	Yes
	5.3.2015	1:15	23,4	54,6	23,5	55,0	Yes
	5.3.2015	1:30	23,3	55,5	23,4	55,0	Yes
	5.3.2015	1:45	23,3	55,7	23,4	55,4	Yes
	5.3.2015	2:00	23,2	55,2	23,3	55,3	Yes
	5.3.2015	2:15	23,2	56,5	23,3	55,7	Yes
	5.3.2015	2:30	23,1	55,7	23,2	55,8	Yes
	5.3.2015	2:45	23,1	55,4	23,2	55,7	Yes
	5.3.2015	3:00	23,1	56,4	23,1	56,0	Yes
	5.3.2015	3:15	23	55,2	23,1	55,7	Yes
	5.3.2015	3:30	23,1	56,3	23,1	55,8	Yes
	5.3.2015	3:45	23,1	54,6	23,1	55,6	Yes
	5.3.2015	4:00	23,1	56	23,1	55,5	Yes
	5.3.2015	4:15	23,2	55,4	23,1	55,6	Yes
	5.3.2015	4:30	23,1	55,6	23,1	55,4	Yes
	5.3.2015	4:45	23,2	56	23,2	55,8	Yes
	5.3.2015	5:00	23,2	55	23,2	55,5	Yes
	5.3.2015	5:15	23,2	55,2	23,2	55,5	Yes
	5.3.2015	5:30	23,2	54,8	23,2	55,3	Yes
	5.3.2015	5:45	23,3	54,8	23,2	55,0	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0038

N/A

N/A

5.3.2015	6:00	23,3	54,9	23,3	54,9	Yes
5.3.2015	6:15	23,6	53,7	23,4	54,6	Yes
5.3.2015	6:30	23,7	52,5	23,5	54,0	Yes
5.3.2015	6:45	23,8	48,9	23,6	52,5	Yes
5.3.2015	7:00	23,9	49,7	23,8	51,2	Yes
5.3.2015	7:15	23,8	55,8	23,8	51,7	Yes
5.3.2015	7:30	23,7	54,1	23,8	52,1	Yes
5.3.2015	7:45	23,8	52	23,8	52,9	Yes
5.3.2015	8:00	24	51,5	23,8	53,4	Yes
5.3.2015	8:15	23,9	54,3	23,9	53,0	Yes
5.3.2015	8:30	23,9	55,2	23,9	53,3	Yes
5.3.2015	8:45	23,9	54,9	23,9	54,0	Yes
5.3.2015	9:00	23,9	54,7	23,9	54,8	Yes
5.3.2015	9:15	23,9	53,9	23,9	54,7	Yes
5.3.2015	9:30	23,9	51,4	23,9	53,7	Yes
5.3.2015	9:45	24	49,9	23,9	52,5	Yes
5.3.2015	10:00	24	51,6	24,0	51,7	Yes
5.3.2015	10:15	24,1	53,1	24,0	51,5	Yes
5.3.2015	10:30	24	54,8	24,0	52,4	Yes
5.3.2015	10:45	24	55,4	24,0	53,7	Yes
5.3.2015	11:00	23,9	54,7	24,0	54,5	Yes
5.3.2015	11:15	23,9	52,5	24,0	54,4	Yes
5.3.2015	11:30	24,1	51,1	24,0	53,4	Yes
5.3.2015	11:45	24,2	54	24,0	53,1	Yes
5.3.2015	12:00	24,1	55,2	24,1	53,2	Yes
5.3.2015	12:15	24	55,5	24,1	54,0	Yes
5.3.2015	12:30	24	53,6	24,1	54,6	Yes
5.3.2015	12:45	24	52,6	24,0	54,2	Yes
5.3.2015	13:00	24,1	49	24,0	52,7	Yes
5.3.2015	13:15	24,1	54,8	24,1	52,5	Yes
5.3.2015	13:30	24	54,9	24,1	52,8	Yes
5.3.2015	13:45	24,1	50,5	24,1	52,3	Yes
5.3.2015	14:00	24,3	54,6	24,1	53,7	Yes
5.3.2015	14:15	24,1	54,3	24,1	53,6	Yes
5.3.2015	14:30	24,1	53,4	24,2	53,2	Yes
5.3.2015	14:45	24,2	50	24,2	53,1	Yes
5.3.2015	15:00	24,1	53,6	24,1	52,8	Yes
5.3.2015	15:15	24	52,4	24,1	52,4	Yes
5.3.2015	15:30	24	53,5	24,1	52,4	Yes
5.3.2015	15:45	24	56	24,0	53,9	Yes
5.3.2015	16:00	24,1	54,5	24,0	54,1	Yes
5.3.2015	16:15	24,1	53,3	24,1	54,3	Yes
5.3.2015	16:30	24	55,6	24,1	54,9	Yes
5.3.2015	16:45	24,1	53	24,1	54,1	Yes
5.3.2015	17:00	23,9	55,9	24,0	54,5	Yes
5.3.2015	17:15	24,1	54,9	24,0	54,9	Yes
5.3.2015	17:30	24	53,7	24,0	54,4	Yes
5.3.2015	17:45	23,9	55,4	24,0	55,0	Yes
5.3.2015	18:00	24	55,5	24,0	54,9	Yes
5.3.2015	18:15	23,9	53,9	24,0	54,6	Yes
5.3.2015	18:30	23,8	54,7	23,9	54,9	Yes
5.3.2015	18:45	23,9	56,3	23,9	55,1	Yes
5.3.2015	19:00	23,9	53,4	23,9	54,6	Yes
5.3.2015	19:15	23,8	54,8	23,9	54,8	Yes
5.3.2015	19:30	23,8	56,6	23,9	55,3	Yes
5.3.2015	19:45	23,8	53,1	23,8	54,5	Yes
5.3.2015	20:00	23,7	56,7	23,8	55,3	Yes
5.3.2015	20:15	23,7	55,7	23,8	55,5	Yes
5.3.2015	20:30	23,7	54,3	23,7	55,0	Yes
5.3.2015	20:45	23,7	56,8	23,7	55,9	Yes
5.3.2015	21:00	23,8	53,7	23,7	55,1	Yes
5.3.2015	21:15	23,6	55	23,7	55,0	Yes
5.3.2015	21:30	23,6	56,5	23,7	55,5	Yes
5.3.2015	21:45	23,7	53,9	23,7	54,8	Yes
5.3.2015	22:00	23,6	55,4	23,6	55,2	Yes
5.3.2015	22:15	23,7	56,3	23,7	55,5	Yes
5.3.2015	22:30	23,6	53,8	23,7	54,9	Yes
5.3.2015	22:45	23,4	57,4	23,6	55,7	Yes
5.3.2015	23:00	23,6	56,1	23,6	55,9	Yes
5.3.2015	23:15	23,3	57,2	23,5	56,1	Yes
5.3.2015	23:30	23,4	54	23,4	56,2	Yes
5.3.2015	23:45	23,2	57	23,4	56,1	Yes
6.3.2015	0:00	23,3	54,3	23,3	55,6	Yes
6.3.2015	0:15	23,1	57,4	23,3	55,7	Yes
6.3.2015	0:30	23,2	54,5	23,2	55,8	Yes
6.3.2015	0:45	23	57,7	23,2	56,0	Yes
6.3.2015	1:00	23,1	54,4	23,1	56,0	Yes
6.3.2015	1:15	23	58	23,1	56,2	Yes
6.3.2015	1:30	23,1	54,5	23,1	56,2	Yes
6.3.2015	1:45	22,9	56,4	23,0	55,8	Yes
6.3.2015	2:00	23	56,3	23,0	56,3	Yes
6.3.2015	2:15	22,9	56,2	23,0	55,9	Yes
6.3.2015	2:30	22,9	56,5	22,9	56,4	Yes
6.3.2015	2:45	22,8	56	22,9	56,3	Yes
6.3.2015	3:00	22,8	58,1	22,9	56,7	Yes
6.3.2015	3:15	22,9	55	22,9	56,4	Yes
6.3.2015	3:30	22,8	58	22,8	56,8	Yes
6.3.2015	3:45	23	55,3	22,9	56,6	Yes

TYPE OF TEST: ISO 19752

PHI_15_I0038	6.3.2015	4:00	22,9	56,6	22,9	56,2	Yes
	6.3.2015	4:15	23,1	55	23,0	56,2	Yes
	6.3.2015	4:30	23	56,3	23,0	55,8	Yes
	6.3.2015	4:45	23,1	57,7	23,0	56,4	Yes
	6.3.2015	5:00	23,2	55	23,1	56,0	Yes
	6.3.2015	5:15	23,1	57,1	23,1	56,5	Yes
	6.3.2015	5:30	23,2	56,6	23,2	56,6	Yes
	6.3.2015	5:45	23,1	55,9	23,2	56,2	Yes
	6.3.2015	6:00	23,2	56,7	23,2	56,6	Yes
	6.3.2015	6:15	23,3	55,6	23,2	56,2	Yes
	6.3.2015	6:30	23,5	56,6	23,3	56,2	Yes
	6.3.2015	6:45	23,7	54,3	23,4	55,8	Yes
	6.3.2015	7:00	23,7	56	23,6	55,6	Yes
	6.3.2015	7:15	23,7	55,4	23,7	55,6	Yes
	6.3.2015	7:30	23,8	55,5	23,7	55,3	Yes
	6.3.2015	7:45	23,8	54,7	23,8	55,4	Yes
	6.3.2015	8:00	23,9	53,4	23,8	54,8	Yes
	6.3.2015	8:15	23,9	51,4	23,9	53,8	Yes
	6.3.2015	8:30	24	52,2	23,9	52,9	Yes
	6.3.2015	8:45	24	54,5	24,0	52,9	Yes
	6.3.2015	9:00	24	55	24,0	53,3	Yes
	6.3.2015	9:15	24	55,6	24,0	54,3	Yes
	6.3.2015	9:30	23,9	54,6	24,0	54,9	Yes
	6.3.2015	9:45	23,9	53,7	24,0	54,7	Yes
PHI_15_I0039	6.3.2015	10:00	24,1	54,6	24,0	54,6	Yes
	6.3.2015	10:15	24,1	54,9	24,0	54,5	Yes
	6.3.2015	10:30	24,1	55	24,1	54,6	Yes
	6.3.2015	10:45	24	53,3	24,1	54,5	Yes
	6.3.2015	11:00	24	52,4	24,1	53,9	Yes
	6.3.2015	11:15	24,2	55,6	24,1	54,1	Yes
	6.3.2015	11:30	24,1	54,1	24,1	53,9	Yes
	6.3.2015	11:45	24,1	53,6	24,1	53,9	Yes
	6.3.2015	12:00	24,1	50,7	24,1	53,5	Yes
	6.3.2015	12:15	24,2	50,1	24,1	52,1	Yes
	6.3.2015	12:30	24,2	54,4	24,2	52,2	Yes
	6.3.2015	12:45	24,1	55,2	24,2	52,6	Yes
	6.3.2015	13:00	24,1	52,8	24,2	53,1	Yes
	6.3.2015	13:15	24,1	49,7	24,1	53,0	Yes
	6.3.2015	13:30	24,2	50,9	24,1	52,2	Yes
	6.3.2015	13:45	24,2	52,6	24,2	51,5	Yes
	6.3.2015	14:00	24	48,9	24,1	50,5	Yes
	6.3.2015	14:15	24,1	54,1	24,1	51,6	Yes
	6.3.2015	14:30	24,1	54,8	24,1	52,6	Yes
	8.3.2015	6:00	21,5	57,8	23,4	53,9	Yes
	8.3.2015	6:15	21,6	57,5	22,8	56,1	Yes
	8.3.2015	6:30	21,6	54,5	22,2	56,2	Yes
	8.3.2015	6:45	21,7	54,5	21,6	56,1	Yes
	8.3.2015	7:00	21,7	54,7	21,7	55,3	Yes
	8.3.2015	7:15	21,8	54,6	21,7	54,6	Yes
	8.3.2015	7:30	21,8	54,4	21,8	54,6	Yes
	8.3.2015	7:45	21,8	54,2	21,8	54,5	Yes
	8.3.2015	8:00	21,9	54	21,8	54,3	Yes
	8.3.2015	8:15	21,9	53,8	21,9	54,1	Yes
	8.3.2015	8:30	21,9	53,6	21,9	53,9	Yes
	8.3.2015	8:45	21,9	53,4	21,9	53,7	Yes
	8.3.2015	9:00	21,8	53,2	21,9	53,5	Yes
	8.3.2015	9:15	21,8	53,1	21,9	53,3	Yes
	8.3.2015	9:30	21,7	53	21,8	53,2	Yes
	8.3.2015	9:45	21,7	53	21,8	53,1	Yes
	8.3.2015	10:00	21,7	52,8	21,7	53,0	Yes
	8.3.2015	10:15	21,6	52,5	21,7	52,8	Yes
	8.3.2015	10:30	21,6	52,4	21,7	52,7	Yes
	8.3.2015	10:45	21,6	50,1	21,6	52,0	Yes
	8.3.2015	11:00	21,5	50,2	21,6	51,3	Yes
	8.3.2015	11:15	21,5	50,5	21,6	50,8	Yes
	8.3.2015	11:30	21,5	50,5	21,5	50,3	Yes
	8.3.2015	11:45	21,5	50,6	21,5	50,5	Yes
	8.3.2015	12:00	21,5	50,5	21,5	50,5	Yes
	8.3.2015	12:15	21,5	50,5	21,5	50,5	Yes
	8.3.2015	12:30	21,5	50,5	21,5	50,5	Yes
	8.3.2015	12:45	21,5	50,5	21,5	50,5	Yes
	8.3.2015	13:00	21,6	50,4	21,5	50,5	Yes
	8.3.2015	13:15	21,6	50,3	21,6	50,4	Yes
	8.3.2015	13:30	21,6	50,3	21,6	50,4	Yes
	8.3.2015	13:45	21,6	50,1	21,6	50,3	Yes
	8.3.2015	14:00	21,7	49,9	21,6	50,2	Yes
	8.3.2015	14:15	21,7	49,3	21,7	49,9	Yes
	8.3.2015	14:30	21,7	47,9	21,7	49,3	Yes
	8.3.2015	14:45	21,8	48,2	21,7	48,8	Yes
	8.3.2015	15:00	21,8	48,1	21,8	48,4	Yes
	8.3.2015	15:15	21,9	48,1	21,8	48,1	Yes
	8.3.2015	15:30	21,9	48	21,9	48,1	Yes
	8.3.2015	15:45	22	47,8	21,9	48,0	Yes
	8.3.2015	16:00	22	47,6	22,0	47,9	Yes
	8.3.2015	16:15	22	47,4	22,0	47,7	Yes
	8.3.2015	16:30	22,1	47,2	22,0	47,5	Yes
	8.3.2015	16:45	22,2	47	22,1	47,3	Yes
	8.3.2015	17:00	22,2	46,8	22,1	47,1	Yes

TYPE OF TEST: ISO 19752

N/A	8.3.2015	17:15	22,2	46,5	22,2	46,9	Yes
	8.3.2015	17:30	22,2	46,4	22,2	46,7	Yes
	8.3.2015	17:45	22,2	46,2	22,2	46,5	Yes
	8.3.2015	18:00	22,3	46,1	22,2	46,3	Yes
	8.3.2015	18:15	22,3	45,9	22,3	46,2	Yes
	8.3.2015	18:30	22,3	45,8	22,3	46,0	Yes
	8.3.2015	18:45	22,3	45,7	22,3	45,9	Yes
	8.3.2015	19:00	22,3	45,7	22,3	45,8	Yes
	8.3.2015	19:15	22,3	45,6	22,3	45,7	Yes
	8.3.2015	19:30	22,3	45,5	22,3	45,6	Yes
	8.3.2015	19:45	22,2	45,3	22,3	45,5	Yes
	8.3.2015	20:00	22,2	43,3	22,3	44,9	Yes
	8.3.2015	20:15	22,2	43,4	22,2	44,4	Yes
	8.3.2015	20:30	22,2	43,6	22,2	43,9	Yes
	8.3.2015	20:45	22,3	43,6	22,2	43,5	Yes
	8.3.2015	21:00	22,4	43,4	22,3	43,5	Yes
	8.3.2015	21:15	22,4	43,3	22,3	43,5	Yes
	8.3.2015	21:30	22,5	43,1	22,4	43,4	Yes
	8.3.2015	21:45	22,6	42,9	22,5	43,2	Yes
	8.3.2015	22:00	22,6	42,7	22,5	43,0	Yes
	8.3.2015	22:15	22,6	42,5	22,6	42,8	Yes
	8.3.2015	22:30	22,7	42,3	22,6	42,6	Yes
	8.3.2015	22:45	22,7	42,1	22,7	42,4	Yes
	8.3.2015	23:00	22,7	41,9	22,7	42,2	Yes
	8.3.2015	23:15	22,7	40,1	22,7	41,6	Yes
	8.3.2015	23:30	22,7	40,1	22,7	41,1	Yes
	8.3.2015	23:45	22,8	40,3	22,7	40,6	Yes
	9.3.2015	0:00	22,8	40,3	22,8	40,2	Yes
	9.3.2015	0:15	22,8	40,2	22,8	40,2	Yes
	9.3.2015	0:30	22,8	40,1	22,8	40,2	Yes
	9.3.2015	0:45	22,8	40	22,8	40,2	Yes
	9.3.2015	1:00	22,8	39,9	22,8	40,1	Yes
	9.3.2015	1:15	22,9	39,8	22,8	40,0	Yes
	9.3.2015	1:30	22,9	39,7	22,9	39,9	Yes
	9.3.2015	1:45	22,9	39,5	22,9	39,7	Yes
	9.3.2015	2:00	22,9	39,4	22,9	39,6	Yes
	9.3.2015	2:15	22,9	39,4	22,9	39,5	Yes
PHI_15_I0039	9.3.2015	2:30	23	39,2	22,9	39,4	Yes
	9.3.2015	2:45	23	39,1	23,0	39,3	Yes
	9.3.2015	3:00	23	39	23,0	39,2	Yes
	9.3.2015	3:15	23	38,9	23,0	39,1	Yes
	9.3.2015	3:30	23,1	38,8	23,0	39,0	Yes
	9.3.2015	3:45	23,1	38,6	23,1	38,8	Yes
	9.3.2015	4:00	23,1	38,5	23,1	38,7	Yes
	9.3.2015	4:15	23,1	38,3	23,1	38,6	Yes
	9.3.2015	4:30	23,1	38,1	23,1	38,4	Yes
	9.3.2015	4:45	23,1	38	23,1	38,2	Yes
	9.3.2015	5:00	23,2	37,9	23,1	38,1	Yes
	9.3.2015	5:15	23,2	37,4	23,2	37,9	Yes
	9.3.2015	5:30	23,2	36,6	23,2	37,5	Yes
	9.3.2015	5:45	23,4	36,6	23,3	37,1	Yes
	9.3.2015	6:00	23,5	36,8	23,3	36,9	Yes
	9.3.2015	6:15	23,6	35,6	23,4	36,4	Yes
	9.3.2015	6:30	23,7	35,7	23,6	36,2	Yes
	9.3.2015	6:45	23,7	35,9	23,6	36,0	Yes
	9.3.2015	7:00	23,8	37,3	23,7	36,1	Yes
	9.3.2015	7:15	23,8	37,4	23,8	36,6	Yes
	9.3.2015	7:30	23,8	37,9	23,8	37,1	Yes
	9.3.2015	7:45	23,9	38,6	23,8	37,8	Yes
	9.3.2015	8:00	23,9	38,7	23,9	38,2	Yes
	9.3.2015	8:15	24	38,9	23,9	38,5	Yes
	9.3.2015	8:30	24,1	37,4	24,0	38,4	Yes
	9.3.2015	8:45	24,1	38,3	24,0	38,3	Yes
	9.3.2015	9:00	24,1	37,3	24,1	38,0	Yes
	9.3.2015	9:15	24,1	37,1	24,1	37,5	Yes
	9.3.2015	9:30	24,1	37,6	24,1	37,6	Yes
	9.3.2015	9:45	24,1	36,8	24,1	37,2	Yes
	9.3.2015	10:00	24,1	35,9	24,1	36,9	Yes
	9.3.2015	10:15	24	37,1	24,1	36,9	Yes
	9.3.2015	10:30	24,1	36,7	24,1	36,6	Yes
	9.3.2015	10:45	24	37,1	24,1	36,7	Yes
	9.3.2015	11:00	24	37,1	24,0	37,0	Yes
	9.3.2015	11:15	24,1	38,1	24,1	37,3	Yes
	9.3.2015	11:30	24,1	37,8	24,1	37,5	Yes
	9.3.2015	11:45	24,2	37,5	24,1	37,6	Yes
	9.3.2015	12:00	24,2	37,9	24,2	37,8	Yes
	9.3.2015	12:15	24,2	37,4	24,2	37,7	Yes
	9.3.2015	12:30	24,2	38,7	24,2	37,9	Yes
	9.3.2015	12:45	24,1	38,7	24,2	38,2	Yes
	9.3.2015	13:00	24,1	39,1	24,2	38,5	Yes
	9.3.2015	13:15	24	37,4	24,1	38,5	Yes
	9.3.2015	13:30	24,1	37,6	24,1	38,2	Yes
	9.3.2015	13:45	24	37,6	24,1	37,9	Yes
	9.3.2015	14:00	24	37,6	24,0	37,6	Yes
	9.3.2015	14:15	24	37,4	24,0	37,6	Yes
	9.3.2015	14:30	24	37,3	24,0	37,5	Yes
	9.3.2015	14:45	23,8	39,3	24,0	37,9	Yes
	9.3.2015	15:00	23,6	41,8	23,9	39,0	Yes

