

TYPE OF TEST: ISO 19752

When cartridge Kyocera TK-310 is used in printers Kyocera FS-3900DN and Kyocera FS-2000D.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 12050 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 12065 standard pages

Date Tested:

For questions concerning testing contact

30.6.2014 - 14.7.2014

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Kyocera TK-310

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63450	62127	62119
Printer Type	Kyocera FS-3900DN	Kyocera FS-2000D	Kyocera FS-2000D
Serial Nr.	XLN7978876	XML8136865	XML8137956
Driver Version:	PCL-GPD 4.2	PCL-GPD 4.2	PCL-GPD 4.2

Note:

Page yield rounded to 12050. It's 50 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004629423 - K001	PHI_14_I0662	12 392	Y
	C				
	Y				
	M				
2nd set	K	0004629423 - K002	PHI_14_I0663	12 224	Y
	C				
	Y				
	M				
3rd set	K	0004629423 - K003	PHI_14_I0664	12 216	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	36 832	12 277	99	12 110	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004629423 - K004	PHI_14_I0665	12 561	Y
	C				
	Y				
	M				
2nd set	K	0004629423 - K005	PHI_14_I0666	11 492	Y
	C				
	Y				
	M				
3rd set	K	0004629423 - K006	PHI_14_I0667	12 539	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	36 592	12 197	611	11 167	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004629423 - K007	PHI_14_I0668	17 849	Y
	C				
	Y				
	M				
2nd set	K	0004629423 - K008	PHI_14_I0669	17 219	Y
	C				
	Y				
	M				
3rd set	K	0004629423 - K009	PHI_14_I0670	13 068	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	48 136	16 045	2598	11 666	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	121 560	13 507	2326	12 065	9
	C						
	Y						
	M						

Note:
Statement OEM 12000 pages

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

		Allowed
Testing Room average temp. [°C]	22,5	23
Testing Room - max. running average temp. [°C]	24,3	26
Testing Room - min. running average temp. [°C]	21,5	20

		Allowed
Testing Room average RH. [%]	55,9	50
Testing Room - max. running average RH [%]	68,7	65
Testing Room - min. running average RH [%]	44,2	35

Note:

During tests there were exceeded limits set in the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 4.3.2014 7:15 - 11.3.2014 10:45

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
N/A	N/A	N/A	29.6.2014	15:45	22,4	62,2	N/A	N/A	Yes
			29.6.2014	16:00	22,6	62,7	N/A	N/A	Yes
			29.6.2014	16:15	22,8	57,8	N/A	N/A	Yes
			29.6.2014	16:30	22,1	53	22,5	58,9	Yes
			29.6.2014	16:45	22,3	60,9	22,5	58,6	Yes
			29.6.2014	17:00	22,5	62,5	22,4	58,6	Yes
			29.6.2014	17:15	22,7	61,9	22,4	59,6	Yes
			29.6.2014	17:30	22,4	53,2	22,5	59,6	Yes
			29.6.2014	17:45	22,3	60,6	22,5	59,6	Yes
			29.6.2014	18:00	22,5	63	22,5	59,7	Yes
			29.6.2014	18:15	22,7	62,3	22,5	59,8	Yes
			29.6.2014	18:30	22,6	54,8	22,5	60,2	Yes
			29.6.2014	18:45	22,2	60,4	22,5	60,1	Yes
			29.6.2014	19:00	22,5	63,1	22,5	60,2	Yes
			29.6.2014	19:15	22,7	62,7	22,5	60,3	Yes
			29.6.2014	19:30	22,8	56,8	22,6	60,8	Yes
			29.6.2014	19:45	22,1	58,5	22,5	60,3	Yes
			29.6.2014	20:00	22,4	62,5	22,5	60,1	Yes
			29.6.2014	20:15	22,6	62,8	22,5	60,2	Yes
			29.6.2014	20:30	22,8	61,8	22,5	61,4	Yes
			29.6.2014	20:45	22,8	56	22,7	60,8	Yes
			29.6.2014	21:00	22,2	59,3	22,6	60,0	Yes
			29.6.2014	21:15	22,4	62,9	22,6	60,0	Yes
			29.6.2014	21:30	22,6	62,7	22,5	60,2	Yes
			29.6.2014	21:45	22,8	61,8	22,5	61,7	Yes
			29.6.2014	22:00	22,7	55,4	22,6	60,7	Yes
			29.6.2014	22:15	22,2	59,8	22,6	59,9	Yes
			29.6.2014	22:30	22,5	63	22,6	60,0	Yes
			29.6.2014	22:45	22,6	62,8	22,5	60,3	Yes
			29.6.2014	23:00	22,8	61,9	22,5	61,9	Yes
			29.6.2014	23:15	22,7	54,9	22,7	60,7	Yes
			29.6.2014	23:30	22,2	60	22,6	59,9	Yes
			29.6.2014	23:45	22,4	63,1	22,5	60,0	Yes
			30.6.2014	0:00	22,6	62,8	22,5	60,2	Yes
			30.6.2014	0:15	22,8	61,9	22,5	62,0	Yes
			30.6.2014	0:30	22,9	61,1	22,7	62,2	Yes
			30.6.2014	0:45	22,3	55	22,7	60,2	Yes
			30.6.2014	1:00	22,4	62,4	22,6	60,1	Yes
			30.6.2014	1:15	22,5	63,1	22,5	60,4	Yes
			30.6.2014	1:30	22,7	61,7	22,5	60,6	Yes
			30.6.2014	1:45	22,8	61,1	22,6	62,1	Yes
			30.6.2014	2:00	22,9	61,2	22,7	61,8	Yes
			30.6.2014	2:15	22,7	54,6	22,8	59,7	Yes
			30.6.2014	2:30	22,3	60,4	22,7	59,3	Yes
			30.6.2014	2:45	22,4	63	22,6	59,8	Yes
			30.6.2014	3:00	22,6	61,8	22,5	60,0	Yes
			30.6.2014	3:15	22,7	61,5	22,5	61,7	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

			30.6.2014	3:30	22,8	60,8	22,6	61,8	Yes
			30.6.2014	3:45	22,6	54,6	22,7	59,7	Yes
			30.6.2014	4:00	22,3	61,2	22,6	59,5	Yes
			30.6.2014	4:15	22,4	63,3	22,5	60,0	Yes
			30.6.2014	4:30	22,6	61,9	22,5	60,3	Yes
			30.6.2014	4:45	22,8	58,6	22,5	61,3	Yes
			30.6.2014	5:00	22,3	51,8	22,5	58,9	Yes
			30.6.2014	5:15	22,2	57,9	22,5	57,6	Yes
			30.6.2014	5:30	22,6	58,5	22,5	56,7	Yes
			30.6.2014	5:45	22,2	49,8	22,3	54,5	Yes
			30.6.2014	6:00	22	49,2	22,3	53,9	Yes
			30.6.2014	6:15	21,9	48,5	22,2	51,5	Yes
			30.6.2014	6:30	22	54,9	22,0	50,6	Yes
			30.6.2014	6:45	22,6	53,9	22,1	51,6	Yes
			30.6.2014	7:00	22,2	48,3	22,2	51,4	Yes
			30.6.2014	7:15	22	47,8	22,2	51,2	Yes
			30.6.2014	7:30	21,8	46,4	22,2	49,1	Yes
			30.6.2014	8:00	21,8	53,3	22,0	49,0	Yes
			30.6.2014	8:15	22,3	50,4	22,0	49,5	Yes
			30.6.2014	8:30	22,2	47,3	22,0	49,4	Yes
			30.6.2014	8:45	22	45,4	22,1	49,1	Yes
			30.6.2014	9:00	21,9	45,2	22,1	47,1	Yes
			30.6.2014	9:15	21,8	45,4	22,0	45,8	Yes
			30.6.2014	9:30	22	46,3	21,9	45,6	Yes
			30.6.2014	9:45	22,3	54,3	22,0	47,8	Yes
			30.6.2014	10:00	22,5	48,3	22,2	48,6	Yes
			30.6.2014	10:15	22,3	45,5	22,3	48,6	Yes
			30.6.2014	10:30	22,1	45,9	22,3	48,5	Yes
			30.6.2014	10:45	21,9	46,3	22,2	46,5	Yes
			30.6.2014	11:00	21,8	45,5	22,0	45,8	Yes
			30.6.2014	11:15	21,6	44,7	21,9	45,6	Yes
			30.6.2014	11:30	21,6	45	21,7	45,4	Yes
			30.6.2014	11:45	21,5	44	21,6	44,8	Yes
			30.6.2014	12:00	21,6	46,5	21,6	45,1	Yes
			30.6.2014	12:15	21,9	51,2	21,7	46,7	Yes
			30.6.2014	12:30	22,4	50,5	21,9	48,1	Yes
			30.6.2014	12:45	22,4	47,5	22,1	48,9	Yes
			30.6.2014	13:00	22,3	47,7	22,3	49,2	Yes
			30.6.2014	13:15	22,3	45,8	22,4	47,9	Yes
			30.6.2014	13:30	22,3	45,7	22,3	46,7	Yes
			30.6.2014	13:45	22,3	45,1	22,3	46,1	Yes
			30.6.2014	14:00	22,2	44,8	22,3	45,4	Yes
			30.6.2014	14:15	22,1	44,1	22,2	44,9	Yes
			30.6.2014	14:30	21,9	43,4	22,1	44,4	Yes
			30.6.2014	14:45	21,8	49,1	22,0	45,4	Yes
			30.6.2014	15:00	22,4	50,8	22,1	46,9	Yes
			30.6.2014	15:15	22,2	45,5	22,1	47,2	Yes
			30.6.2014	15:30	22	44,6	22,1	47,5	Yes
			30.6.2014	15:45	21,8	43,8	22,1	46,2	Yes
			30.6.2014	16:00	21,8	44,2	22,0	44,5	Yes
			30.6.2014	16:15	21,8	44	21,9	44,2	Yes
			30.6.2014	16:30	22,2	55,1	21,9	46,8	Yes
			30.6.2014	16:45	22,2	47,2	22,0	47,6	Yes
			30.6.2014	17:00	21,9	45	22,0	47,8	Yes
			30.6.2014	17:15	21,7	45,1	22,0	48,1	Yes
			30.6.2014	17:30	21,8	50,9	21,9	47,1	Yes
			30.6.2014	17:45	22,4	54,7	22,0	48,9	Yes
			30.6.2014	18:00	22,2	46,9	22,0	49,4	Yes
			30.6.2014	18:15	21,8	47,8	22,1	50,1	Yes
			30.6.2014	18:30	22,3	56,1	22,2	51,4	Yes
			30.6.2014	18:45	22,2	47,4	22,1	49,6	Yes
			30.6.2014	19:00	21,9	46,3	22,1	49,4	Yes
			30.6.2014	19:15	21,8	49,2	22,1	49,8	Yes
			30.6.2014	19:30	22,3	56,3	22,1	49,8	Yes
			30.6.2014	19:45	22,3	50,4	22,1	50,6	Yes
			30.6.2014	20:00	22,5	55,5	22,2	52,9	Yes
			30.6.2014	20:15	22,3	47,7	22,4	52,5	Yes
			30.6.2014	20:30	22	48,3	22,3	50,5	Yes
			30.6.2014	20:45	22,3	56,7	22,3	52,1	Yes
			30.6.2014	21:00	21,9	47,6	22,1	50,1	Yes
			30.6.2014	21:15	22	56,4	22,1	52,3	Yes
			30.6.2014	21:30	22,3	57,7	22,1	54,6	Yes
			30.6.2014	21:45	22,5	58,1	22,2	55,0	Yes
			30.6.2014	22:00	22,7	56,9	22,4	57,3	Yes
			30.6.2014	22:15	22,7	58,3	22,6	57,8	Yes
			30.6.2014	22:30	22,8	57,1	22,7	57,6	Yes
			30.6.2014	22:45	22,9	58	22,8	57,6	Yes
			30.6.2014	23:00	22,4	53,7	22,7	56,8	Yes
			30.6.2014	23:15	22,4	60,3	22,6	57,3	Yes
			30.6.2014	23:30	22,5	59,2	22,6	57,8	Yes
			30.6.2014	23:45	22,7	59,5	22,5	58,2	Yes
			1.7.2014	0:00	22,8	58,1	22,6	59,3	Yes
			1.7.2014	0:15	22,8	58,7	22,7	58,9	Yes
			1.7.2014	0:30	22,9	58,1	22,8	58,6	Yes
			1.7.2014	0:45	22,9	57,8	22,9	58,2	Yes
			1.7.2014	1:00	22,3	58,4	22,7	58,3	Yes

PHI_14_I0668

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	1.7.2014	1:15	22,4	61,4	22,6	58,9	Yes
			1.7.2014	1:30	22,6	59,6	22,6	59,3	Yes
			1.7.2014	1:45	22,6	59,5	22,5	59,7	Yes
			1.7.2014	2:00	22,7	58,6	22,6	59,8	Yes
			1.7.2014	2:15	22,8	59	22,7	59,2	Yes
			1.7.2014	2:30	22,8	59	22,7	59,0	Yes
			1.7.2014	2:45	22,9	58,2	22,8	58,7	Yes
			1.7.2014	3:00	22,2	58,1	22,7	58,6	Yes
			1.7.2014	3:15	22,3	61,3	22,6	59,2	Yes
			1.7.2014	3:30	22,5	60,3	22,5	59,5	Yes
			1.7.2014	3:45	22,6	59,9	22,4	59,9	Yes
			1.7.2014	4:00	22,7	58,9	22,5	60,1	Yes
			1.7.2014	4:15	22,7	59,4	22,6	59,6	Yes
			1.7.2014	4:30	22,8	59,3	22,7	59,4	Yes
			1.7.2014	4:45	22,6	52,3	22,7	57,5	Yes
			1.7.2014	5:00	22,7	60,2	22,7	57,8	Yes
			1.7.2014	5:15	22,6	52,6	22,7	56,1	Yes
			1.7.2014	5:30	22,3	57,8	22,6	55,7	Yes
			1.7.2014	5:45	22,6	60,3	22,6	57,7	Yes
		PHI_14_I0668	1.7.2014	6:00	22,5	51	22,5	55,4	Yes
			1.7.2014	6:15	22,2	49,1	22,4	54,6	Yes
			1.7.2014	6:30	22	48	22,3	52,1	Yes
			1.7.2014	6:45	21,8	46,7	22,1	48,7	Yes
			1.7.2014	7:00	22	56	22,0	50,0	Yes
			1.7.2014	7:15	22,2	50,7	22,0	50,4	Yes
			1.7.2014	7:30	22	47,5	22,0	50,2	Yes
			1.7.2014	7:45	21,7	46,2	22,0	50,1	Yes
			1.7.2014	8:00	22	56,4	22,0	50,2	Yes
			1.7.2014	8:15	22,3	53,1	22,0	50,8	Yes
			1.7.2014	8:30	22	48,7	22,0	51,1	Yes
			1.7.2014	8:45	22,1	56,9	22,1	53,8	Yes
			1.7.2014	9:00	22,3	50,9	22,2	52,4	Yes
			1.7.2014	9:15	22,1	48,5	22,1	51,3	Yes
			1.7.2014	9:30	21,9	48,1	22,1	51,1	Yes
			1.7.2014	9:45	22	52,3	22,1	50,0	Yes
			1.7.2014	10:00	22,4	49,7	22,1	49,7	Yes
			1.7.2014	10:15	22	47,5	22,1	49,4	Yes
			1.7.2014	10:30	21,8	47,5	22,1	49,3	Yes
			1.7.2014	10:45	21,6	46,4	22,0	47,8	Yes
			1.7.2014	11:00	21,5	45,7	21,7	46,8	Yes
			1.7.2014	11:15	21,3	45,2	21,6	46,2	Yes
			1.7.2014	11:30	21,8	54,4	21,6	47,9	Yes
			1.7.2014	11:45	22,4	52,1	21,8	49,4	Yes
			1.7.2014	12:00	22	45,7	21,9	49,4	Yes
			1.7.2014	12:15	21,8	43,6	22,0	49,0	Yes
			1.7.2014	12:30	21,8	48,1	22,0	47,4	Yes
			1.7.2014	12:45	22,4	54,9	22,0	48,1	Yes
			1.7.2014	13:00	22,3	47,7	22,1	48,6	Yes
			1.7.2014	13:15	22,3	50,6	22,2	50,3	Yes
			1.7.2014	13:30	22,7	51,8	22,4	51,3	Yes
			1.7.2014	13:45	22,2	45,6	22,4	48,9	Yes
			1.7.2014	14:00	21,7	43,3	22,2	47,8	Yes
			1.7.2014	14:15	21,4	46	22,0	46,7	Yes
			1.7.2014	14:30	21,7	54,7	21,8	47,4	Yes
		N/A	1.7.2014	14:45	22,1	54,1	21,7	49,5	Yes
			1.7.2014	15:00	22,5	57	21,9	53,0	Yes
			1.7.2014	15:15	22,6	56,7	22,2	55,6	Yes
			1.7.2014	15:30	22,8	53,6	22,5	55,4	Yes
			1.7.2014	15:45	22,5	56,9	22,6	56,1	Yes
			1.7.2014	16:00	22,8	54,2	22,7	55,4	Yes
			1.7.2014	16:15	22,9	56	22,8	55,2	Yes
			1.7.2014	16:30	22,5	56,5	22,7	55,9	Yes
			1.7.2014	16:45	22,7	56,7	22,7	55,9	Yes
			1.7.2014	17:00	22,8	57,4	22,7	56,7	Yes
			1.7.2014	17:15	22,5	50,3	22,6	55,2	Yes
			1.7.2014	17:30	22,5	58,3	22,6	55,7	Yes
			1.7.2014	17:45	22,7	57,4	22,6	55,9	Yes
			1.7.2014	18:00	22,9	56,7	22,7	55,7	Yes
			1.7.2014	18:15	22,5	57,7	22,7	57,5	Yes
			1.7.2014	18:30	22,6	58,1	22,7	57,5	Yes
			1.7.2014	18:45	22,8	58,2	22,7	57,7	Yes
			1.7.2014	19:00	22,5	51,1	22,6	56,3	Yes
			1.7.2014	19:15	22,4	58,8	22,6	56,6	Yes
			1.7.2014	19:30	22,6	58,9	22,6	56,8	Yes
			1.7.2014	19:45	22,7	59	22,6	57,0	Yes
			1.7.2014	20:00	22,5	51,7	22,6	57,1	Yes
			1.7.2014	20:15	22,3	58,5	22,5	57,0	Yes
			1.7.2014	20:30	22,5	59,8	22,5	57,3	Yes
			1.7.2014	20:45	22,7	59	22,5	57,3	Yes
			1.7.2014	21:00	22,8	58,2	22,6	58,9	Yes
			1.7.2014	21:15	22,3	53,3	22,6	57,6	Yes
			1.7.2014	21:30	22,3	60,1	22,5	57,7	Yes
			1.7.2014	21:45	22,5	59,4	22,5	57,8	Yes
			1.7.2014	22:00	22,6	59,5	22,4	58,1	Yes
			1.7.2014	22:15	22,8	58,1	22,6	59,3	Yes
			1.7.2014	22:30	22,8	58,3	22,7	58,8	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

			1.7.2014	22:45	22,3	56,6	22,6	58,1	Yes
			1.7.2014	23:00	22,4	60,1	22,6	58,3	Yes
			1.7.2014	23:15	22,6	59,6	22,5	58,7	Yes
			1.7.2014	23:30	22,7	58,3	22,5	58,7	Yes
			1.7.2014	23:45	22,7	58,4	22,6	59,1	Yes
			2.7.2014	0:00	22,8	58,9	22,7	58,8	Yes
			2.7.2014	0:15	22,6	52,4	22,7	57,0	Yes
			2.7.2014	0:30	22,3	59,5	22,6	57,3	Yes
			2.7.2014	0:45	22,5	59,5	22,6	57,6	Yes
			2.7.2014	1:00	22,6	59	22,5	57,6	Yes
			2.7.2014	1:15	22,6	59,4	22,5	59,4	Yes
			2.7.2014	1:30	22,7	58,8	22,6	59,2	Yes
			2.7.2014	1:45	22,7	58	22,7	58,8	Yes
			2.7.2014	2:00	22,8	58,1	22,7	58,6	Yes
			2.7.2014	2:15	22,8	58,9	22,8	58,5	Yes
			2.7.2014	2:30	22,4	54,8	22,7	57,5	Yes
			2.7.2014	2:45	22,4	60,3	22,6	58,0	Yes
			2.7.2014	3:00	22,5	59,6	22,5	58,4	Yes
			2.7.2014	3:15	22,6	58,9	22,5	58,4	Yes
			2.7.2014	3:30	22,7	58,8	22,6	59,4	Yes
			2.7.2014	3:45	22,7	59,1	22,6	59,1	Yes
			2.7.2014	4:00	22,8	59,2	22,7	59,0	Yes
			2.7.2014	4:15	22,7	54,9	22,7	58,0	Yes
			2.7.2014	4:30	22,4	60,1	22,7	58,3	Yes
			2.7.2014	4:45	22,6	54,8	22,6	57,3	Yes
			2.7.2014	5:00	22,6	61,2	22,6	57,8	Yes
			2.7.2014	5:15	22,6	53,9	22,6	57,5	Yes
			2.7.2014	5:30	22,5	58,9	22,6	57,2	Yes
			2.7.2014	5:45	22,7	54,1	22,6	57,0	Yes
			2.7.2014	6:00	22,6	58,4	22,6	56,3	Yes
			2.7.2014	6:15	22,6	51,6	22,6	55,8	Yes
			2.7.2014	6:30	22,2	46,3	22,5	52,6	Yes
			2.7.2014	6:45	22,2	55,1	22,4	52,9	Yes
			2.7.2014	7:00	22,4	50,6	22,4	50,9	Yes
			2.7.2014	7:15	22,1	46,2	22,2	49,6	Yes
			2.7.2014	7:30	22,5	57	22,3	52,2	Yes
			2.7.2014	7:45	22,3	47,6	22,3	50,4	Yes
			2.7.2014	8:00	22,1	44,7	22,3	48,9	Yes
			2.7.2014	8:15	21,9	43,7	22,2	48,3	Yes
			2.7.2014	8:30	21,7	43	22,0	44,8	Yes
			2.7.2014	8:45	21,9	52,9	21,9	46,1	Yes
			2.7.2014	9:00	22,4	55,6	22,0	48,8	Yes
			2.7.2014	9:15	22,4	49,2	22,1	50,2	Yes
			2.7.2014	9:30	22	45,8	22,2	50,9	Yes
			2.7.2014	9:45	21,8	43,8	22,2	48,6	Yes
			2.7.2014	10:00	21,5	42,6	21,9	45,4	Yes
			2.7.2014	10:15	21,4	47,6	21,7	45,0	Yes
			2.7.2014	10:30	22,1	55,6	21,7	47,4	Yes
			2.7.2014	10:45	22,4	50,9	21,9	49,2	Yes
			2.7.2014	11:00	22	47,5	22,0	50,4	Yes
			2.7.2014	11:15	21,8	46,6	22,1	50,2	Yes
			2.7.2014	11:30	21,6	46	22,0	47,8	Yes
			2.7.2014	11:45	21,6	46,4	21,8	46,6	Yes
			2.7.2014	12:00	21,5	46,1	21,6	46,3	Yes
			2.7.2014	12:15	21,5	47	21,6	46,4	Yes
			2.7.2014	12:30	22,1	56,9	21,7	49,1	Yes
			2.7.2014	12:45	22,3	49,9	21,9	50,0	Yes
			2.7.2014	13:00	22	47,4	22,0	50,3	Yes
			2.7.2014	13:15	21,7	46,3	22,0	50,1	Yes
			2.7.2014	13:30	21,6	46,1	21,9	47,4	Yes
			2.7.2014	13:45	21,5	53,8	21,7	48,4	Yes
			2.7.2014	14:00	22	58	21,7	51,1	Yes
			2.7.2014	14:15	22,3	58,2	21,9	54,0	Yes
			2.7.2014	14:30	22,6	58,2	22,1	57,1	Yes
			2.7.2014	14:45	22,7	58,6	22,4	58,3	Yes
			2.7.2014	15:00	22,9	58,9	22,6	58,5	Yes
			2.7.2014	15:15	23	58,7	22,8	58,6	Yes
			2.7.2014	15:30	22,5	59,9	22,8	59,0	Yes
			2.7.2014	15:45	22,7	61,9	22,8	59,9	Yes
			2.7.2014	16:00	22,9	61,6	22,8	60,5	Yes
			2.7.2014	16:15	22,9	61,5	22,8	61,2	Yes
			2.7.2014	16:30	22,8	56,2	22,8	60,3	Yes
			2.7.2014	16:45	22,3	60,1	22,7	59,9	Yes
			2.7.2014	17:00	22,5	63,8	22,6	60,4	Yes
			2.7.2014	17:15	22,7	64,2	22,6	61,1	Yes
			2.7.2014	17:30	22,8	64,2	22,6	63,1	Yes
			2.7.2014	17:45	22,9	64,3	22,7	64,1	Yes
			2.7.2014	18:00	23	64,1	22,9	64,2	Yes
			2.7.2014	18:15	23	60,6	22,9	63,3	Yes
			2.7.2014	18:30	22,3	59,6	22,8	62,2	Yes
			2.7.2014	18:45	22,5	65	22,7	62,3	Yes
			2.7.2014	19:00	22,6	66,4	22,6	62,9	Yes
			2.7.2014	19:15	22,7	66,3	22,5	64,3	Yes
			2.7.2014	19:30	22,8	66,1	22,7	66,0	Yes
			2.7.2014	19:45	22,9	66,2	22,8	66,3	Yes
			2.7.2014	20:00	23	66,2	22,9	66,2	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A	2.7.2014	20:15	23	66,4	22,9	66,2	Yes
	2.7.2014	20:30	22,4	55,9	22,8	63,7	Yes
	2.7.2014	20:45	22,4	64,9	22,7	63,4	Yes
	2.7.2014	21:00	22,5	67,2	22,6	63,6	Yes
	2.7.2014	21:15	22,7	67,5	22,5	63,9	Yes
	2.7.2014	21:30	22,8	67,3	22,6	66,7	Yes
	2.7.2014	21:45	22,9	67,4	22,7	67,4	Yes
	2.7.2014	22:00	22,9	67,3	22,8	67,4	Yes
	2.7.2014	22:15	22,9	67,2	22,9	67,3	Yes
	2.7.2014	22:30	23	67,2	22,9	67,3	Yes
	2.7.2014	22:45	23,1	67,1	23,0	67,2	Yes
	2.7.2014	23:00	23,1	67,1	23,0	67,2	Yes
	2.7.2014	23:15	22,4	55,9	22,9	64,3	Yes
	2.7.2014	23:30	22,4	65,7	22,8	64,0	Yes
	2.7.2014	23:45	22,5	68,3	22,6	64,3	Yes
	3.7.2014	0:00	22,6	68,5	22,5	64,6	Yes
	3.7.2014	0:15	22,7	68,5	22,6	67,8	Yes
	3.7.2014	0:30	22,8	68,2	22,7	68,4	Yes
	3.7.2014	0:45	22,8	67,8	22,7	68,3	Yes
	3.7.2014	1:00	22,9	68,2	22,8	68,2	Yes
	3.7.2014	1:15	22,9	67,9	22,9	68,0	Yes
	3.7.2014	1:30	23	67,8	22,9	67,9	Yes
	3.7.2014	1:45	23	67,9	23,0	68,0	Yes
	3.7.2014	2:00	23	67,6	23,0	67,8	Yes
	3.7.2014	2:15	23,1	67,4	23,0	67,7	Yes
	3.7.2014	2:30	23,1	67,4	23,1	67,6	Yes
	3.7.2014	2:45	22,9	60,3	23,0	65,7	Yes
	3.7.2014	3:00	22,4	64,3	22,9	64,9	Yes
	3.7.2014	3:15	22,5	68,6	22,7	65,2	Yes
	3.7.2014	3:30	22,5	69,1	22,6	65,6	Yes
	3.7.2014	3:45	22,7	68,7	22,5	67,7	Yes
	3.7.2014	4:00	22,7	68,4	22,6	68,7	Yes
	3.7.2014	4:15	22,8	68,6	22,7	68,7	Yes
	3.7.2014	4:30	22,8	68,4	22,8	68,5	Yes
	3.7.2014	4:45	22,6	58	22,7	65,9	Yes
	3.7.2014	5:00	22,7	65,4	22,7	65,1	Yes
	3.7.2014	5:15	22,4	55,6	22,6	61,9	Yes
	3.7.2014	5:30	22,1	58	22,5	59,3	Yes
	3.7.2014	5:45	22,5	64,3	22,4	60,8	Yes
	3.7.2014	6:00	22,3	54,7	22,3	58,2	Yes
	3.7.2014	6:15	22	51,8	22,2	57,2	Yes
	3.7.2014	6:30	21,7	50,2	22,1	55,3	Yes
	3.7.2014	6:45	21,5	49,3	21,9	51,5	Yes
	3.7.2014	7:00	21,3	48,2	21,6	49,9	Yes
	3.7.2014	7:15	21,5	56,7	21,5	51,1	Yes
	3.7.2014	7:30	22,1	59,9	21,6	53,5	Yes
	3.7.2014	7:45	22	52,5	21,7	54,3	Yes
	3.7.2014	8:00	21,7	49,5	21,8	54,7	Yes
	3.7.2014	8:15	21,5	48,6	21,8	52,6	Yes
	3.7.2014	8:30	21,3	48,6	21,6	49,8	Yes
	3.7.2014	8:45	21,4	52,2	21,5	49,7	Yes
	3.7.2014	9:00	22,1	56,3	21,6	51,4	Yes
	3.7.2014	9:15	22	50,3	21,7	51,9	Yes
	3.7.2014	9:30	21,8	48,2	21,8	51,8	Yes
	3.7.2014	9:45	21,9	52,1	22,0	51,7	Yes
	3.7.2014	10:00	22,4	52,3	22,0	50,7	Yes
	3.7.2014	10:15	22,3	48,4	22,1	50,3	Yes
	3.7.2014	10:30	22,2	47,2	22,2	50,0	Yes
	3.7.2014	10:45	22,1	46,8	22,3	48,7	Yes
	3.7.2014	11:00	22	46,5	22,2	47,2	Yes
	3.7.2014	11:15	22,2	45,5	22,1	46,5	Yes
	3.7.2014	11:30	22,1	45,8	22,1	46,2	Yes
	3.7.2014	11:45	22,2	46,6	22,1	46,1	Yes
	3.7.2014	12:00	22,1	45,6	22,2	45,9	Yes
	3.7.2014	12:15	22,1	45,9	22,1	46,0	Yes
	3.7.2014	12:30	22,1	45,4	22,1	45,9	Yes
	3.7.2014	12:45	22,2	45	22,1	45,5	Yes
	3.7.2014	13:00	22	43,9	22,1	45,1	Yes
	3.7.2014	13:15	22	44,3	22,1	44,7	Yes
	3.7.2014	13:30	22	44,8	22,1	44,5	Yes
	3.7.2014	13:45	21,9	45,3	22,0	44,6	Yes
	3.7.2014	14:00	21,7	45,4	21,9	45,0	Yes
	3.7.2014	14:15	21,9	54,7	21,9	47,6	Yes
	3.7.2014	14:30	22,3	54,9	22,0	50,1	Yes
	3.7.2014	14:45	22,6	55,4	22,1	52,6	Yes
	3.7.2014	15:00	22,3	54,7	22,3	54,9	Yes
	3.7.2014	15:15	22,5	57	22,4	55,5	Yes
	3.7.2014	15:30	22,7	53,1	22,5	55,1	Yes
	3.7.2014	15:45	22,5	57,2	22,5	55,5	Yes
	3.7.2014	16:00	22,7	57,1	22,6	56,1	Yes
	3.7.2014	16:15	22,5	55,3	22,6	55,7	Yes
	3.7.2014	16:30	22,6	58,8	22,6	57,1	Yes
	3.7.2014	16:45	22,7	52,6	22,6	56,0	Yes
	3.7.2014	17:00	22,5	58,8	22,6	56,4	Yes
	3.7.2014	17:15	22,8	57,6	22,7	57,0	Yes
	3.7.2014	17:30	22,4	56,5	22,6	56,4	Yes

PHI_14_I0669

PHI_14_I0665

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	3.7.2014	17:45	22,6	58,8	22,6	57,9	Yes	
			3.7.2014	18:00	22,7	53,7	22,6	56,7	Yes	
			3.7.2014	18:15	22,4	58,6	22,5	56,9	Yes	
			3.7.2014	18:30	22,7	58,6	22,6	57,4	Yes	
			3.7.2014	18:45	22,6	52,4	22,6	55,8	Yes	
			3.7.2014	19:00	22,6	60,1	22,6	57,4	Yes	
			3.7.2014	19:15	22,8	58,9	22,7	57,5	Yes	
			3.7.2014	19:30	22,4	51,5	22,6	55,7	Yes	
			3.7.2014	19:45	22,4	59,9	22,6	57,6	Yes	
			3.7.2014	20:00	22,7	58,7	22,6	57,3	Yes	
			3.7.2014	20:15	22,7	53,9	22,6	56,0	Yes	
			3.7.2014	20:30	22,3	58,7	22,5	57,8	Yes	
			3.7.2014	20:45	22,5	60	22,6	57,8	Yes	
			3.7.2014	21:00	22,7	59,5	22,6	58,0	Yes	
			3.7.2014	21:15	22,6	53	22,5	57,8	Yes	
			3.7.2014	21:30	22,3	60,3	22,5	58,2	Yes	
			3.7.2014	21:45	22,6	61,1	22,6	58,5	Yes	
			3.7.2014	22:00	22,7	60,1	22,6	58,6	Yes	
			3.7.2014	22:15	22,5	53,1	22,5	58,7	Yes	
			3.7.2014	22:30	22,3	60,8	22,5	58,8	Yes	
			3.7.2014	22:45	22,5	61,7	22,5	58,9	Yes	
			3.7.2014	23:00	22,7	60,5	22,5	59,0	Yes	
			3.7.2014	23:15	22,8	59,3	22,6	60,6	Yes	
			3.7.2014	23:30	22,3	59,4	22,6	60,2	Yes	
			3.7.2014	23:45	22,4	62,4	22,6	60,4	Yes	
			4.7.2014	0:00	22,6	61,3	22,5	60,6	Yes	
			4.7.2014	0:15	22,7	60,3	22,5	60,9	Yes	
			4.7.2014	0:30	22,8	59,4	22,6	60,9	Yes	
			4.7.2014	0:45	22,4	61	22,6	60,5	Yes	
			4.7.2014	1:00	22,6	61,4	22,6	60,5	Yes	
			4.7.2014	1:15	22,7	60,1	22,6	60,5	Yes	
			4.7.2014	1:30	22,8	60,8	22,6	60,8	Yes	
			4.7.2014	1:45	22,6	53,4	22,7	58,9	Yes	
			4.7.2014	2:00	22,4	61,6	22,6	59,0	Yes	
			4.7.2014	2:15	22,5	61,5	22,6	59,3	Yes	
			4.7.2014	2:30	22,7	60,2	22,6	59,2	Yes	
			4.7.2014	2:45	22,8	60,1	22,6	60,9	Yes	
			4.7.2014	3:00	22,5	53,5	22,6	58,8	Yes	
			4.7.2014	3:15	22,4	61,7	22,6	58,9	Yes	
			4.7.2014	3:30	22,6	61,2	22,6	59,1	Yes	
			4.7.2014	3:45	22,6	60,7	22,5	59,3	Yes	
			4.7.2014	4:00	22,7	59,7	22,6	60,8	Yes	
			4.7.2014	4:15	22,4	58,7	22,6	60,1	Yes	
			4.7.2014	4:30	22,5	62,1	22,6	60,3	Yes	
			4.7.2014	4:45	22,6	55,7	22,6	59,1	Yes	
			4.7.2014	5:00	22,5	61,6	22,5	59,5	Yes	
			4.7.2014	5:15	22,5	53,4	22,5	58,2	Yes	
			4.7.2014	5:30	22,5	57,2	22,5	57,0	Yes	
			4.7.2014	5:45	22,7	53,5	22,6	56,4	Yes	
	PHI_14_I0665	PHI_14_I0669	4.7.2014	6:00	22,6	50,6	22,6	53,7	Yes	
			4.7.2014	6:15	22,5	48,9	22,6	52,6	Yes	
			4.7.2014	6:30	22,4	47,7	22,6	50,2	Yes	
			4.7.2014	6:45	22,2	47	22,4	48,6	Yes	
			4.7.2014	7:00	22,2	46,5	22,3	47,5	Yes	
			4.7.2014	7:15	22	45,8	22,2	46,8	Yes	
			4.7.2014	7:30	21,9	45,9	22,1	46,3	Yes	
			4.7.2014	7:45	22,3	55,3	22,1	48,4	Yes	
			4.7.2014	8:00	22,2	48,3	22,1	48,8	Yes	
			4.7.2014	8:15	22,2	48,1	22,2	49,4	Yes	
			4.7.2014	8:30	22,1	46,8	22,2	49,6	Yes	
			4.7.2014	8:45	22	46,9	22,1	47,5	Yes	
			4.7.2014	9:00	22	47,3	22,1	47,3	Yes	
			4.7.2014	9:15	21,9	46,1	22,0	46,8	Yes	
			4.7.2014	9:30	21,8	45,5	21,9	46,5	Yes	
			4.7.2014	9:45	21,7	45,5	21,9	46,1	Yes	
			4.7.2014	10:00	21,6	45,2	21,8	45,6	Yes	
			4.7.2014	10:15	21,6	47,2	21,7	45,9	Yes	
			4.7.2014	10:30	22,2	52,7	21,8	47,7	Yes	
			4.7.2014	10:45	22,1	47,8	21,9	48,2	Yes	
			4.7.2014	11:00	22,2	53,3	22,0	50,3	Yes	
			4.7.2014	11:15	22,5	49,6	22,3	50,9	Yes	
			4.7.2014	11:30	22,4	47,3	22,3	49,5	Yes	
			4.7.2014	11:45	22,2	46,5	22,3	49,2	Yes	
			PHI_14_I0670	4.7.2014	12:00	22	45,9	22,3	47,3	Yes
				4.7.2014	12:15	21,9	46,2	22,1	46,5	Yes
				4.7.2014	12:30	21,9	45,9	22,0	46,1	Yes
				4.7.2014	12:45	21,9	45,6	21,9	45,9	Yes
				4.7.2014	13:00	21,8	45,4	21,9	45,8	Yes
				4.7.2014	13:15	21,7	45,3	21,8	45,6	Yes
				4.7.2014	13:30	21,7	46	21,8	45,6	Yes
				4.7.2014	13:45	21,5	48,4	21,7	46,3	Yes
				4.7.2014	14:00	21,9	56,1	21,7	49,0	Yes
				4.7.2014	14:15	22,3	55,9	21,9	51,6	Yes
				4.7.2014	14:30	22,6	55,3	22,1	53,9	Yes
				4.7.2014	14:45	22,3	58,4			No
				4.7.2014	15:00	22,7	57,2			No

TYPE OF TEST: ISO 19752

4.7.2014	15:15	22,2	50,5		No
4.7.2014	15:30	22,3	59		No
4.7.2014	15:45	22,6	59,4		No
4.7.2014	16:00	22,4	52,5		No
4.7.2014	16:15	22,5	60,3		No
4.7.2014	16:30	22,7	58,8		No
4.7.2014	16:45	22,2	51,3		No
4.7.2014	17:00	22,3	60		No
4.7.2014	17:15	22,6	60,7		No
4.7.2014	17:30	22,6	54,1		No
4.7.2014	17:45	22,3	59		No
4.7.2014	18:00	22,5	61,4		No
4.7.2014	18:15	22,8	58,5		No
4.7.2014	18:30	22,3	57		No
4.7.2014	18:45	22,5	61,4		No
4.7.2014	19:00	22,8	61		No
4.7.2014	19:15	22,5	53,1		No
4.7.2014	19:30	22,4	61		No
4.7.2014	19:45	22,7	61,6		No
4.7.2014	20:00	22,7	54,7		No
4.7.2014	20:15	22,4	60,7		No
4.7.2014	20:30	22,7	62		No
4.7.2014	20:45	22,8	58,1		No
4.7.2014	21:00	22,4	59,9		No
4.7.2014	21:15	22,6	62,3		No
4.7.2014	21:30	22,8	60,3		No
4.7.2014	21:45	22,4	56,9		No
4.7.2014	22:00	22,5	62,4		No
4.7.2014	22:15	22,7	62,2		No
4.7.2014	22:30	22,8	58,3		No
4.7.2014	22:45	22,4	60,7		No
4.7.2014	23:00	22,6	62,6		No
4.7.2014	23:15	22,8	61,3		No
4.7.2014	23:30	22,5	56,6		No
4.7.2014	23:45	22,6	62,6		No
5.7.2014	0:00	22,7	61,3		No
5.7.2014	0:15	22,8	55,8		No
5.7.2014	0:30	22,4	61		No
5.7.2014	0:45	22,6	62		No
5.7.2014	1:00	22,8	60,5		No
5.7.2014	1:15	22,9	60,5		No
5.7.2014	1:30	22,5	59,5		No
5.7.2014	1:45	22,6	61,9		No
5.7.2014	2:00	22,7	60,4		No
5.7.2014	2:15	22,9	60,3		No
5.7.2014	2:30	22,4	59,1		No
5.7.2014	2:45	22,6	62		No
5.7.2014	3:00	22,7	60,3		No
5.7.2014	3:15	22,8	59,9		No
5.7.2014	3:30	22,4	60,2		No
5.7.2014	3:45	22,6	62		No
5.7.2014	4:00	22,7	60,1		No
5.7.2014	4:15	22,8	59,8		No
5.7.2014	4:30	22,4	59,4		No
5.7.2014	4:45	22,5	62,2		No
5.7.2014	5:00	22,7	60,9		No
5.7.2014	5:15	22,8	60,9		No
5.7.2014	5:30	22,5	55,1		No
5.7.2014	5:45	22,5	62		No
5.7.2014	6:00	22,7	60,6		No
5.7.2014	6:15	22,8	60,4		No
5.7.2014	6:30	22,5	54,8		No
5.7.2014	6:45	22,5	62,1		No
5.7.2014	7:00	22,6	60,8		No
5.7.2014	7:15	22,7	60,4		No
5.7.2014	7:30	22,5	54		No
5.7.2014	7:45	22,4	61,9		No
5.7.2014	8:00	22,6	61,3		No
5.7.2014	8:15	22,7	61,3		No
5.7.2014	8:30	22,7	56,3		No
5.7.2014	8:45	22,5	61,3		No
5.7.2014	9:00	22,6	61,4		No
5.7.2014	9:15	22,7	61,1		No
5.7.2014	9:30	22,7	55,4		No
5.7.2014	9:45	22,5	61,6		No
5.7.2014	10:00	22,6	61,3		No
5.7.2014	10:15	22,8	61,2		No
5.7.2014	10:30	22,6	54,4		No
5.7.2014	10:45	22,5	62,1		No
5.7.2014	11:00	22,7	62		No
5.7.2014	11:15	22,8	58,3		No
5.7.2014	11:30	22,4	61,6		No
5.7.2014	11:45	22,6	63,2		No
5.7.2014	12:00	22,8	61,9		No
5.7.2014	12:15	22,3	57,3		No
5.7.2014	12:30	22,4	63,3		No

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A	N/A	5.7.2014	12:45	22,6	63,6			No
		5.7.2014	13:00	22,8	62,6			No
		5.7.2014	13:15	22,4	60,7			No
		5.7.2014	13:30	22,6	63,7			No
		5.7.2014	13:45	22,7	63,3			No
		5.7.2014	14:00	22,6	56,6			No
		5.7.2014	14:15	22,5	62,9			No
		5.7.2014	14:30	22,7	64			No
		5.7.2014	14:45	22,8	59,9			No
		5.7.2014	15:00	22,4	61,7			No
		5.7.2014	15:15	22,6	64,3			No
		5.7.2014	15:30	22,8	61,6			No
		5.7.2014	15:45	22,4	60,5			No
		5.7.2014	16:00	22,6	64,6			No
		5.7.2014	16:15	22,8	64,6			No
		5.7.2014	16:30	22,4	55			No
		5.7.2014	16:45	22,5	63,5			No
		5.7.2014	17:00	22,8	64,9			No
		5.7.2014	17:15	22,6	55,6			No
		5.7.2014	17:30	22,5	63,1			No
		5.7.2014	17:45	22,7	65,2			No
		5.7.2014	18:00	22,7	57,1			No
		5.7.2014	18:15	22,2	58,8			No
		5.7.2014	18:30	22,5	63,4			No
		5.7.2014	18:45	22,7	64,5			No
		5.7.2014	19:00	22,7	57			No
		5.7.2014	19:15	22,3	61,5			No
		5.7.2014	19:30	22,6	64,5			No
		5.7.2014	19:45	22,8	64			No
		5.7.2014	20:00	22,4	58,4			No
		5.7.2014	20:15	22,5	63,9			No
		5.7.2014	20:30	22,7	64,7			No
		5.7.2014	20:45	22,7	58,1			No
		5.7.2014	21:00	22,4	61,8			No
		5.7.2014	21:15	22,6	64,7			No
		5.7.2014	21:30	22,8	64,5			No
		5.7.2014	21:45	22,5	55,4			No
		5.7.2014	22:00	22,5	63,4			No
		5.7.2014	22:15	22,7	64,7			No
		5.7.2014	22:30	22,9	64,2			No
		5.7.2014	22:45	22,4	57,2			No
		5.7.2014	23:00	22,5	63,8			No
		5.7.2014	23:15	22,7	65			No
		5.7.2014	23:30	22,8	64,2			No
		5.7.2014	23:45	22,4	57,2			No
		6.7.2014	0:00	22,5	64			No
		6.7.2014	0:15	22,7	64,6			No
		6.7.2014	0:30	22,8	63,9			No
		6.7.2014	0:45	22,4	57,8			No
		6.7.2014	1:00	22,5	64			No
		6.7.2014	1:15	22,6	64,6			No
		6.7.2014	1:30	22,8	64			No
		6.7.2014	1:45	22,5	55,7			No
		6.7.2014	2:00	22,5	63,8			No
		6.7.2014	2:15	22,6	64,7			No
		6.7.2014	2:30	22,8	64			No
		6.7.2014	2:45	22,6	55,8			No
		6.7.2014	3:00	22,4	63			No
		6.7.2014	3:15	22,6	64,8			No
		6.7.2014	3:30	22,7	64,2			No
		6.7.2014	3:45	22,9	63,5			No
		6.7.2014	4:00	22,4	61,6			No
		6.7.2014	4:15	22,5	64,6			No
		6.7.2014	4:30	22,7	64,3			No
		6.7.2014	4:45	22,8	63,3			No
		6.7.2014	5:00	22,6	55,1			No
		6.7.2014	5:15	22,5	63,6			No
		6.7.2014	5:30	22,7	64,4			No
		6.7.2014	5:45	22,8	63,9			No
		6.7.2014	6:00	22,5	55,7	22,6	61,9	Yes
		6.7.2014	6:15	22,4	64	22,6	62,0	Yes
		6.7.2014	6:30	22,6	65	22,6	62,2	Yes
		6.7.2014	6:45	22,8	64	22,6	62,2	Yes
		6.7.2014	7:00	22,6	57,2	22,6	62,6	Yes
		6.7.2014	7:15	22,5	63,5	22,6	62,4	Yes
		6.7.2014	7:30	22,6	64,9	22,6	62,4	Yes
		6.7.2014	7:45	22,8	64,4	22,6	62,5	Yes
		6.7.2014	8:00	22,6	57,6	22,6	62,6	Yes
		6.7.2014	8:15	22,4	63,6	22,6	62,6	Yes
		6.7.2014	8:30	22,6	65,3	22,6	62,7	Yes
		6.7.2014	8:45	22,8	64,9	22,6	62,9	Yes
		6.7.2014	9:00	22,7	58,6	22,6	63,1	Yes
		6.7.2014	9:15	22,4	63,1	22,6	63,0	Yes
		6.7.2014	9:30	22,6	65,8	22,6	63,1	Yes
		6.7.2014	9:45	22,8	65,5	22,6	63,3	Yes
		6.7.2014	10:00	22,7	58,3	22,6	63,2	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

		6.7.2014	10:15	22,4	63,2	22,6	63,2	Yes
		6.7.2014	10:30	22,6	65,8	22,6	63,2	Yes
		6.7.2014	10:45	22,8	65,9	22,6	63,3	Yes
		6.7.2014	11:00	22,6	57,6	22,6	63,1	Yes
		6.7.2014	11:15	22,5	64,1	22,6	63,4	Yes
		6.7.2014	11:30	22,7	66,4	22,7	63,5	Yes
		6.7.2014	11:45	22,9	66,2	22,7	63,6	Yes
		6.7.2014	12:00	22,5	56,6	22,7	63,3	Yes
		6.7.2014	12:15	22,5	64,2	22,7	63,4	Yes
		6.7.2014	12:30	22,7	66,7	22,7	63,4	Yes
		6.7.2014	12:45	22,9	64,4	22,7	63,0	Yes
		6.7.2014	13:00	22,4	58,4	22,6	63,4	Yes
		6.7.2014	13:15	22,6	65,2	22,7	63,7	Yes
		6.7.2014	13:30	22,8	66,8	22,7	63,7	Yes
		6.7.2014	13:45	22,6	57,4	22,6	62,0	Yes
		6.7.2014	14:00	22,3	60,2	22,6	62,4	Yes
		6.7.2014	14:15	22,5	65	22,6	62,4	Yes
		6.7.2014	14:30	22,8	66,3	22,6	62,2	Yes
		6.7.2014	14:45	22,6	56,3	22,6	62,0	Yes
		6.7.2014	15:00	22,2	54,5	22,5	60,5	Yes
		6.7.2014	15:15	22,1	60,5	22,4	59,4	Yes
		6.7.2014	15:30	22,5	64,5	22,4	59,0	Yes
		6.7.2014	15:45	22,8	65,1	22,4	61,2	Yes
		6.7.2014	16:00	22,4	55,6	22,5	61,4	Yes
		6.7.2014	16:15	22,1	53,5	22,5	59,7	Yes
		6.7.2014	16:30	22,1	61	22,4	58,8	Yes
		6.7.2014	16:45	22,5	64,1	22,3	58,6	Yes
		6.7.2014	17:00	22,7	59,1	22,4	59,4	Yes
		6.7.2014	17:15	22,3	54,1	22,4	59,6	Yes
		6.7.2014	17:30	22	54,5	22,4	58,0	Yes
		6.7.2014	17:45	22,4	62,3	22,4	57,5	Yes
		6.7.2014	18:00	22,7	64,1	22,4	58,8	Yes
		6.7.2014	18:15	22,4	54,8	22,4	58,9	Yes
		6.7.2014	18:30	22	52,7	22,4	58,5	Yes
		6.7.2014	18:45	22	59,3	22,3	57,7	Yes
		6.7.2014	19:00	22,4	62,7	22,2	57,4	Yes
		6.7.2014	19:15	22,7	61,5	22,3	59,1	Yes
		6.7.2014	19:30	22,3	54,1	22,4	59,4	Yes
		6.7.2014	19:45	22,1	59,1	22,4	59,4	Yes
		6.7.2014	20:00	22,5	63,3	22,4	59,5	Yes
		6.7.2014	20:15	22,9	62,9	22,5	59,9	Yes
		6.7.2014	20:30	22,4	57,7	22,5	60,8	Yes
		6.7.2014	20:45	22,7	63,5	22,6	61,9	Yes
		6.7.2014	21:00	23	60,6	22,8	61,2	Yes
		6.7.2014	21:15	22,4	55,8	22,6	59,4	Yes
		6.7.2014	21:30	22,6	62,8	22,7	60,7	Yes
		6.7.2014	21:45	22,9	64,3	22,7	60,9	Yes
		6.7.2014	22:00	22,5	54,2	22,6	59,3	Yes
		6.7.2014	22:15	22,5	62,2	22,6	60,9	Yes
		6.7.2014	22:30	22,8	64,2	22,7	61,2	Yes
		6.7.2014	22:45	22,7	55,9	22,6	59,1	Yes
		6.7.2014	23:00	22,5	62	22,6	61,1	Yes
		6.7.2014	23:15	22,8	64,4	22,7	61,6	Yes
		6.7.2014	23:30	22,8	57,5	22,7	60,0	Yes
		6.7.2014	23:45	22,4	60,5	22,6	61,1	Yes
		7.7.2014	0:00	22,7	64	22,7	61,6	Yes
		7.7.2014	0:15	22,9	64,3	22,7	61,6	Yes
		7.7.2014	0:30	22,4	54,3	22,6	60,8	Yes
		7.7.2014	0:45	22,5	62,8	22,6	61,4	Yes
		7.7.2014	1:00	22,8	64,1	22,7	61,4	Yes
		7.7.2014	1:15	22,9	60,2	22,7	60,4	Yes
		7.7.2014	1:30	22,4	60,7	22,7	62,0	Yes
		7.7.2014	1:45	22,6	64	22,7	62,3	Yes
		7.7.2014	2:00	22,9	64	22,7	62,2	Yes
		7.7.2014	2:15	22,6	55,8	22,6	61,1	Yes
		7.7.2014	2:30	22,5	62,9	22,7	61,7	Yes
		7.7.2014	2:45	22,7	64,1	22,7	61,7	Yes
		7.7.2014	3:00	22,9	63,5	22,7	61,6	Yes
		7.7.2014	3:15	22,5	60	22,7	62,6	Yes
		7.7.2014	3:30	22,6	64	22,7	62,9	Yes
		7.7.2014	3:45	22,9	63,6	22,7	62,8	Yes
		7.7.2014	4:00	22,6	55,3	22,7	60,7	Yes
		7.7.2014	4:15	22,5	62,3	22,7	61,3	Yes
		7.7.2014	4:30	22,7	63,9	22,7	61,3	Yes
		7.7.2014	4:45	22,7	56	22,6	59,4	Yes
		7.7.2014	5:00	22,5	52,2	22,6	58,6	Yes
		7.7.2014	5:15	22,6	60,2	22,6	58,1	Yes
		7.7.2014	5:30	22,6	52	22,6	55,1	Yes
		7.7.2014	5:45	22,5	50,1	22,6	53,6	Yes
		7.7.2014	6:00	22,5	49,8	22,6	53,0	Yes
		7.7.2014	6:15	22,5	49	22,5	50,2	Yes
		7.7.2014	6:30	22,5	49,1	22,5	49,5	Yes
		7.7.2014	6:45	22,5	48,5	22,5	49,1	Yes
		7.7.2014	7:00	22,6	49	22,5	48,9	Yes
		7.7.2014	7:15	22,8	49,5	22,6	49,0	Yes
		7.7.2014	7:30	22,8	48,2	22,7	48,8	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

	PHI_14	PHI_14_I0666	PHI_14_I0670	7.7.2014	7:45	22,9	48,5	22,8	48,8	Yes
	7.7.2014			8:00	22,9	48	22,9	48,6	Yes	
				7.7.2014	8:15	23	48,4	22,9	48,3	Yes
				7.7.2014	8:30	23,2	49,8	23,0	48,7	Yes
				7.7.2014	8:45	23,3	49,5	23,1	48,9	Yes
				7.7.2014	9:00	23,3	49	23,2	49,2	Yes
				7.7.2014	9:15	23,3	48,5	23,3	49,2	Yes
				7.7.2014	9:30	23,3	49,1	23,3	49,0	Yes
				7.7.2014	9:45	23,4	48,9	23,3	48,9	Yes
				7.7.2014	10:00	23,5	48,9	23,4	48,9	Yes
				7.7.2014	10:15	23,6	49,2	23,5	49,0	Yes
				7.7.2014	10:30	23,6	48,5	23,5	48,9	Yes
				7.7.2014	10:45	23,5	48,6	23,6	48,8	Yes
				7.7.2014	11:00	23,5	48,3	23,6	48,7	Yes
				7.7.2014	11:15	23,4	47,9	23,5	48,3	Yes
				7.7.2014	11:30	23,3	48,1	23,4	48,2	Yes
				7.7.2014	11:45	23,5	50,2	23,4	48,6	Yes
				7.7.2014	12:00	23,7	50,2	23,5	49,1	Yes
				7.7.2014	12:15	23,9	50,5	23,6	49,8	Yes
				7.7.2014	12:30	24,1	49,7	23,8	50,2	Yes
				7.7.2014	12:45	24,2	48,8	24,0	49,8	Yes
				7.7.2014	13:00	24,2	48	24,1	49,3	Yes
				7.7.2014	13:15	24,3	49,4	24,2	49,0	Yes
				7.7.2014	13:30	24,4	48,8	24,3	48,8	Yes
				7.7.2014	13:45	24,2	47,4	24,3	48,4	Yes
				7.7.2014	14:00	23,9	47,3	24,2	48,2	Yes
				7.7.2014	14:15	23,5	47,6	24,0	47,8	Yes
				7.7.2014	14:30	23,3	47,5	23,7	47,5	Yes
				7.7.2014	14:45	23	47,4	23,4	47,5	Yes
				7.7.2014	15:00	22,8	47,6	23,2	47,5	Yes
				7.7.2014	15:15	22,5	47,9	22,9	47,6	Yes
				7.7.2014	15:30	22,3	47,8	22,7	47,7	Yes
				7.7.2014	15:45	22,2	48,1	22,5	47,9	Yes
				7.7.2014	16:00	22	47,9	22,3	47,9	Yes
				7.7.2014	16:15	22	53,7	22,1	49,4	Yes
				7.7.2014	16:30	22,5	57,6	22,2	51,8	Yes
				7.7.2014	16:45	22,6	50,9	22,3	52,5	Yes
				7.7.2014	17:00	22,3	49,1	22,4	52,8	Yes
				7.7.2014	17:15	22,1	53,2	22,4	52,7	Yes
				7.7.2014	17:30	22,6	58,9	22,4	53,0	Yes
				7.7.2014	17:45	22,9	54,3	22,5	53,9	Yes
				7.7.2014	18:00	22,4	50,1	22,5	54,1	Yes
				7.7.2014	18:15	22,2	49,7	22,5	53,3	Yes
				7.7.2014	18:30	22,2	57,7	22,4	53,0	Yes
				7.7.2014	18:45	22,7	59,4	22,4	54,2	Yes
				7.7.2014	19:00	22,7	52,8	22,5	54,9	Yes
				7.7.2014	19:15	22,3	50,5	22,5	55,1	Yes
				7.7.2014	19:30	22	54,4	22,4	54,3	Yes
				7.7.2014	19:45	22,5	59,7	22,4	54,4	Yes
				7.7.2014	20:00	22,8	56	22,4	55,2	Yes
				7.7.2014	20:15	22,3	51,8	22,4	55,5	Yes
				7.7.2014	20:30	22,6	60,2	22,6	56,9	Yes
				7.7.2014	20:45	22,8	56,5	22,6	56,1	Yes
				7.7.2014	21:00	22,3	53,9	22,5	55,6	Yes
				7.7.2014	21:15	22,6	60,5	22,6	57,8	Yes
				7.7.2014	21:30	22,9	58	22,7	57,2	Yes
				7.7.2014	21:45	22,4	53,3	22,6	56,4	Yes
				7.7.2014	22:00	22,6	60,6	22,6	58,1	Yes
				7.7.2014	22:15	22,9	58,8	22,7	57,7	Yes
				7.7.2014	22:30	22,4	56,9	22,6	57,4	Yes
				7.7.2014	22:45	22,8	61,5	22,7	59,5	Yes
				7.7.2014	23:00	22,9	56,9	22,8	58,5	Yes
				7.7.2014	23:15	22,6	59,8	22,7	58,8	Yes
				7.7.2014	23:30	22,9	62,1	22,8	60,1	Yes
				7.7.2014	23:45	22,6	53,1	22,8	58,0	Yes
				8.7.2014	0:00	22,6	60,9	22,7	59,0	Yes
				8.7.2014	0:15	22,9	62,4	22,8	59,6	Yes
				8.7.2014	0:30	22,5	55,8	22,7	58,1	Yes
				8.7.2014	0:45	22,8	62,1	22,7	60,3	Yes
				8.7.2014	1:00	22,9	58,6	22,8	59,7	Yes
				8.7.2014	1:15	22,5	58,8	22,7	58,8	Yes
				8.7.2014	1:30	22,8	62,4	22,8	60,5	Yes
				8.7.2014	1:45	22,9	58,4	22,8	59,6	Yes
				8.7.2014	2:00	22,5	59,8	22,7	59,9	Yes
				8.7.2014	2:15	22,8	62,8	22,8	60,9	Yes
				8.7.2014	2:30	22,9	57,1	22,8	59,5	Yes
				8.7.2014	2:45	22,6	60,8	22,7	60,1	Yes
				8.7.2014	3:00	22,9	63,1	22,8	61,0	Yes
				8.7.2014	3:15	22,8	56,2	22,8	59,3	Yes
				8.7.2014	3:30	22,5	60,6	22,7	60,2	Yes
				8.7.2014	3:45	22,8	63,2	22,8	60,8	Yes
				8.7.2014	4:00	22,8	56,8	22,7	59,2	Yes
				8.7.2014	4:15	22,5	60,3	22,7	60,2	Yes
				8.7.2014	4:30	22,8	63,1	22,7	60,9	Yes
				8.7.2014	4:45	22,9	55,5	22,8	58,9	Yes
				8.7.2014	5:00	22.7	52.3	22.7	57.8	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

PHI_14_I0662	PHI_14_I0666	PHI_14_I0670	8.7.2014	5:15	22,6	51	22,8	55,5	Yes
			8.7.2014	5:30	22,6	50,5	22,7	52,3	Yes
			8.7.2014	5:45	22,7	50	22,7	51,0	Yes
			8.7.2014	6:00	22,8	49,6	22,7	50,3	Yes
			8.7.2014	6:15	22,8	48,7	22,7	49,7	Yes
			8.7.2014	6:30	22,8	48	22,8	49,1	Yes
			8.7.2014	6:45	22,7	47,5	22,8	48,5	Yes
			8.7.2014	7:00	22,7	47,2	22,8	47,9	Yes
			8.7.2014	7:15	22,7	47,1	22,7	47,5	Yes
			8.7.2014	7:30	22,7	46,7	22,7	47,1	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	7:45	22,7	47,3	22,7	47,1	Yes
			8.7.2014	8:00	22,8	47,7	22,7	47,2	Yes
			8.7.2014	8:15	22,9	47,4	22,8	47,3	Yes
			8.7.2014	8:30	22,8	46,7	22,8	47,3	Yes
			8.7.2014	8:45	22,8	46,9	22,8	47,2	Yes
			8.7.2014	9:00	22,9	48,1	22,9	47,3	Yes
			8.7.2014	9:15	22,9	48,1	22,9	47,5	Yes
			8.7.2014	9:30	22,8	48,1	22,9	47,8	Yes
			8.7.2014	9:45	22,8	47,7	22,9	48,0	Yes
			8.7.2014	10:00	22,7	48,3	22,8	48,1	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	10:15	22,7	47,7	22,8	48,0	Yes
			8.7.2014	10:30	22,6	47,4	22,7	47,8	Yes
			8.7.2014	10:45	22,6	47,6	22,7	47,8	Yes
			8.7.2014	11:00	22,7	48,1	22,7	47,7	Yes
			8.7.2014	11:15	22,6	47,3	22,6	47,6	Yes
			8.7.2014	11:30	22,5	47,5	22,6	47,6	Yes
			8.7.2014	11:45	22,5	48,5	22,6	47,9	Yes
			8.7.2014	12:00	22,6	48,3	22,6	47,9	Yes
			8.7.2014	12:15	22,6	48	22,6	48,1	Yes
			8.7.2014	12:30	22,8	49,3	22,6	48,5	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	12:45	23	49,2	22,8	48,7	Yes
			8.7.2014	13:00	23	49	22,9	48,9	Yes
			8.7.2014	13:15	23,2	49,3	23,0	49,2	Yes
			8.7.2014	13:30	23,2	49,3	23,1	49,2	Yes
			8.7.2014	13:45	23,1	48,4	23,1	49,0	Yes
			8.7.2014	14:00	22,9	47,9	23,1	48,7	Yes
			8.7.2014	14:15	22,6	48,3	23,0	48,5	Yes
			8.7.2014	14:30	22,3	48,5	22,7	48,3	Yes
			8.7.2014	14:45	22,1	47,6	22,5	48,1	Yes
			8.7.2014	15:00	21,8	47,5	22,2	48,0	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	15:15	21,9	56	22,0	49,9	Yes
			8.7.2014	15:30	22,5	57,9	22,1	52,3	Yes
			8.7.2014	15:45	22,4	51,1	22,2	53,1	Yes
			8.7.2014	16:00	22,5	58,6	22,3	55,9	Yes
			8.7.2014	16:15	22,8	56,1	22,6	55,9	Yes
			8.7.2014	16:30	22,3	49,2	22,5	53,8	Yes
			8.7.2014	16:45	22	53,5	22,4	54,4	Yes
			8.7.2014	17:00	22,3	59,7	22,4	54,6	Yes
			8.7.2014	17:15	22,8	60	22,4	55,6	Yes
			8.7.2014	17:30	22,3	50,6	22,4	56,0	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	17:45	22,1	55,8	22,4	56,5	Yes
			8.7.2014	18:00	22,5	60,3	22,4	56,7	Yes
			8.7.2014	18:15	22,7	55,4	22,4	55,5	Yes
			8.7.2014	18:30	22,1	50,2	22,4	55,4	Yes
			8.7.2014	18:45	22,4	60,7	22,4	56,7	Yes
			8.7.2014	19:00	22,9	62,2	22,5	57,1	Yes
			8.7.2014	19:15	22,3	52,1	22,4	56,3	Yes
			8.7.2014	19:30	22,6	61,3	22,6	59,1	Yes
			8.7.2014	19:45	23	61	22,7	59,2	Yes
			8.7.2014	20:00	22,4	51,6	22,6	56,5	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	20:15	22,5	61,1	22,6	58,8	Yes
			8.7.2014	20:30	22,8	62,7	22,7	59,1	Yes
			8.7.2014	20:45	22,6	53,7	22,6	57,3	Yes
			8.7.2014	21:00	22,4	59,9	22,6	59,4	Yes
			8.7.2014	21:15	22,8	62,7	22,7	59,8	Yes
			8.7.2014	21:30	22,7	55,3	22,6	57,9	Yes
			8.7.2014	21:45	22,4	60,1	22,6	59,5	Yes
			8.7.2014	22:00	22,7	63,3	22,7	60,4	Yes
			8.7.2014	22:15	22,9	58,6	22,7	59,3	Yes
			8.7.2014	22:30	22,4	59,1	22,6	60,3	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	8.7.2014	22:45	22,7	63	22,7	61,0	Yes
			8.7.2014	23:00	22,9	61,3	22,7	60,5	Yes
			8.7.2014	23:15	22,4	58,7	22,6	60,5	Yes
			8.7.2014	23:30	22,7	63,5	22,7	61,6	Yes
			8.7.2014	23:45	22,9	64,2	22,7	61,9	Yes
			9.7.2014	0:00	22,4	55	22,6	60,4	Yes
			9.7.2014	0:15	22,6	62,5	22,7	61,3	Yes
			9.7.2014	0:30	22,8	63,9	22,7	61,4	Yes
			9.7.2014	0:45	22,6	54,6	22,6	59,0	Yes
			9.7.2014	1:00	22,4	61,5	22,6	60,6	Yes
PHI_14_I0662	PHI_14_I0666	PHI_14_I0667	9.7.2014	1:15	22,7	64	22,6	61,0	Yes
			9.7.2014	1:30	22,9	63,7	22,7	61,0	Yes
			9.7.2014	1:45	22,3	58,4	22,6	61,9	Yes
			9.7.2014	2:00	22,6	63,5	22,6	62,4	Yes
			9.7.2014	2:15	22,8	64,1	22,7	62,4	Yes
			9.7.2014	2:30	22,7	56,9	22,6	60,7	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

PHI_14_I0662	PHI_14_I0667	9.7.2014	2:45	22,4	61,6	22,6	61,5	Yes
		9.7.2014	3:00	22,7	64,3	22,7	61,7	Yes
		9.7.2014	3:15	22,9	64,1	22,7	61,7	Yes
		9.7.2014	3:30	22,5	54,6	22,6	61,2	Yes
		9.7.2014	3:45	22,5	63,2	22,7	61,6	Yes
		9.7.2014	4:00	22,7	64,7	22,7	61,7	Yes
		9.7.2014	4:15	22,9	64,2	22,7	61,7	Yes
		9.7.2014	4:30	22,4	58,1	22,6	62,6	Yes
		9.7.2014	4:45	22,8	63,9	22,7	62,7	Yes
		9.7.2014	5:00	22,6	52,5	22,7	59,7	Yes
		9.7.2014	5:15	22,3	50,7	22,5	56,3	Yes
		9.7.2014	5:30	22,2	51,2	22,5	54,6	Yes
		9.7.2014	5:45	22,7	53,7	22,5	52,0	Yes
		9.7.2014	6:00	22,6	50,4	22,5	51,5	Yes
		9.7.2014	6:15	22,5	49,2	22,5	51,1	Yes
		9.7.2014	6:30	22,5	48	22,6	50,3	Yes
		9.7.2014	6:45	22,5	47,7	22,5	48,8	Yes
		9.7.2014	7:00	22,4	47,1	22,5	48,0	Yes
		9.7.2014	7:15	22,3	47,3	22,4	47,5	Yes
		9.7.2014	7:30	22,3	46,5	22,4	47,2	Yes
		9.7.2014	7:45	22,2	46,1	22,3	46,8	Yes
		9.7.2014	8:00	22	45,7	22,2	46,4	Yes
		9.7.2014	8:15	22	46,2	22,1	46,1	Yes
		9.7.2014	8:30	22	45,5	22,1	45,9	Yes
PHI_14_I0663	PHI_14_I0667	9.7.2014	8:45	21,9	45,1	22,0	45,6	Yes
		9.7.2014	9:00	22,1	46,2	22,0	45,8	Yes
		9.7.2014	9:15	22,4	54,8	22,1	47,9	Yes
		9.7.2014	9:30	22,5	47,3	22,2	48,4	Yes
		9.7.2014	9:45	22,3	45,8	22,3	48,5	Yes
		9.7.2014	10:00	22,1	45,1	22,3	48,3	Yes
		9.7.2014	10:15	22	45,3	22,2	45,9	Yes
		9.7.2014	10:30	21,9	45,1	22,1	45,3	Yes
		9.7.2014	10:45	21,8	44,8	22,0	45,1	Yes
		9.7.2014	11:00	21,7	44,7	21,9	45,0	Yes
		9.7.2014	11:15	21,6	44,6	21,8	44,8	Yes
		9.7.2014	11:30	21,6	45	21,7	44,8	Yes
N/A	N/A	9.7.2014	11:45	21,8	51,5	21,7	46,5	Yes
		9.7.2014	12:00	22,4	50,7	21,9	48,0	Yes
		9.7.2014	12:15	22,3	47	22,0	48,6	Yes
		9.7.2014	12:30	22,2	45,5	22,2	48,7	Yes
		9.7.2014	12:45	22	44,9	22,2	47,0	Yes
		9.7.2014	13:00	21,9	44,9	22,1	45,6	Yes
		9.7.2014	13:15	21,8	44,8	22,0	45,0	Yes
		9.7.2014	13:30	22,4	56,3	22,0	47,7	Yes
		9.7.2014	13:45	22,3	47,9	22,1	48,5	Yes
		9.7.2014	14:00	22,1	54,1	22,2	50,8	Yes
		9.7.2014	14:15	22,4	57,4	22,3	53,9	Yes
		9.7.2014	14:30	22,7	57,9	22,4	54,3	Yes
		9.7.2014	14:45	22,9	55,3	22,5	56,2	Yes
		9.7.2014	15:00	22,4	56,1	22,6	56,7	Yes
		9.7.2014	15:15	22,6	59,2	22,7	57,1	Yes
		9.7.2014	15:30	22,8	58,5	22,7	57,3	Yes
		9.7.2014	15:45	22,9	55	22,7	57,2	Yes
		9.7.2014	16:00	22,5	59	22,7	57,9	Yes
		9.7.2014	16:15	22,7	60,5	22,7	58,3	Yes
		9.7.2014	16:30	22,9	59,4	22,8	58,5	Yes
		9.7.2014	16:45	22,5	58,1	22,7	59,3	Yes
		9.7.2014	17:00	22,7	61	22,7	59,8	Yes
		9.7.2014	17:15	22,9	59,8	22,8	59,6	Yes
		9.7.2014	17:30	22,5	57,1	22,7	59,0	Yes
		9.7.2014	17:45	22,6	61,1	22,7	59,8	Yes
		9.7.2014	18:00	22,8	60,7	22,7	59,7	Yes
		9.7.2014	18:15	22,7	54,3	22,7	58,3	Yes
		9.7.2014	18:30	22,6	60,4	22,7	59,1	Yes
		9.7.2014	18:45	22,8	61,3	22,7	59,2	Yes
		9.7.2014	19:00	23	58,9	22,8	58,7	Yes
		9.7.2014	19:15	22,5	59,4	22,7	60,0	Yes
		9.7.2014	19:30	22,7	61,6	22,8	60,3	Yes
		9.7.2014	19:45	22,9	60,5	22,8	60,1	Yes
		9.7.2014	20:00	22,8	55,4	22,7	59,2	Yes
		9.7.2014	20:15	22,6	61,2	22,8	59,7	Yes
		9.7.2014	20:30	22,8	61,9	22,8	59,8	Yes
		9.7.2014	20:45	22,9	60,6	22,8	59,8	Yes
		9.7.2014	21:00	22,5	59,6	22,7	60,8	Yes
		9.7.2014	21:15	22,7	62	22,7	61,0	Yes
		9.7.2014	21:30	22,8	61,1	22,7	60,8	Yes
		9.7.2014	21:45	22,9	57,6	22,7	60,1	Yes
		9.7.2014	22:00	22,5	61,2	22,7	60,5	Yes
		9.7.2014	22:15	22,7	62,8	22,7	60,7	Yes
		9.7.2014	22:30	22,8	61,3	22,7	60,7	Yes
		9.7.2014	22:45	22,5	57,8	22,6	60,8	Yes
		9.7.2014	23:00	22,6	62,4	22,7	61,1	Yes
		9.7.2014	23:15	22,8	61,6	22,7	60,8	Yes
		9.7.2014	23:30	22,9	58,6	22,7	60,1	Yes
		9.7.2014	23:45	22,5	61,6	22,7	61,1	Yes
		10.7.2014	0:00	22,6	62,8	22,7	61,2	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

PHI_14_I0663	PHI_14_I0667	10.7.2014	0:15	22,8	61,3	22,7	61,1	Yes
		10.7.2014	0:30	22,8	56,7	22,7	60,6	Yes
		10.7.2014	0:45	22,5	61,5	22,7	60,6	Yes
		10.7.2014	1:00	22,6	62	22,7	60,4	Yes
		10.7.2014	1:15	22,8	61	22,7	60,3	Yes
		10.7.2014	1:30	22,7	55,6	22,7	60,0	Yes
		10.7.2014	1:45	22,5	61,9	22,7	60,1	Yes
		10.7.2014	2:00	22,6	62,4	22,7	60,2	Yes
		10.7.2014	2:15	22,8	61,1	22,7	60,3	Yes
		10.7.2014	2:30	22,8	58	22,7	60,9	Yes
		10.7.2014	2:45	22,5	61,3	22,7	60,7	Yes
		10.7.2014	3:00	22,6	62	22,7	60,6	Yes
		10.7.2014	3:15	22,7	61,3	22,7	60,7	Yes
		10.7.2014	3:30	22,8	60,7	22,7	61,3	Yes
		10.7.2014	3:45	22,5	61	22,7	61,3	Yes
		10.7.2014	4:00	22,6	61,5	22,7	61,1	Yes
		10.7.2014	4:15	22,8	60,9	22,7	61,0	Yes
		10.7.2014	4:30	22,5	57,7	22,6	60,3	Yes
		10.7.2014	4:45	22,7	60,1	22,7	60,1	Yes
		10.7.2014	5:00	22,4	52,2	22,6	57,7	Yes
		10.7.2014	5:15	22,2	49,5	22,5	54,9	Yes
		10.7.2014	5:30	22,1	48,3	22,4	52,5	Yes
		10.7.2014	5:45	22,2	57,6	22,2	51,9	Yes
		10.7.2014	6:00	22,5	53,7	22,3	52,3	Yes
		10.7.2014	6:15	22,3	49,4	22,3	52,3	Yes
		10.7.2014	6:30	22,2	48,7	22,3	52,4	Yes
		10.7.2014	6:45	22,5	57,8	22,4	52,4	Yes
		10.7.2014	7:00	22,5	49,7	22,4	51,4	Yes
		10.7.2014	7:15	22,4	48,2	22,4	51,1	Yes
		10.7.2014	7:30	22,7	56,5	22,5	53,1	Yes
		10.7.2014	7:45	22,5	48,9	22,5	50,8	Yes
		10.7.2014	8:00	22,4	48,1	22,5	50,4	Yes
		10.7.2014	8:15	22,7	56,5	22,6	52,5	Yes
		10.7.2014	8:30	22,6	47,9	22,6	50,4	Yes
		10.7.2014	8:45	22,5	47,4	22,6	50,0	Yes
		10.7.2014	9:00	22,3	46,5	22,5	49,6	Yes
		10.7.2014	9:15	22,5	56,1	22,5	49,5	Yes
		10.7.2014	9:30	22,6	47,8	22,5	49,5	Yes
		10.7.2014	9:45	22,3	47,5	22,4	49,5	Yes
		10.7.2014	10:00	22,4	53,3	22,5	51,2	Yes
		10.7.2014	10:15	22,7	50,2	22,5	49,7	Yes
		10.7.2014	10:30	22,4	49,3	22,5	50,1	Yes
		10.7.2014	10:45	22,8	52,4	22,6	51,3	Yes
		10.7.2014	11:00	22,6	46,9	22,6	49,7	Yes
		10.7.2014	11:15	22,3	46	22,5	48,7	Yes
		10.7.2014	11:30	22,4	54,1	22,5	49,9	Yes
		10.7.2014	11:45	22,7	50	22,5	49,3	Yes
		10.7.2014	12:00	22,4	47,5	22,5	49,4	Yes
		10.7.2014	12:15	22,3	47,2	22,5	49,7	Yes
		10.7.2014	12:30	22,1	46,6	22,4	47,8	Yes
		10.7.2014	12:45	21,9	45,6	22,2	46,7	Yes
		10.7.2014	13:00	22,3	55,8	22,2	48,8	Yes
		10.7.2014	13:15	22,6	49,4	22,2	49,4	Yes
		10.7.2014	13:30	22,3	46,9	22,3	49,4	Yes
		10.7.2014	13:45	22	45,9	22,3	49,5	Yes
		10.7.2014	14:00	21,9	55,6	22,2	49,5	Yes
		10.7.2014	14:15	22,4	56,6	22,2	51,3	Yes
		10.7.2014	14:30	22,6	57,5	22,2	53,9	Yes
		10.7.2014	14:45	22,8	55,6	22,4	56,3	Yes
		10.7.2014	15:00	22,4	57,8	22,6	56,9	Yes
		10.7.2014	15:15	22,6	58,5	22,6	57,4	Yes
		10.7.2014	15:30	22,8	58	22,7	57,5	Yes
		10.7.2014	15:45	22,9	54,9	22,7	57,3	Yes
		10.7.2014	16:00	22,4	57,8	22,7	57,3	Yes
		10.7.2014	16:15	22,6	58,6	22,7	57,3	Yes
		10.7.2014	16:30	22,8	58,3	22,7	57,4	Yes
		10.7.2014	16:45	22,9	57,4	22,7	58,0	Yes
		10.7.2014	17:00	22,5	58,3	22,7	58,2	Yes
		10.7.2014	17:15	22,6	59,2	22,7	58,3	Yes
		10.7.2014	17:30	22,8	58,4	22,7	58,3	Yes
		10.7.2014	17:45	22,8	55,7	22,7	57,9	Yes
		10.7.2014	18:00	22,4	59	22,7	58,1	Yes
		10.7.2014	18:15	22,6	59,7	22,7	58,2	Yes
		10.7.2014	18:30	22,8	59,5	22,7	58,5	Yes
		10.7.2014	18:45	22,8	55,6	22,7	58,5	Yes
		10.7.2014	19:00	22,5	60,3	22,7	58,8	Yes
		10.7.2014	19:15	22,7	60,7	22,7	59,0	Yes
		10.7.2014	19:30	22,8	59,8	22,7	59,1	Yes
		10.7.2014	19:45	22,8	56,1	22,7	59,2	Yes
		10.7.2014	20:00	22,5	59,8	22,7	59,1	Yes
		10.7.2014	20:15	22,7	60,8	22,7	59,1	Yes
		10.7.2014	20:30	22,8	60,2	22,7	59,2	Yes
		10.7.2014	20:45	22,8	55,1	22,7	59,0	Yes
		10.7.2014	21:00	22,4	60,9	22,7	59,3	Yes
		10.7.2014	21:15	22,6	61,5	22,7	59,4	Yes
		10.7.2014	21:30	22,7	60	22,6	59,4	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A	PHI_14_I0664	N/A	10.7.2014	21:45	22,8	60,2	22,6	60,7	Yes
			10.7.2014	22:00	22,5	55,5	22,7	59,3	Yes
			10.7.2014	22:15	22,5	61,9	22,6	59,4	Yes
			10.7.2014	22:30	22,6	60,9	22,6	59,6	Yes
			10.7.2014	22:45	22,8	60,8	22,6	59,8	Yes
			10.7.2014	23:00	22,8	59,2	22,7	60,7	Yes
			10.7.2014	23:15	22,4	60,9	22,7	60,5	Yes
			10.7.2014	23:30	22,6	61,8	22,7	60,7	Yes
			10.7.2014	23:45	22,7	60,3	22,6	60,6	Yes
			11.7.2014	0:00	22,8	60,6	22,6	60,9	Yes
			11.7.2014	0:15	22,7	55,7	22,7	59,6	Yes
			11.7.2014	0:30	22,4	61,2	22,7	59,5	Yes
			11.7.2014	0:45	22,5	61,8	22,6	59,8	Yes
			11.7.2014	1:00	22,7	60,7	22,6	59,9	Yes
			11.7.2014	1:15	22,7	60,9	22,6	61,2	Yes
			11.7.2014	1:30	22,8	60	22,7	60,9	Yes
			11.7.2014	1:45	22,5	56,5	22,7	59,5	Yes
			11.7.2014	2:00	22,5	61,8	22,6	59,8	Yes
			11.7.2014	2:15	22,6	61	22,6	59,8	Yes
			11.7.2014	2:30	22,7	61,3	22,6	60,2	Yes
			11.7.2014	2:45	22,7	60,3	22,6	61,1	Yes
			11.7.2014	3:00	22,8	61,2	22,7	61,0	Yes
			11.7.2014	3:15	22,8	57,4	22,8	60,1	Yes
			11.7.2014	3:30	22,5	61,4	22,7	60,1	Yes
			11.7.2014	3:45	22,6	61,7	22,7	60,4	Yes
			11.7.2014	4:00	22,7	61,3	22,7	60,5	Yes
			11.7.2014	4:15	22,7	60,5	22,6	61,2	Yes
			11.7.2014	4:30	22,8	60,8	22,7	61,1	Yes
			11.7.2014	4:45	22,6	53,4	22,7	59,0	Yes
			11.7.2014	5:00	22,7	57,8	22,7	58,1	Yes
			11.7.2014	5:15	22,4	50,6	22,6	55,7	Yes
			11.7.2014	5:30	22,6	59,9	22,6	55,4	Yes
			11.7.2014	5:45	22,6	53,1	22,6	55,4	Yes
			11.7.2014	6:00	22,6	60,1	22,6	55,9	Yes
			11.7.2014	6:15	22,7	52,5	22,6	56,4	Yes
			11.7.2014	6:30	22,3	49,4	22,6	53,8	Yes
			11.7.2014	6:45	22,5	59,4	22,5	55,4	Yes
			11.7.2014	7:00	22,7	52,7	22,6	53,5	Yes
			11.7.2014	7:15	22,4	49,2	22,5	52,7	Yes
			11.7.2014	7:30	22,5	57,5	22,5	54,7	Yes
			11.7.2014	7:45	22,7	52,8	22,6	53,1	Yes
			11.7.2014	8:00	22,5	49,2	22,5	52,2	Yes
			11.7.2014	8:15	22,6	56,7	22,6	54,1	Yes
			11.7.2014	8:30	22,6	48,6	22,6	51,8	Yes
			11.7.2014	8:45	22,4	53,6	22,5	52,0	Yes
			11.7.2014	9:00	22,7	51,7	22,6	52,7	Yes
			11.7.2014	9:15	22,5	48,7	22,6	50,7	Yes
			11.7.2014	9:30	22,4	47,5	22,5	50,4	Yes
			11.7.2014	9:45	22,3	47,8	22,5	48,9	Yes
			11.7.2014	10:00	22,2	47,1	22,4	47,8	Yes
			11.7.2014	10:15	22,2	47	22,3	47,4	Yes
			11.7.2014	10:30	22,3	54,3	22,3	49,1	Yes
			11.7.2014	10:45	22,6	50,6	22,3	49,8	Yes
			11.7.2014	11:00	22,4	48,2	22,4	50,0	Yes
			11.7.2014	11:15	22,7	57,1	22,5	52,6	Yes
			11.7.2014	11:30	22,6	47,7	22,6	50,9	Yes
			11.7.2014	11:45	22,4	47,4	22,5	50,1	Yes
			11.7.2014	12:00	22,3	48,1	22,5	50,1	Yes
			11.7.2014	12:15	22,3	48,4	22,4	47,9	Yes
			11.7.2014	12:30	22,3	47,3	22,3	47,8	Yes
			11.7.2014	12:45	22,1	45,8	22,3	47,4	Yes
			11.7.2014	13:00	21,9	45,1	22,2	46,7	Yes
			11.7.2014	13:15	21,8	45,1	22,0	45,8	Yes
			11.7.2014	13:30	21,8	45,4	21,9	45,4	Yes
			11.7.2014	13:45	21,5	44	21,8	44,9	Yes
			11.7.2014	14:00	21,3	48,3	21,6	45,7	Yes
			11.7.2014	14:15	21,7	54,4	21,6	48,0	Yes
			11.7.2014	14:30	22,1	54,5	21,7	50,3	Yes
			11.7.2014	14:45	22,5	54,9			No
			11.7.2014	15:00	22,7	54,7			No
			11.7.2014	15:15	22,9	55			No
			11.7.2014	15:30	22,2	48,1			No
			11.7.2014	15:45	21,9	53,4			No
			11.7.2014	16:00	22,1	57,8			No
			11.7.2014	16:15	22,4	57,7			No
			11.7.2014	16:30	22,6	57,6			No
			11.7.2014	16:45	22,8	57,6			No
			11.7.2014	17:00	22,7	53,2			No
			11.7.2014	17:15	22	52,1			No
			11.7.2014	17:30	22,2	59,1			No
			11.7.2014	17:45	22,4	59,4			No
			11.7.2014	18:00	22,6	58,8			No
			11.7.2014	18:15	22,8	58,6			No
			11.7.2014	18:30	22,9	58,4			No
			11.7.2014	18:45	22,4	50,7			No
			11.7.2014	19:00	22,2	57,3			No

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A

11.7.2014	19:15	22,4	60,4		No
11.7.2014	19:30	22,5	60,1		No
11.7.2014	19:45	22,7	59,6		No
11.7.2014	20:00	22,8	59,8		No
11.7.2014	20:15	22,8	54,8		No
11.7.2014	20:30	22,1	55,2		No
11.7.2014	20:45	22,3	60,6		No
11.7.2014	21:00	22,5	61		No
11.7.2014	21:15	22,6	60,3		No
11.7.2014	21:30	22,7	60,1		No
11.7.2014	21:45	22,8	60		No
11.7.2014	22:00	22,7	54,3		No
11.7.2014	22:15	22,2	57,4		No
11.7.2014	22:30	22,3	61,7		No
11.7.2014	22:45	22,5	61,4		No
11.7.2014	23:00	22,6	60,9		No
11.7.2014	23:15	22,7	60,5		No
11.7.2014	23:30	22,8	60,4		No
11.7.2014	23:45	22,9	60,2		No
12.7.2014	0:00	22,3	50,8		No
12.7.2014	0:15	22,2	60,3		No
12.7.2014	0:30	22,4	62,3		No
12.7.2014	0:45	22,5	61,5		No
12.7.2014	1:00	22,7	61,1		No
12.7.2014	1:15	22,7	60,8		No
12.7.2014	1:30	22,8	60,6		No
12.7.2014	1:45	22,8	60,4		No
12.7.2014	2:00	22,6	53,4		No
12.7.2014	2:15	22,1	57,8		No
12.7.2014	2:30	22,2	62,3		No
12.7.2014	2:45	22,4	62		No
12.7.2014	3:00	22,5	61,4		No
12.7.2014	3:15	22,6	61		No
12.7.2014	3:30	22,7	61		No
12.7.2014	3:45	22,7	60,7		No
12.7.2014	4:00	22,8	60,3		No
12.7.2014	4:15	22,8	60,2		No
12.7.2014	4:30	22,3	50,8		No
12.7.2014	4:45	22,2	60,5		No
12.7.2014	5:00	22,4	62,2		No
12.7.2014	5:15	22,5	61,7		No
12.7.2014	5:30	22,6	61,2		No
12.7.2014	5:45	22,7	61,1		No
12.7.2014	6:00	22,7	61,1		No
12.7.2014	6:15	22,7	60,8		No
12.7.2014	6:30	22,8	60,4		No
12.7.2014	6:45	22,8	58,6		No
12.7.2014	7:00	22,1	55,4		No
12.7.2014	7:15	22,2	61,6		No
12.7.2014	7:30	22,4	62,3		No
12.7.2014	7:45	22,5	61,8		No
12.7.2014	8:00	22,6	61,5		No
12.7.2014	8:15	22,6	61,3		No
12.7.2014	8:30	22,7	61		No
12.7.2014	8:45	22,8	60,9		No
12.7.2014	9:00	22,5	54,1		No
12.7.2014	9:15	22,1	59,6		No
12.7.2014	9:30	22,3	62,4		No
12.7.2014	9:45	22,4	62,2		No
12.7.2014	10:00	22,6	62		No
12.7.2014	10:15	22,6	61,7		No
12.7.2014	10:30	22,7	61,5		No
12.7.2014	10:45	22,8	61,4		No
12.7.2014	11:00	22,5	53,7		No
12.7.2014	11:15	22,1	58,8		No
12.7.2014	11:30	22,2	62,6		No
12.7.2014	11:45	22,4	62,9		No
12.7.2014	12:00	22,6	62,7		No
12.7.2014	12:15	22,6	62,5		No
12.7.2014	12:30	22,8	62		No
12.7.2014	12:45	22,3	59,9		No
12.7.2014	13:00	22,5	63,3		No
12.7.2014	13:15	22,6	63,1		No
12.7.2014	13:30	22,8	62,7		No
12.7.2014	13:45	22,2	52,6		No
12.7.2014	14:00	22,1	60,9		No
12.7.2014	14:15	22,3	63,6		No
12.7.2014	14:30	22,5	63,8		No
12.7.2014	14:45	22,7	63,4		No
12.7.2014	15:00	22,4	55,1		No
12.7.2014	15:15	22	58,6		No
12.7.2014	15:30	22,3	62,9		No
12.7.2014	15:45	22,5	63,9		No
12.7.2014	16:00	22,7	63,5		No
12.7.2014	16:15	22,6	57		No
12.7.2014	16:30	21,9	53,7		No

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

N/A

12.7.2014	16:45	22,1	61,7			No
12.7.2014	17:00	22,3	63,5			No
12.7.2014	17:15	22,5	63,2			No
12.7.2014	17:30	22,7	62,9			No
12.7.2014	17:45	22,4	54,3			No
12.7.2014	18:00	21,9	57,1			No
12.7.2014	18:15	22,2	62,2			No
12.7.2014	18:30	22,4	63,3			No
12.7.2014	18:45	22,6	63			No
12.7.2014	19:00	22,7	61,1			No
12.7.2014	19:15	22	51,5			No
12.7.2014	19:30	22	60,2			No
12.7.2014	19:45	22,3	62,9			No
12.7.2014	20:00	22,5	63			No
12.7.2014	20:15	22,6	62,6			No
12.7.2014	20:30	22,8	62			No
12.7.2014	20:45	22,1	51,4			No
12.7.2014	21:00	22,1	60,5			No
12.7.2014	21:15	22,3	62,9			No
12.7.2014	21:30	22,5	62,8			No
12.7.2014	21:45	22,6	62,3			No
12.7.2014	22:00	22,8	62,1			No
12.7.2014	22:15	22,7	56,9			No
12.7.2014	22:30	22	55			No
12.7.2014	22:45	22,2	61,8			No
12.7.2014	23:00	22,3	63,1			No
12.7.2014	23:15	22,5	62,5			No
12.7.2014	23:30	22,6	62			No
12.7.2014	23:45	22,7	61,7			No
13.7.2014	0:00	22,8	61,4			No
13.7.2014	0:15	22,8	58,5			No
13.7.2014	0:30	22,1	54,8			No
13.7.2014	0:45	22,2	61,9			No
13.7.2014	1:00	22,3	62,7			No
13.7.2014	1:15	22,5	62,4			No
13.7.2014	1:30	22,6	61,7			No
13.7.2014	1:45	22,7	61,4			No
13.7.2014	2:00	22,7	61,2			No
13.7.2014	2:15	22,8	60,9			No
13.7.2014	2:30	22,8	59,8			No
13.7.2014	2:45	22,1	53,4			No
13.7.2014	3:00	22,1	61,2			No
13.7.2014	3:15	22,3	62,3			No
13.7.2014	3:30	22,4	61,7			No
13.7.2014	3:45	22,5	61,5			No
13.7.2014	4:00	22,6	61,2			No
13.7.2014	4:15	22,7	60,8			No
13.7.2014	4:30	22,7	60,5			No
13.7.2014	4:45	22,7	60,4			No
13.7.2014	5:00	22,7	55,4			No
13.7.2014	5:15	22,4	59,8			No
13.7.2014	5:30	22,5	60,4			No
13.7.2014	5:45	22,6	60,4			No
13.7.2014	6:00	22,6	60	22,5	60,2	Yes
13.7.2014	6:15	22,7	59,6	22,6	60,1	Yes
13.7.2014	6:30	22,7	59,6	22,7	59,9	Yes
13.7.2014	6:45	22,8	59,4	22,7	59,7	Yes
13.7.2014	7:00	22,8	59,5	22,8	59,5	Yes
13.7.2014	7:15	22,5	53,3	22,7	58,0	Yes
13.7.2014	7:30	22,1	59,2	22,6	57,9	Yes
13.7.2014	7:45	22,3	62,1	22,4	58,5	Yes
13.7.2014	8:00	22,4	61,3	22,3	59,0	Yes
13.7.2014	8:15	22,5	61,2	22,3	61,0	Yes
13.7.2014	8:30	22,6	60,9	22,5	61,4	Yes
13.7.2014	8:45	22,7	60,7	22,6	61,0	Yes
13.7.2014	9:00	22,7	60,4	22,6	60,8	Yes
13.7.2014	9:15	22,7	57,3	22,7	59,8	Yes
13.7.2014	9:30	22,1	56,5	22,6	58,7	Yes
13.7.2014	9:45	22,2	62,1	22,4	59,1	Yes
13.7.2014	10:00	22,4	62,8	22,4	59,7	Yes
13.7.2014	10:15	22,5	62	22,3	60,9	Yes
13.7.2014	10:30	22,7	61,6	22,5	62,1	Yes
13.7.2014	10:45	22,7	61,4	22,6	62,0	Yes
13.7.2014	11:00	22,4	53,9	22,6	59,7	Yes
13.7.2014	11:15	22	59,1	22,5	59,0	Yes
13.7.2014	11:30	22,2	62,5	22,3	59,2	Yes
13.7.2014	11:45	22,4	63,2	22,3	59,7	Yes
13.7.2014	12:00	22,6	62,8	22,3	61,9	Yes
13.7.2014	12:15	22,7	62,4	22,5	62,7	Yes
13.7.2014	12:30	22,4	56,6	22,5	61,3	Yes
13.7.2014	12:45	22,5	62,8	22,6	61,2	Yes
13.7.2014	13:00	22,6	63,2	22,6	61,3	Yes
13.7.2014	13:15	22,6	57,5	22,5	60,0	Yes
13.7.2014	13:30	22,1	55,6	22,5	59,8	Yes
13.7.2014	13:45	22,3	62,1	22,4	59,6	Yes
13.7.2014	14:00	22,5	63,7	22,4	59,7	Yes

TEST REPORT

Creation date of report: 15.7.2014

Signature: hasama

TYPE OF TEST: ISO 19752

PHI_14_I0664	13.7.2014	14:15	22,7	63,4	22,4	61,2	Yes
	13.7.2014	14:30	22,3	53,4	22,5	60,7	Yes
	13.7.2014	14:45	21,9	56,2	22,4	59,2	Yes
	13.7.2014	15:00	22,2	62	22,3	58,8	Yes
	13.7.2014	15:15	22,4	63,3	22,2	58,7	Yes
	13.7.2014	15:30	22,6	63,1	22,3	61,2	Yes
	13.7.2014	15:45	22,6	56,5	22,5	61,2	Yes
	13.7.2014	16:00	22,2	61,2	22,5	61,0	Yes
	13.7.2014	16:15	22,4	64,1	22,5	61,2	Yes
	13.7.2014	16:30	22,6	64,2	22,5	61,5	Yes
	13.7.2014	16:45	22,8	62	22,5	62,9	Yes
	13.7.2014	17:00	22,2	58,9	22,5	62,3	Yes
	13.7.2014	17:15	22,4	63,9	22,5	62,3	Yes
	13.7.2014	17:30	22,6	64,7	22,5	62,4	Yes
	13.7.2014	17:45	22,8	64,1	22,5	62,9	Yes
	13.7.2014	18:00	22,5	55,1	22,6	62,0	Yes
	13.7.2014	18:15	22,3	62,3	22,6	61,6	Yes
	13.7.2014	18:30	22,5	64,8	22,5	61,6	Yes
	13.7.2014	18:45	22,7	64,7	22,5	61,7	Yes
	13.7.2014	19:00	22,8	63,2	22,6	63,8	Yes
	13.7.2014	19:15	22,2	58,3	22,6	62,8	Yes
	13.7.2014	19:30	22,4	64	22,5	62,6	Yes
	13.7.2014	19:45	22,6	64,8	22,5	62,6	Yes
	13.7.2014	20:00	22,8	64	22,5	62,8	Yes
	13.7.2014	20:15	22,4	54,5	22,6	61,8	Yes
	13.7.2014	20:30	22,3	62,3	22,5	61,4	Yes
	13.7.2014	20:45	22,5	64,9	22,5	61,4	Yes
	13.7.2014	21:00	22,6	64,8	22,5	61,6	Yes
	13.7.2014	21:15	22,8	64,1	22,6	64,0	Yes
	13.7.2014	21:30	22,8	60,4	22,7	63,6	Yes
	13.7.2014	21:45	22,2	60,2	22,6	62,4	Yes
	13.7.2014	22:00	22,4	64,4	22,6	62,3	Yes
	13.7.2014	22:15	22,5	65	22,5	62,5	Yes
	13.7.2014	22:30	22,7	64,2	22,5	63,5	Yes
	13.7.2014	22:45	22,8	63,8	22,6	64,4	Yes
	13.7.2014	23:00	22,8	59,8	22,7	63,2	Yes
	13.7.2014	23:15	22,2	60,7	22,6	62,1	Yes
	13.7.2014	23:30	22,4	64,6	22,6	62,2	Yes
	13.7.2014	23:45	22,5	65	22,5	62,5	Yes
	14.7.2014	0:00	22,7	64,2	22,5	63,6	Yes
	14.7.2014	0:15	22,8	63,6	22,6	64,4	Yes
	14.7.2014	0:30	22,9	63,2	22,7	64,0	Yes
	14.7.2014	0:45	22,4	54,6	22,7	61,4	Yes
	14.7.2014	1:00	22,3	62,9	22,6	61,1	Yes
	14.7.2014	1:15	22,4	64,5	22,5	61,3	Yes
	14.7.2014	1:30	22,6	64	22,4	61,5	Yes
	14.7.2014	1:45	22,7	63,4	22,5	63,7	Yes
	14.7.2014	2:00	22,7	62,8	22,6	63,7	Yes
	14.7.2014	2:15	22,8	62,4	22,7	63,2	Yes
	14.7.2014	2:30	22,8	58,7	22,8	61,8	Yes
	14.7.2014	2:45	22,3	61,9	22,7	61,5	Yes
	14.7.2014	3:00	22,4	64	22,6	61,8	Yes
	14.7.2014	3:15	22,6	63,1	22,5	61,9	Yes
	14.7.2014	3:30	22,6	62,6	22,5	62,9	Yes
	14.7.2014	3:45	22,7	62,2	22,6	63,0	Yes
	14.7.2014	4:00	22,7	58,9	22,7	61,7	Yes
	14.7.2014	4:15	22,2	60,1	22,6	61,0	Yes
	14.7.2014	4:30	22,4	63	22,5	61,1	Yes
	14.7.2014	4:45	22,6	63,6	22,5	61,4	Yes
	14.7.2014	5:00	22,4	53,6	22,4	60,1	Yes
	14.7.2014	5:15	22,5	64,7	22,5	61,2	Yes
	14.7.2014	5:30	22,5	54,3	22,5	59,1	Yes
	14.7.2014	5:45	22,2	51,5	22,4	56,0	Yes
	14.7.2014	6:00	22,1	50,6	22,3	55,3	Yes
	14.7.2014	6:15	21,9	49,8	22,2	51,6	Yes
	14.7.2014	6:30	21,9	55	22,0	51,7	Yes
	14.7.2014	6:45	22,2	52,4	22,0	52,0	Yes
	14.7.2014	7:00	21,9	49,1	22,0	51,6	Yes
	14.7.2014	7:15	21,8	48,5	22,0	51,3	Yes
	14.7.2014	7:30	21,6	48	21,9	49,5	Yes
	14.7.2014	7:45	21,6	48,4	21,7	48,5	Yes
	14.7.2014	8:00	21,8	55	21,7	50,0	Yes
	14.7.2014	8:15	22,2	52,5	21,8	51,0	Yes
	14.7.2014	8:30	22,1	49,3	21,9	51,3	Yes
	14.7.2014	8:45	22	49,1	22,0	51,5	Yes
	14.7.2014	9:00	22	49,7	22,1	50,2	Yes
	14.7.2014	9:15	21,9	53	22,0	50,3	Yes
	14.7.2014	9:30	22,5	53,4	22,1	51,3	Yes
	14.7.2014	9:45	22,4	48,9	22,2	51,3	Yes
	14.7.2014	10:00	22,4	49,9	22,3	51,3	Yes