

ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description: Monochrome: Lexmark MS810 High Yield

Monochrome			Average Continuous Composite Crtg Yields
PRPS PN:	4237187		K 26930
OEM Equiv.:	52D2H00		
OEM Yield Spec.:	25000		

Page Yield Information:

Color	Yield Average	Standard Deviation	90% Lower Confidence	90% Upper Confidence	Printer 1 Test 1	Printer 1 Test 2	Printer 1 Test 3	Printer 2 Test 1	Printer 2 Test 2	Printer 2 Test 3	Printer 3 Test 1	Printer 3 Test 2	Printer 3 Test 3
Black/Monochrome	27170	384	26932	27408	27482	27111	26960	26446	27050	27114	27129	27825	27415

Dates of Test:		Start Date	End Date
		21/12/2015	14/01/2016

Printer Serial Number:		Printer 1	Printer 2	Printer 3
		406347990PNNC	406347990PNT6	406347990PNTH

Average Conditions of test T °C / %RH:		23 °C	46 %
--	--	-------	------

Computer model: PC
Software used/Driver version: PCL 6
Operating system: Windows 7 32-bit
Printer model: HP M 506
Version of PDF Reader: Adobe Reader 11
Power (off/on) Everyday: Yes
Number of Cartridges sets Used in Testing: 9
Number of Cartridges sets Used in Calculations: 9
Shake Procedure Used? When applicable, at 1st and 2nd fade
Print Mode: Continuous
Number of Printers Used in Testing: 3
Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.