

ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description: Monochrome: Lexmark MX510 Extra High Yield

Monochrome

Average Continuous
Composite Crtg Yields

PRPS PN: 4233783
OEM Equiv.: 60F2X00
OEM Yield Spec.: 20000

K
21080

Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	21978	1441	21085	22871	22400	20050	21369	23683	22467	21478	24281	20070	22004

Dates of Test:

Start Date	End Date
28/09/2016	25/10/2016

Printer Serial Number:

Printer 1	Printer 2	Printer 3
701531HH045NY	70155PHH0YVDD	701544HH0F71H

Average Conditions of test T °C / %RH:

23 °C	55 %
-------	------

Computer model: PC
Software used/Driver version: PCL 6
Operating system: Windows 7 32-bit
Printer model: HP M 506
Version of PDF Reader: Adobe Reader 11
Power (off/on) Everyday: Yes
Number of Cartridges sets Used in Testing: 9
Number of Cartridges sets Used in Calculations: 9
Shake Procedure Used? When aplicable,at 1st and 2nd fade
Print Mode: Continuous
Number of Printers Used in Testing: 3
Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested follo wing these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.