



TEST REPORT

Creation date of report: 13.2.2015

Signature: stavmi

TYPE OF TEST: ISO 19798

When cartridges LEXMARK C544X2KG, C544X2CG, C544X2MG, C544X2YG are used in printer Lexmark C544dn.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 7000 standard pages

Average Continuous CMY Cartridge Yield 4150 standard pages

Declared Yield value in accordance with ISO/IEC 19798

90% Lower Confidence	Black Cartridge	7037 standard pages
90% Lower Confidence	Cyan Cartridge	4024 standard pages
90% Lower Confidence	Yellow Cartridge	4577 standard pages
90% Lower Confidence	Magenta Cartridge	4005 standard pages

Date Tested:

14.1.2015 - 2.2.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:	K = 9, C = 9, M = 9, Y = 9
Number of Cartridges used in calculations	K = 9, C = 9, M = 9, Y = 9
Type of Cartridge	LEXMARK C544X2KG, C544X2CG, C544X2MG, C544X2YG
Shake Procedure Used	No
Print mode:	Continuous
Number of engines used in testing:	4
Media Used:	Navigator Universal 80g/m²
Paper Size:	A4
Paper feed orientation:	Short edge feed
Application Software:	Adobe Reader 11.0
Test Page Version	ISO-IEC 24712 2007 Test Pages
Power (off/on) everyday?	Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Pentium(R) Dual-Core 2.60GHz,	Athlon 64X2 Dual Core 2,09 GHz	Intel(R) Pentium(R) 4 2.4 GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63585	63584	63574 / 63467
Printer Type	Lexmark C544dn	Lexmark C544dn	Lexmark C544dn
Serial Nr.	9455TTF	9455TR7	9455MG7 / 9455TDN
Driver Version:	PCL 6 - v2.2.3.0	PCL 6 - v2.2.3.0	PCL 6 - v2.2.3.0

Note:

Page yield of black cartridge rounded to 7000. It's 1000 pages more than OEM.

Page yield of color cartridges rounded to 4150. It's 150 pages more than OEM.

Printer No. 9455MG7 has been changed due to failure during testing of the third set of cartridges.



TEST REPORT

Creation date of report: 13.2.2015

Signature: stavmi

TYPE OF TEST: ISO 19798

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14036873228783	PHI_15_10010	7 240	Y
1st set	C	14036808828784	PHI_15_10010	4 530	Y
1st set	Y	14043768728786	PHI_15_10010	4 535	Y
1st set	M	14041313328785	PHI_15_10010	3 625	Y
2nd set	K	14036873628783	PHI_15_10011	7 700	Y
2nd set	C	14036816528784	PHI_15_10011	4 655	Y
2nd set	Y	14043768028786	PHI_15_10011	5 255	Y
2nd set	M	14041311728785	PHI_15_10011	4 315	Y
3rd set	K	14036873328783	PHI_15_10012	6 900	Y
3rd set	C	14036813628784	PHI_15_10012	3 815	Y
3rd set	Y	14043769828786	PHI_15_10012	4 745	Y
3rd set	M	14041311228785	PHI_15_10012	4 055	Y
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	21 840	7 280	401	6 603	3
C	13 000	4 333	453	3 569	3
Y	14 535	4 845	370	4 221	3
M	11 995	3 998	348	3 411	3

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14036873428783	PHI_15_10013	6 830	Y
1st set	C	14036810128784	PHI_15_10013	4 320	Y
1st set	Y	14043769028786	PHI_15_10013	4 825	Y
1st set	M	14041321128785	PHI_15_10013	4 825	Y
2nd set	K	14036880228783	PHI_15_10014	7 510	Y
2nd set	C	14036819328784	PHI_15_10014	4 015	Y
2nd set	Y	14043768828786	PHI_15_10014	5 218	Y
2nd set	M	14041312528785	PHI_15_10014	4 820	Y
3rd set	K	14036872628783	PHI_15_10015	7 260	Y
3rd set	C	14036811728784	PHI_15_10015	3 960	Y
3rd set	Y	14043769128786	PHI_15_10015	5 000	Y
3rd set	M	14041306928785	PHI_15_10015	4 495	Y
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	21 600	7 200	344	6 620	3
C	12 295	4 098	194	3 771	3
Y	15 043	5 014	197	4 682	3
M	14 140	4 713	189	4 395	3

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14036870428783	PHI_15_10016	7 260	Y
1st set	C	14036811128784	PHI_15_10016	3 950	Y
1st set	Y	14043768128786	PHI_15_10016	4 360	Y
1st set	M	14041317028785	PHI_15_10016	4 355	Y
2nd set	K	14036870828783	PHI_15_10017	7 270	Y
2nd set	C	14036815428784	PHI_15_10017	4 290	Y
2nd set	Y	14043769228786	PHI_15_10017	4 585	Y
2nd set	M	14041317028785	PHI_15_10017	3 890	Y
3rd set	K	14036871428783	PHI_15_10018	6 950	Y
3rd set	C	14036811028784	PHI_15_10018	4 269	Y
3rd set	Y	14043769828786	PHI_15_10018	4 475	Y
3rd set	M	14041312128785	PHI_15_10018	3 971	Y
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	21 480	7 160	182	6 853	3
C	12 509	4 170	191	3 848	3
Y	13 420	4 473	113	4 284	3
M	12 216	4 072	248	3 653	3

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K010	64 920	7 213	285	7 037	9
	C	C001 - C009	37 804	4 200	284	4 024	9
	Y	Y001 - Y009	42 998	4 778	323	4 577	9
	M	M001 - M009	38 351	4 261	413	4 005	9

Note:

Statement Black OEM 6000 pages.
Statement Cyan OEM 4000 pages.
Statement Yellow OEM 4000 pages.
Statement Magenta OEM 4000 pages.

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

		Allowed
Testing Room average temp. [°C]	23,5	23
Testing Room - max. running average temp. [°C]	24,4	26
Testing Room - min. running average temp. [°C]	20,8	20

		Allowed
Testing Room average RH. [%]	48,7	50
Testing Room - max. running average RH [%]	60,1	65
Testing Room - min. running average RH [%]	36,1	35

Note:

During tests was temperatures and humidity in accordance with the international standard ISO/IEC 19798.

Condition 24 hours before the start of the tests.

Date of testing: 13.1.2015 10:00 - 2.2.2015 7:00									
Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
N/A	N/A	N/A	13.1.2015	10:00	23,9	52,3	N/A	N/A	Yes
			13.1.2015	10:15	23,9	50	N/A	N/A	Yes
			13.1.2015	10:30	23,9	50,4	N/A	N/A	Yes
			13.1.2015	10:45	23,9	50,7	23,9	50,9	Yes
			13.1.2015	11:00	24	52,2	23,9	50,8	Yes
			13.1.2015	11:15	23,8	47,3	23,9	50,2	Yes
			13.1.2015	11:30	23,8	49	23,9	49,8	Yes
			13.1.2015	11:45	23,9	48,5	23,9	49,3	Yes
			13.1.2015	12:00	23,9	47,6	23,9	48,1	Yes
			13.1.2015	12:15	23,9	46,4	23,9	47,9	Yes
			13.1.2015	12:30	24	49,7	23,9	48,1	Yes
			13.1.2015	12:45	23,9	50,4	23,9	48,5	Yes
			13.1.2015	13:00	24	48,2	24,0	48,7	Yes
			13.1.2015	13:15	24	48,3	24,0	49,2	Yes
			13.1.2015	13:30	24	51	24,0	49,5	Yes
			13.1.2015	13:45	24	49,7	24,0	49,3	Yes
			13.1.2015	14:00	24	48	24,0	49,3	Yes
			13.1.2015	14:15	23,8	42,6	24,0	47,8	Yes
			13.1.2015	14:30	24	45,8	24,0	46,5	Yes
			13.1.2015	14:45	24	49,1	24,0	46,4	Yes
			13.1.2015	15:00	24,2	49,8	24,0	46,8	Yes
			13.1.2015	15:15	24,1	52,5	24,1	49,3	Yes
			13.1.2015	15:30	24	50,9	24,1	50,6	Yes
			13.1.2015	15:45	24,1	53,4	24,1	51,7	Yes
			13.1.2015	16:00	23,9	52,7	24,0	52,4	Yes
			13.1.2015	16:15	24	54	24,0	52,8	Yes
			13.1.2015	16:30	24,1	53,4	24,0	53,4	Yes
			13.1.2015	16:45	24,1	53,8	24,0	53,5	Yes
			13.1.2015	17:00	24,1	54	24,1	53,8	Yes
			13.1.2015	17:15	24,1	53,6	24,1	53,7	Yes
			13.1.2015	17:30	24,1	52,9	24,1	53,6	Yes
			13.1.2015	17:45	24,1	52,7	24,1	53,3	Yes
			13.1.2015	18:00	24	52,1	24,1	52,8	Yes
			13.1.2015	18:15	24	52,5	24,1	52,6	Yes
			13.1.2015	18:30	23,9	52,6	24,0	52,5	Yes
			13.1.2015	18:45	23,9	52,9	24,0	52,5	Yes
			13.1.2015	19:00	23,8	53	23,9	52,8	Yes
			13.1.2015	19:15	23,8	53	23,9	52,9	Yes
			13.1.2015	19:30	23,7	52,1	23,8	52,8	Yes
			13.1.2015	19:45	23,6	51,2	23,7	52,3	Yes
			13.1.2015	20:00	23,6	50,9	23,7	51,8	Yes
			13.1.2015	20:15	23,5	51,2	23,6	51,4	Yes
			13.1.2015	20:30	23,4	51,5	23,5	51,2	Yes
			13.1.2015	20:45	23,4	51,4	23,5	51,3	Yes
			13.1.2015	21:00	23,4	51,4	23,4	51,4	Yes
			13.1.2015	21:15	23,3	50,7	23,4	51,3	Yes
			13.1.2015	21:30	23,3	51,3	23,4	51,2	Yes
			13.1.2015	21:45	23,2	51,3	23,3	51,2	Yes
			13.1.2015	22:00	23,2	51,2	23,3	51,1	Yes
			13.1.2015	22:15	23,1	50,6	23,2	51,1	Yes
			13.1.2015	22:30	23	49,4	23,1	50,6	Yes
			13.1.2015	22:45	23	49,8	23,1	50,3	Yes
			13.1.2015	23:00	22,9	50	23,0	50,0	Yes
			13.1.2015	23:15	22,9	48,1	23,0	49,3	Yes
			13.1.2015	23:30	22,8	48,8	22,9	49,2	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

			14.1.2015	23:15	22,8	52,7	22,9	52,8	Yes
			14.1.2015	23:30	22,8	53,2	22,9	53,0	Yes
			14.1.2015	23:45	22,7	53,2	22,8	53,1	Yes
			15.1.2015	0:00	22,7	53,5	22,8	53,2	Yes
			15.1.2015	0:15	22,7	53,5	22,7	53,4	Yes
			15.1.2015	0:30	22,7	53,6	22,7	53,5	Yes
			15.1.2015	0:45	22,6	53,4	22,7	53,5	Yes
			15.1.2015	1:00	22,6	54,1	22,7	53,7	Yes
			15.1.2015	1:15	22,6	54,3	22,6	53,9	Yes
			15.1.2015	1:30	22,5	54,5	22,6	54,1	Yes
			15.1.2015	1:45	22,5	54,3	22,6	54,3	Yes
			15.1.2015	2:00	22,5	54,7	22,5	54,5	Yes
			15.1.2015	2:15	22,5	54,6	22,5	54,5	Yes
			15.1.2015	2:30	22,5	55,1	22,5	54,7	Yes
			15.1.2015	2:45	22,4	55,1	22,5	54,9	Yes
			15.1.2015	3:00	22,4	54,9	22,5	54,9	Yes
			15.1.2015	3:15	22,4	55,1	22,4	55,1	Yes
			15.1.2015	3:30	22,5	55,5	22,4	55,2	Yes
			15.1.2015	3:45	22,5	55,2	22,5	55,2	Yes
			15.1.2015	4:00	22,6	55,4	22,5	55,3	Yes
			15.1.2015	4:15	22,6	55,4	22,6	55,4	Yes
			15.1.2015	4:30	22,7	55,3	22,6	55,3	Yes
			15.1.2015	4:45	22,7	55,3	22,7	55,4	Yes
			15.1.2015	5:00	22,8	55,2	22,7	55,3	Yes
			15.1.2015	5:15	22,8	54,7	22,8	55,1	Yes
			15.1.2015	5:30	22,8	54,2	22,8	54,9	Yes
			15.1.2015	5:45	22,9	54,2	22,8	54,6	Yes
			15.1.2015	6:00	23,3	54,4	23,0	54,4	Yes
			15.1.2015	6:15	23,5	53,9	23,1	54,2	Yes
			15.1.2015	6:30	23,5	51,8	23,3	53,6	Yes
			15.1.2015	6:45	23,7	52,6	23,5	53,2	Yes
			15.1.2015	7:00	23,8	50,7	23,6	52,3	Yes
			15.1.2015	7:15	23,8	50,8	23,7	51,5	Yes
			15.1.2015	7:30	23,9	51,7	23,8	51,5	Yes
			15.1.2015	7:45	23,9	49	23,9	50,6	Yes
			15.1.2015	8:00	23,9	46,5	23,9	49,5	Yes
			15.1.2015	8:15	23,9	46,7	23,9	48,5	Yes
			15.1.2015	8:30	23,9	48,2	23,9	47,6	Yes
			15.1.2015	8:45	23,9	49,4	23,9	47,7	Yes
			15.1.2015	9:00	23,9	48,9	23,9	48,3	Yes
			15.1.2015	9:15	23,9	49,5	23,9	49,0	Yes
			15.1.2015	9:30	24	50,1	23,9	49,5	Yes
			15.1.2015	9:45	24	50,8	24,0	49,8	Yes
			15.1.2015	10:00	24,1	52,5	24,0	50,7	Yes
			15.1.2015	10:15	24,1	48,8	24,1	50,6	Yes
			15.1.2015	10:30	24,1	49	24,1	50,3	Yes
			15.1.2015	10:45	24	48,7	24,1	49,8	Yes
			15.1.2015	11:00	23,9	46,9	24,0	48,4	Yes
			15.1.2015	11:15	24	46,9	24,0	47,9	Yes
			15.1.2015	11:30	23,9	42,6	24,0	46,3	Yes
			15.1.2015	11:45	24	44,8	24,0	45,3	Yes
			15.1.2015	12:00	23,6	39,3	23,9	43,4	Yes
			15.1.2015	12:15	23,3	36,5	23,7	40,8	Yes
			15.1.2015	12:30	22,9	34,7	23,5	38,8	Yes
			15.1.2015	12:45	22,7	33,9	23,1	36,1	Yes
			15.1.2015	13:00	22,7	39,8	22,9	36,2	Yes
			15.1.2015	13:15	23,3	45,3	22,9	38,4	Yes
			15.1.2015	13:30	23,6	45,7	23,1	41,2	Yes
			15.1.2015	13:45	23,8	45,7	23,4	44,1	Yes
			15.1.2015	14:00	24	46,1	23,7	45,7	Yes
			15.1.2015	14:15	24,1	45,5	23,9	45,8	Yes
			15.1.2015	14:30	24,2	45,2	24,0	45,6	Yes
			15.1.2015	14:45	23,7	39	24,0	44,0	Yes
			15.1.2015	15:00	23,2	35,5	23,8	41,3	Yes
			15.1.2015	15:15	23,6	44,3	23,7	41,0	Yes
			15.1.2015	15:30	23,9	45,8	23,6	41,2	Yes
			15.1.2015	15:45	24	46,8	23,7	43,1	Yes
			15.1.2015	16:00	24	46,3	23,9	45,8	Yes
			15.1.2015	16:15	24,1	46,2	24,0	46,3	Yes
			15.1.2015	16:30	24,1	46,5	24,1	46,5	Yes
			15.1.2015	16:45	24,1	46,6	24,1	46,4	Yes
			15.1.2015	17:00	24	42,7	24,1	45,5	Yes
			15.1.2015	17:15	24	48,2	24,1	46,0	Yes
			15.1.2015	17:30	23,8	41,4	24,0	44,7	Yes
			15.1.2015	17:45	23,6	46,2	23,9	44,6	Yes
			15.1.2015	18:00	23,9	47,1	23,8	45,7	Yes
			15.1.2015	18:15	24	44,3	23,8	44,8	Yes
			15.1.2015	18:30	24	47,3	23,9	46,2	Yes
			15.1.2015	18:45	24	46,5	24,0	46,3	Yes
			15.1.2015	19:00	24,2	47,1	24,1	46,3	Yes
			15.1.2015	19:15	24	47,2	24,1	47,0	Yes
			15.1.2015	19:30	24,2	46,6	24,1	46,9	Yes
			15.1.2015	19:45	24,1	45,9	24,1	46,7	Yes
			15.1.2015	20:00	24,1	45,5	24,1	46,3	Yes
			15.1.2015	20:15	24	45,6	24,1	45,9	Yes
			15.1.2015	20:30	24	45,6	24,1	45,7	Yes
			15.1.2015	20:45	23,9	45,7	24,0	45,6	Yes
			15.1.2015	21:00	23,8	45,8	23,9	45,7	Yes
			15.1.2015	21:15	23,8	45,4	23,9	45,6	Yes
			15.1.2015	21:30	23,7	45,8	23,8	45,7	Yes
			15.1.2015	21:45	23,6	46	23,7	45,8	Yes
			15.1.2015	22:00	23,6	45,9	23,7	45,8	Yes
			15.1.2015	22:15	23,5	44,9	23,6	45,7	Yes
			15.1.2015	22:30	23,4	44,1	23,5	45,2	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

			15.1.2015	22:45	23,3	44,8	23,5	44,9	Yes
			15.1.2015	23:00	23,3	45,1	23,4	44,7	Yes
			15.1.2015	23:15	23,2	44,4	23,3	44,6	Yes
			15.1.2015	23:30	23,2	44,8	23,3	44,8	Yes
			15.1.2015	23:45	23,1	45,1	23,2	44,9	Yes
			16.1.2015	0:00	23,1	45,4	23,2	44,9	Yes
			16.1.2015	0:15	23,1	45,7	23,1	45,3	Yes
			16.1.2015	0:30	23	46,4	23,1	45,7	Yes
			16.1.2015	0:45	23	46,8	23,1	46,1	Yes
			16.1.2015	1:00	23	47,3	23,0	46,6	Yes
			16.1.2015	1:15	23	47,6	23,0	47,0	Yes
			16.1.2015	1:30	22,9	47,9	23,0	47,4	Yes
			16.1.2015	1:45	22,9	48,1	23,0	47,7	Yes
			16.1.2015	2:00	22,9	48,3	22,9	48,0	Yes
			16.1.2015	2:15	22,9	48,4	22,9	48,2	Yes
			16.1.2015	2:30	22,9	48,4	22,9	48,3	Yes
			16.1.2015	2:45	22,9	48,7	22,9	48,5	Yes
			16.1.2015	3:00	22,9	48,6	22,9	48,5	Yes
			16.1.2015	3:15	22,9	48,7	22,9	48,6	Yes
			16.1.2015	3:30	23	49	22,9	48,8	Yes
			16.1.2015	3:45	23,1	49	23,0	48,8	Yes
			16.1.2015	4:00	23,2	49	23,1	48,9	Yes
			16.1.2015	4:15	23,3	48,9	23,2	49,0	Yes
			16.1.2015	4:30	23,3	48,9	23,2	49,0	Yes
			16.1.2015	4:45	23,4	48,8	23,3	48,9	Yes
			16.1.2015	5:00	23,4	48,8	23,4	48,9	Yes
			16.1.2015	5:15	23,4	48,3	23,4	48,7	Yes
			16.1.2015	5:30	23,5	47,8	23,4	48,4	Yes
			16.1.2015	5:45	23,5	48	23,5	48,2	Yes
			16.1.2015	6:00	23,5	48	23,5	48,0	Yes
			16.1.2015	6:15	23,7	48,4	23,6	48,1	Yes
			16.1.2015	6:30	23,8	48,4	23,6	48,2	Yes
			16.1.2015	6:45	23,8	47,6	23,7	48,1	Yes
			16.1.2015	7:00	23,8	47,8	23,8	48,1	Yes
			16.1.2015	7:15	23,7	47,6	23,8	47,9	Yes
			16.1.2015	7:30	23,8	44,8	23,8	47,0	Yes
			16.1.2015	7:45	23,9	43,5	23,8	45,9	Yes
			16.1.2015	8:00	24	48,7	23,9	46,2	Yes
			16.1.2015	8:15	23,5	39,6	23,8	44,2	Yes
			16.1.2015	8:30	23,1	35,8	23,6	41,9	Yes
			16.1.2015	8:45	22,9	40,1	23,4	41,1	Yes
			16.1.2015	9:00	23,4	44,2	23,2	39,9	Yes
			16.1.2015	9:15	23,8	46,8	23,3	41,7	Yes
			16.1.2015	9:30	23,4	40,3	23,4	42,9	Yes
			16.1.2015	9:45	22,9	37,2	23,4	42,1	Yes
			16.1.2015	10:00	23	46,5	23,3	42,7	Yes
			16.1.2015	10:15	23,5	49,3	23,2	43,3	Yes
			16.1.2015	10:30	23,9	47,2	23,3	45,1	Yes
			16.1.2015	10:45	24	48,2	23,6	47,8	Yes
			16.1.2015	11:00	23,9	49,6	23,8	48,6	Yes
			16.1.2015	11:15	23,8	44,5	23,9	47,4	Yes
			16.1.2015	11:30	23,3	39,9	23,8	45,6	Yes
			16.1.2015	11:45	23,2	46,2	23,6	45,1	Yes
			16.1.2015	12:00	23,7	49,7	23,5	45,1	Yes
			16.1.2015	12:15	23,8	49,2	23,5	46,3	Yes
			16.1.2015	12:30	24	46,2	23,7	47,8	Yes
			16.1.2015	12:45	23,3	40,4	23,7	46,4	Yes
			16.1.2015	13:00	22,9	37,6	23,5	43,4	Yes
			16.1.2015	13:15	23	48	23,3	43,1	Yes
			16.1.2015	13:30	23,4	47,4	23,2	43,4	Yes
			16.1.2015	13:45	23,7	47	23,3	45,0	Yes
			16.1.2015	14:00	23,9	51,1	23,5	48,4	Yes
			16.1.2015	14:15	23,6	42,6	23,7	47,0	Yes
			16.1.2015	14:30	23,1	38,7	23,6	44,9	Yes
			16.1.2015	14:45	22,9	41,5	23,4	43,5	Yes
			16.1.2015	15:00	23,4	47,9			No
			16.1.2015	15:15	23,9	48			No
			16.1.2015	15:30	23,9	49			No
			16.1.2015	15:45	23,9	50,2			No
			16.1.2015	16:00	24	51,5			No
			16.1.2015	16:15	24	51,5			No
			16.1.2015	16:30	23,9	51,9			No
			16.1.2015	16:45	23,9	52,2			No
			16.1.2015	17:00	23,8	52,5			No
			16.1.2015	17:15	23,8	52,9			No
			16.1.2015	17:30	23,7	52,8			No
			16.1.2015	17:45	23,6	52,8			No
			16.1.2015	18:00	23,5	52,7			No
			16.1.2015	18:15	23,5	53,4			No
			16.1.2015	18:30	23,4	53,9			No
			16.1.2015	18:45	23,4	54,3			No
			16.1.2015	19:00	23,3	54,7			No
			16.1.2015	19:15	23,3	55,1			No
			16.1.2015	19:30	23,2	54,8			No
			16.1.2015	19:45	23,1	54,4			No
			16.1.2015	20:00	23,1	54,3			No
			16.1.2015	20:15	23	54,8			No
			16.1.2015	20:30	23	55,1			No
			16.1.2015	20:45	22,9	55,6			No
			16.1.2015	21:00	22,9	56			No
			16.1.2015	21:15	22,9	55,5			No
			16.1.2015	21:30	22,8	55,9			No
			16.1.2015	21:45	22,8	56,3			No
			16.1.2015	22:00	22,7	56,5			No



TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

16.1.2015	22:15	22,7	56,2		No
16.1.2015	22:30	22,6	55,7		No
16.1.2015	22:45	22,6	56,2		No
16.1.2015	23:00	22,6	56,8		No
16.1.2015	23:15	22,5	56,1		No
16.1.2015	23:30	22,5	56,7		No
16.1.2015	23:45	22,4	56,6		No
17.1.2015	0:00	22,4	57,3		No
17.1.2015	0:15	22,4	57,5		No
17.1.2015	0:30	22,3	57,6		No
17.1.2015	0:45	22,3	57,8		No
17.1.2015	1:00	22,3	56,9		No
17.1.2015	1:15	22,3	58,2		No
17.1.2015	1:30	22,2	57,8		No
17.1.2015	1:45	22,2	58,3		No
17.1.2015	2:00	22,2	58,3		No
17.1.2015	2:15	22,2	58,2		No
17.1.2015	2:30	22,1	58,6		No
17.1.2015	2:45	22,1	58,6		No
17.1.2015	3:00	22	58,6		No
17.1.2015	3:15	22	58		No
17.1.2015	3:30	22	58,9		No
17.1.2015	3:45	21,9	58,8		No
17.1.2015	4:00	21,9	58,7		No
17.1.2015	4:15	21,9	59,2		No
17.1.2015	4:30	21,8	58,2		No
17.1.2015	4:45	21,8	59		No
17.1.2015	5:00	21,8	58,9		No
17.1.2015	5:15	21,8	57,4		No
17.1.2015	5:30	21,7	58,2		No
17.1.2015	5:45	21,7	58		No
17.1.2015	6:00	21,7	58,1		No
17.1.2015	6:15	21,6	58,2		No
17.1.2015	6:30	21,6	56,4		No
17.1.2015	6:45	21,5	56,8		No
17.1.2015	7:00	21,5	58		No
17.1.2015	7:15	21,4	58,5		No
17.1.2015	7:30	21,4	58		No
17.1.2015	7:45	21,4	58,2		No
17.1.2015	8:00	21,4	58,7		No
17.1.2015	8:15	21,4	58,8		No
17.1.2015	8:30	21,5	58,1		No
17.1.2015	8:45	21,5	58,3		No
17.1.2015	9:00	21,6	57,5		No
17.1.2015	9:15	21,6	58		No
17.1.2015	9:30	21,6	58,2		No
17.1.2015	9:45	21,7	57,7		No
17.1.2015	10:00	21,7	57,2		No
17.1.2015	10:15	21,7	57,7		No
17.1.2015	10:30	21,7	57,7		No
17.1.2015	10:45	21,8	57,1		No
17.1.2015	11:00	21,8	57,6		No
17.1.2015	11:15	21,8	57,8		No
17.1.2015	11:30	21,8	58,1		No
17.1.2015	11:45	21,8	58,2		No
17.1.2015	12:00	21,8	58,5		No
17.1.2015	12:15	21,8	58,4		No
17.1.2015	12:30	21,8	58,7		No
17.1.2015	12:45	21,7	59,1		No
17.1.2015	13:00	21,7	59		No
17.1.2015	13:15	21,7	58,8		No
17.1.2015	13:30	21,7	58,7		No
17.1.2015	13:45	21,7	58,6		No
17.1.2015	14:00	21,7	59,2		No
17.1.2015	14:15	21,7	58,6		No
17.1.2015	14:30	21,7	58,7		No
17.1.2015	14:45	21,7	59,1		No
17.1.2015	15:00	21,7	59,4		No
17.1.2015	15:15	21,7	59,4		No
17.1.2015	15:30	21,7	59,1		No
17.1.2015	15:45	21,8	59,5		No
17.1.2015	16:00	21,8	59,3		No
17.1.2015	16:15	21,8	58,5		No
17.1.2015	16:30	21,8	59,2		No
17.1.2015	16:45	21,8	58,3		No
17.1.2015	17:00	21,7	58,7		No
17.1.2015	17:15	21,7	58,1		No
17.1.2015	17:30	21,7	58,3		No
17.1.2015	17:45	21,6	57,7		No
17.1.2015	18:00	21,6	58,2		No
17.1.2015	18:15	21,6	57,5		No
17.1.2015	18:30	21,5	58		No
17.1.2015	18:45	21,5	57,5		No
17.1.2015	19:00	21,5	57,2		No
17.1.2015	19:15	21,4	57,7		No
17.1.2015	19:30	21,4	57,5		No
17.1.2015	19:45	21,4	58,2		No
17.1.2015	20:00	21,3	56,2		No
17.1.2015	20:15	21,3	56,8		No
17.1.2015	20:30	21,2	57,7		No
17.1.2015	20:45	21,2	58,2		No
17.1.2015	21:00	21,2	58,5		No
17.1.2015	21:15	21,2	58,5		No
17.1.2015	21:30	21,2	58,8		No



TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	17.1.2015	21:45	21,1	58,9			No
			17.1.2015	22:00	21,1	58,8			No
			17.1.2015	22:15	21,1	59,1			No
			17.1.2015	22:30	21,1	58,4			No
			17.1.2015	22:45	21	58,8			No
			17.1.2015	23:00	21	59,1			No
			17.1.2015	23:15	21	57,8			No
			17.1.2015	23:30	21	58,4			No
			17.1.2015	23:45	20,9	58,4			No
			18.1.2015	0:00	20,9	58,6			No
			18.1.2015	0:15	20,9	59,1			No
			18.1.2015	0:30	20,8	59,3			No
			18.1.2015	0:45	20,8	59,4			No
			18.1.2015	1:00	20,8	59,1			No
			18.1.2015	1:15	20,8	59			No
			18.1.2015	1:30	20,8	59,2			No
			18.1.2015	1:45	20,8	59,1			No
			18.1.2015	2:00	20,7	59,2			No
			18.1.2015	2:15	20,7	59,6			No
			18.1.2015	2:30	20,7	59,5			No
			18.1.2015	2:45	20,7	59,6			No
			18.1.2015	3:00	20,7	59,3			No
			18.1.2015	3:15	20,7	59			No
			18.1.2015	3:30	20,7	59,5			No
			18.1.2015	3:45	20,7	59,6			No
			18.1.2015	4:00	20,7	58,7			No
			18.1.2015	4:15	20,7	59,2			No
			18.1.2015	4:30	20,8	59,9			No
			18.1.2015	4:45	21	59,4			No
			18.1.2015	5:00	21,1	59			No
			18.1.2015	5:15	21,2	59,6			No
			18.1.2015	5:30	21,3	58,6			No
			18.1.2015	5:45	21,4	58,8			No
			18.1.2015	6:00	21,5	58	21,4	58,8	Yes
			18.1.2015	6:15	21,5	58,7	21,4	58,5	Yes
			18.1.2015	6:30	21,6	57	21,5	58,1	Yes
			18.1.2015	6:45	21,6	57,5	21,6	57,8	Yes
			18.1.2015	7:00	21,7	58,1	21,6	57,8	Yes
			18.1.2015	7:15	21,7	58,5	21,7	57,8	Yes
			18.1.2015	7:30	21,7	58,9	21,7	58,3	Yes
			18.1.2015	7:45	21,7	59	21,7	58,6	Yes
			18.1.2015	8:00	21,8	59,3	21,7	58,9	Yes
			18.1.2015	8:15	21,8	59,2	21,8	59,1	Yes
			18.1.2015	8:30	21,8	58,3	21,8	59,0	Yes
			18.1.2015	8:45	21,7	58,6	21,8	58,9	Yes
			18.1.2015	9:00	21,7	58,8	21,8	58,7	Yes
			18.1.2015	9:15	21,7	59	21,7	58,7	Yes
			18.1.2015	9:30	21,6	57,9	21,7	58,6	Yes
			18.1.2015	9:45	21,6	58,2	21,7	58,5	Yes
			18.1.2015	10:00	21,6	57	21,6	58,0	Yes
			18.1.2015	10:15	21,5	57,3	21,6	57,6	Yes
			18.1.2015	10:30	21,5	57,5	21,6	57,5	Yes
			18.1.2015	10:45	21,4	56,8	21,5	57,2	Yes
			18.1.2015	11:00	21,3	57,1	21,4	57,2	Yes
			18.1.2015	11:15	21,3	57,8	21,4	57,3	Yes
			18.1.2015	11:30	21,3	58,2	21,3	57,5	Yes
			18.1.2015	11:45	21,3	58,9	21,3	58,0	Yes
			18.1.2015	12:00	21,2	58,2	21,3	58,3	Yes
			18.1.2015	12:15	21,2	58,1	21,3	58,4	Yes
			18.1.2015	12:30	21,2	58,6	21,2	58,5	Yes
			18.1.2015	12:45	21,2	58,3	21,2	58,3	Yes
			18.1.2015	13:00	21,2	58,4	21,2	58,4	Yes
			18.1.2015	13:15	21,2	58,1	21,2	58,4	Yes
			18.1.2015	13:30	21,2	58,4	21,2	58,3	Yes
			18.1.2015	13:45	21,1	58,1	21,2	58,3	Yes
			18.1.2015	14:00	21,1	57,8	21,2	58,1	Yes
			18.1.2015	14:15	21,1	57,7	21,1	58,0	Yes
			18.1.2015	14:30	21	57,4	21,1	57,8	Yes
			18.1.2015	14:45	21	58,1	21,1	57,8	Yes
			18.1.2015	15:00	21	58,3	21,0	57,9	Yes
			18.1.2015	15:15	21	57,9	21,0	57,9	Yes
			18.1.2015	15:30	21	58,3	21,0	58,2	Yes
			18.1.2015	15:45	20,9	58,4	21,0	58,2	Yes
			18.1.2015	16:00	20,9	58,8	21,0	58,4	Yes
			18.1.2015	16:15	20,9	59,4	20,9	58,7	Yes
			18.1.2015	16:30	20,9	59	20,9	58,9	Yes
			18.1.2015	16:45	20,9	58,1	20,9	58,8	Yes
			18.1.2015	17:00	20,9	58,2	20,9	58,7	Yes
			18.1.2015	17:15	20,9	58,9	20,9	58,6	Yes
			18.1.2015	17:30	20,9	58,7	20,9	58,5	Yes
			18.1.2015	17:45	20,8	59	20,9	58,7	Yes
			18.1.2015	18:00	20,8	59,6	20,9	59,1	Yes
			18.1.2015	18:15	20,8	59,5	20,8	59,2	Yes
			18.1.2015	18:30	20,8	58,9	20,8	59,3	Yes
			18.1.2015	18:45	20,8	58,3	20,8	59,1	Yes
			18.1.2015	19:00	20,8	59,1	20,8	59,0	Yes
			18.1.2015	19:15	20,8	59,5	20,8	59,0	Yes
			18.1.2015	19:30	20,8	58,6	20,8	58,9	Yes
			18.1.2015	19:45	20,8	58,8	20,8	59,0	Yes
			18.1.2015	20:00	20,7	57,9	20,8	58,7	Yes
			18.1.2015	20:15	20,7	58	20,8	58,3	Yes
			18.1.2015	20:30	20,8	58,8	20,8	58,4	Yes
			18.1.2015	20:45	20,9	59,2	20,8	58,5	Yes
			18.1.2015	21:00	21,1	59,4	20,9	58,9	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

PHI_15_I0010	PHI_15_I0014	PHI_15_I0016	18.1.2015	21:15	21,2	59,5	21,0	59,2	Yes
			18.1.2015	21:30	21,3	59,4	21,1	59,4	Yes
			18.1.2015	21:45	21,4	58,3	21,3	59,2	Yes
			18.1.2015	22:00	21,5	58,7	21,4	59,0	Yes
			18.1.2015	22:15	21,5	58,9	21,4	58,8	Yes
			18.1.2015	22:30	21,6	58,9	21,5	58,7	Yes
			18.1.2015	22:45	21,6	58,8	21,6	58,8	Yes
			18.1.2015	23:00	21,7	59	21,6	58,9	Yes
			18.1.2015	23:15	21,7	57,3	21,7	58,5	Yes
			18.1.2015	23:30	21,8	57,3	21,7	58,1	Yes
			18.1.2015	23:45	21,8	57,7	21,8	57,8	Yes
			19.1.2015	0:00	21,8	57,9	21,8	57,6	Yes
			19.1.2015	0:15	21,8	57,8	21,8	57,7	Yes
			19.1.2015	0:30	21,9	57,9	21,8	57,8	Yes
			19.1.2015	0:45	21,9	58,1	21,9	57,9	Yes
			19.1.2015	1:00	21,9	58,3	21,9	58,0	Yes
			19.1.2015	1:15	22	58,3	21,9	58,2	Yes
			19.1.2015	1:30	22	58,2	22,0	58,2	Yes
			19.1.2015	1:45	22	58,3	22,0	58,3	Yes
			19.1.2015	2:00	22,1	58,3	22,0	58,3	Yes
			19.1.2015	2:15	22,1	58,4	22,1	58,3	Yes
			19.1.2015	2:30	22,1	58,4	22,1	58,4	Yes
			19.1.2015	2:45	22,2	58,2	22,1	58,3	Yes
			19.1.2015	3:00	22,2	58,4	22,2	58,4	Yes
			19.1.2015	3:15	22,2	58,1	22,2	58,3	Yes
			19.1.2015	3:30	22,2	58,3	22,2	58,3	Yes
			19.1.2015	3:45	22,3	58,1	22,2	58,2	Yes
			19.1.2015	4:00	22,3	58	22,3	58,1	Yes
			19.1.2015	4:15	22,3	58	22,3	58,1	Yes
			19.1.2015	4:30	22,3	57,9	22,3	58,0	Yes
			19.1.2015	4:45	22,4	58	22,3	58,0	Yes
			19.1.2015	5:00	22,4	57,8	22,4	57,9	Yes
			19.1.2015	5:15	22,4	57,1	22,4	57,7	Yes
			19.1.2015	5:30	22,4	56,3	22,4	57,3	Yes
			19.1.2015	5:45	22,5	56,1	22,4	56,8	Yes
			19.1.2015	6:00	22,5	55,6	22,5	56,3	Yes
			19.1.2015	6:15	22,7	55,5	22,5	55,9	Yes
			19.1.2015	6:30	23,1	55,5	22,7	55,7	Yes
			19.1.2015	6:45	23,4	53,7	22,9	55,1	Yes
			19.1.2015	7:00	23,6	52,9	23,2	54,4	Yes
			19.1.2015	7:15	23,7	54,2	23,5	54,1	Yes
			19.1.2015	7:30	23,7	54,5	23,6	53,8	Yes
			19.1.2015	7:45	23,7	53,9	23,7	53,9	Yes
			19.1.2015	8:00	23,7	53,3	23,7	54,0	Yes
			19.1.2015	8:15	23,8	52,2	23,7	53,5	Yes
			19.1.2015	8:30	23,8	51,3	23,8	52,7	Yes
			19.1.2015	8:45	23,8	51,4	23,8	52,1	Yes
			19.1.2015	9:00	23,9	50,4	23,8	51,3	Yes
			19.1.2015	9:15	23,9	50,5	23,9	50,9	Yes
			19.1.2015	9:30	23,9	50,5	23,9	50,7	Yes
			19.1.2015	9:45	23,9	50,4	23,9	50,5	Yes
			19.1.2015	10:00	23,9	50,7	23,9	50,5	Yes
			19.1.2015	10:15	23,9	50,2	23,9	50,5	Yes
			19.1.2015	10:30	24	50,2	23,9	50,4	Yes
			19.1.2015	10:45	24	49,7	24,0	50,2	Yes
			19.1.2015	11:00	24	49,8	24,0	50,0	Yes
			19.1.2015	11:15	24	50	24,0	49,9	Yes
			19.1.2015	11:30	24	48,9	24,0	49,6	Yes
			19.1.2015	11:45	24,1	47,6	24,0	49,1	Yes
			19.1.2015	12:00	24,1	47,2	24,1	48,4	Yes
			19.1.2015	12:15	24,1	47	24,1	47,7	Yes
			19.1.2015	12:30	24,1	47,3	24,1	47,3	Yes
			19.1.2015	12:45	24,1	48,1	24,1	47,4	Yes
			19.1.2015	13:00	24,1	48,5	24,1	47,7	Yes
			19.1.2015	13:15	24,1	48,5	24,1	48,1	Yes
			19.1.2015	13:30	24,1	48,6	24,1	48,4	Yes
			19.1.2015	13:45	24,2	48,2	24,1	48,5	Yes
			19.1.2015	14:00	24,1	46,4	24,1	47,9	Yes
			19.1.2015	14:15	24,1	46,5	24,1	47,4	Yes
			19.1.2015	14:30	24	46,3	24,1	46,9	Yes
			19.1.2015	14:45	24,1	46	24,1	46,3	Yes
			19.1.2015	15:00	24,1	46,5	24,1	46,3	Yes
			19.1.2015	15:15	24,1	46,4	24,1	46,3	Yes
			19.1.2015	15:30	24,1	46,8	24,1	46,4	Yes
			19.1.2015	15:45	24,2	47,8	24,1	46,9	Yes
			19.1.2015	16:00	24,1	49,3	24,1	47,6	Yes
			19.1.2015	16:15	24,2	49,1	24,2	48,3	Yes
			19.1.2015	16:30	24,3	48,9	24,2	48,8	Yes
			19.1.2015	16:45	24,3	49,2	24,2	49,1	Yes
			19.1.2015	17:00	24,2	49,2	24,3	49,1	Yes
			19.1.2015	17:15	24,2	49,4	24,3	49,2	Yes
			19.1.2015	17:30	24,1	49,2	24,2	49,3	Yes
			19.1.2015	17:45	24	49,3	24,1	49,3	Yes
			19.1.2015	18:00	23,9	49	24,1	49,2	Yes
			19.1.2015	18:15	23,8	49,5	24,0	49,3	Yes
			19.1.2015	18:30	23,7	49,8	23,9	49,4	Yes
			19.1.2015	18:45	23,6	50,1	23,8	49,6	Yes
			19.1.2015	19:00	23,6	50	23,7	49,9	Yes
			19.1.2015	19:15	23,5	50,2	23,6	50,0	Yes
			19.1.2015	19:30	23,4	49,9	23,5	50,1	Yes
			19.1.2015	19:45	23,4	49,4	23,5	49,9	Yes
			19.1.2015	20:00	23,3	49,1	23,4	49,7	Yes
			19.1.2015	20:15	23,3	48,9	23,4	49,3	Yes
			19.1.2015	20:30	23,3	49,4	23,3	49,2	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	19.1.2015	20:45	23,3	49,7	23,3	49,3	Yes
			19.1.2015	21:00	23,3	49,8	23,3	49,5	Yes
			19.1.2015	21:15	23,3	49,6	23,3	49,6	Yes
			19.1.2015	21:30	23,3	49,7	23,3	49,7	Yes
			19.1.2015	21:45	23,3	49,9	23,3	49,8	Yes
			19.1.2015	22:00	23,3	49,7	23,3	49,7	Yes
			19.1.2015	22:15	23,3	49,2	23,3	49,6	Yes
			19.1.2015	22:30	23,3	48,6	23,3	49,4	Yes
			19.1.2015	22:45	23,3	48,9	23,3	49,1	Yes
			19.1.2015	23:00	23,2	48,8	23,3	48,9	Yes
			19.1.2015	23:15	23,2	47,3	23,3	48,4	Yes
			19.1.2015	23:30	23,1	47,2	23,2	48,1	Yes
			19.1.2015	23:45	23	47,7	23,1	47,8	Yes
			20.1.2015	0:00	23	47,8	23,1	47,5	Yes
			20.1.2015	0:15	22,9	47,9	23,0	47,7	Yes
			20.1.2015	0:30	22,9	48	23,0	47,9	Yes
			20.1.2015	0:45	22,9	48,4	22,9	48,0	Yes
			20.1.2015	1:00	22,8	48,5	22,9	48,2	Yes
			20.1.2015	1:15	22,8	48,6	22,9	48,4	Yes
			20.1.2015	1:30	22,8	48,9	22,8	48,6	Yes
			20.1.2015	1:45	22,8	49	22,8	48,8	Yes
			20.1.2015	2:00	22,8	48,9	22,8	48,9	Yes
			20.1.2015	2:15	22,8	49	22,8	49,0	Yes
			20.1.2015	2:30	22,7	49	22,8	49,0	Yes
			20.1.2015	2:45	22,7	49	22,8	49,0	Yes
			20.1.2015	3:00	22,7	49	22,7	49,0	Yes
			20.1.2015	3:15	22,7	49,1	22,7	49,0	Yes
			20.1.2015	3:30	22,8	49,2	22,7	49,1	Yes
			20.1.2015	3:45	22,9	49,6	22,8	49,2	Yes
			20.1.2015	4:00	22,9	49,4	22,8	49,3	Yes
			20.1.2015	4:15	23	49,3	22,9	49,4	Yes
			20.1.2015	4:30	23	49,1	23,0	49,4	Yes
			20.1.2015	4:45	23,1	49	23,0	49,2	Yes
			20.1.2015	5:00	23,1	49,4	23,1	49,2	Yes
			20.1.2015	5:15	23,1	48,5	23,1	49,0	Yes
			20.1.2015	5:30	23,2	47,9	23,1	48,7	Yes
			20.1.2015	5:45	23,2	48,1	23,2	48,5	Yes
			20.1.2015	6:00	23,3	47,9	23,2	48,1	Yes
			20.1.2015	6:15	23,5	48,1	23,3	48,0	Yes
			20.1.2015	6:30	23,6	48,5	23,4	48,2	Yes
			20.1.2015	6:45	23,6	47	23,5	47,9	Yes
			20.1.2015	7:00	23,9	46,3	23,7	47,5	Yes
			20.1.2015	7:15	23,9	48,2	23,8	47,5	Yes
			20.1.2015	7:30	23,9	48,1	23,8	47,4	Yes
			20.1.2015	7:45	23,9	49	23,9	47,9	Yes
			20.1.2015	8:00	23,9	48,4	23,9	48,4	Yes
			20.1.2015	8:15	23,8	47,5	23,9	48,3	Yes
			20.1.2015	8:30	23,8	45,6	23,9	47,6	Yes
			20.1.2015	8:45	23,9	44,1	23,9	46,4	Yes
			20.1.2015	9:00	24	44,6	23,9	45,5	Yes
			20.1.2015	9:15	24,1	46,9	24,0	45,3	Yes
			20.1.2015	9:30	23,8	46,8	24,0	45,6	Yes
			20.1.2015	9:45	23,9	43,2	24,0	45,4	Yes
			20.1.2015	10:00	23,2	37,5	23,8	43,6	Yes
			20.1.2015	10:15	23,3	45,5	23,6	43,3	Yes
			20.1.2015	10:30	23,7	47,1	23,5	43,3	Yes
			20.1.2015	10:45	23,4	40	23,4	42,5	Yes
			20.1.2015	11:00	23,1	42,5	23,4	43,8	Yes
			20.1.2015	11:15	23,5	46,3	23,4	44,0	Yes
			20.1.2015	11:30	23,7	44	23,4	43,2	Yes
			20.1.2015	11:45	23,9	44,5	23,6	44,3	Yes
			20.1.2015	12:00	23,6	47,2	23,7	45,5	Yes
			20.1.2015	12:15	24	47,1	23,8	45,7	Yes
			20.1.2015	12:30	24,2	46,1	23,9	46,2	Yes
			20.1.2015	12:45	23,3	39,6	23,8	45,0	Yes
			20.1.2015	13:00	23,2	47,1	23,7	45,0	Yes
			20.1.2015	13:15	23,6	48,7	23,6	45,4	Yes
			20.1.2015	13:30	24	48,8	23,5	46,1	Yes
			20.1.2015	13:45	24,1	45,8	23,7	47,6	Yes
			20.1.2015	14:00	23,9	50	23,9	48,3	Yes
			20.1.2015	14:15	23,9	47,8	24,0	48,1	Yes
			20.1.2015	14:30	24,1	50,4	24,0	48,5	Yes
			20.1.2015	14:45	23,6	43,1	23,9	47,8	Yes
			20.1.2015	15:00	23,7	51,2	23,8	48,1	Yes
			20.1.2015	15:15	23,8	50,9	23,8	48,9	Yes
			20.1.2015	15:30	23,9	51,2	23,8	49,1	Yes
			20.1.2015	15:45	24	51,4	23,9	51,2	Yes
			20.1.2015	16:00	24	51,3	23,9	51,2	Yes
			20.1.2015	16:15	24	51,1	24,0	51,3	Yes
			20.1.2015	16:30	23,9	52	24,0	51,5	Yes
			20.1.2015	16:45	23,9	52,5	24,0	51,7	Yes
			20.1.2015	17:00	23,8	53,1	23,9	52,2	Yes
			20.1.2015	17:15	23,8	53,5	23,9	52,8	Yes
			20.1.2015	17:30	23,7	52,8	23,8	53,0	Yes
			20.1.2015	17:45	23,6	53	23,7	53,1	Yes
			20.1.2015	18:00	23,6	53,2	23,7	53,1	Yes
			20.1.2015	18:15	23,5	53,7	23,6	53,2	Yes
			20.1.2015	18:30	23,4	54,2	23,5	53,5	Yes
			20.1.2015	18:45	23,4	54,3	23,5	53,9	Yes
			20.1.2015	19:00	23,4	54,5	23,4	54,2	Yes
			20.1.2015	19:15	23,3	54,7	23,4	54,4	Yes
			20.1.2015	19:30	23,3	53,9	23,4	54,4	Yes
			20.1.2015	19:45	23,2	53,7	23,3	54,2	Yes
			20.1.2015	20:00	23,2	53,3	23,3	53,9	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	20.1.2015	20:15	23,2	53,7	23,2	53,7	Yes
			20.1.2015	20:30	23,1	53,6	23,2	53,6	Yes
			20.1.2015	20:45	23,2	53,9	23,2	53,6	Yes
			20.1.2015	21:00	23,2	54,1	23,2	53,8	Yes
			20.1.2015	21:15	23,2	53,8	23,2	53,9	Yes
			20.1.2015	21:30	23,2	54	23,2	54,0	Yes
			20.1.2015	21:45	23,2	54,3	23,2	54,1	Yes
			20.1.2015	22:00	23,2	54,5	23,2	54,2	Yes
			20.1.2015	22:15	23,2	54,1	23,2	54,2	Yes
			20.1.2015	22:30	23,1	53,5	23,2	54,1	Yes
			20.1.2015	22:45	23,1	53,8	23,2	54,0	Yes
			20.1.2015	23:00	23,1	53,9	23,1	53,8	Yes
			20.1.2015	23:15	23	51,9	23,1	53,3	Yes
			20.1.2015	23:30	22,9	52,7	23,0	53,1	Yes
			20.1.2015	23:45	22,9	53,1	23,0	52,9	Yes
			21.1.2015	0:00	22,9	53,6	22,9	52,8	Yes
			21.1.2015	0:15	22,8	53,4	22,9	53,2	Yes
			21.1.2015	0:30	22,8	54	22,9	53,5	Yes
			21.1.2015	0:45	22,7	54,2	22,8	53,8	Yes
			21.1.2015	1:00	22,7	54,6	22,8	54,1	Yes
			21.1.2015	1:15	22,7	55,2	22,7	54,5	Yes
			21.1.2015	1:30	22,7	55,3	22,7	54,8	Yes
			21.1.2015	1:45	22,7	55,5	22,7	55,2	Yes
			21.1.2015	2:00	22,7	55,5	22,7	55,4	Yes
			21.1.2015	2:15	22,7	55,6	22,7	55,5	Yes
			21.1.2015	2:30	22,7	55,9	22,7	55,6	Yes
			21.1.2015	2:45	22,7	56	22,7	55,8	Yes
			21.1.2015	3:00	22,6	56,7	22,7	56,1	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	21.1.2015	3:15	22,6	56,3	22,7	56,2	Yes
			21.1.2015	3:30	22,7	56,5	22,7	56,4	Yes
			21.1.2015	3:45	22,7	56,5	22,7	56,5	Yes
			21.1.2015	4:00	22,7	56,8	22,7	56,5	Yes
			21.1.2015	4:15	22,8	56,8	22,7	56,7	Yes
			21.1.2015	4:30	22,8	56,8	22,8	56,7	Yes
			21.1.2015	4:45	22,9	56,7	22,8	56,8	Yes
			21.1.2015	5:00	22,9	56,5	22,9	56,7	Yes
			21.1.2015	5:15	22,9	56	22,9	56,5	Yes
			21.1.2015	5:30	22,9	55,1	22,9	56,1	Yes
			21.1.2015	5:45	22,9	55,8	22,9	55,9	Yes
			21.1.2015	6:00	23	56	22,9	55,7	Yes
			21.1.2015	6:15	23,3	55,6	23,0	55,6	Yes
			21.1.2015	6:30	23,5	55	23,2	55,6	Yes
			21.1.2015	6:45	23,7	54,8	23,4	55,4	Yes
			21.1.2015	7:00	23,8	53,9	23,6	54,8	Yes
			21.1.2015	7:15	23,9	52,2	23,7	54,0	Yes
			21.1.2015	7:30	23,9	54,5	23,8	53,9	Yes
			21.1.2015	7:45	23,9	54,5	23,9	53,8	Yes
			21.1.2015	8:00	23,9	50,6	23,9	53,0	Yes
			21.1.2015	8:15	24	54,4	23,9	53,5	Yes
			21.1.2015	8:30	23,9	54,9	23,9	53,6	Yes
			21.1.2015	8:45	23,9	50,1	23,9	52,5	Yes
			21.1.2015	9:00	24,1	53,9	24,0	53,3	Yes
			21.1.2015	9:15	24	54,2	24,0	53,3	Yes
			21.1.2015	9:30	24	53	24,0	52,8	Yes
			21.1.2015	9:45	24	51,2	24,0	53,1	Yes
			21.1.2015	10:00	24,2	51,8	24,1	52,6	Yes
			21.1.2015	10:15	24,1	54,3	24,1	52,6	Yes
			21.1.2015	10:30	24	49,9	24,1	51,8	Yes
			21.1.2015	10:45	24,2	53,7	24,1	52,4	Yes
			21.1.2015	11:00	23,9	51,4	24,1	52,3	Yes
			21.1.2015	11:15	24,1	52,2	24,1	51,8	Yes
			21.1.2015	11:30	24	52,3	24,1	52,4	Yes
			21.1.2015	11:45	24	50,8	24,0	51,7	Yes
			21.1.2015	12:00	24,1	49	24,1	51,1	Yes
			21.1.2015	12:15	24	52,3	24,0	51,1	Yes
			21.1.2015	12:30	24	51,1	24,0	50,8	Yes
			21.1.2015	12:45	23,9	46,6	24,0	49,8	Yes
			21.1.2015	13:00	24	52,9	24,0	50,7	Yes
			21.1.2015	13:15	24	49	24,0	49,9	Yes
			21.1.2015	13:30	24,2	50,4	24,0	49,7	Yes
			21.1.2015	13:45	24	51	24,1	50,8	Yes
			21.1.2015	14:00	24,1	51,8	24,1	50,6	Yes
			21.1.2015	14:15	24,1	52,2	24,1	51,4	Yes
			21.1.2015	14:30	24,3	51,2	24,1	51,6	Yes
			21.1.2015	14:45	24,4	51,3	24,2	51,6	Yes
			21.1.2015	15:00	24,4	51,4	24,3	51,5	Yes
			21.1.2015	15:15	24,4	51,3	24,4	51,3	Yes
			21.1.2015	15:30	24,4	51,3	24,4	51,3	Yes
			21.1.2015	15:45	24,3	51,6	24,4	51,4	Yes
			21.1.2015	16:00	24,3	52,3	24,4	51,6	Yes
			21.1.2015	16:15	24,2	52,2	24,3	51,9	Yes
			21.1.2015	16:30	24,1	52,4	24,2	52,1	Yes
			21.1.2015	16:45	24,1	52,7	24,2	52,4	Yes
			21.1.2015	17:00	24	53,2	24,1	52,6	Yes
			21.1.2015	17:15	23,9	53,5	24,0	53,0	Yes
			21.1.2015	17:30	23,9	53,6	24,0	53,3	Yes
			21.1.2015	17:45	23,8	53,6	23,9	53,5	Yes
			21.1.2015	18:00	23,7	53,8	23,8	53,6	Yes
			21.1.2015	18:15	23,7	53,7	23,8	53,7	Yes
			21.1.2015	18:30	23,7	54,2	23,7	53,8	Yes
			21.1.2015	18:45	23,6	54,3	23,7	54,0	Yes
			21.1.2015	19:00	23,6	54,5	23,7	54,2	Yes
			21.1.2015	19:15	23,5	54,8	23,6	54,5	Yes
			21.1.2015	19:30	23,5	54,5	23,6	54,5	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	21.1.2015	19:45	23,4	54,3	23,5	54,5	Yes
			21.1.2015	20:00	23,4	54,1	23,5	54,4	Yes
			21.1.2015	20:15	23,3	53,8	23,4	54,2	Yes
			21.1.2015	20:30	23,3	53,8	23,4	54,0	Yes
			21.1.2015	20:45	23,3	54	23,3	53,9	Yes
			21.1.2015	21:00	23,3	54,1	23,3	53,9	Yes
			21.1.2015	21:15	23,3	53,9	23,3	54,0	Yes
			21.1.2015	21:30	23,3	54,5	23,3	54,1	Yes
			21.1.2015	21:45	23,3	54,5	23,3	54,3	Yes
			21.1.2015	22:00	23,3	54,5	23,3	54,4	Yes
			21.1.2015	22:15	23,3	54,7	23,3	54,6	Yes
			21.1.2015	22:30	23,3	54,1	23,3	54,5	Yes
			21.1.2015	22:45	23,2	54,3	23,3	54,4	Yes
			21.1.2015	23:00	23,2	54,5	23,3	54,4	Yes
			21.1.2015	23:15	23,2	53	23,2	54,0	Yes
			21.1.2015	23:30	23,1	53,2	23,2	53,8	Yes
			21.1.2015	23:45	23,1	53,4	23,2	53,5	Yes
			22.1.2015	0:00	23	53,8	23,1	53,4	Yes
			22.1.2015	0:15	23	53,8	23,1	53,6	Yes
			22.1.2015	0:30	22,9	54,5	23,0	53,9	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	22.1.2015	0:45	22,9	54,5	23,0	54,2	Yes
			22.1.2015	1:00	22,9	54,9	22,9	54,4	Yes
			22.1.2015	1:15	22,9	55,1	22,9	54,8	Yes
			22.1.2015	1:30	22,8	55,6	22,9	55,0	Yes
			22.1.2015	1:45	22,8	55,4	22,9	55,3	Yes
			22.1.2015	2:00	22,8	55,9	22,8	55,5	Yes
			22.1.2015	2:15	22,8	55,7	22,8	55,7	Yes
			22.1.2015	2:30	22,8	56,2	22,8	55,8	Yes
			22.1.2015	2:45	22,8	56,3	22,8	56,0	Yes
			22.1.2015	3:00	22,8	56,3	22,8	56,1	Yes
			22.1.2015	3:15	22,7	56,5	22,8	56,3	Yes
			22.1.2015	3:30	22,8	57	22,8	56,5	Yes
			22.1.2015	3:45	22,8	57,1	22,8	56,7	Yes
			22.1.2015	4:00	22,8	57,2	22,8	57,0	Yes
			22.1.2015	4:15	22,9	57,2	22,8	57,1	Yes
			22.1.2015	4:30	22,9	57,1	22,9	57,2	Yes
			22.1.2015	4:45	22,9	57,4	22,9	57,2	Yes
			22.1.2015	5:00	23	57,1	22,9	57,2	Yes
			22.1.2015	5:15	23	56,9	23,0	57,1	Yes
			22.1.2015	5:30	23	56,9	23,0	57,1	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	22.1.2015	5:45	23	57	23,0	57,0	Yes
			22.1.2015	6:00	23,2	57	23,1	57,0	Yes
			22.1.2015	6:15	23,5	56,8	23,2	56,9	Yes
			22.1.2015	6:30	23,7	54,2	23,4	56,3	Yes
			22.1.2015	6:45	23,8	56,9	23,6	56,2	Yes
			22.1.2015	7:00	23,7	55,2	23,7	55,8	Yes
			22.1.2015	7:15	23,8	51,6	23,8	54,5	Yes
			22.1.2015	7:30	23,8	56,7	23,8	55,1	Yes
			22.1.2015	7:45	23,8	54,5	23,8	54,5	Yes
			22.1.2015	8:00	23,8	51,4	23,8	53,6	Yes
			22.1.2015	8:15	23,9	55,4	23,8	54,5	Yes
			22.1.2015	8:30	23,9	54	23,9	53,8	Yes
			22.1.2015	8:45	24	52,4	23,9	53,3	Yes
			22.1.2015	9:00	24,2	53	24,0	53,7	Yes
			22.1.2015	9:15	24,1	53,9	24,1	53,3	Yes
			22.1.2015	9:30	24	52,8	24,1	53,0	Yes
			22.1.2015	9:45	24	49,2	24,1	52,2	Yes
			22.1.2015	10:00	24,2	53,2	24,1	52,3	Yes
			22.1.2015	10:15	24,1	53,3	24,1	52,1	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	22.1.2015	10:30	24	53,6	24,1	52,3	Yes
			22.1.2015	10:45	23,9	49,8	24,1	52,5	Yes
			22.1.2015	11:00	24,1	54,7	24,0	52,9	Yes
			22.1.2015	11:15	23,9	54,1	24,0	53,1	Yes
			22.1.2015	11:30	24	50	24,0	52,2	Yes
			22.1.2015	11:45	24,1	55,6	24,0	53,6	Yes
			22.1.2015	12:00	24	54	24,0	53,4	Yes
			22.1.2015	12:15	24,1	50,9	24,1	52,6	Yes
			22.1.2015	12:30	24,1	55,6	24,1	54,0	Yes
			22.1.2015	12:45	24	54,9	24,1	53,9	Yes
			22.1.2015	13:00	23,9	49,7	24,0	52,8	Yes
			22.1.2015	13:15	24,1	56,1	24,0	54,1	Yes
			22.1.2015	13:30	23,9	53,3	24,0	53,5	Yes
			22.1.2015	13:45	24,2	55,7	24,0	53,7	Yes
			22.1.2015	14:00	23,9	53,8	24,0	54,7	Yes
			22.1.2015	14:15	24,1	53,1	24,0	54,0	Yes
			22.1.2015	14:30	24	55,6	24,1	54,6	Yes
			22.1.2015	14:45	23,9	49,8	24,0	53,1	Yes
			22.1.2015	15:00	23,6	55,3	23,9	53,5	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	22.1.2015	15:15	23,7	56,8	23,8	54,4	Yes
			22.1.2015	15:30	23,9	56,8	23,8	54,7	Yes
			22.1.2015	15:45	23,9	56,1	23,8	56,3	Yes
			22.1.2015	16:00	23,9	56,2	23,9	56,5	Yes
			22.1.2015	16:15	24	56,1	23,9	56,3	Yes
			22.1.2015	16:30	23,9	56,3	23,9	56,2	Yes
			22.1.2015	16:45	23,9	57	23,9	56,4	Yes
			22.1.2015	17:00	23,8	57,6	23,9	56,8	Yes
			22.1.2015	17:15	23,8	57,7	23,9	57,2	Yes
			22.1.2015	17:30	23,7	57,7	23,8	57,5	Yes
			22.1.2015	17:45	23,7	57,8	23,8	57,7	Yes
			22.1.2015	18:00	23,6	57,9	23,7	57,8	Yes
			22.1.2015	18:15	23,6	58,3	23,7	57,9	Yes
			22.1.2015	18:30	23,6	58,5	23,6	58,1	Yes
			22.1.2015	18:45	23,5	58,8	23,6	58,4	Yes
			22.1.2015	19:00	23,5	58,7	23,6	58,6	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	22.1.2015	19:15	23,5	58,9	23,5	58,7	Yes
			22.1.2015	19:30	23,4	59,1	23,5	58,9	Yes
			22.1.2015	19:45	23,4	58,6	23,5	58,8	Yes
			22.1.2015	20:00	23,3	58,8	23,4	58,9	Yes
			22.1.2015	20:15	23,3	58,4	23,4	58,7	Yes
			22.1.2015	20:30	23,3	58,6	23,3	58,6	Yes
			22.1.2015	20:45	23,3	58,7	23,3	58,6	Yes
			22.1.2015	21:00	23,3	59	23,3	58,7	Yes
			22.1.2015	21:15	23,3	58,8	23,3	58,8	Yes
			22.1.2015	21:30	23,3	59,1	23,3	58,9	Yes
			22.1.2015	21:45	23,3	59,2	23,3	59,0	Yes
			22.1.2015	22:00	23,3	59,4	23,3	59,1	Yes
			22.1.2015	22:15	23,3	59	23,3	59,2	Yes
			22.1.2015	22:30	23,2	58,8	23,3	59,1	Yes
			22.1.2015	22:45	23,2	59,1	23,3	59,1	Yes
			22.1.2015	23:00	23,2	59,4	23,2	59,1	Yes
			22.1.2015	23:15	23,1	58,4	23,2	58,9	Yes
			22.1.2015	23:30	23,1	58,3	23,2	58,8	Yes
			22.1.2015	23:45	23	58,5	23,1	58,7	Yes
			23.1.2015	0:00	23	58,8	23,1	58,5	Yes
			23.1.2015	0:15	23	58,8	23,0	58,6	Yes
			23.1.2015	0:30	22,9	59,4	23,0	58,9	Yes
			23.1.2015	0:45	22,9	59,7	23,0	59,2	Yes
			23.1.2015	1:00	22,9	59,8	22,9	59,4	Yes
			23.1.2015	1:15	22,9	60	22,9	59,7	Yes
			23.1.2015	1:30	22,9	60,2	22,9	59,9	Yes
			23.1.2015	1:45	22,9	60	22,9	60,0	Yes
			23.1.2015	2:00	22,8	60,2	22,9	60,1	Yes
			23.1.2015	2:15	22,8	59,5	22,9	60,0	Yes
			23.1.2015	2:30	22,8	60	22,8	59,9	Yes
			23.1.2015	2:45	22,8	60	22,8	59,9	Yes
			23.1.2015	3:00	22,8	59,7	22,8	59,8	Yes
			23.1.2015	3:15	22,8	60,1	22,8	60,0	Yes
			23.1.2015	3:30	22,8	60,2	22,8	60,0	Yes
PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	23.1.2015	3:45	22,9	59,6	22,8	59,9	Yes
			23.1.2015	4:00	22,9	60,1	22,9	60,0	Yes
			23.1.2015	4:15	23	59,2	22,9	59,8	Yes
			23.1.2015	4:30	23	59,5	23,0	59,6	Yes
			23.1.2015	4:45	23	60	23,0	59,7	Yes
			23.1.2015	5:00	23,1	59,1	23,0	59,5	Yes
			23.1.2015	5:15	23,1	59,2	23,1	59,5	Yes
			23.1.2015	5:30	23,1	59,3	23,1	59,4	Yes
			23.1.2015	5:45	23,1	59,2	23,1	59,2	Yes
			23.1.2015	6:00	23,1	59,3	23,1	59,3	Yes
			23.1.2015	6:15	23,3	59,4	23,2	59,3	Yes
			23.1.2015	6:30	23,6	58,9	23,3	59,2	Yes
			23.1.2015	6:45	23,8	58,5	23,5	59,0	Yes
			23.1.2015	7:00	23,9	57,5	23,7	58,6	Yes
			23.1.2015	7:15	23,9	55,9	23,8	57,7	Yes
			23.1.2015	7:30	24	54,5	23,9	56,6	Yes
			23.1.2015	7:45	23,9	58,1	23,9	56,5	Yes
			23.1.2015	8:00	23,9	54,1	23,9	55,7	Yes
			23.1.2015	8:15	24	55,6	24,0	55,6	Yes
			23.1.2015	8:30	23,9	55,7	23,9	55,9	Yes
			23.1.2015	8:45	23,9	51	23,9	54,1	Yes
			23.1.2015	9:00	24	56,8	24,0	54,8	Yes
			23.1.2015	9:15	23,9	55,1	23,9	54,7	Yes
			23.1.2015	9:30	24,1	54,6	24,0	54,4	Yes
			23.1.2015	9:45	24	56,8	24,0	55,8	Yes
			23.1.2015	10:00	23,9	54,6	24,0	55,3	Yes
			23.1.2015	10:15	24,1	51,9	24,0	54,5	Yes
			23.1.2015	10:30	24	54,7	24,0	54,5	Yes
			23.1.2015	10:45	24	54	24,0	53,8	Yes
			23.1.2015	11:00	24	51,6	24,0	53,1	Yes
			23.1.2015	11:15	24,1	56,2	24,0	54,1	Yes
			23.1.2015	11:30	24	52,4	24,0	53,6	Yes
			23.1.2015	11:45	24,2	57,6	24,1	54,5	Yes
			23.1.2015	12:00	24	53,6	24,1	55,0	Yes
			23.1.2015	12:15	24,2	56,2	24,1	55,0	Yes
			23.1.2015	12:30	24,1	54,9	24,1	55,6	Yes
			23.1.2015	12:45	24,2	52	24,1	54,2	Yes
			23.1.2015	13:00	24,2	55,6	24,2	54,7	Yes
			23.1.2015	13:15	24,1	53,6	24,2	54,0	Yes
			23.1.2015	13:30	24,3	53,9	24,2	53,8	Yes
			23.1.2015	13:45	24,1	55,8	24,2	54,7	Yes
			23.1.2015	14:00	24,1	50,8	24,2	53,5	Yes
			23.1.2015	14:15	24,2	56,4	24,2	54,2	Yes
			23.1.2015	14:30	24	54,1	24,1	54,3	Yes
			23.1.2015	14:45	24,1	57,5	24,1	54,7	Yes
			23.1.2015	15:00	24,3	55,9			No
			23.1.2015	15:15	24,4	55,1			No
			23.1.2015	15:30	24,4	55,7			No
			23.1.2015	15:45	24,4	55,5			No
			23.1.2015	16:00	24,4	55,9			No
			23.1.2015	16:15	24,3	55,4			No
			23.1.2015	16:30	24,2	56,1			No
			23.1.2015	16:45	24,2	57,1			No
			23.1.2015	17:00	24,1	57,4			No
			23.1.2015	17:15	24	57,7			No
			23.1.2015	17:30	24	57,3			No
			23.1.2015	17:45	23,9	57,4			No
			23.1.2015	18:00	23,8	57,2			No
			23.1.2015	18:15	23,8	57,6			No
			23.1.2015	18:30	23,7	58			No

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

23.1.2015	18:45	23,7	58,3		No
23.1.2015	19:00	23,6	58,3		No
23.1.2015	19:15	23,6	58,6		No
23.1.2015	19:30	23,6	58,1		No
23.1.2015	19:45	23,5	57,5		No
23.1.2015	20:00	23,5	57,8		No
23.1.2015	20:15	23,4	57,8		No
23.1.2015	20:30	23,5	58,1		No
23.1.2015	20:45	23,5	58,3		No
23.1.2015	21:00	23,5	58,2		No
23.1.2015	21:15	23,5	57,8		No
23.1.2015	21:30	23,5	58,1		No
23.1.2015	21:45	23,5	58,3		No
23.1.2015	22:00	23,5	58,3		No
23.1.2015	22:15	23,5	57,8		No
23.1.2015	22:30	23,5	57,2		No
23.1.2015	22:45	23,4	57,5		No
23.1.2015	23:00	23,4	57,7		No
23.1.2015	23:15	23,3	56,6		No
23.1.2015	23:30	23,3	57		No
23.1.2015	23:45	23,2	57,1		No
24.1.2015	0:00	23,2	57,4		No
24.1.2015	0:15	23,1	57,6		No
24.1.2015	0:30	23,1	57,6		No
24.1.2015	0:45	23	57,8		No
24.1.2015	1:00	23	57,7		No
24.1.2015	1:15	22,9	57,9		No
24.1.2015	1:30	22,9	57,9		No
24.1.2015	1:45	22,9	57,8		No
24.1.2015	2:00	22,8	58		No
24.1.2015	2:15	22,8	57,9		No
24.1.2015	2:30	22,7	58		No
24.1.2015	2:45	22,7	57,6		No
24.1.2015	3:00	22,6	57,6		No
24.1.2015	3:15	22,6	57,7		No
24.1.2015	3:30	22,5	57,3		No
24.1.2015	3:45	22,5	57,6		No
24.1.2015	4:00	22,5	57,8		No
24.1.2015	4:15	22,4	57,9		No
24.1.2015	4:30	22,3	57,4		No
24.1.2015	4:45	22,3	57,9		No
24.1.2015	5:00	22,3	58,3		No
24.1.2015	5:15	22,2	58,2		No
24.1.2015	5:30	22,2	57,5		No
24.1.2015	5:45	22,1	58		No
24.1.2015	6:00	22,1	58,1		No
24.1.2015	6:15	22,1	57,6		No
24.1.2015	6:30	22	55,6		No
24.1.2015	6:45	22	56,8		No
24.1.2015	7:00	21,9	57,2		No
24.1.2015	7:15	21,9	57,2		No
24.1.2015	7:30	21,8	57,4		No
24.1.2015	7:45	21,8	57,8		No
24.1.2015	8:00	21,8	57,8		No
24.1.2015	8:15	21,8	58,1		No
24.1.2015	8:30	21,8	57,8		No
24.1.2015	8:45	21,8	57,9		No
24.1.2015	9:00	21,8	57,8		No
24.1.2015	9:15	21,8	57,5		No
24.1.2015	9:30	21,8	57,2		No
24.1.2015	9:45	21,7	57,2		No
24.1.2015	10:00	21,7	57,2		No
24.1.2015	10:15	21,7	57,3		No
24.1.2015	10:30	21,6	57,1		No
24.1.2015	10:45	21,6	55,9		No
24.1.2015	11:00	21,5	56		No
24.1.2015	11:15	21,5	55,6		No
24.1.2015	11:30	21,5	55		No
24.1.2015	11:45	21,4	54,9		No
24.1.2015	12:00	21,4	54,8		No
24.1.2015	12:15	21,4	54,4		No
24.1.2015	12:30	21,3	54,5		No
24.1.2015	12:45	21,3	54,3		No
24.1.2015	13:00	21,3	54,6		No
24.1.2015	13:15	21,3	54,7		No
24.1.2015	13:30	21,3	54,3		No
24.1.2015	13:45	21,2	54,3		No
24.1.2015	14:00	21,2	53,4		No
24.1.2015	14:15	21,2	54,3		No
24.1.2015	14:30	21,2	54,3		No
24.1.2015	14:45	21,2	54,7		No
24.1.2015	15:00	21,3	54,7		No
24.1.2015	15:15	21,3	54,7		No
24.1.2015	15:30	21,3	55		No
24.1.2015	15:45	21,3	55,1		No
24.1.2015	16:00	21,4	55,3		No
24.1.2015	16:15	21,4	55,5		No
24.1.2015	16:30	21,4	55,5		No
24.1.2015	16:45	21,4	55,5		No
24.1.2015	17:00	21,4	55,4		No
24.1.2015	17:15	21,4	55,6		No
24.1.2015	17:30	21,4	55,5		No
24.1.2015	17:45	21,4	55,4		No
24.1.2015	18:00	21,4	55		No

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	24.1.2015	18:15	21,3	54,7			No
			24.1.2015	18:30	21,3	54,7			No
			24.1.2015	18:45	21,2	54,8			No
			24.1.2015	19:00	21,2	54,5			No
			24.1.2015	19:15	21,1	55,1			No
			24.1.2015	19:30	21,1	55			No
			24.1.2015	19:45	21,1	55			No
			24.1.2015	20:00	21	54			No
			24.1.2015	20:15	21	54,8			No
			24.1.2015	20:30	21	55,3			No
			24.1.2015	20:45	21,1	55,6			No
			24.1.2015	21:00	21,1	55,8			No
			24.1.2015	21:15	21,1	55,8			No
			24.1.2015	21:30	21,1	55,9			No
			24.1.2015	21:45	21,1	56,3			No
			24.1.2015	22:00	21,2	56,3			No
			24.1.2015	22:15	21,2	56,1			No
			24.1.2015	22:30	21,1	56,3			No
			24.1.2015	22:45	21,1	55,9			No
			24.1.2015	23:00	21	55,5			No
			24.1.2015	23:15	21	54,5			No
			24.1.2015	23:30	20,9	54,7			No
			24.1.2015	23:45	20,9	55,2			No
			25.1.2015	0:00	20,8	56			No
			25.1.2015	0:15	20,8	55,9			No
			25.1.2015	0:30	20,8	56,2			No
			25.1.2015	0:45	20,7	56,2			No
			25.1.2015	1:00	20,7	56,4			No
			25.1.2015	1:15	20,7	56,6			No
			25.1.2015	1:30	20,6	56,5			No
			25.1.2015	1:45	20,6	56,6			No
			25.1.2015	2:00	20,6	57			No
			25.1.2015	2:15	20,6	57,2			No
			25.1.2015	2:30	20,6	57,4			No
			25.1.2015	2:45	20,5	57,3			No
			25.1.2015	3:00	20,5	57,3			No
			25.1.2015	3:15	20,5	56,9			No
			25.1.2015	3:30	20,5	56,5			No
			25.1.2015	3:45	20,4	56,4			No
			25.1.2015	4:00	20,4	56,2			No
			25.1.2015	4:15	20,4	56,3			No
			25.1.2015	4:30	20,5	56,7			No
			25.1.2015	4:45	20,6	56,9			No
			25.1.2015	5:00	20,8	57,2			No
			25.1.2015	5:15	20,9	57,3			No
			25.1.2015	5:30	21,1	57,4			No
			25.1.2015	5:45	21,3	57,4			No
			25.1.2015	6:00	21,4	57,3	21,2	57,4	Yes
			25.1.2015	6:15	21,5	57,4	21,3	57,4	Yes
			25.1.2015	6:30	21,5	55,9	21,4	57,0	Yes
			25.1.2015	6:45	21,6	55,8	21,5	56,6	Yes
			25.1.2015	7:00	21,7	56,3	21,6	56,4	Yes
			25.1.2015	7:15	21,7	56,6	21,6	56,2	Yes
			25.1.2015	7:30	21,8	56,6	21,7	56,3	Yes
			25.1.2015	7:45	21,8	56,7	21,8	56,6	Yes
			25.1.2015	8:00	21,8	56,7	21,8	56,7	Yes
			25.1.2015	8:15	21,9	56,6	21,8	56,7	Yes
			25.1.2015	8:30	21,9	56,5	21,9	56,6	Yes
			25.1.2015	8:45	21,8	56,4	21,9	56,6	Yes
			25.1.2015	9:00	21,8	56,6	21,9	56,5	Yes
			25.1.2015	9:15	21,7	56,7	21,8	56,6	Yes
			25.1.2015	9:30	21,7	56,4	21,8	56,5	Yes
			25.1.2015	9:45	21,6	56,4	21,7	56,5	Yes
			25.1.2015	10:00	21,5	56,7	21,6	56,6	Yes
			25.1.2015	10:15	21,5	56,6	21,6	56,5	Yes
			25.1.2015	10:30	21,4	56,8	21,5	56,6	Yes
			25.1.2015	10:45	21,4	54,9	21,5	56,3	Yes
			25.1.2015	11:00	21,3	55,3	21,4	55,9	Yes
			25.1.2015	11:15	21,3	55,9	21,4	55,7	Yes
			25.1.2015	11:30	21,2	56,1	21,3	55,6	Yes
			25.1.2015	11:45	21,2	55,8	21,3	55,8	Yes
			25.1.2015	12:00	21,2	56,5	21,2	56,1	Yes
			25.1.2015	12:15	21,1	56,6	21,2	56,3	Yes
			25.1.2015	12:30	21,1	56,1	21,2	56,3	Yes
			25.1.2015	12:45	21,1	56,5	21,1	56,4	Yes
			25.1.2015	13:00	21,1	56,6	21,1	56,5	Yes
			25.1.2015	13:15	21,1	56,7	21,1	56,5	Yes
			25.1.2015	13:30	21	56,7	21,1	56,6	Yes
			25.1.2015	13:45	21	56,7	21,1	56,7	Yes
			25.1.2015	14:00	21	56,5	21,0	56,7	Yes
			25.1.2015	14:15	21	56	21,0	56,5	Yes
			25.1.2015	14:30	21	55	21,0	56,1	Yes
			25.1.2015	14:45	20,9	55,9	21,0	55,9	Yes
			25.1.2015	15:00	20,9	56	21,0	55,7	Yes
			25.1.2015	15:15	20,9	55,9	20,9	55,7	Yes
			25.1.2015	15:30	20,9	56,5	20,9	56,1	Yes
			25.1.2015	15:45	20,8	57,3	20,9	56,4	Yes
			25.1.2015	16:00	20,8	57,6	20,9	56,8	Yes
			25.1.2015	16:15	20,8	57,7	20,8	57,3	Yes
			25.1.2015	16:30	20,8	58	20,8	57,7	Yes
			25.1.2015	16:45	20,7	58	20,8	57,8	Yes
			25.1.2015	17:00	20,7	58,2	20,8	58,0	Yes
			25.1.2015	17:15	20,7	57,8	20,7	58,0	Yes
			25.1.2015	17:30	20,7	57,6	20,7	57,9	Yes



TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

PHI_15_I0011	PHI_15_I0014	PHI_15_I0017	25.1.2015	17:45	20,7	57,3	20,7	57,7	Yes
			25.1.2015	18:00	20,7	57,4	20,7	57,5	Yes
			25.1.2015	18:15	20,6	56,8	20,7	57,3	Yes
			25.1.2015	18:30	20,6	56,9	20,7	57,1	Yes
			25.1.2015	18:45	20,6	56,7	20,6	57,0	Yes
			25.1.2015	19:00	20,6	56,4	20,6	56,7	Yes
			25.1.2015	19:15	20,6	57,1	20,6	56,8	Yes
			25.1.2015	19:30	20,5	56,3	20,6	56,6	Yes
			25.1.2015	19:45	20,5	55,5	20,6	56,3	Yes
			25.1.2015	20:00	20,5	55	20,5	56,0	Yes
			25.1.2015	20:15	20,5	55,4	20,5	55,6	Yes
			25.1.2015	20:30	20,7	56,1	20,6	55,5	Yes
			25.1.2015	20:45	20,8	56,5	20,6	55,8	Yes
			25.1.2015	21:00	21	56,6	20,8	56,2	Yes
			25.1.2015	21:15	21,1	56,7	20,9	56,5	Yes
			25.1.2015	21:30	21,2	56,8	21,0	56,7	Yes
			25.1.2015	21:45	21,3	56,7	21,2	56,7	Yes
			25.1.2015	22:00	21,4	56,7	21,3	56,7	Yes
			25.1.2015	22:15	21,5	56,3	21,4	56,6	Yes
			25.1.2015	22:30	21,6	56,4	21,5	56,5	Yes
			25.1.2015	22:45	21,6	56,3	21,5	56,4	Yes
			25.1.2015	23:00	21,7	56,3	21,6	56,3	Yes
			25.1.2015	23:15	21,7	54,7	21,7	55,9	Yes
			25.1.2015	23:30	21,8	54,4	21,7	55,4	Yes
			25.1.2015	23:45	21,8	54,6	21,8	55,0	Yes
			26.1.2015	0:00	21,9	54,9	21,8	54,7	Yes
			26.1.2015	0:15	21,9	55	21,9	54,7	Yes
			26.1.2015	0:30	22	55	21,9	54,9	Yes
			26.1.2015	0:45	22	55	22,0	55,0	Yes
			26.1.2015	1:00	22	55,1	22,0	55,0	Yes
			26.1.2015	1:15	22,1	55,2	22,0	55,1	Yes
			26.1.2015	1:30	22,1	55,1	22,1	55,1	Yes
			26.1.2015	1:45	22,1	55,2	22,1	55,2	Yes
			26.1.2015	2:00	22,2	55,2	22,1	55,2	Yes
			26.1.2015	2:15	22,2	55,3	22,2	55,2	Yes
			26.1.2015	2:30	22,2	55,2	22,2	55,2	Yes
			26.1.2015	2:45	22,3	55,1	22,2	55,2	Yes
			26.1.2015	3:00	22,3	55,1	22,3	55,2	Yes
			26.1.2015	3:15	22,3	55,1	22,3	55,1	Yes
			26.1.2015	3:30	22,4	55	22,3	55,1	Yes
			26.1.2015	3:45	22,4	55,2	22,4	55,1	Yes
			26.1.2015	4:00	22,4	55,2	22,4	55,1	Yes
			26.1.2015	4:15	22,4	55,2	22,4	55,2	Yes
			26.1.2015	4:30	22,5	55,2	22,4	55,2	Yes
			26.1.2015	4:45	22,5	55,3	22,5	55,2	Yes
			26.1.2015	5:00	22,5	55,2	22,5	55,2	Yes
			26.1.2015	5:15	22,5	54,6	22,5	55,1	Yes
			26.1.2015	5:30	22,5	54,1	22,5	54,8	Yes
			26.1.2015	5:45	22,6	54,1	22,5	54,5	Yes
			26.1.2015	6:00	22,6	54,2	22,6	54,3	Yes
			26.1.2015	6:15	22,8	54,3	22,6	54,2	Yes
			26.1.2015	6:30	23,1	53,7	22,8	54,1	Yes
			26.1.2015	6:45	23,3	53,3	23,0	53,9	Yes
			26.1.2015	7:00	23,6	52,9	23,2	53,6	Yes
			26.1.2015	7:15	23,6	52,6	23,4	53,1	Yes
			26.1.2015	7:30	23,8	50,8	23,6	52,4	Yes
			26.1.2015	7:45	23,7	52,2	23,7	52,1	Yes
			26.1.2015	8:00	23,7	51	23,7	51,7	Yes
			26.1.2015	8:15	23,7	47,8	23,7	50,5	Yes
			26.1.2015	8:30	23,8	52	23,7	50,8	Yes
			26.1.2015	8:45	23,7	51,7	23,7	50,6	Yes
			26.1.2015	9:00	23,7	49,9	23,7	50,4	Yes
			26.1.2015	9:15	23,7	48,4	23,7	50,5	Yes
			26.1.2015	9:30	23,9	49,8	23,8	50,0	Yes
			26.1.2015	9:45	23,9	51,9	23,8	50,0	Yes
			26.1.2015	10:00	23,8	51,4	23,8	50,4	Yes
			26.1.2015	10:15	23,8	51,1	23,9	51,1	Yes
			26.1.2015	10:30	23,8	49,1	23,8	50,9	Yes
			26.1.2015	10:45	23,9	48,5	23,8	50,0	Yes
			26.1.2015	11:00	24	48,8	23,9	49,4	Yes
			26.1.2015	11:15	23,9	51,3	23,9	49,4	Yes
			26.1.2015	11:30	23,8	49,7	23,9	49,6	Yes
			26.1.2015	11:45	23,9	47,8	23,9	49,4	Yes
			26.1.2015	12:00	23,9	46	23,9	48,7	Yes
			26.1.2015	12:15	24	46,9	23,9	47,6	Yes
			26.1.2015	12:30	24	47,6	24,0	47,1	Yes
			26.1.2015	12:45	24	51	24,0	47,9	Yes
			26.1.2015	13:00	23,9	50,6	24,0	49,0	Yes
			26.1.2015	13:15	24	50,7	24,0	50,0	Yes
			26.1.2015	13:30	23,9	48,7	24,0	50,3	Yes
			26.1.2015	13:45	23,9	46,7	23,9	49,2	Yes
			26.1.2015	14:00	24,1	48,9	24,0	48,8	Yes
			26.1.2015	14:15	24,1	51,6	24,0	49,0	Yes
			26.1.2015	14:30	23,9	50,3	24,0	49,4	Yes
			26.1.2015	14:45	24	49,7	24,0	50,1	Yes
			26.1.2015	15:00	24,1	51,3	24,0	50,7	Yes
			26.1.2015	15:15	24,2	51,3	24,1	50,7	Yes
			26.1.2015	15:30	24	51,5	24,1	51,0	Yes
			26.1.2015	15:45	24,1	52,5	24,1	51,7	Yes
			26.1.2015	16:00	24,1	52,9	24,1	52,1	Yes
			26.1.2015	16:15	24,2	52,8	24,1	52,4	Yes
			26.1.2015	16:30	24,2	52,9	24,2	52,8	Yes
			26.1.2015	16:45	24,1	53,5	24,2	53,0	Yes
			26.1.2015	17:00	24,1	53,8	24,2	53,3	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	26.1.2015	17:15	24,1	54,3	24,1	53,6	Yes
			26.1.2015	17:30	24	53,9	24,1	53,9	Yes
			26.1.2015	17:45	24	53,6	24,1	53,9	Yes
			26.1.2015	18:00	23,9	53,8	24,0	53,9	Yes
			26.1.2015	18:15	23,8	54,1	23,9	53,9	Yes
			26.1.2015	18:30	23,8	54,5	23,9	54,0	Yes
			26.1.2015	18:45	23,7	54,5	23,8	54,2	Yes
			26.1.2015	19:00	23,6	55,2	23,7	54,6	Yes
			26.1.2015	19:15	23,6	55,1	23,7	54,8	Yes
			26.1.2015	19:30	23,5	55	23,6	55,0	Yes
			26.1.2015	19:45	23,5	54,3	23,6	54,9	Yes
			26.1.2015	20:00	23,4	54,1	23,5	54,6	Yes
			26.1.2015	20:15	23,3	54,5	23,4	54,5	Yes
			26.1.2015	20:30	23,2	54,8	23,4	54,4	Yes
			26.1.2015	20:45	23,2	55,3	23,3	54,7	Yes
			26.1.2015	21:00	23,1	55,3	23,2	55,0	Yes
			26.1.2015	21:15	23	55	23,1	55,1	Yes
			26.1.2015	21:30	23	54,9	23,1	55,1	Yes
			26.1.2015	21:45	22,9	55,4	23,0	55,2	Yes
			26.1.2015	22:00	22,9	55,7	23,0	55,3	Yes
			26.1.2015	22:15	22,8	55,3	22,9	55,3	Yes
			26.1.2015	22:30	22,7	53,6	22,8	55,0	Yes
			26.1.2015	22:45	22,7	54,6	22,8	54,8	Yes
			26.1.2015	23:00	22,6	55,1	22,7	54,7	Yes
			26.1.2015	23:15	22,5	53,4	22,6	54,2	Yes
			26.1.2015	23:30	22,4	53,7	22,6	54,2	Yes
			26.1.2015	23:45	22,4	54,3	22,5	54,1	Yes
			27.1.2015	0:00	22,3	54,5	22,4	54,0	Yes
			27.1.2015	0:15	22,3	54,9	22,4	54,4	Yes
			27.1.2015	0:30	22,2	55,1	22,3	54,7	Yes
			27.1.2015	0:45	22,2	55,7	22,3	55,1	Yes
			27.1.2015	1:00	22,2	55,9	22,2	55,4	Yes
			27.1.2015	1:15	22,2	55,8	22,2	55,6	Yes
			27.1.2015	1:30	22,1	55,9	22,2	55,8	Yes
PHI_15_I0012	PHI_15_I0015	PHI_15_I0017	27.1.2015	1:45	22,1	56,2	22,2	56,0	Yes
			27.1.2015	2:00	22,1	56,6	22,1	56,1	Yes
			27.1.2015	2:15	22,1	56,7	22,1	56,4	Yes
			27.1.2015	2:30	22,1	57	22,1	56,6	Yes
			27.1.2015	2:45	22,1	57,2	22,1	56,9	Yes
			27.1.2015	3:00	22	57,1	22,1	57,0	Yes
			27.1.2015	3:15	22,1	57,5	22,1	57,2	Yes
			27.1.2015	3:30	22,2	57,3	22,1	57,3	Yes
			27.1.2015	3:45	22,4	57,4	22,2	57,3	Yes
			27.1.2015	4:00	22,5	57,3	22,3	57,4	Yes
			27.1.2015	4:15	22,7	57,2	22,5	57,3	Yes
			27.1.2015	4:30	22,7	57,3	22,6	57,3	Yes
			27.1.2015	4:45	22,8	57	22,7	57,2	Yes
			27.1.2015	5:00	22,9	57	22,8	57,1	Yes
			27.1.2015	5:15	23	56,3	22,9	56,9	Yes
			27.1.2015	5:30	23,1	55,4	23,0	56,4	Yes
			27.1.2015	5:45	23,2	55,7	23,1	56,1	Yes
			27.1.2015	6:00	23,3	55,9	23,2	55,8	Yes
			27.1.2015	6:15	23,4	55,9	23,3	55,7	Yes
			27.1.2015	6:30	23,5	55	23,4	55,6	Yes
			27.1.2015	6:45	23,6	52,9	23,5	54,9	Yes
			27.1.2015	7:00	23,7	54	23,6	54,5	Yes
			27.1.2015	7:15	23,7	54,7	23,6	54,2	Yes
			27.1.2015	7:30	23,7	55,1	23,7	54,2	Yes
			27.1.2015	7:45	23,7	54,5	23,7	54,6	Yes
			27.1.2015	8:00	23,7	53	23,7	54,3	Yes
			27.1.2015	8:15	23,8	51,6	23,7	53,6	Yes
			27.1.2015	8:30	23,9	51,4	23,8	52,6	Yes
			27.1.2015	8:45	23,9	53,8	23,8	52,5	Yes
			27.1.2015	9:00	23,9	54,7	23,9	52,9	Yes
			27.1.2015	9:15	23,9	54,1	23,9	53,5	Yes
			27.1.2015	9:30	23,9	53,7	23,9	54,1	Yes
			27.1.2015	9:45	23,9	53,7	23,9	54,1	Yes
			27.1.2015	10:00	23,9	51,2	23,9	53,2	Yes
			27.1.2015	10:15	24	50,7	23,9	52,3	Yes
			27.1.2015	10:30	24	50,7	24,0	51,6	Yes
			27.1.2015	10:45	24,1	51,7	24,0	51,1	Yes
			27.1.2015	11:00	24,1	53,1	24,1	51,6	Yes
			27.1.2015	11:15	24,1	54	24,1	52,4	Yes
			27.1.2015	11:30	24	53,6	24,1	53,1	Yes
			27.1.2015	11:45	24	54	24,1	53,7	Yes
			27.1.2015	12:00	24	52	24,0	53,4	Yes
			27.1.2015	12:15	24,1	50,7	24,0	52,6	Yes
			27.1.2015	12:30	24,2	51,3	24,1	52,0	Yes
			27.1.2015	12:45	24,2	53,8	24,1	52,0	Yes
			27.1.2015	13:00	24,2	54,6	24,2	52,6	Yes
			27.1.2015	13:15	24,1	52	24,2	52,9	Yes
			27.1.2015	13:30	24,1	52,1	24,2	53,1	Yes
			27.1.2015	13:45	24,3	50,9	24,2	52,4	Yes
			27.1.2015	14:00	24,3	54,3	24,2	52,3	Yes
			27.1.2015	14:15	24,2	53,5	24,2	52,7	Yes
			27.1.2015	14:30	24,2	52	24,3	52,7	Yes
			27.1.2015	14:45	24,4	52,3	24,3	53,0	Yes
			27.1.2015	15:00	24,4	53,9	24,3	52,9	Yes
			27.1.2015	15:15	24,3	53,4	24,3	52,9	Yes
			27.1.2015	15:30	24,3	51	24,4	52,7	Yes
			27.1.2015	15:45	24,4	54,6	24,4	53,2	Yes
			27.1.2015	16:00	24,4	54,4	24,4	53,4	Yes
			27.1.2015	16:15	24,3	53,8	24,4	53,5	Yes
			27.1.2015	16:30	24,2	51,8	24,3	53,7	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	27.1.2015	16:45	24,3	53,8	24,3	53,5	Yes
			27.1.2015	17:00	24,2	54,3	24,3	53,4	Yes
			27.1.2015	17:15	24,2	54,9	24,2	53,7	Yes
			27.1.2015	17:30	24,1	52,9	24,2	54,0	Yes
			27.1.2015	17:45	24,1	54,9	24,2	54,3	Yes
			27.1.2015	18:00	24,2	53,5	24,2	54,1	Yes
			27.1.2015	18:15	24,2	53,9	24,2	53,8	Yes
			27.1.2015	18:30	24,2	53,5	24,2	54,0	Yes
			27.1.2015	18:45	24,1	53,5	24,2	53,6	Yes
			27.1.2015	19:00	24	53,6	24,1	53,6	Yes
			27.1.2015	19:15	24	54,2	24,1	53,7	Yes
			27.1.2015	19:30	23,9	53,4	24,0	53,7	Yes
			27.1.2015	19:45	23,8	52,7	23,9	53,5	Yes
			27.1.2015	20:00	23,7	52,4	23,9	53,2	Yes
			27.1.2015	20:15	23,6	52,9	23,8	52,9	Yes
			27.1.2015	20:30	23,6	53,3	23,7	52,8	Yes
			27.1.2015	20:45	23,5	52,8	23,6	52,9	Yes
			27.1.2015	21:00	23,4	53,7	23,5	53,2	Yes
			27.1.2015	21:15	23,4	51,2	23,5	52,8	Yes
			27.1.2015	21:30	23,2	52,2	23,4	52,5	Yes
			27.1.2015	21:45	23,2	52,5	23,3	52,4	Yes
			27.1.2015	22:00	23,1	53,1	23,2	52,3	Yes
			27.1.2015	22:15	23,1	50,5	23,2	52,1	Yes
			27.1.2015	22:30	23	49,7	23,1	51,5	Yes
			27.1.2015	22:45	22,9	50,9	23,0	51,1	Yes
			27.1.2015	23:00	22,8	51,5	23,0	50,7	Yes
			27.1.2015	23:15	22,8	49,8	22,9	50,5	Yes
			27.1.2015	23:30	22,7	50,7	22,8	50,7	Yes
			27.1.2015	23:45	22,6	51,3	22,7	50,8	Yes
			28.1.2015	0:00	22,6	51,5	22,7	50,8	Yes
			28.1.2015	0:15	22,5	51,9	22,6	51,4	Yes
			28.1.2015	0:30	22,5	52	22,6	51,7	Yes
			28.1.2015	0:45	22,5	52,6	22,5	52,0	Yes
			28.1.2015	1:00	22,5	52,9	22,5	52,4	Yes
			28.1.2015	1:15	22,5	53,1	22,5	52,7	Yes
			28.1.2015	1:30	22,5	53,6	22,5	53,1	Yes
			28.1.2015	1:45	22,5	53,9	22,5	53,4	Yes
			28.1.2015	2:00	22,5	54,3	22,5	53,7	Yes
			28.1.2015	2:15	22,4	54,4	22,5	54,1	Yes
			28.1.2015	2:30	22,4	54,4	22,5	54,3	Yes
			28.1.2015	2:45	22,4	55	22,4	54,5	Yes
			28.1.2015	3:00	22,4	55	22,4	54,7	Yes
			28.1.2015	3:15	22,4	54,3	22,4	54,7	Yes
			28.1.2015	3:30	22,5	54,5	22,4	54,7	Yes
			28.1.2015	3:45	22,7	54,6	22,5	54,6	Yes
			28.1.2015	4:00	22,8	54,9	22,6	54,6	Yes
			28.1.2015	4:15	23	54,6	22,8	54,7	Yes
			28.1.2015	4:30	23,1	54,4	22,9	54,6	Yes
			28.1.2015	4:45	23,1	54,5	23,0	54,6	Yes
			28.1.2015	5:00	23,2	54,5	23,1	54,5	Yes
			28.1.2015	5:15	23,3	54	23,2	54,4	Yes
			28.1.2015	5:30	23,3	53,3	23,2	54,1	Yes
			28.1.2015	5:45	23,4	53,3	23,3	53,8	Yes
			28.1.2015	6:00	23,5	53,4	23,4	53,5	Yes
			28.1.2015	6:15	23,7	53,5	23,5	53,4	Yes
			28.1.2015	6:30	23,7	52,1	23,6	53,1	Yes
			28.1.2015	6:45	23,8	51,3	23,7	52,6	Yes
			28.1.2015	7:00	23,8	50,8	23,8	51,9	Yes
			28.1.2015	7:15	24	50,5	23,8	51,2	Yes
			28.1.2015	7:30	24	51,8	23,9	51,1	Yes
			28.1.2015	7:45	23,9	50,9	23,9	51,0	Yes
			28.1.2015	8:00	23,9	50	24,0	50,8	Yes
			28.1.2015	8:15	24	49,3	24,0	50,5	Yes
			28.1.2015	8:30	24	47,7	24,0	49,5	Yes
			28.1.2015	8:45	24,1	47,7	24,0	48,7	Yes
			28.1.2015	9:00	24,1	49,9	24,1	48,7	Yes
			28.1.2015	9:15	24,1	50	24,1	48,8	Yes
			28.1.2015	9:30	24,1	50,3	24,1	49,5	Yes
			28.1.2015	9:45	24,1	50,9	24,1	50,3	Yes
			28.1.2015	10:00	24,1	49,5	24,1	50,2	Yes
			28.1.2015	10:15	24,1	49	24,1	49,9	Yes
			28.1.2015	10:30	24,1	48,4	24,1	49,5	Yes
			28.1.2015	10:45	24,2	47,7	24,1	48,7	Yes
			28.1.2015	11:00	24,3	47,8	24,2	48,2	Yes
			28.1.2015	11:15	24,2	50,6	24,2	48,6	Yes
			28.1.2015	11:30	24,2	50,7	24,2	49,2	Yes
			28.1.2015	11:45	24,2	49,9	24,2	49,8	Yes
			28.1.2015	12:00	24,2	49,1	24,2	50,1	Yes
			28.1.2015	12:15	24,2	47,8	24,2	49,4	Yes
		PHI_15_I0018	28.1.2015	12:30	24,2	47,3	24,2	48,5	Yes
			28.1.2015	12:45	24,3	47,7	24,2	48,0	Yes
			28.1.2015	13:00	24,3	49,6	24,3	48,1	Yes
			28.1.2015	13:15	24,2	50,4	24,3	48,8	Yes
			28.1.2015	13:30	24,1	50,7	24,2	49,6	Yes
			28.1.2015	13:45	24,2	49,3	24,2	50,0	Yes
			28.1.2015	14:00	24,2	48,1	24,2	49,6	Yes
			28.1.2015	14:15	24,2	47,5	24,2	48,9	Yes
			28.1.2015	14:30	24,3	50,7	24,2	48,9	Yes
			28.1.2015	14:45	24,2	51,3	24,2	49,4	Yes
			28.1.2015	15:00	24,2	50,6	24,2	50,0	Yes
			28.1.2015	15:15	24,2	49,3	24,2	50,5	Yes
			28.1.2015	15:30	24,2	47,7	24,2	49,7	Yes
			28.1.2015	15:45	24,3	50,3	24,2	49,5	Yes
			28.1.2015	16:00	24,1	50,7	24,2	49,5	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	N/A	28.1.2015	16:15	24,2	50,1	24,2	49,7	Yes
			28.1.2015	16:30	24,2	49,7	24,2	50,2	Yes
			28.1.2015	16:45	24,2	49,7	24,2	50,1	Yes
			28.1.2015	17:00	24,1	49,6	24,2	49,8	Yes
			28.1.2015	17:15	24,1	49,7	24,2	49,7	Yes
			28.1.2015	17:30	24	49,1	24,1	49,5	Yes
			28.1.2015	17:45	23,9	49	24,0	49,4	Yes
			28.1.2015	18:00	23,8	48,7	24,0	49,1	Yes
			28.1.2015	18:15	23,7	49,1	23,9	49,0	Yes
			28.1.2015	18:30	23,7	49,3	23,8	49,0	Yes
			28.1.2015	18:45	23,6	49,4	23,7	49,1	Yes
			28.1.2015	19:00	23,6	49,4	23,7	49,3	Yes
			28.1.2015	19:15	23,5	49,6	23,6	49,4	Yes
			28.1.2015	19:30	23,5	49	23,6	49,4	Yes
			28.1.2015	19:45	23,4	48,7	23,5	49,2	Yes
			28.1.2015	20:00	23,3	48	23,4	48,8	Yes
			28.1.2015	20:15	23,2	48,5	23,4	48,6	Yes
			28.1.2015	20:30	23,2	48,9	23,3	48,5	Yes
			28.1.2015	20:45	23,1	48,8	23,2	48,6	Yes
			28.1.2015	21:00	23,1	49,2	23,2	48,9	Yes
			28.1.2015	21:15	23	48,7	23,1	48,9	Yes
			28.1.2015	21:30	23	48,9	23,1	48,9	Yes
			28.1.2015	21:45	22,9	49	23,0	49,0	Yes
			28.1.2015	22:00	22,8	49,2	22,9	49,0	Yes
			28.1.2015	22:15	22,8	48,6	22,9	48,9	Yes
			28.1.2015	22:30	22,7	48,3	22,8	48,8	Yes
			28.1.2015	22:45	22,7	48,6	22,8	48,7	Yes
			28.1.2015	23:00	22,6	48,6	22,7	48,5	Yes
			28.1.2015	23:15	22,6	48,3	22,7	48,5	Yes
			28.1.2015	23:30	22,5	48,7	22,6	48,6	Yes
			28.1.2015	23:45	22,5	48,5	22,6	48,5	Yes
			29.1.2015	0:00	22,5	48,7	22,5	48,6	Yes
			29.1.2015	0:15	22,4	48,7	22,5	48,7	Yes
			29.1.2015	0:30	22,4	48,6	22,5	48,6	Yes
			29.1.2015	0:45	22,3	48,5	22,4	48,6	Yes
			29.1.2015	1:00	22,3	48,4	22,4	48,6	Yes
			29.1.2015	1:15	22,2	48,5	22,3	48,5	Yes
			29.1.2015	1:30	22,2	48,5	22,3	48,5	Yes
			29.1.2015	1:45	22,2	48,3	22,2	48,4	Yes
			29.1.2015	2:00	22,2	48	22,2	48,3	Yes
			29.1.2015	2:15	22,1	48,2	22,2	48,3	Yes
			29.1.2015	2:30	22,1	47,8	22,2	48,1	Yes
			29.1.2015	2:45	22,1	47,8	22,1	48,0	Yes
			29.1.2015	3:00	22,1	47,7	22,1	47,9	Yes
			29.1.2015	3:15	22,1	48,1	22,1	47,9	Yes
			29.1.2015	3:30	22,1	47,9	22,1	47,9	Yes
			29.1.2015	3:45	22,3	47,9	22,2	47,9	Yes
			29.1.2015	4:00	22,4	47,8	22,2	47,9	Yes
			29.1.2015	4:15	22,5	48	22,3	47,9	Yes
			29.1.2015	4:30	22,6	47,5	22,5	47,8	Yes
			29.1.2015	4:45	22,7	47,4	22,6	47,7	Yes
			29.1.2015	5:00	22,7	46,9	22,6	47,5	Yes
			29.1.2015	5:15	22,7	46,4	22,7	47,1	Yes
			29.1.2015	5:30	22,7	45,6	22,7	46,6	Yes
			29.1.2015	5:45	22,8	45,9	22,7	46,2	Yes
PHI_15_I0012	PHI_15_I0015	PHI_15_I0018	29.1.2015	6:00	22,8	45,6	22,8	45,9	Yes
			29.1.2015	6:15	22,9	45,6	22,8	45,7	Yes
			29.1.2015	6:30	22,9	45,4	22,9	45,6	Yes
			29.1.2015	6:45	22,9	45,2	22,9	45,5	Yes
			29.1.2015	7:00	22,9	45	22,9	45,3	Yes
			29.1.2015	7:15	22,9	44,8	22,9	45,1	Yes
			29.1.2015	7:30	22,9	44,8	22,9	45,0	Yes
			29.1.2015	7:45	23	45,3	22,9	45,0	Yes
			29.1.2015	8:00	23,3	44,5	23,0	44,9	Yes
			29.1.2015	8:15	23,6	44	23,2	44,7	Yes
			29.1.2015	8:30	23,6	43,4	23,4	44,3	Yes
			29.1.2015	8:45	23,6	43,2	23,5	43,8	Yes
			29.1.2015	9:00	23,8	41,8	23,7	43,1	Yes
			29.1.2015	9:15	23,8	43,9	23,7	43,1	Yes
			29.1.2015	9:30	23,8	43,8	23,8	43,2	Yes
			29.1.2015	9:45	23,8	42,2	23,8	42,9	Yes
			29.1.2015	10:00	24	43	23,9	43,2	Yes
			29.1.2015	10:15	23,9	44,2	23,9	43,3	Yes
			29.1.2015	10:30	23,8	44,5	23,9	43,5	Yes
			29.1.2015	10:45	23,8	44,3	23,9	44,0	Yes
			29.1.2015	11:00	23,9	43,9	23,9	44,2	Yes
			29.1.2015	11:15	23,9	43,4	23,9	44,0	Yes
			29.1.2015	11:30	23,9	42,4	23,9	43,5	Yes
			29.1.2015	11:45	24	41,8	23,9	42,9	Yes
			29.1.2015	12:00	24	41,9	24,0	42,4	Yes
			29.1.2015	12:15	24	42,2	24,0	42,1	Yes
			29.1.2015	12:30	24	42	24,0	42,0	Yes
			29.1.2015	12:45	24,1	42,6	24,0	42,2	Yes
			29.1.2015	13:00	24,1	43,4	24,1	42,6	Yes
			29.1.2015	13:15	24,2	45	24,1	43,3	Yes
			29.1.2015	13:30	24,1	44,4	24,1	43,9	Yes
			29.1.2015	13:45	24,1	44,5	24,1	44,3	Yes
			29.1.2015	14:00	24,1	44,7	24,1	44,7	Yes
			29.1.2015	14:15	24,1	45	24,1	44,7	Yes
			29.1.2015	14:30	24	44,8	24,1	44,8	Yes
			29.1.2015	14:45	24,3	44,5	24,1	44,8	Yes
			29.1.2015	15:00	24,2	45,4	24,2	44,9	Yes
			29.1.2015	15:15	24,2	46,3	24,2	45,3	Yes
			29.1.2015	15:30	24,2	46,6	24,2	45,7	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A	N/A	29.1.2015	15:45	24,2	48,2	24,2	46,6	Yes
		29.1.2015	16:00	24,2	49,9	24,2	47,8	Yes
		29.1.2015	16:15	24,1	50,7	24,2	48,9	Yes
		29.1.2015	16:30	24	51,2	24,1	50,0	Yes
		29.1.2015	16:45	23,9	51,9	24,1	50,9	Yes
		29.1.2015	17:00	23,9	52,3	24,0	51,5	Yes
		29.1.2015	17:15	23,8	52,6	23,9	52,0	Yes
		29.1.2015	17:30	23,7	52	23,8	52,2	Yes
		29.1.2015	17:45	23,6	52,1	23,8	52,3	Yes
		29.1.2015	18:00	23,5	52,4	23,7	52,3	Yes
		29.1.2015	18:15	23,4	52,7	23,6	52,3	Yes
		29.1.2015	18:30	23,3	52,9	23,5	52,5	Yes
		29.1.2015	18:45	23,2	53,2	23,4	52,8	Yes
		29.1.2015	19:00	23,2	53,2	23,3	53,0	Yes
		29.1.2015	19:15	23,1	53,8	23,2	53,3	Yes
		29.1.2015	19:30	23	53	23,1	53,3	Yes
		29.1.2015	19:45	22,9	52,7	23,1	53,2	Yes
		29.1.2015	20:00	22,8	51,9	23,0	52,9	Yes
		29.1.2015	20:15	22,7	52,8	22,9	52,6	Yes
		29.1.2015	20:30	22,7	53,1	22,8	52,6	Yes
		29.1.2015	20:45	22,6	53,2	22,7	52,8	Yes
		29.1.2015	21:00	22,5	53,6	22,6	53,2	Yes
		29.1.2015	21:15	22,5	53,2	22,6	53,3	Yes
		29.1.2015	21:30	22,4	53,7	22,5	53,4	Yes
		29.1.2015	21:45	22,4	54,2	22,5	53,7	Yes
		29.1.2015	22:00	22,3	54,5	22,4	53,9	Yes
		29.1.2015	22:15	22,2	52,3	22,3	53,7	Yes
		29.1.2015	22:30	22,1	52,1	22,3	53,3	Yes
		29.1.2015	22:45	22	53,1	22,2	53,0	Yes
		29.1.2015	23:00	22	53,7	22,1	52,8	Yes
		29.1.2015	23:15	21,9	51,2	22,0	52,5	Yes
		29.1.2015	23:30	21,9	53,1	22,0	52,8	Yes
		29.1.2015	23:45	21,8	53,7	21,9	52,9	Yes
		30.1.2015	0:00	21,8	54	21,9	53,0	Yes
		30.1.2015	0:15	21,7	54,1	21,8	53,7	Yes
		30.1.2015	0:30	21,7	54,3	21,8	54,0	Yes
		30.1.2015	0:45	21,7	54,5	21,7	54,2	Yes
		30.1.2015	1:00	21,7	55,5	21,7	54,6	Yes
		30.1.2015	1:15	21,7	56,3	21,7	55,2	Yes
		30.1.2015	1:30	21,7	56	21,7	55,6	Yes
		30.1.2015	1:45	21,7	57	21,7	56,2	Yes
		30.1.2015	2:00	21,7	56,9	21,7	56,6	Yes
		30.1.2015	2:15	21,6	57,1	21,7	56,8	Yes
		30.1.2015	2:30	21,6	56,8	21,7	57,0	Yes
		30.1.2015	2:45	21,6	56,7	21,6	56,9	Yes
		30.1.2015	3:00	21,6	56,6	21,6	56,8	Yes
		30.1.2015	3:15	21,6	55,7	21,6	56,5	Yes
		30.1.2015	3:30	21,7	55,9	21,6	56,2	Yes
		30.1.2015	3:45	21,8	56	21,7	56,1	Yes
		30.1.2015	4:00	21,9	56,1	21,8	55,9	Yes
		30.1.2015	4:15	22	55,7	21,9	55,9	Yes
		30.1.2015	4:30	22,1	55,7	22,0	55,9	Yes
		30.1.2015	4:45	22,1	55,5	22,0	55,8	Yes
		30.1.2015	5:00	22,2	55,3	22,1	55,6	Yes
		30.1.2015	5:15	22,2	54,8	22,2	55,3	Yes
		30.1.2015	5:30	22,2	54,2	22,2	55,0	Yes
		30.1.2015	5:45	22,2	54,5	22,2	54,7	Yes
		30.1.2015	6:00	22,3	54,7	22,2	54,6	Yes
		30.1.2015	6:15	22,3	54,2	22,3	54,4	Yes
		30.1.2015	6:30	22,3	53,8	22,3	54,3	Yes
		30.1.2015	6:45	22,3	53,5	22,3	54,1	Yes
		30.1.2015	7:00	22,3	53,7	22,3	53,8	Yes
		30.1.2015	7:15	22,4	53,2	22,3	53,6	Yes
		30.1.2015	7:30	22,6	53,2	22,4	53,4	Yes
		30.1.2015	7:45	22,9	52,5	22,6	53,2	Yes
		30.1.2015	8:00	23,2	52,2	22,8	52,8	Yes
		30.1.2015	8:15	23,4	52,2	23,0	52,5	Yes
		30.1.2015	8:30	23,6	51,4	23,3	52,1	Yes
		30.1.2015	8:45	23,8	50,3	23,5	51,5	Yes
		30.1.2015	9:00	23,8	51,3	23,7	51,3	Yes
		30.1.2015	9:15	23,8	51,2	23,8	51,1	Yes
		30.1.2015	9:30	23,9	49,1	23,8	50,5	Yes
		30.1.2015	9:45	23,9	48,4	23,9	50,0	Yes
		30.1.2015	10:00	24	49,1	23,9	49,5	Yes
		30.1.2015	10:15	24	51,7	24,0	49,6	Yes
		30.1.2015	10:30	23,9	51,4	24,0	50,2	Yes
		30.1.2015	10:45	23,9	50,6	24,0	50,7	Yes
		30.1.2015	11:00	23,9	49,9	23,9	50,9	Yes
		30.1.2015	11:15	23,9	49,4	23,9	50,3	Yes
		30.1.2015	11:30	24,1	49,1	24,0	49,8	Yes
		30.1.2015	11:45	24,1	52,2	24,0	50,2	Yes
		30.1.2015	12:00	24	52,3	24,0	50,8	Yes
		30.1.2015	12:15	24	50	24,1	50,9	Yes
		30.1.2015	12:30	24	50,1	24,0	51,2	Yes
		30.1.2015	12:45	24,1	49,4	24,0	50,5	Yes
		30.1.2015	13:00	24,2	49,8	24,1	49,8	Yes
		30.1.2015	13:15	24,3	51,8	24,2	50,3	Yes
		30.1.2015	13:30	24,2	52,5	24,2	50,9	Yes
		30.1.2015	13:45	24,2	53,2	24,2	51,8	Yes
		30.1.2015	14:00	24,2	52,5	24,2	52,5	Yes
		30.1.2015	14:15	24,3	50	24,2	52,1	Yes
		30.1.2015	14:30	24,4	52,5	24,3	52,1	Yes
		30.1.2015	14:45	24,4	52,8			No
		30.1.2015	15:00	24,3	51,7			No



TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A

30.1.2015	15:15	24,5	53,7		No
30.1.2015	15:30	24,3	54,9		No
30.1.2015	15:45	24,3	52,7		No
30.1.2015	16:00	24,5	54		No
30.1.2015	16:15	24,3	54,3		No
30.1.2015	16:30	24,2	53,6		No
30.1.2015	16:45	24,4	54,8		No
30.1.2015	17:00	24,2	54,4		No
30.1.2015	17:15	24,3	55,2		No
30.1.2015	17:30	24,3	54,3		No
30.1.2015	17:45	24,2	53,9		No
30.1.2015	18:00	24,1	52,8		No
30.1.2015	18:15	24,1	53,4		No
30.1.2015	18:30	24	54		No
30.1.2015	18:45	23,9	53,6		No
30.1.2015	19:00	23,8	53,9		No
30.1.2015	19:15	23,8	54,3		No
30.1.2015	19:30	23,7	53,2		No
30.1.2015	19:45	23,5	51,5		No
30.1.2015	20:00	23,4	51,6		No
30.1.2015	20:15	23,3	51,7		No
30.1.2015	20:30	23,2	52,2		No
30.1.2015	20:45	23,1	52,6		No
30.1.2015	21:00	23,1	53,3		No
30.1.2015	21:15	23,1	51,7		No
30.1.2015	21:30	23	52,7		No
30.1.2015	21:45	22,9	52,9		No
30.1.2015	22:00	22,9	53,3		No
30.1.2015	22:15	22,8	52,6		No
30.1.2015	22:30	22,7	50,6		No
30.1.2015	22:45	22,7	51,8		No
30.1.2015	23:00	22,6	52,2		No
30.1.2015	23:15	22,6	51,7		No
30.1.2015	23:30	22,5	51,8		No
30.1.2015	23:45	22,5	52,2		No
31.1.2015	0:00	22,4	52,7		No
31.1.2015	0:15	22,4	52,9		No
31.1.2015	0:30	22,3	53		No
31.1.2015	0:45	22,3	53,4		No
31.1.2015	1:00	22,3	53,9		No
31.1.2015	1:15	22,3	53,6		No
31.1.2015	1:30	22,2	54,3		No
31.1.2015	1:45	22,2	54,1		No
31.1.2015	2:00	22,2	54,3		No
31.1.2015	2:15	22,1	54,4		No
31.1.2015	2:30	22,1	54,6		No
31.1.2015	2:45	22,1	54,7		No
31.1.2015	3:00	22	54,6		No
31.1.2015	3:15	22	54,8		No
31.1.2015	3:30	22	54,5		No
31.1.2015	3:45	22	55,3		No
31.1.2015	4:00	22	55,2		No
31.1.2015	4:15	22	55		No
31.1.2015	4:30	22	55,7		No
31.1.2015	4:45	22	56,2		No
31.1.2015	5:00	21,9	56,2		No
31.1.2015	5:15	21,9	56		No
31.1.2015	5:30	21,9	56,5		No
31.1.2015	5:45	21,9	56,6		No
31.1.2015	6:00	21,9	57,3		No
31.1.2015	6:15	21,9	56,8		No
31.1.2015	6:30	21,8	54,4		No
31.1.2015	6:45	21,8	55,2		No
31.1.2015	7:00	21,7	55,7		No
31.1.2015	7:15	21,7	55,7		No
31.1.2015	7:30	21,7	55,7		No
31.1.2015	7:45	21,7	56,6		No
31.1.2015	8:00	21,7	56,6		No
31.1.2015	8:15	21,7	56,6		No
31.1.2015	8:30	21,8	56,9		No
31.1.2015	8:45	21,9	56,9		No
31.1.2015	9:00	21,9	56,7		No
31.1.2015	9:15	22	56,8		No
31.1.2015	9:30	22	57,1		No
31.1.2015	9:45	22	56,6		No
31.1.2015	10:00	22	56,7		No
31.1.2015	10:15	22	56,5		No
31.1.2015	10:30	22	56,7		No
31.1.2015	10:45	21,9	55,5		No
31.1.2015	11:00	21,9	55,9		No
31.1.2015	11:15	21,8	56,2		No
31.1.2015	11:30	21,8	56,1		No
31.1.2015	11:45	21,8	56		No
31.1.2015	12:00	21,7	57,1		No
31.1.2015	12:15	21,7	57,4		No
31.1.2015	12:30	21,7	57,1		No
31.1.2015	12:45	21,7	57,1		No
31.1.2015	13:00	21,7	57,4		No
31.1.2015	13:15	21,7	57,1		No
31.1.2015	13:30	21,7	57,9		No
31.1.2015	13:45	21,7	57,4		No
31.1.2015	14:00	21,7	57,7		No
31.1.2015	14:15	21,7	57,3		No
31.1.2015	14:30	21,6	55,8		No

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

N/A

N/A

31.1.2015	14:45	21,6	56,4			No
31.1.2015	15:00	21,5	56,4			No
31.1.2015	15:15	21,5	56,7			No
31.1.2015	15:30	21,5	56,3			No
31.1.2015	15:45	21,5	56			No
31.1.2015	16:00	21,4	56			No
31.1.2015	16:15	21,4	56,6			No
31.1.2015	16:30	21,4	55,8			No
31.1.2015	16:45	21,4	56,1			No
31.1.2015	17:00	21,3	56,6			No
31.1.2015	17:15	21,3	55,9			No
31.1.2015	17:30	21,3	56,1			No
31.1.2015	17:45	21,2	55,8			No
31.1.2015	18:00	21,2	55,8			No
31.1.2015	18:15	21,2	55,3			No
31.1.2015	18:30	21,1	55,9			No
31.1.2015	18:45	21,1	55,8			No
31.1.2015	19:00	21,1	56,2			No
31.1.2015	19:15	21,1	56,2			No
31.1.2015	19:30	21	56,5			No
31.1.2015	19:45	21	56,7			No
31.1.2015	20:00	20,9	54,9			No
31.1.2015	20:15	21	55			No
31.1.2015	20:30	21,1	55,6			No
31.1.2015	20:45	21,1	55,8			No
31.1.2015	21:00	21,1	56			No
31.1.2015	21:15	21,2	56,2			No
31.1.2015	21:30	21,2	56			No
31.1.2015	21:45	21,2	56,5			No
31.1.2015	22:00	21,3	56,1			No
31.1.2015	22:15	21,3	56,6			No
31.1.2015	22:30	21,3	56,3			No
31.1.2015	22:45	21,4	56,1			No
31.1.2015	23:00	21,4	55,9			No
31.1.2015	23:15	21,4	54,7			No
31.1.2015	23:30	21,4	54,4			No
31.1.2015	23:45	21,4	54,7			No
1.2.2015	0:00	21,4	54,6			No
1.2.2015	0:15	21,4	55,1			No
1.2.2015	0:30	21,4	54,5			No
1.2.2015	0:45	21,4	54,6			No
1.2.2015	1:00	21,4	54,7			No
1.2.2015	1:15	21,4	54,4			No
1.2.2015	1:30	21,3	54,9			No
1.2.2015	1:45	21,3	54,6			No
1.2.2015	2:00	21,2	55			No
1.2.2015	2:15	21,2	55,4			No
1.2.2015	2:30	21,1	54,6			No
1.2.2015	2:45	21,1	54,6			No
1.2.2015	3:00	21,1	55,3			No
1.2.2015	3:15	21	54,9			No
1.2.2015	3:30	21	55,2			No
1.2.2015	3:45	20,9	54,6			No
1.2.2015	4:00	20,9	55,4			No
1.2.2015	4:15	21	55,3			No
1.2.2015	4:30	21,1	55,1			No
1.2.2015	4:45	21,3	55			No
1.2.2015	5:00	21,5	54,8			No
1.2.2015	5:15	21,6	54,6			No
1.2.2015	5:30	21,7	54,4			No
1.2.2015	5:45	21,9	54,2			No
1.2.2015	6:00	22	53,8	21,8	54,3	Yes
1.2.2015	6:15	22,1	53,6	21,9	54,0	Yes
1.2.2015	6:30	22,2	51,9	22,1	53,4	Yes
1.2.2015	6:45	22,3	51,4	22,2	52,7	Yes
1.2.2015	7:00	22,4	51,6	22,3	52,1	Yes
1.2.2015	7:15	22,4	51,5	22,3	51,6	Yes
1.2.2015	7:30	22,5	51,5	22,4	51,5	Yes
1.2.2015	7:45	22,6	51,5	22,5	51,5	Yes
1.2.2015	8:00	22,6	51,3	22,5	51,5	Yes
1.2.2015	8:15	22,7	51,2	22,6	51,4	Yes
1.2.2015	8:30	22,6	51,2	22,6	51,3	Yes
1.2.2015	8:45	22,6	50,9	22,6	51,2	Yes
1.2.2015	9:00	22,5	50,8	22,6	51,0	Yes
1.2.2015	9:15	22,5	51	22,6	51,0	Yes
1.2.2015	9:30	22,4	50,9	22,5	50,9	Yes
1.2.2015	9:45	22,3	51,4	22,4	51,0	Yes
1.2.2015	10:00	22,2	51,3	22,4	51,2	Yes
1.2.2015	10:15	22,2	51,3	22,3	51,2	Yes
1.2.2015	10:30	22,1	51,3	22,2	51,3	Yes
1.2.2015	10:45	22	50,3	22,1	51,1	Yes
1.2.2015	11:00	22	50	22,1	50,7	Yes
1.2.2015	11:15	21,9	50,4	22,0	50,5	Yes
1.2.2015	11:30	21,9	50,5	22,0	50,3	Yes
1.2.2015	11:45	21,9	51,1	21,9	50,5	Yes
1.2.2015	12:00	21,8	51,4	21,9	50,9	Yes
1.2.2015	12:15	21,8	51,2	21,9	51,1	Yes
1.2.2015	12:30	21,8	51,6	21,8	51,3	Yes
1.2.2015	12:45	21,8	51,5	21,8	51,4	Yes
1.2.2015	13:00	21,8	51,2	21,8	51,4	Yes
1.2.2015	13:15	21,8	51,5	21,8	51,5	Yes
1.2.2015	13:30	21,8	51,3	21,8	51,4	Yes
1.2.2015	13:45	21,8	51,4	21,8	51,4	Yes
1.2.2015	14:00	21,8	51,5	21,8	51,4	Yes

TEST REPORT

Creation date of report: 3.2.2015

Signature: jelele

TYPE OF TEST: ISO 19798

			1.2.2015	14:15	21,8	50,9	21,8	51,3	Yes
			1.2.2015	14:30	21,8	50	21,8	51,0	Yes
			1.2.2015	14:45	21,8	50,3	21,8	50,7	Yes
			1.2.2015	15:00	21,8	50,4	21,8	50,4	Yes
			1.2.2015	15:15	21,9	50,3	21,8	50,3	Yes
			1.2.2015	15:30	21,9	50,5	21,9	50,4	Yes
			1.2.2015	15:45	21,9	50,3	21,9	50,4	Yes
			1.2.2015	16:00	21,9	50,3	21,9	50,4	Yes
			1.2.2015	16:15	21,9	50,1	21,9	50,3	Yes
			1.2.2015	16:30	21,9	50,1	21,9	50,2	Yes
			1.2.2015	16:45	21,9	50,5	21,9	50,3	Yes
			1.2.2015	17:00	21,9	50,6	21,9	50,3	Yes
			1.2.2015	17:15	21,8	50,8	21,9	50,5	Yes
			1.2.2015	17:30	21,8	50,8	21,9	50,7	Yes
			1.2.2015	17:45	21,8	50,7	21,8	50,7	Yes
			1.2.2015	18:00	21,8	50,8	21,8	50,8	Yes
			1.2.2015	18:15	21,8	50,6	21,8	50,7	Yes
			1.2.2015	18:30	21,8	50,5	21,8	50,7	Yes
			1.2.2015	18:45	21,8	50,1	21,8	50,5	Yes
			1.2.2015	19:00	21,7	50,2	21,8	50,4	Yes
			1.2.2015	19:15	21,7	50,3	21,8	50,3	Yes
			1.2.2015	19:30	21,7	50	21,7	50,2	Yes
			1.2.2015	19:45	21,7	49,6	21,7	50,0	Yes
			1.2.2015	20:00	21,8	48,5	21,7	49,6	Yes
			1.2.2015	20:15	21,9	48,1	21,8	49,1	Yes
			1.2.2015	20:30	22	48,4	21,9	48,7	Yes
			1.2.2015	20:45	22,1	48,5	22,0	48,4	Yes
			1.2.2015	21:00	22,3	48,3	22,1	48,3	Yes
			1.2.2015	21:15	22,5	48,1	22,2	48,3	Yes
			1.2.2015	21:30	22,6	48	22,4	48,2	Yes
			1.2.2015	21:45	22,7	47,9	22,5	48,1	Yes
			1.2.2015	22:00	22,8	47,7	22,7	47,9	Yes
			1.2.2015	22:15	22,9	47,6	22,8	47,8	Yes
			1.2.2015	22:30	23	47,4	22,9	47,7	Yes
			1.2.2015	22:45	23	47,2	22,9	47,5	Yes
			1.2.2015	23:00	23,1	47,2	23,0	47,4	Yes
			1.2.2015	23:15	23,1	46,1	23,1	47,0	Yes
			1.2.2015	23:30	23,2	45,7	23,1	46,6	Yes
			1.2.2015	23:45	23,2	45,6	23,2	46,2	Yes
			2.2.2015	0:00	23,3	45,7	23,2	45,8	Yes
			2.2.2015	0:15	23,3	45,7	23,3	45,7	Yes
			2.2.2015	0:30	23,3	45,7	23,3	45,7	Yes
			2.2.2015	0:45	23,3	45,7	23,3	45,7	Yes
			2.2.2015	1:00	23,4	45,6	23,3	45,7	Yes
			2.2.2015	1:15	23,4	45,7	23,4	45,7	Yes
			2.2.2015	1:30	23,4	45,6	23,4	45,7	Yes
			2.2.2015	1:45	23,5	45,8	23,4	45,7	Yes
			2.2.2015	2:00	23,5	45,7	23,5	45,7	Yes
			2.2.2015	2:15	23,5	46,2	23,5	45,8	Yes
			2.2.2015	2:30	23,5	45,8	23,5	45,9	Yes
			2.2.2015	2:45	23,6	45,7	23,5	45,9	Yes
			2.2.2015	3:00	23,6	46	23,6	45,9	Yes
			2.2.2015	3:15	23,6	45,8	23,6	45,8	Yes
			2.2.2015	3:30	23,6	46,3	23,6	46,0	Yes
			2.2.2015	3:45	23,7	45,7	23,6	46,0	Yes
			2.2.2015	4:00	23,7	45,9	23,7	45,9	Yes
			2.2.2015	4:15	23,7	45,7	23,7	45,9	Yes
			2.2.2015	4:30	23,8	45,7	23,7	45,8	Yes
			2.2.2015	4:45	23,8	45,6	23,8	45,7	Yes
			2.2.2015	5:00	23,8	45,6	23,8	45,7	Yes
			2.2.2015	5:15	23,8	45,2	23,8	45,5	Yes
			2.2.2015	5:30	23,8	44,4	23,8	45,2	Yes
			2.2.2015	5:45	23,9	44,5	23,8	44,9	Yes
			2.2.2015	6:00	23,9	44,5	23,9	44,7	Yes
			2.2.2015	6:15	24	44,6	23,9	44,5	Yes
			2.2.2015	6:30	24	44,4	24,0	44,5	Yes
			2.2.2015	6:45	24	42,9	24,0	44,1	Yes
			2.2.2015	7:00	24	44	24,0	44,0	Yes

PHI_15
_I0018