

ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description:

Black: Lexmark E250 Drum

PRPS PN: 4218223
OEM Equiv.: E250X22G
OEM Yield Spec.: 30000

Black

Average Continuous
Composite Crtg Yields

K
30920

Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	31469	878	30924	32014	31005	30963	30478	30584	31269	32114	31254	32856	32698

Dates of Test:

Start Date	End Date
07/03/2011	14/05/2011

Printer Serial Number:

Printer 1	Printer 2	Printer 3
622VFK	623C463	620839K

Average Conditions of test T °C / %RH:

23 °C	42 %
-------	------

Computer model: PC
Software used/Driver version: PCL 6
Operating system: Windows 7 32-bit
Printer model: HP M 506
Version of PDF Reader: Adobe Reader 11
Power (off/on) Everyday: Yes
Number of Cartridges sets Used in Testing: 9
Number of Cartridges sets Used in Calculations: 9
Shake Procedure Used? When applicable, at 1st and 2nd fade
Print Mode: Continuous
Number of Printers Used in Testing: 3
Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.