## ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges

**Description:** Monochrome: Lexmark T650 High Yield



## Monochrome

PRPS PN: 4216564

OEM Equiv.: T650H21E
OEM Yield Spec.: 25000

Average Continuous Composite Crtg Yields

> **K** 25300

## **Page Yield Information:**

	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3	
Color	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	
Black/Monochrome	25535	368	25307	25763	25263	25631	26073	25320	25102	25420	25157	25827	26021	ı

 Start Date
 End Date

 Dates of Test:
 13/10/2011
 10/11/2011

 Printer 1
 Printer 2
 Printer 3

 Printer Serial Number:
 794N62F
 794LD8N
 794M9BL

Average Conditions of test T °C / %RH: 22 °C 55 %

Computer model: PC

Software used/Driver version: PCL 6

Operating system: Windows 7 32-bit

Printer model: HP M 506

Version of PDF Reader: Adobe Reader 11

Power (off/on) Everyday: Yes

Number of Cartridges sets Used in Testing: 9

Number of Cartridges sets Used in Calculations: 9

Shake Procedure Used? When aplicable, at 1st and 2nd fade

Print Mode: Continuous

Number of Printers Used in Testing:  $\,3\,$ 

Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.