

ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description: Monochrome: Lexmark X264/X363/X364 High Yield

Monochrome		Average Continuous Composite Crtg Yields
PRPS PN:	4217912	
OEM Equiv.:	X264H21G	
OEM Yield Spec.:	9000	
		K
		9710

Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	9858	225	9719	9997	9960	10050	10236	9850	9745	9843	9930	9478	9630

Dates of Test:		Start Date	End Date
		12/09/2014	11/11/2014

Printer Serial Number:	Printer 1	Printer 2	Printer 3
	3506ZM7	3501CZC	350K11F

Average Conditions of test T °C / %RH:	22 °C	48 %
--	-------	------

Computer model: PC
Software used/Driver version: PCL 6
Operating system: Windows 7 32-bit
Printer model: HP M 506
Version of PDF Reader: Adobe Reader 11
Power (off/on) Everyday: Yes
Number of Cartridges sets Used in Testing: 9
Number of Cartridges sets Used in Calculations: 9
Shake Procedure Used? When applicable, at 1st and 2nd fade
Print Mode: Continuous
Number of Printers Used in Testing: 3
Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.