

ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description: Monochrome: Samsung ML-1710

Monochrome

PRPS PN: 628893

OEM Equiv.: ML-1710D3/SEE-UNI

OEM Yield Spec.: 3000

Average Continuous
Composite Crtg Yields

K
3190

Page Yield Information:

Color	Yield Average	Standard Deviation	90% Lower Confidence	90% Upper Confidence	Printer 1 Test 1	Printer 1 Test 2	Printer 1 Test 3	Printer 2 Test 1	Printer 2 Test 2	Printer 2 Test 3	Printer 3 Test 1	Printer 3 Test 2	Printer 3 Test 3
Black/Monochrome	3327	219	3191	3463	3320	3615	3140	3321	3523	3004	3189	3625	3206

Dates of Test:

Start Date	End Date
01/06/2012	05/10/2012

Printer Serial Number:

Printer 1	Printer 2	Printer 3
BAAW913440Y	BKDXA190796	BKDXA18977D

Average Conditions of test T °C / %RH:

21 °C	50 %
-------	------

Computer model: PC
Software used/Driver version: PCL 6
Operating system: Windows 7 32-bit
Printer model: HP M 506
Version of PDF Reader: Adobe Reader 11
Power (off/on) Everyday: Yes
Number of Cartridges sets Used in Testing: 9
Number of Cartridges sets Used in Calculations: 9
Shake Procedure Used? When applicable, at 1st and 2nd fade
Print Mode: Continuous
Number of Printers Used in Testing: 3
Media Used: A4
Paper Weight: 80 gsm

Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.