

# ISO/IEC 19752 Declaration of Yield

For Monochrome Toner Laser Cartridges



Description: Monochrome: Samsung ML-2850

Monochrome

PRPS PN: 4204417

OEM Equiv.: ML-D2850B/ELS

OEM Yield Spec.: 5000

Average Continuous  
Composite Crtg Yields

K  
5290

## Page Yield Information:

Color	Yield	Standard	90% Lower	90% Upper	Printer 1	Printer 1	Printer 1	Printer 2	Printer 2	Printer 2	Printer 3	Printer 3	Printer 3
	Average	Deviation	Confidence	Confidence	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3	Test 1	Test 2	Test 3
Black/Monochrome	5556	423	5294	5818	5640	6302	5321	5870	5210	5125	5613	5902	5023

Dates of Test: 

Start Date	End Date
10/04/2013	14/09/2013

Printer Serial Number: 

Printer 1	Printer 2	Printer 3
4Q21BKAQ307525K	4Q21BAGS100181T	4Q21BAGS100500F

Average Conditions of test T °C / %RH: 

21 °C	41 %
-------	------

Computer model: PC  
Software used/Driver version: PCL 6  
Operating system: Windows 7 32-bit  
Printer model: HP M 506  
Version of PDF Reader: Adobe Reader 11  
Power (off/on) Everyday: Yes  
Number of Cartridges sets Used in Testing: 9  
Number of Cartridges sets Used in Calculations: 9  
Shake Procedure Used? When applicable, at 1st and 2nd fade  
Print Mode: Continuous  
Number of Printers Used in Testing: 3  
Media Used: A4  
Paper Weight: 80 gsm

## Brief Technical information

All Products with dates of release after the ISO standards 19752 (for monochrome crtgs) and 19798 (for color crtgs) have been tested following these same standards. For other products this type of analysis has only been made when major changes to configurations has been done in any of the manufacturing locations.

Please note:

These products are not related or affiliated with any of the above trade marks referenced in models descriptions. These trademarks are only mentioned for a clear identification of the remanufactured product tested.