

TYPE OF TEST: ISO 19752

When cartridge Samsung MLT-D116L is used in printer Samsung SL-M2625.

Toner Cartridge yield

Average Continuous Black Cartridge Yield **3450** standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 3458 standard pages

Date Tested:

For questions concerning testing contact

21.8.2014 - 2.9.2014

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Samsung MLT-D116L

Shake Procedure Used

Yes

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Pentium(R) Dual-Core 2.60GHz	Pentium(R) Dual-Core 2.60GHz	Pentium(R) Dual-Core 2.60GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63505	63503	63452
Printer Type	Samsunl SL-M2625	Samsunl SL-M2625	Samsunl SL-M2625
Serial Nr.	ZD2EB8GD9B00DXB	ZD2EB8GD9B00DGK	ZD2EB8GD9B00NQK
Driver Version:	PCL-V3.12.29.09.17	PCL-V3.12.29.09.17	PCL-V3.12.29.09.17

Note:

Page yield rounded to 3450. It's 450 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004522428 - K001	PHI_14_I0806	4 149	Y
	C				
	Y				
	M				
2nd set	K	0004522428 - K002	PHI_14_I0807	3 375	Y
	C				
	Y				
	M				
3rd set	K	0004522428 - K003	PHI_14_I0808	3 355	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	10 879	3 626	453	2 863	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004522428 - K004	PHI_14_I0809	3 551	Y
	C				
	Y				
	M				
2nd set	K	0004522428 - K005	PHI_14_I0810	3 639	Y
	C				
	Y				
	M				
3rd set	K	0004522428 - K006	PHI_14_I0811	3 566	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	10 756	3 585	47	3 506	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	0004522428 - K007	PHI_14_I0812	3 995	Y
	C				
	Y				
	M				
2nd set	K	0004522428 - K008	PHI_14_I0813	3 497	Y
	C				
	Y				
	M				
3rd set	K	0004522428 - K009	PHI_14_I0814	3 503	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	10 995	3 665	286	3 183	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	32 630	3 626	271	3 458	9
	C						
	Y						
	M						

Note:
Statement OEM 3000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	22,5	Allowed 23
Testing Room - max. running average temp. [°C]	23,0	26
Testing Room - min. running average temp. [°C]	21,9	20

Testing Room average RH. [%]	57,2	Allowed 50
Testing Room - max. running average RH [%]	71,9	65
Testing Room - min. running average RH [%]	45,2	35

Note:

During tests there were exceeded limits set in the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 20.8.2014 7:00 - 2.9.2014 13:00									
Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			20.8.2014	7:00	22,1	47,4	N/A	N/A	Yes
			20.8.2014	7:15	22,4	52,2	N/A	N/A	Yes
			20.8.2014	7:30	22,1	45,4	N/A	N/A	Yes
			20.8.2014	7:45	22,2	53,3	22,2	49,6	Yes
			20.8.2014	8:00	22,3	48,9	22,3	50,0	Yes
			20.8.2014	8:15	22,3	53,0	22,2	50,2	Yes
			20.8.2014	8:30	22,5	50,5	22,3	51,4	Yes
			20.8.2014	8:45	22,3	46,0	22,4	49,6	Yes
			20.8.2014	9:00	22,0	43,8	22,3	48,3	Yes
			20.8.2014	9:15	21,9	48,8	22,2	47,3	Yes
			20.8.2014	9:30	22,4	54,2	22,2	48,2	Yes
			20.8.2014	9:45	22,2	46,6	22,1	48,4	Yes
			20.8.2014	10:00	22,0	44,5	22,1	48,5	Yes
			20.8.2014	10:15	22,1	51,9	22,2	49,3	Yes
			20.8.2014	10:30	22,6	54,7	22,2	49,4	Yes
			20.8.2014	10:45	22,3	47,4	22,3	49,6	Yes
			20.8.2014	11:00	22,2	44,3	22,3	49,6	Yes
			20.8.2014	11:15	21,9	43,0	22,3	47,4	Yes
			20.8.2014	11:30	22,0	51,9	22,1	46,7	Yes
			20.8.2014	11:45	22,4	50,5	22,1	47,4	Yes
			20.8.2014	12:00	22,1	45,0	22,1	47,6	Yes
			20.8.2014	12:15	21,9	42,9	22,1	47,6	Yes
			20.8.2014	12:30	21,7	42,5	22,0	45,2	Yes
			20.8.2014	12:45	22,0	51,8	21,9	45,6	Yes
			20.8.2014	13:00	22,3	49,6	22,0	46,7	Yes
			20.8.2014	13:15	22,4	54,7	22,1	49,7	Yes
			20.8.2014	13:30	22,4	50,0	22,3	51,5	Yes
			20.8.2014	13:45	22,5	57,1	22,4	52,9	Yes
			20.8.2014	14:00	22,7	57,9	22,5	54,9	Yes
			20.8.2014	14:15	22,9	57,5	22,6	55,6	Yes
			20.8.2014	14:30	22,4	49,3	22,6	55,5	Yes
			20.8.2014	14:45	22,2	57,4	22,6	55,5	Yes
			20.8.2014	15:00	22,4	59,1	22,5	55,8	Yes
			20.8.2014	15:15	22,5	58,6	22,4	56,1	Yes
			20.8.2014	15:30	22,6	58,2	22,4	58,3	Yes
			20.8.2014	15:45	22,7	57,9	22,6	58,5	Yes
			20.8.2014	16:00	22,8	57,6	22,7	58,1	Yes
			20.8.2014	16:15	22,8	57,3	22,7	57,8	Yes
			20.8.2014	16:30	22,9	57,0	22,8	57,5	Yes
			20.8.2014	16:45	22,3	54,4	22,7	56,6	Yes
			20.8.2014	17:00	22,4	59,5	22,6	57,1	Yes
			20.8.2014	17:15	22,5	58,9	22,5	57,5	Yes
			20.8.2014	17:30	22,6	58,2	22,5	57,8	Yes
			20.8.2014	17:45	22,7	57,8	22,6	58,6	Yes
			20.8.2014	18:00	22,7	57,4	22,6	58,1	Yes
			20.8.2014	18:15	22,8	57,1	22,7	57,6	Yes
			20.8.2014	18:30	22,6	51,7	22,7	56,0	Yes
			20.8.2014	18:45	22,4	59,3	22,6	56,4	Yes
			20.8.2014	19:00	22,5	58,7	22,6	56,7	Yes

TYPE OF TEST: ISO 19752

N/A	N/A	PHI_14_I0812	20.8.2014	19:15	22,6	58,0	22,5	56,9	Yes
			20.8.2014	19:30	22,7	57,6	22,6	58,4	Yes
			20.8.2014	19:45	22,7	58,2	22,6	58,1	Yes
			20.8.2014	20:00	22,7	58,1	22,7	58,0	Yes
			20.8.2014	20:15	22,8	57,6	22,7	57,9	Yes
			20.8.2014	20:30	22,5	54,9	22,7	57,2	Yes
			20.8.2014	20:45	22,4	60,3	22,6	57,7	Yes
			20.8.2014	21:00	22,5	59,0	22,6	58,0	Yes
			20.8.2014	21:15	22,6	57,8	22,5	58,0	Yes
			20.8.2014	21:30	22,6	58,8	22,5	59,0	Yes
			20.8.2014	21:45	22,7	58,1	22,6	58,4	Yes
			20.8.2014	22:00	22,7	57,6	22,7	58,1	Yes
			20.8.2014	22:15	22,7	58,8	22,7	58,3	Yes
			20.8.2014	22:30	22,7	58,1	22,7	58,2	Yes
			20.8.2014	22:45	22,8	57,7	22,7	58,1	Yes
			20.8.2014	23:00	22,8	58,2	22,8	58,2	Yes
			20.8.2014	23:15	22,8	58,4	22,8	58,1	Yes
			20.8.2014	23:30	22,5	52,6	22,7	56,7	Yes
			20.8.2014	23:45	22,3	60,4	22,6	57,4	Yes
			21.8.2014	0:00	22,5	59,7	22,5	57,8	Yes
			21.8.2014	0:15	22,6	59,0	22,5	57,9	Yes
			21.8.2014	0:30	22,6	58,5	22,5	59,4	Yes
			21.8.2014	0:45	22,7	58,1	22,6	58,8	Yes
			21.8.2014	1:00	22,7	57,9	22,7	58,4	Yes
			21.8.2014	1:15	22,7	57,7	22,7	58,1	Yes
			21.8.2014	1:30	22,8	57,4	22,7	57,8	Yes
			21.8.2014	1:45	22,8	57,3	22,8	57,6	Yes
			21.8.2014	2:00	22,8	57,1	22,8	57,4	Yes
			21.8.2014	2:15	22,5	51,5	22,7	55,8	Yes
			21.8.2014	2:30	22,3	60,2	22,6	56,5	Yes
			21.8.2014	2:45	22,4	59,4	22,5	57,1	Yes
			21.8.2014	3:00	22,5	58,6	22,4	57,4	Yes
			21.8.2014	3:15	22,6	58,2	22,5	59,1	Yes
			21.8.2014	3:30	22,6	57,9	22,5	58,5	Yes
			21.8.2014	3:45	22,7	57,6	22,6	58,1	Yes
			21.8.2014	4:00	22,7	57,5	22,7	57,8	Yes
			21.8.2014	4:15	22,7	57,2	22,7	57,6	Yes
			21.8.2014	4:30	22,7	57,1	22,7	57,4	Yes
			21.8.2014	4:45	22,7	57,2	22,7	57,3	Yes
			21.8.2014	5:00	22,4	54,4	22,6	56,5	Yes
			21.8.2014	5:15	22,6	60,4	22,6	57,3	Yes
			21.8.2014	5:30	22,6	53,8	22,6	56,5	Yes
			21.8.2014	5:45	22,3	57,2	22,5	56,5	Yes
			21.8.2014	6:00	22,6	61,2	22,5	58,2	Yes
			21.8.2014	6:15	22,4	50,3	22,5	55,6	Yes
			21.8.2014	6:30	22,4	57,0	22,4	56,4	Yes
			21.8.2014	6:45	22,3	50,4	22,4	54,7	Yes
			21.8.2014	7:00	22,2	52,3	22,3	52,5	Yes
			21.8.2014	7:15	22,3	52,2	22,3	53,0	Yes
			21.8.2014	7:30	22,3	56,1	22,3	52,8	Yes
			21.8.2014	7:45	22,3	50,5	22,3	52,8	Yes
			21.8.2014	8:00	22,2	54,5	22,3	53,3	Yes
			21.8.2014	8:15	22,4	51,7	22,3	53,2	Yes
			21.8.2014	8:30	22,2	52,4	22,3	52,3	Yes
			21.8.2014	8:45	22,4	52,3	22,3	52,7	Yes
			21.8.2014	9:00	22,3	55,3	22,3	52,9	Yes
			21.8.2014	9:15	22,4	50,4	22,3	52,6	Yes
			21.8.2014	9:30	22,3	53,7	22,4	52,9	Yes
			21.8.2014	9:45	22,6	54,0	22,4	53,4	Yes
			21.8.2014	10:00	22,2	52,1	22,4	52,6	Yes
			21.8.2014	10:15	22,6	57,9	22,4	54,4	Yes
			21.8.2014	10:30	22,6	51,8	22,5	54,0	Yes
			21.8.2014	10:45	22,3	54,6	22,4	54,1	Yes
			21.8.2014	11:00	22,7	58,9	22,6	55,8	Yes
			21.8.2014	11:15	22,4	50,0	22,5	53,8	Yes
			21.8.2014	11:30	22,3	55,2	22,4	54,7	Yes
			21.8.2014	11:45	22,6	58,5	22,5	55,7	Yes
			21.8.2014	12:00	22,4	52,3	22,4	54,0	Yes
			21.8.2014	12:15	22,4	59,4	22,4	56,4	Yes
			21.8.2014	12:30	22,7	59,6	22,5	57,5	Yes
			21.8.2014	12:45	22,2	54,3	22,4	56,4	Yes
			21.8.2014	13:00	22,5	59,9	22,5	58,3	Yes
			21.8.2014	13:15	22,6	55,1	22,5	57,2	Yes
			21.8.2014	13:30	22,3	59,7	22,4	57,3	Yes
			21.8.2014	13:45	22,6	60,8	22,5	58,9	Yes
			21.8.2014	14:00	22,6	55,9	22,5	57,9	Yes
			21.8.2014	14:15	22,2	58,2	22,4	58,7	Yes
			21.8.2014	14:30	22,4	61,4	22,5	59,1	Yes
			21.8.2014	14:45	22,6	60,8	22,5	59,1	Yes
			21.8.2014	15:00	22,2	51,5	22,4	58,0	Yes
			21.8.2014	15:15	21,9	58,3	22,3	58,0	Yes
			21.8.2014	15:30	22,2	60,7	22,2	57,8	Yes
			21.8.2014	15:45	22,4	60,5	22,2	57,8	Yes
			21.8.2014	16:00	22,5	60,0	22,3	59,9	Yes
			21.8.2014	16:15	22,7	59,6	22,5	60,2	Yes
			21.8.2014	16:30	22,3	51,2	22,5	57,8	Yes
			21.8.2014	16:45	22,1	58,3	22,4	57,3	Yes
			21.8.2014	17:00	22,2	60,8	22,3	57,5	Yes

TYPE OF TEST: ISO 19752

21.8.2014	17:15	22,4	59,9	22,3	57,6	Yes
	17:30	22,6	59,4	22,3	59,6	Yes
	17:45	22,7	59,3	22,5	59,9	Yes
	18:00	22,3	52,7	22,5	57,8	Yes
	18:15	22,3	60,9	22,5	58,1	Yes
	18:30	22,4	60,8	22,4	58,4	Yes
	18:45	22,6	59,9	22,4	58,6	Yes
	19:00	22,6	55,8	22,5	59,4	Yes
	19:15	22,3	60,0	22,5	59,1	Yes
	19:30	22,4	61,3	22,5	59,3	Yes
	19:45	22,5	60,0	22,5	59,3	Yes
	20:00	22,7	59,3	22,5	60,2	Yes
	20:15	22,5	52,3	22,5	58,2	Yes
	20:30	22,3	60,5	22,5	58,0	Yes
	20:45	22,4	60,5	22,5	58,2	Yes
	21:00	22,6	59,2	22,5	58,1	Yes
	21:15	22,6	58,9	22,5	59,8	Yes
	21:30	22,6	58,4	22,6	59,3	Yes
	21:45	22,2	56,2	22,5	58,2	Yes
	22:00	22,2	60,6	22,4	58,5	Yes
	22:15	22,4	58,9	22,4	58,5	Yes
	22:30	22,5	58,0	22,3	58,4	Yes
	22:45	22,6	58,7	22,4	59,1	Yes
	23:00	22,6	58,5	22,5	58,5	Yes
	23:15	22,7	57,8	22,6	58,3	Yes
	23:30	22,3	57,6	22,6	58,2	Yes
	23:45	22,3	60,3	22,5	58,6	Yes
	0:00	22,5	58,8	22,5	58,6	Yes
	0:15	22,6	58,1	22,4	58,7	Yes
	0:30	22,6	57,6	22,5	58,7	Yes
	0:45	22,6	57,3	22,6	58,0	Yes
	1:00	22,7	56,9	22,6	57,5	Yes
	1:15	22,7	58,3	22,7	57,5	Yes
	1:30	22,5	52,6	22,6	56,3	Yes
	1:45	22,3	59,8	22,6	56,9	Yes
	2:00	22,4	59,1	22,5	57,5	Yes
	2:15	22,5	58,2	22,4	57,4	Yes
	2:30	22,6	57,6	22,5	58,7	Yes
	2:45	22,5	59,5	22,5	58,6	Yes
	3:00	22,6	58,3	22,6	58,4	Yes
	3:15	22,7	57,7	22,6	58,3	Yes
	3:30	22,3	56,8	22,5	58,1	Yes
	3:45	22,3	60,2	22,5	58,3	Yes
	4:00	22,4	59,0	22,4	58,4	Yes
	4:15	22,4	59,0	22,4	58,8	Yes
	4:30	22,5	58,9	22,4	59,3	Yes
	4:45	22,6	58,3	22,5	58,8	Yes
	5:00	22,3	50,2	22,5	56,6	Yes
	5:15	22,3	59,4	22,4	56,7	Yes
	5:30	22,5	60,3	22,4	57,1	Yes
	5:45	22,5	59,0	22,4	57,2	Yes
	6:00	22,6	59,4	22,5	59,5	Yes
	6:15	22,6	58,5	22,6	59,3	Yes
	6:30	22,7	57,9	22,6	58,7	Yes
	6:45	22,7	57,5	22,7	58,3	Yes
	7:00	22,7	57,0	22,7	57,7	Yes
	7:15	22,3	54,8	22,6	56,8	Yes
	7:30	22,4	59,4	22,5	57,2	Yes
	7:45	22,5	59,3	22,5	57,6	Yes
	8:00	22,6	58,4	22,5	58,0	Yes
	8:15	22,6	53,9	22,5	57,8	Yes
	8:30	22,3	59,1	22,5	57,7	Yes
	8:45	22,4	60,3	22,5	57,9	Yes
	9:00	22,5	54,8	22,5	57,0	Yes
	9:15	22,3	55,8	22,4	57,5	Yes
	9:30	22,6	56,4	22,5	56,8	Yes
	9:45	22,2	48,4	22,4	53,9	Yes
	10:00	22,4	59,0	22,4	54,9	Yes
	10:15	22,7	56,3	22,5	55,0	Yes
	10:30	22,2	48,0	22,4	52,9	Yes
	10:45	22,3	57,4	22,4	55,2	Yes
	11:00	22,6	53,7	22,5	53,9	Yes
	11:15	22,2	47,3	22,3	51,6	Yes
	11:30	22,0	54,4	22,3	53,2	Yes
	11:45	22,4	53,8	22,3	52,3	Yes
	12:00	22,1	47,4	22,2	50,7	Yes
	12:15	22,3	57,2	22,2	53,2	Yes
	12:30	22,4	51,9	22,3	52,6	Yes
	12:45	22,2	54,3	22,3	52,7	Yes
	13:00	22,5	54,5	22,4	54,5	Yes
	13:15	22,2	48,3	22,3	52,3	Yes
	13:30	22,3	55,6	22,3	53,2	Yes
	13:45	22,3	50,6	22,3	52,3	Yes
	14:00	22,3	57,9	22,3	53,1	Yes
	14:15	22,5	59,6	22,4	55,9	Yes
	14:30	22,8	59,4	22,5	56,9	Yes
	14:45	22,4	53,9			No
	15:00	22,5	60,6			No

PHI_14_I0806

PHI_14_I0809

TYPE OF TEST: ISO 19752

22.8.2014	15:15	22,7	60,5		No
22.8.2014	15:30	22,4	54,4		No
22.8.2014	15:45	22,4	60,9		No
22.8.2014	16:00	22,6	61,0		No
22.8.2014	16:15	22,6	54,7		No
22.8.2014	16:30	22,3	59,8		No
22.8.2014	16:45	22,5	61,7		No
22.8.2014	17:00	22,8	60,6		No
22.8.2014	17:15	22,1	51,1		No
22.8.2014	17:30	22,2	60,5		No
22.8.2014	17:45	22,4	62,0		No
22.8.2014	18:00	22,6	61,0		No
22.8.2014	18:15	22,3	52,7		No
22.8.2014	18:30	22,3	61,0		No
22.8.2014	18:45	22,5	62,1		No
22.8.2014	19:00	22,7	61,3		No
22.8.2014	19:15	22,3	51,4		No
22.8.2014	19:30	22,2	60,7		No
22.8.2014	19:45	22,4	62,4		No
22.8.2014	20:00	22,6	61,6		No
22.8.2014	20:15	22,8	61,0		No
22.8.2014	20:30	22,3	57,5		No
22.8.2014	20:45	22,4	62,7		No
22.8.2014	21:00	22,6	61,7		No
22.8.2014	21:15	22,7	60,4		No
22.8.2014	21:30	22,7	54,5		No
22.8.2014	21:45	22,4	60,9		No
22.8.2014	22:00	22,5	61,6		No
22.8.2014	22:15	22,7	60,3		No
22.8.2014	22:30	22,8	59,7		No
22.8.2014	22:45	22,4	58,0		No
22.8.2014	23:00	22,4	61,7		No
22.8.2014	23:15	22,6	60,5		No
22.8.2014	23:30	22,7	59,6		No
22.8.2014	23:45	22,7	54,8		No
23.8.2014	0:00	22,3	60,1		No
23.8.2014	0:15	22,5	61,0		No
23.8.2014	0:30	22,6	59,7		No
23.8.2014	0:45	22,7	59,0		No
23.8.2014	1:00	22,8	58,5		No
23.8.2014	1:15	22,4	55,9		No
23.8.2014	1:30	22,4	60,8		No
23.8.2014	1:45	22,5	59,8		No
23.8.2014	2:00	22,7	59,0		No
23.8.2014	2:15	22,7	58,4		No
23.8.2014	2:30	22,8	58,0		No
23.8.2014	2:45	22,4	57,0		No
23.8.2014	3:00	22,5	60,3		No
23.8.2014	3:15	22,6	58,9		No
23.8.2014	3:30	22,7	58,1		No
23.8.2014	3:45	22,7	57,7		No
23.8.2014	4:00	22,8	57,2		No
23.8.2014	4:15	22,7	59,3		No
23.8.2014	4:30	22,8	57,7		No
23.8.2014	4:45	22,4	57,8		No
23.8.2014	5:00	22,4	60,2		No
23.8.2014	5:15	22,5	58,6		No
23.8.2014	5:30	22,6	57,9		No
23.8.2014	5:45	22,7	57,4		No
23.8.2014	6:00	22,7	57,0		No
23.8.2014	6:15	22,8	56,8		No
23.8.2014	6:30	22,4	57,5		No
23.8.2014	6:45	22,4	59,2		No
23.8.2014	7:00	22,6	58,0		No
23.8.2014	7:15	22,6	57,5		No
23.8.2014	7:30	22,7	57,2		No
23.8.2014	7:45	22,7	57,0		No
23.8.2014	8:00	22,8	56,3		No
23.8.2014	8:15	22,4	58,7		No
23.8.2014	8:30	22,5	58,6		No
23.8.2014	8:45	22,6	58,2		No
23.8.2014	9:00	22,7	57,9		No
23.8.2014	9:15	22,7	55,4		No
23.8.2014	9:30	22,3	58,7		No
23.8.2014	9:45	22,5	60,2		No
23.8.2014	10:00	22,6	59,3		No
23.8.2014	10:15	22,7	58,8		No
23.8.2014	10:30	22,8	58,4		No
23.8.2014	10:45	22,4	56,5		No
23.8.2014	11:00	22,4	60,5		No
23.8.2014	11:15	22,5	59,9		No
23.8.2014	11:30	22,6	59,4		No
23.8.2014	11:45	22,7	58,9		No
23.8.2014	12:00	22,5	53,2		No
23.8.2014	12:15	22,4	60,8		No
23.8.2014	12:30	22,5	60,1		No
23.8.2014	12:45	22,6	59,5		No
23.8.2014	13:00	22,5	54,5		No

TYPE OF TEST: ISO 19752

23.8.2014	13:15	22,3	60,4		No
23.8.2014	13:30	22,5	60,9		No
23.8.2014	13:45	22,6	60,3		No
23.8.2014	14:00	22,6	55,1		No
23.8.2014	14:15	22,3	60,7		No
23.8.2014	14:30	22,5	61,9		No
23.8.2014	14:45	22,6	61,1		No
23.8.2014	15:00	22,5	54,7		No
23.8.2014	15:15	22,2	61,1		No
23.8.2014	15:30	22,4	62,3		No
23.8.2014	15:45	22,6	61,8		No
23.8.2014	16:00	22,4	54,5		No
23.8.2014	16:15	22,2	61,7		No
23.8.2014	16:30	22,4	62,3		No
23.8.2014	16:45	22,6	61,8		No
23.8.2014	17:00	22,7	58,7		No
23.8.2014	17:15	22,2	59,1		No
23.8.2014	17:30	22,4	62,5		No
23.8.2014	17:45	22,5	62,3		No
23.8.2014	18:00	22,7	61,7		No
23.8.2014	18:15	22,5	54,7		No
23.8.2014	18:30	22,2	61,2		No
23.8.2014	18:45	22,4	63,5		No
23.8.2014	19:00	22,5	62,2		No
23.8.2014	19:15	22,7	61,6		No
23.8.2014	19:30	22,8	61,1		No
23.8.2014	19:45	22,4	54,4		No
23.8.2014	20:00	22,3	62,1		No
23.8.2014	20:15	22,4	62,7		No
23.8.2014	20:30	22,6	62,0		No
23.8.2014	20:45	22,7	61,2		No
23.8.2014	21:00	22,7	57,4		No
23.8.2014	21:15	22,3	60,6		No
23.8.2014	21:30	22,4	62,8		No
23.8.2014	21:45	22,6	61,8		No
23.8.2014	22:00	22,7	61,1		No
23.8.2014	22:15	22,7	60,7		No
23.8.2014	22:30	22,5	54,3		No
23.8.2014	22:45	22,3	61,5		No
23.8.2014	23:00	22,4	62,3		No
23.8.2014	23:15	22,5	61,6		No
23.8.2014	23:30	22,6	61,0		No
23.8.2014	23:45	22,7	60,6		No
24.8.2014	0:00	22,7	60,3		No
24.8.2014	0:15	22,5	54,1		No
24.8.2014	0:30	22,3	61,5		No
24.8.2014	0:45	22,4	62,0		No
24.8.2014	1:00	22,5	61,2		No
24.8.2014	1:15	22,6	60,7		No
24.8.2014	1:30	22,7	60,3		No
24.8.2014	1:45	22,7	60,1		No
24.8.2014	2:00	22,7	59,8		No
24.8.2014	2:15	22,5	53,3		No
24.8.2014	2:30	22,3	61,5		No
24.8.2014	2:45	22,4	61,5		No
24.8.2014	3:00	22,5	60,7		No
24.8.2014	3:15	22,6	60,2		No
24.8.2014	3:30	22,7	59,9		No
24.8.2014	3:45	22,7	59,6		No
24.8.2014	4:00	22,7	59,4		No
24.8.2014	4:15	22,8	58,9		No
24.8.2014	4:30	22,8	58,7		No
24.8.2014	4:45	22,7	54,8		No
24.8.2014	5:00	22,3	59,4		No
24.8.2014	5:15	22,4	61,2		No
24.8.2014	5:30	22,5	59,9		No
24.8.2014	5:45	22,5	59,5		No
24.8.2014	6:00	22,5	59,3		No
24.8.2014	6:15	22,6	59,0		No
24.8.2014	6:30	22,7	58,8		No
24.8.2014	6:45	22,7	58,6		No
24.8.2014	7:00	22,7	58,5		No
24.8.2014	7:15	22,4	55,9		No
24.8.2014	7:30	22,4	61,1		No
24.8.2014	7:45	22,5	60,1		No
24.8.2014	8:00	22,6	59,6		No
24.8.2014	8:15	22,6	59,2		No
24.8.2014	8:30	22,7	58,9		No
24.8.2014	8:45	22,7	58,7		No
24.8.2014	9:00	22,7	58,5		No
24.8.2014	9:15	22,4	55,7		No
24.8.2014	9:30	22,3	60,6		No
24.8.2014	9:45	22,5	59,8		No
24.8.2014	10:00	22,5	59,4		No
24.8.2014	10:15	22,6	59,1		No
24.8.2014	10:30	22,7	58,8		No
24.8.2014	10:45	22,7	58,7		No
24.8.2014	11:00	22,7	58,1		No

TYPE OF TEST: ISO 19752

24.8.2014	11:15	22,3	58,1		No
24.8.2014	11:30	22,3	61,1		No
24.8.2014	11:45	22,5	60,3		No
24.8.2014	12:00	22,6	59,8		No
24.8.2014	12:15	22,6	59,4		No
24.8.2014	12:30	22,7	59,1		No
24.8.2014	12:45	22,4	55,7		No
24.8.2014	13:00	22,4	61,0		No
24.8.2014	13:15	22,5	60,5		No
24.8.2014	13:30	22,6	60,0		No
24.8.2014	13:45	22,7	59,8		No
24.8.2014	14:00	22,4	53,5		No
24.8.2014	14:15	22,3	61,3		No
24.8.2014	14:30	22,4	61,3		No
24.8.2014	14:45	22,6	61,0		No
24.8.2014	15:00	22,7	59,7		No
24.8.2014	15:15	22,3	59,4		No
24.8.2014	15:30	22,4	62,2		No
24.8.2014	15:45	22,6	61,7		No
24.8.2014	16:00	22,6	57,4		No
24.8.2014	16:15	22,3	60,6		No
24.8.2014	16:30	22,4	62,9		No
24.8.2014	16:45	22,6	62,5		No
24.8.2014	17:00	22,4	54,9		No
24.8.2014	17:15	22,3	62,3		No
24.8.2014	17:30	22,5	63,2		No
24.8.2014	17:45	22,7	62,5		No
24.8.2014	18:00	22,3	54,5		No
24.8.2014	18:15	22,3	62,7		No
24.8.2014	18:30	22,5	63,5		No
24.8.2014	18:45	22,7	62,6		No
24.8.2014	19:00	22,3	52,8		No
24.8.2014	19:15	22,3	62,0		No
24.8.2014	19:30	22,4	63,3		No
24.8.2014	19:45	22,6	62,4		No
24.8.2014	20:00	22,7	61,8		No
24.8.2014	20:15	22,3	56,4		No
24.8.2014	20:30	22,3	62,1		No
24.8.2014	20:45	22,4	62,9		No
24.8.2014	21:00	22,6	62,0		No
24.8.2014	21:15	22,7	61,3		No
24.8.2014	21:30	22,8	60,8		No
24.8.2014	21:45	22,3	56,5		No
24.8.2014	22:00	22,3	61,3		No
24.8.2014	22:15	22,4	61,0		No
24.8.2014	22:30	22,5	60,4		No
24.8.2014	22:45	22,6	59,9		No
24.8.2014	23:00	22,7	59,4		No
24.8.2014	23:15	22,7	59,1		No
24.8.2014	23:30	22,3	56,4		No
24.8.2014	23:45	22,3	61,4		No
25.8.2014	0:00	22,5	60,5		No
25.8.2014	0:15	22,5	59,6		No
25.8.2014	0:30	22,6	59,1		No
25.8.2014	0:45	22,6	58,7		No
25.8.2014	1:00	22,7	58,3		No
25.8.2014	1:15	22,7	54,8		No
25.8.2014	1:30	22,3	59,4		No
25.8.2014	1:45	22,4	60,0		No
25.8.2014	2:00	22,5	59,1		No
25.8.2014	2:15	22,5	58,5		No
25.8.2014	2:30	22,6	58,1		No
25.8.2014	2:45	22,6	57,7		No
25.8.2014	3:00	22,6	57,5		No
25.8.2014	3:15	22,3	56,4		No
25.8.2014	3:30	22,3	60,2		No
25.8.2014	3:45	22,4	58,8		No
25.8.2014	4:00	22,5	58,2		No
25.8.2014	4:15	22,4	59,4		No
25.8.2014	4:30	22,5	58,3		No
25.8.2014	4:45	22,6	55,7		No
25.8.2014	5:00	22,2	56,4		No
25.8.2014	5:15	22,5	60,1		No
25.8.2014	5:30	22,2	53,8		No
25.8.2014	5:45	22,4	58,9		No
25.8.2014	6:00	22,2	49,5		No
25.8.2014	6:15	22,4	57,9		No
25.8.2014	6:30	22,2	49,3		No
25.8.2014	6:45	22,3	57,2		No
25.8.2014	7:00	22,6	58,6		No
25.8.2014	7:15	22,3	55,2		No
25.8.2014	7:30	22,5	58,4		No
25.8.2014	7:45	22,6	53,0		No
25.8.2014	8:00	22,0	46,2		No
25.8.2014	8:15	22,0	55,1		No
25.8.2014	8:30	22,3	57,9		No
25.8.2014	8:45	22,4	51,8		No
25.8.2014	9:00	22,1	50,2		No

TYPE OF TEST: ISO 19752

N/A

25.8.2014	9:15	22,4	57,2		No
25.8.2014	9:30	22,5	52,5		No
25.8.2014	9:45	22,0	46,1		No
25.8.2014	10:00	22,1	54,8		No
25.8.2014	10:15	22,5	57,4		No
25.8.2014	10:30	22,3	49,2		No
25.8.2014	10:45	21,9	45,6		No
25.8.2014	11:00	22,3	56,4		No
25.8.2014	11:15	22,6	55,4		No
25.8.2014	11:30	22,2	46,9		No
25.8.2014	11:45	22,3	55,6		No
25.8.2014	12:00	22,5	52,3		No
25.8.2014	12:15	22,2	46,3		No
25.8.2014	12:30	22,4	56,4		No
25.8.2014	12:45	22,6	54,2		No
25.8.2014	13:00	22,2	54,9		No
25.8.2014	13:15	22,6	57,3		No
25.8.2014	13:30	22,5	51,2		No
25.8.2014	13:45	22,3	57,0		No
25.8.2014	14:00	22,5	58,1		No
25.8.2014	14:15	22,3	51,9		No
25.8.2014	14:30	22,3	58,6		No
25.8.2014	14:45	22,6	58,0		No
25.8.2014	15:00	22,3	53,8		No
25.8.2014	15:15	22,3	59,6		No
25.8.2014	15:30	22,5	58,5		No
25.8.2014	15:45	22,4	52,1		No
25.8.2014	16:00	22,3	59,5		No
25.8.2014	16:15	22,5	58,9		No
25.8.2014	16:30	22,6	55,8		No
25.8.2014	16:45	22,2	58,6		No
25.8.2014	17:00	22,4	59,4		No
25.8.2014	17:15	22,6	57,7		No
25.8.2014	17:30	22,1	49,5		No
25.8.2014	17:45	22,0	59,1		No
25.8.2014	18:00	22,2	59,6		No
25.8.2014	18:15	22,4	58,6		No
25.8.2014	18:30	22,6	57,7		No
25.8.2014	18:45	22,7	57,0		No
25.8.2014	19:00	22,1	54,3		No
25.8.2014	19:15	22,2	59,5		No
25.8.2014	19:30	22,4	58,2		No
25.8.2014	19:45	22,5	56,3		No
25.8.2014	20:00	22,6	56,1		No
25.8.2014	20:15	22,7	55,5		No
25.8.2014	20:30	22,3	53,7		No
25.8.2014	20:45	22,3	58,0		No
25.8.2014	21:00	22,4	56,6		No
25.8.2014	21:15	22,5	55,1		No
25.8.2014	21:30	22,6	54,7		No
25.8.2014	21:45	22,7	54,5		No
25.8.2014	22:00	22,6	56,4		No
25.8.2014	22:15	22,6	56,3		No
25.8.2014	22:30	22,6	58,1		No
25.8.2014	22:45	22,7	56,5		No
25.8.2014	23:00	22,3	56,5		No
25.8.2014	23:15	22,4	58,1		No
25.8.2014	23:30	22,5	56,9		No
25.8.2014	23:45	22,6	56,2		No
26.8.2014	0:00	22,6	55,6		No
26.8.2014	0:15	22,6	55,2		No
26.8.2014	0:30	22,5	50,5		No
26.8.2014	0:45	22,3	57,9		No
26.8.2014	1:00	22,4	56,2		No
26.8.2014	1:15	22,5	55,5		No
26.8.2014	1:30	22,5	57,9		No
26.8.2014	1:45	22,5	56,5		No
26.8.2014	2:00	22,6	56,3		No
26.8.2014	2:15	22,6	57,8		No
26.8.2014	2:30	22,6	54,8		No
26.8.2014	2:45	22,2	58,2		No
26.8.2014	3:00	22,3	58,2		No
26.8.2014	3:15	22,4	56,8		No
26.8.2014	3:30	22,5	56,3		No
26.8.2014	3:45	22,5	55,8		No
26.8.2014	4:00	22,5	55,2		No
26.8.2014	4:15	22,6	56,3		No
26.8.2014	4:30	22,5	56,8		No
26.8.2014	4:45	22,6	55,8		No
26.8.2014	5:00	22,7	56,7		No
26.8.2014	5:15	22,4	58,3		No
26.8.2014	5:30	22,6	54,0		No
26.8.2014	5:45	22,4	57,9		No
26.8.2014	6:00	22,5	53,8		No
26.8.2014	6:15	22,6	58,6		No
26.8.2014	6:30	22,4	48,9		No
26.8.2014	6:45	22,5	57,9		No
26.8.2014	7:00	22,5	50,6		No

TYPE OF TEST: ISO 19752

N/A

26.8.2014	7:15	22,3	50,9		No
26.8.2014	7:30	22,6	57,5		No
26.8.2014	7:45	22,4	48,9		No
26.8.2014	8:00	22,4	55,9		No
26.8.2014	8:15	22,6	51,1		No
26.8.2014	8:30	22,3	45,4		No
26.8.2014	8:45	22,4	54,4		No
26.8.2014	9:00	22,6	49,3		No
26.8.2014	9:15	22,3	49,7		No
26.8.2014	9:30	22,6	56,2		No
26.8.2014	9:45	22,4	47,6		No
26.8.2014	10:00	22,5	55,5		No
26.8.2014	10:15	22,5	48,5		No
26.8.2014	10:30	22,4	45,1		No
26.8.2014	10:45	22,3	52,3		No
26.8.2014	11:00	22,7	53,2		No
26.8.2014	11:15	22,3	45,4		No
26.8.2014	11:30	22,2	43,9		No
26.8.2014	11:45	22,2	42,9		No
26.8.2014	12:00	22,4	52,7		No
26.8.2014	12:15	22,5	47,4		No
26.8.2014	12:30	22,4	43,4		No
26.8.2014	12:45	22,2	42,8		No
26.8.2014	13:00	22,3	43,7		No
26.8.2014	13:15	22,4	45,7		No
26.8.2014	13:30	22,7	47,2		No
26.8.2014	13:45	22,5	42,5		No
26.8.2014	14:00	22,5	52,5		No
26.8.2014	14:15	22,7	53,6		No
26.8.2014	14:30	22,4	50,8		No
26.8.2014	14:45	22,6	57,5		No
26.8.2014	15:00	22,7	54,5		No
26.8.2014	15:15	22,4	57,3		No
26.8.2014	15:30	22,6	57,6		No
26.8.2014	15:45	22,8	56,8		No
26.8.2014	16:00	22,4	54,3		No
26.8.2014	16:15	22,4	59,1		No
26.8.2014	16:30	22,6	58,4		No
26.8.2014	16:45	22,8	57,6		No
26.8.2014	17:00	22,3	55,9		No
26.8.2014	17:15	22,4	59,7		No
26.8.2014	17:30	22,6	58,7		No
26.8.2014	17:45	22,7	57,9		No
26.8.2014	18:00	22,3	54,9		No
26.8.2014	18:15	22,3	60,1		No
26.8.2014	18:30	22,5	59,1		No
26.8.2014	18:45	22,6	58,5		No
26.8.2014	19:00	22,7	57,7		No
26.8.2014	19:15	22,3	58,5		No
26.8.2014	19:30	22,4	60,0		No
26.8.2014	19:45	22,6	58,9		No
26.8.2014	20:00	22,7	58,3		No
26.8.2014	20:15	22,7	57,8		No
26.8.2014	20:30	22,6	52,8		No
26.8.2014	20:45	22,3	59,8		No
26.8.2014	21:00	22,5	59,6		No
26.8.2014	21:15	22,6	58,8		No
26.8.2014	21:30	22,7	58,3		No
26.8.2014	21:45	22,7	58,0		No
26.8.2014	22:00	22,8	57,8		No
26.8.2014	22:15	22,8	54,8		No
26.8.2014	22:30	22,3	58,8		No
26.8.2014	22:45	22,4	60,0		No
26.8.2014	23:00	22,6	59,0		No
26.8.2014	23:15	22,6	58,5		No
26.8.2014	23:30	22,7	58,3		No
26.8.2014	23:45	22,7	58,1		No
27.8.2014	0:00	22,8	57,8		No
27.8.2014	0:15	22,8	57,7		No
27.8.2014	0:30	22,8	56,3		No
27.8.2014	0:45	22,4	59,0		No
27.8.2014	1:00	22,5	59,9		No
27.8.2014	1:15	22,6	58,9		No
27.8.2014	1:30	22,7	58,6		No
27.8.2014	1:45	22,7	58,3		No
27.8.2014	2:00	22,7	58,1		No
27.8.2014	2:15	22,8	57,9		No
27.8.2014	2:30	22,8	57,8		No
27.8.2014	2:45	22,8	57,7		No
27.8.2014	3:00	22,6	51,9		No
27.8.2014	3:15	22,3	60,3		No
27.8.2014	3:30	22,5	59,7		No
27.8.2014	3:45	22,6	58,9		No
27.8.2014	4:00	22,6	58,7		No
27.8.2014	4:15	22,7	58,4		No
27.8.2014	4:30	22,7	58,2		No
27.8.2014	4:45	22,7	57,9		No
27.8.2014	5:00	22,5	52,7		No

TYPE OF TEST: ISO 19752

N/A

27.8.2014	5:15	22,4	60,3		No
27.8.2014	5:30	22,5	54,8		No
27.8.2014	5:45	22,4	49,5		No
27.8.2014	6:00	22,2	46,7		No
27.8.2014	6:15	22,3	55,9		No
27.8.2014	6:30	22,5	50,9		No
27.8.2014	6:45	22,3	46,5		No
27.8.2014	7:00	22,2	46,9		No
27.8.2014	7:15	22,3	46,8		No
27.8.2014	7:30	22,4	46,3		No
27.8.2014	7:45	22,5	51,5		No
27.8.2014	8:00	22,5	46,8		No
27.8.2014	8:15	22,5	45,5		No
27.8.2014	8:30	22,5	47,9		No
27.8.2014	8:45	22,5	46,7		No
27.8.2014	9:00	22,8	49,0		No
27.8.2014	9:15	22,9	48,2		No
27.8.2014	9:30	23,0	47,2		No
27.8.2014	9:45	22,9	45,9		No
27.8.2014	10:00	22,8	44,7		No
27.8.2014	10:15	22,8	44,4		No
27.8.2014	10:30	22,8	45,0		No
27.8.2014	10:45	22,7	43,7		No
27.8.2014	11:00	22,6	42,6		No
27.8.2014	11:15	22,8	49,0		No
27.8.2014	11:30	23,1	49,0		No
27.8.2014	11:45	23,0	44,2		No
27.8.2014	12:00	23,0	43,3		No
27.8.2014	12:15	23,0	45,8		No
27.8.2014	12:30	23,0	43,4		No
27.8.2014	12:45	22,8	41,5		No
27.8.2014	13:00	22,6	39,9		No
27.8.2014	13:15	22,5	40,4		No
27.8.2014	13:30	22,5	42,6		No
27.8.2014	13:45	22,5	43,5		No
27.8.2014	14:00	22,7	50,6		No
27.8.2014	14:15	22,4	44,4		No
27.8.2014	14:30	22,4	53,2		No
27.8.2014	14:45	22,5	55,7		No
27.8.2014	15:00	22,6	56,8		No
27.8.2014	15:15	22,7	57,6		No
27.8.2014	15:30	22,8	57,5		No
27.8.2014	15:45	22,4	53,6		No
27.8.2014	16:00	22,5	57,8		No
27.8.2014	16:15	22,6	58,4		No
27.8.2014	16:30	22,7	54,8		No
27.8.2014	16:45	22,3	56,6		No
27.8.2014	17:00	22,5	58,9		No
27.8.2014	17:15	22,7	56,8		No
27.8.2014	17:30	22,3	57,1		No
27.8.2014	17:45	22,4	59,5		No
27.8.2014	18:00	22,6	58,2		No
27.8.2014	18:15	22,2	49,9		No
27.8.2014	18:30	22,0	57,1		No
27.8.2014	18:45	22,1	59,4		No
27.8.2014	19:00	22,4	57,5		No
27.8.2014	19:15	22,5	58,0		No
27.8.2014	19:30	22,6	57,6		No
27.8.2014	19:45	22,3	49,6		No
27.8.2014	20:00	22,1	57,8		No
27.8.2014	20:15	22,2	59,2		No
27.8.2014	20:30	22,4	58,4		No
27.8.2014	20:45	22,5	57,8		No
27.8.2014	21:00	22,6	57,3		No
27.8.2014	21:15	22,6	56,9		No
27.8.2014	21:30	22,7	56,4		No
27.8.2014	21:45	22,7	57,5		No
27.8.2014	22:00	22,3	53,8		No
27.8.2014	22:15	22,3	59,3		No
27.8.2014	22:30	22,4	58,1		No
27.8.2014	22:45	22,5	58,5		No
27.8.2014	23:00	22,6	57,7		No
27.8.2014	23:15	22,6	57,9		No
27.8.2014	23:30	22,7	57,6		No
27.8.2014	23:45	22,7	57,9		No
28.8.2014	0:00	22,7	57,5		No
28.8.2014	0:15	22,3	55,6		No
28.8.2014	0:30	22,3	60,0		No
28.8.2014	0:45	22,4	58,2		No
28.8.2014	1:00	22,5	59,3		No
28.8.2014	1:15	22,5	57,7		No
28.8.2014	1:30	22,6	57,0		No
28.8.2014	1:45	22,6	58,2		No
28.8.2014	2:00	22,6	57,2		No
28.8.2014	2:15	22,6	58,7		No
28.8.2014	2:30	22,7	57,4		No
28.8.2014	2:45	22,7	58,2		No
28.8.2014	3:00	22,7	57,2		No

TYPE OF TEST: ISO 19752

28.8.2014	3:15	22,7	58,3		No
28.8.2014	3:30	22,7	57,3		No
28.8.2014	3:45	22,7	57,9		No
28.8.2014	4:00	22,7	57,4		No
28.8.2014	4:15	22,7	57,6		No
28.8.2014	4:30	22,7	57,8		No
28.8.2014	4:45	22,7	57,3		No
28.8.2014	5:00	22,7	58,0		No
28.8.2014	5:15	22,6	51,6		No
28.8.2014	5:30	22,3	48,9		No
28.8.2014	5:45	22,2	49,9		No
28.8.2014	6:00	22,4	52,3		No
28.8.2014	6:15	22,4	49,7		No
28.8.2014	6:30	22,3	46,7		No
28.8.2014	6:45	22,4	49,9		No
28.8.2014	7:00	22,5	49,0		No
28.8.2014	7:15	22,3	47,1		No
28.8.2014	7:30	22,3	46,3		No
28.8.2014	7:45	22,4	51,2		No
28.8.2014	8:00	22,5	48,0		No
28.8.2014	8:15	22,3	44,2		No
28.8.2014	8:30	22,3	45,4		No
28.8.2014	8:45	22,3	44,3		No
28.8.2014	9:00	22,4	45,7		No
28.8.2014	9:15	22,5	45,2		No
28.8.2014	9:30	22,6	44,2		No
28.8.2014	9:45	22,5	42,0		No
28.8.2014	10:00	22,4	44,4		No
28.8.2014	10:15	22,4	43,1		No
28.8.2014	10:30	22,4	43,0		No
28.8.2014	10:45	22,3	42,3		No
28.8.2014	11:00	22,2	42,2		No
28.8.2014	11:15	22,3	41,6		No
28.8.2014	11:30	22,4	40,5		No
28.8.2014	11:45	22,3	39,7		No
28.8.2014	12:00	22,3	43,2		No
28.8.2014	12:15	22,3	41,1		No
28.8.2014	12:30	22,4	43,2		No
28.8.2014	12:45	22,5	42,5		No
28.8.2014	13:00	22,6	43,7		No
28.8.2014	13:15	22,6	41,6		No
28.8.2014	13:30	22,5	39,6		No
28.8.2014	13:45	22,3	38,9		No
28.8.2014	14:00	22,4	48,9		No
28.8.2014	14:15	22,7	51,3		No
28.8.2014	14:30	22,3	47,0		No
28.8.2014	14:45	22,6	54,0		No
28.8.2014	15:00	22,8	55,5		No
28.8.2014	15:15	22,6	49,2		No
28.8.2014	15:30	22,5	56,2		No
28.8.2014	15:45	22,7	57,4		No
28.8.2014	16:00	22,8	55,2		No
28.8.2014	16:15	22,5	54,8		No
28.8.2014	16:30	22,6	57,8		No
28.8.2014	16:45	22,7	53,1		No
28.8.2014	17:00	22,5	58,0		No
28.8.2014	17:15	22,7	56,9		No
28.8.2014	17:30	22,5	52,6		No
28.8.2014	17:45	22,5	58,3		No
28.8.2014	18:00	22,7	56,7		No
28.8.2014	18:15	22,2	48,6		No
28.8.2014	18:30	21,7	49,5		No
28.8.2014	18:45	21,9	57,6		No
28.8.2014	19:00	22,1	57,4		No
28.8.2014	19:15	22,3	58,9		No
28.8.2014	19:30	22,5	57,1		No
28.8.2014	19:45	22,6	58,2		No
28.8.2014	20:00	22,7	57,9		No
28.8.2014	20:15	22,6	51,2		No
28.8.2014	20:30	22,0	54,1		No
28.8.2014	20:45	22,1	59,1		No
28.8.2014	21:00	22,3	58,1		No
28.8.2014	21:15	22,4	58,9		No
28.8.2014	21:30	22,5	58,1		No
28.8.2014	21:45	22,6	57,3		No
28.8.2014	22:00	22,6	58,3		No
28.8.2014	22:15	22,7	57,5		No
28.8.2014	22:30	22,7	57,2		No
28.8.2014	22:45	22,8	57,9		No
28.8.2014	23:00	22,8	57,2		No
28.8.2014	23:15	22,3	55,3		No
28.8.2014	23:30	22,3	59,7		No
28.8.2014	23:45	22,4	58,5		No
29.8.2014	0:00	22,5	58,0		No
29.8.2014	0:15	22,6	58,3		No
29.8.2014	0:30	22,6	57,3		No
29.8.2014	0:45	22,7	58,5		No
29.8.2014	1:00	22,7	57,3		No

TYPE OF TEST: ISO 19752

		29.8.2014	1:15	22,7	58,9		No
		29.8.2014	1:30	22,8	57,4		No
		29.8.2014	1:45	22,8	58,4		No
		29.8.2014	2:00	22,8	57,0		No
		29.8.2014	2:15	22,8	57,9		No
		29.8.2014	2:30	22,5	53,3		No
		29.8.2014	2:45	22,4	59,6		No
		29.8.2014	3:00	22,4	58,2		No
		29.8.2014	3:15	22,5	58,9		No
		29.8.2014	3:30	22,6	57,7		No
		29.8.2014	3:45	22,6	57,9		No
		29.8.2014	4:00	22,6	58,0		No
		29.8.2014	4:15	22,6	57,9		No
		29.8.2014	4:30	22,6	57,2		No
		29.8.2014	4:45	22,6	58,2		No
		29.8.2014	5:00	22,7	57,5		No
		29.8.2014	5:15	22,7	54,4		No
		29.8.2014	5:30	22,3	51,3		No
		29.8.2014	5:45	22,6	58,3		No
		29.8.2014	6:00	22,5	48,3		No
		29.8.2014	6:15	22,3	45,9		No
		29.8.2014	6:30	22,2	47,1		No
		29.8.2014	6:45	22,3	49,9		No
		29.8.2014	7:00	22,5	48,4		No
		29.8.2014	7:15	22,4	45,2		No
		29.8.2014	7:30	22,4	44,8		No
		29.8.2014	7:45	22,3	43,4		No
		29.8.2014	8:00	22,5	49,3		No
		29.8.2014	8:15	22,5	42,5		No
		29.8.2014	8:30	22,5	42,1		No
		29.8.2014	8:45	22,3	40,5		No
		29.8.2014	9:00	22,3	41,3		No
		29.8.2014	9:15	22,2	40,7		No
		29.8.2014	9:30	22,3	42,2		No
		29.8.2014	9:45	22,4	41,7		No
		29.8.2014	10:00	22,4	41,3		No
		29.8.2014	10:15	22,5	41,2		No
		29.8.2014	10:30	22,4	38,6		No
		29.8.2014	10:45	22,3	37,9		No
		29.8.2014	11:00	22,2	38,1		No
		29.8.2014	11:15	22,1	40,5		No
		29.8.2014	11:30	22,3	41,5		No
		29.8.2014	11:45	22,6	42,5		No
		29.8.2014	12:00	22,5	41,0		No
		29.8.2014	12:15	22,6	41,2		No
		29.8.2014	12:30	22,7	42,3		No
		29.8.2014	12:45	22,7	40,4		No
		29.8.2014	13:00	22,7	39,3		No
		29.8.2014	13:15	22,6	39,6		No
		29.8.2014	13:30	22,5	40,8		No
		29.8.2014	13:45	22,2	42,5		No
		29.8.2014	14:00	22,5	50,5		No
		29.8.2014	14:15	22,7	52,9		No
		29.8.2014	14:30	22,4	49,9		No
		29.8.2014	14:45	22,6	54,8		No
		29.8.2014	15:00	22,7	51,5		No
		29.8.2014	15:15	22,5	55,6		No
		29.8.2014	15:30	22,7	54,6		No
		29.8.2014	15:45	22,8	56,2		No
		29.8.2014	16:00	22,3	48,4		No
		29.8.2014	16:15	21,8	51,6		No
		29.8.2014	16:30	22,0	57,0		No
		29.8.2014	16:45	22,3	57,2		No
		29.8.2014	17:00	22,4	57,0		No
		29.8.2014	17:15	22,6	56,8		No
		29.8.2014	17:30	22,7	57,0		No
		29.8.2014	17:45	22,2	49,2		No
		29.8.2014	18:00	21,7	50,3		No
		29.8.2014	18:15	21,9	57,2		No
		29.8.2014	18:30	22,2	57,7		No
		29.8.2014	18:45	22,3	58,7		No
		29.8.2014	19:00	22,5	57,1		No
		29.8.2014	19:15	22,6	57,3		No
		29.8.2014	19:30	22,7	57,4		No
		29.8.2014	19:45	22,4	50,5		No
		29.8.2014	20:00	21,9	54,3		No
		29.8.2014	20:15	22,0	58,4		No
		29.8.2014	20:30	22,3	58,3		No
		29.8.2014	20:45	22,4	57,7		No
		29.8.2014	21:00	22,5	57,2		No
		29.8.2014	21:15	22,6	57,0		No
		29.8.2014	21:30	22,7	56,5		No
		29.8.2014	21:45	22,8	56,9		No
		29.8.2014	22:00	22,8	56,8		No
		29.8.2014	22:15	22,2	51,5		No
		29.8.2014	22:30	22,2	59,0		No
		29.8.2014	22:45	22,4	59,2		No
		29.8.2014	23:00	22,5	58,0		No

TYPE OF TEST: ISO 19752

29.8.2014	23:15	22,6	57,4		No
29.8.2014	23:30	22,7	57,1		No
29.8.2014	23:45	22,8	56,6		No
30.8.2014	0:00	22,8	57,7		No
30.8.2014	0:15	22,6	51,6		No
30.8.2014	0:30	21,9	53,1		No
30.8.2014	0:45	22,0	58,8		No
30.8.2014	1:00	22,2	59,2		No
30.8.2014	1:15	22,3	58,6		No
30.8.2014	1:30	22,4	58,0		No
30.8.2014	1:45	22,5	57,6		No
30.8.2014	2:00	22,6	57,3		No
30.8.2014	2:15	22,7	57,0		No
30.8.2014	2:30	22,7	56,7		No
30.8.2014	2:45	22,8	56,4		No
30.8.2014	3:00	22,7	56,1		No
30.8.2014	3:15	22,8	55,9		No
30.8.2014	3:30	22,4	51,8		No
30.8.2014	3:45	22,3	58,8		No
30.8.2014	4:00	22,4	58,0		No
30.8.2014	4:15	22,5	57,6		No
30.8.2014	4:30	22,5	57,7		No
30.8.2014	4:45	22,6	57,1		No
30.8.2014	5:00	22,6	58,1		No
30.8.2014	5:15	22,7	57,3		No
30.8.2014	5:30	22,7	57,6		No
30.8.2014	5:45	22,7	57,1		No
30.8.2014	6:00	22,7	57,7		No
30.8.2014	6:15	22,7	57,5		No
30.8.2014	6:30	22,8	57,0		No
30.8.2014	6:45	22,8	58,0		No
30.8.2014	7:00	22,8	57,3		No
30.8.2014	7:15	22,7	52,8		No
30.8.2014	7:30	22,3	58,9		No
30.8.2014	7:45	22,4	59,9		No
30.8.2014	8:00	22,5	58,7		No
30.8.2014	8:15	22,6	58,2		No
30.8.2014	8:30	22,6	57,8		No
30.8.2014	8:45	22,7	57,4		No
30.8.2014	9:00	22,7	57,2		No
30.8.2014	9:15	22,7	57,0		No
30.8.2014	9:30	22,8	57,8		No
30.8.2014	9:45	22,8	57,2		No
30.8.2014	10:00	22,8	57,0		No
30.8.2014	10:15	22,3	53,2		No
30.8.2014	10:30	22,3	59,8		No
30.8.2014	10:45	22,4	59,7		No
30.8.2014	11:00	22,5	58,5		No
30.8.2014	11:15	22,5	57,9		No
30.8.2014	11:30	22,7	57,7		No
30.8.2014	11:45	22,7	57,5		No
30.8.2014	12:00	22,7	57,3		No
30.8.2014	12:15	22,8	57,1		No
30.8.2014	12:30	22,8	57,0		No
30.8.2014	12:45	22,2	49,8		No
30.8.2014	13:00	22,1	59,2		No
30.8.2014	13:15	22,2	60,0		No
30.8.2014	13:30	22,4	59,3		No
30.8.2014	13:45	22,5	59,0		No
30.8.2014	14:00	22,6	58,6		No
30.8.2014	14:15	22,6	58,3		No
30.8.2014	14:30	22,7	58,2		No
30.8.2014	14:45	22,8	58,1		No
30.8.2014	15:00	22,8	58,0		No
30.8.2014	15:15	22,2	50,6		No
30.8.2014	15:30	22,1	59,7		No
30.8.2014	15:45	22,3	61,1		No
30.8.2014	16:00	22,4	60,4		No
30.8.2014	16:15	22,6	60,0		No
30.8.2014	16:30	22,7	59,6		No
30.8.2014	16:45	22,7	59,4		No
30.8.2014	17:00	22,8	57,5		No
30.8.2014	17:15	22,1	51,5		No
30.8.2014	17:30	22,0	59,6		No
30.8.2014	17:45	22,1	61,7		No
30.8.2014	18:00	22,3	61,4		No
30.8.2014	18:15	22,5	60,9		No
30.8.2014	18:30	22,5	60,6		No
30.8.2014	18:45	22,6	60,4		No
30.8.2014	19:00	22,7	59,9		No
30.8.2014	19:15	22,8	59,8		No
30.8.2014	19:30	22,8	59,6		No
30.8.2014	19:45	22,4	51,9		No
30.8.2014	20:00	22,0	58,5		No
30.8.2014	20:15	22,1	61,9		No
30.8.2014	20:30	22,3	61,7		No
30.8.2014	20:45	22,4	61,0		No
30.8.2014	21:00	22,5	60,8		No

TYPE OF TEST: ISO 19752

N/A	30.8.2014	21:15	22,6	60,4			No
	30.8.2014	21:30	22,6	60,0			No
	30.8.2014	21:45	22,7	59,8			No
	30.8.2014	22:00	22,7	59,4			No
	30.8.2014	22:15	22,7	58,9			No
	30.8.2014	22:30	22,8	58,8			No
	30.8.2014	22:45	22,8	58,7			No
	30.8.2014	23:00	22,8	58,5			No
	30.8.2014	23:15	22,9	58,4			No
	30.8.2014	23:30	22,3	55,3			No
	30.8.2014	23:45	22,3	61,3			No
	31.8.2014	0:00	22,4	60,9			No
	31.8.2014	0:15	22,5	60,1			No
	31.8.2014	0:30	22,6	59,7			No
	31.8.2014	0:45	22,6	59,4			No
	31.8.2014	1:00	22,7	59,2			No
	31.8.2014	1:15	22,7	59,0			No
	31.8.2014	1:30	22,7	58,8			No
	31.8.2014	1:45	22,8	58,6			No
	31.8.2014	2:00	22,8	58,4			No
	31.8.2014	2:15	22,8	58,3			No
	31.8.2014	2:30	22,8	58,2			No
	31.8.2014	2:45	22,8	57,0			No
	31.8.2014	3:00	22,3	58,3			No
	31.8.2014	3:15	22,4	61,3			No
	31.8.2014	3:30	22,5	60,1			No
	31.8.2014	3:45	22,6	59,6			No
	31.8.2014	4:00	22,6	59,2			No
	31.8.2014	4:15	22,6	58,7			No
	31.8.2014	4:30	22,7	58,5			No
	31.8.2014	4:45	22,7	58,3			No
	31.8.2014	5:00	22,7	58,1			No
	31.8.2014	5:15	22,7	58,1			No
	31.8.2014	5:30	22,8	58,1			No
	31.8.2014	5:45	22,8	58,0			No
	31.8.2014	6:00	22,8	57,4			No
	31.8.2014	6:15	22,3	57,9	22,7	57,9	Yes
	31.8.2014	6:30	22,3	61,3	22,6	58,7	Yes
	31.8.2014	6:45	22,5	60,2	22,5	59,2	Yes
	31.8.2014	7:00	22,6	59,8	22,4	59,8	Yes
	31.8.2014	7:15	22,6	59,6	22,5	60,2	Yes
	31.8.2014	7:30	22,7	59,4	22,6	59,8	Yes
	31.8.2014	7:45	22,7	59,3	22,7	59,5	Yes
	31.8.2014	8:00	22,7	59,1	22,7	59,4	Yes
	31.8.2014	8:15	22,8	59,0	22,7	59,2	Yes
	31.8.2014	8:30	22,8	58,8	22,8	59,1	Yes
	31.8.2014	8:45	22,8	58,8	22,8	58,9	Yes
	31.8.2014	9:00	22,8	58,7	22,8	58,8	Yes
	31.8.2014	9:15	22,8	58,7	22,8	58,8	Yes
	31.8.2014	9:30	22,8	58,6	22,8	58,7	Yes
	31.8.2014	9:45	22,9	58,3	22,8	58,6	Yes
	31.8.2014	10:00	22,3	57,3	22,7	58,2	Yes
	31.8.2014	10:15	22,3	62,1	22,6	59,1	Yes
	31.8.2014	10:30	22,4	61,1	22,5	59,7	Yes
	31.8.2014	10:45	22,5	60,6	22,4	60,3	Yes
	31.8.2014	11:00	22,6	60,3	22,5	61,0	Yes
	31.8.2014	11:15	22,7	60,1	22,6	60,5	Yes
	31.8.2014	11:30	22,7	59,9	22,6	60,2	Yes
	31.8.2014	11:45	22,7	59,8	22,7	60,0	Yes
	31.8.2014	12:00	22,8	59,7	22,7	59,9	Yes
	31.8.2014	12:15	22,8	59,3	22,8	59,7	Yes
	31.8.2014	12:30	22,2	55,8	22,6	58,7	Yes
	31.8.2014	12:45	22,3	61,9	22,5	59,2	Yes
	31.8.2014	13:00	22,4	62,5	22,4	59,9	Yes
	31.8.2014	13:15	22,5	61,9	22,4	60,5	Yes
	31.8.2014	13:30	22,6	61,6	22,5	62,0	Yes
	31.8.2014	13:45	22,7	61,3	22,6	61,8	Yes
	31.8.2014	14:00	22,8	61,1	22,7	61,5	Yes
	31.8.2014	14:15	22,4	53,5	22,6	59,4	Yes
	31.8.2014	14:30	21,9	56,5	22,5	58,1	Yes
	31.8.2014	14:45	22,0	61,8	22,3	58,2	Yes
	31.8.2014	15:00	22,1	62,9	22,1	58,7	Yes
	31.8.2014	15:15	22,3	62,7	22,1	61,0	Yes
	31.8.2014	15:30	22,5	62,4	22,2	62,5	Yes
	31.8.2014	15:45	22,6	62,2	22,4	62,6	Yes
	31.8.2014	16:00	22,7	62,1	22,5	62,4	Yes
	31.8.2014	16:15	22,7	61,9	22,6	62,2	Yes
	31.8.2014	16:30	22,8	59,7	22,7	61,5	Yes
	31.8.2014	16:45	22,0	51,3	22,6	58,8	Yes
	31.8.2014	17:00	22,0	60,6	22,4	58,4	Yes
	31.8.2014	17:15	22,1	63,1	22,2	58,7	Yes
	31.8.2014	17:30	22,3	63,0	22,1	59,5	Yes
	31.8.2014	17:45	22,4	63,6	22,2	62,6	Yes
	31.8.2014	18:00	22,5	64,4	22,3	63,5	Yes
	31.8.2014	18:15	22,5	65,2	22,4	64,1	Yes
	31.8.2014	18:30	22,6	65,8	22,5	64,8	Yes
	31.8.2014	18:45	22,7	66,0	22,6	65,4	Yes
	31.8.2014	19:00	22,7	65,9	22,6	65,7	Yes

TYPE OF TEST: ISO 19752

			31.8.2014	19:15	22,7	66,6	22,7	66,1	Yes			
			31.8.2014	19:30	22,7	67,0	22,7	66,4	Yes			
			31.8.2014	19:45	22,8	67,3	22,7	66,7	Yes			
			31.8.2014	20:00	22,8	67,6	22,8	67,1	Yes			
			31.8.2014	20:15	22,8	67,8	22,8	67,4	Yes			
			31.8.2014	20:30	22,9	68,1	22,8	67,7	Yes			
			31.8.2014	20:45	22,9	68,4	22,9	68,0	Yes			
			31.8.2014	21:00	22,9	68,6	22,9	68,2	Yes			
			31.8.2014	21:15	22,9	68,7	22,9	68,5	Yes			
			31.8.2014	21:30	22,9	69,0	22,9	68,7	Yes			
			31.8.2014	21:45	22,9	69,0	22,9	68,8	Yes			
			31.8.2014	22:00	22,9	69,1	22,9	69,0	Yes			
			31.8.2014	22:15	22,9	68,5	22,9	68,9	Yes			
			31.8.2014	22:30	22,9	69,0	22,9	68,9	Yes			
			31.8.2014	22:45	22,9	69,3	22,9	69,0	Yes			
			31.8.2014	23:00	22,9	69,6	22,9	69,1	Yes			
			31.8.2014	23:15	23,0	69,8	22,9	69,4	Yes			
			31.8.2014	23:30	22,9	69,9	22,9	69,7	Yes			
			31.8.2014	23:45	23,0	70,1	23,0	69,9	Yes			
			1.9.2014	0:00	22,9	66,7	23,0	69,1	Yes			
			1.9.2014	0:15	22,2	57,4	22,8	66,0	Yes			
			1.9.2014	0:30	22,1	67,2	22,6	65,4	Yes			
			1.9.2014	0:45	22,1	70,5	22,3	65,5	Yes			
			1.9.2014	1:00	22,2	71,1	22,2	66,6	Yes			
			1.9.2014	1:15	22,3	70,8	22,2	69,9	Yes			
			1.9.2014	1:30	22,4	71,0	22,3	70,9	Yes			
			1.9.2014	1:45	22,4	71,1	22,3	71,0	Yes			
			1.9.2014	2:00	22,5	71,1	22,4	71,0	Yes			
			1.9.2014	2:15	22,5	71,4	22,5	71,2	Yes			
			1.9.2014	2:30	22,6	71,4	22,5	71,3	Yes			
			1.9.2014	2:45	22,6	71,5	22,6	71,4	Yes			
			1.9.2014	3:00	22,6	71,4	22,6	71,4	Yes			
			1.9.2014	3:15	22,4	62,3	22,6	69,2	Yes			
			1.9.2014	3:30	22,3	69,8	22,5	68,8	Yes			
			1.9.2014	3:45	22,3	71,9	22,4	68,9	Yes			
			1.9.2014	4:00	22,3	72,4	22,3	69,1	Yes			
			1.9.2014	4:15	22,4	71,4	22,3	71,4	Yes			
			1.9.2014	4:30	22,4	71,7	22,4	71,9	Yes			
			1.9.2014	4:45	22,4	71,6	22,4	71,8	Yes			
			1.9.2014	5:00	22,6	70,0	22,5	71,2	Yes			
			1.9.2014	5:15	22,3	60,9	22,4	68,6	Yes			
			1.9.2014	5:30	22,2	63,4	22,4	66,5	Yes			
			1.9.2014	5:45	22,5	62,4	22,4	64,2	Yes			
			PHI_14_I0806	PHI_14_I0810	PHI_14_I0812	1.9.2014	6:00	22,4	55,0	22,4	60,4	Yes
						1.9.2014	6:15	22,2	54,2	22,3	58,8	Yes
						1.9.2014	6:30	22,4	62,7	22,4	58,6	Yes
1.9.2014	6:45	22,4				54,7	22,4	56,7	Yes			
1.9.2014	7:00	22,1				49,7	22,3	55,3	Yes			
1.9.2014	7:15	22,3				60,0	22,3	56,8	Yes			
1.9.2014	7:30	22,4				54,0	22,3	54,6	Yes			
1.9.2014	7:45	22,3				56,5	22,3	55,1	Yes			
1.9.2014	8:00	22,5				55,3	22,4	56,5	Yes			
1.9.2014	8:15	22,3				49,6	22,4	53,9	Yes			
1.9.2014	8:30	22,4				56,4	22,4	54,5	Yes			
1.9.2014	8:45	22,5				50,9	22,4	53,1	Yes			
1.9.2014	9:00	22,3				47,6	22,4	51,1	Yes			
1.9.2014	9:15	22,1				46,6	22,3	50,4	Yes			
1.9.2014	9:30	22,1				46,6	22,3	47,9	Yes			
1.9.2014	9:45	22,1				47,8	22,2	47,2	Yes			
1.9.2014	10:00	22,3				53,7	22,2	48,7	Yes			
1.9.2014	10:15	22,4				48,6	22,2	49,2	Yes			
PHI_14_I0807	PHI_14_I0811	PHI_14_I0813				1.9.2014	10:30	22,3	46,7	22,3	49,2	Yes
						1.9.2014	10:45	22,1	44,6	22,3	48,4	Yes
						1.9.2014	11:00	22,0	44,6	22,2	46,1	Yes
						1.9.2014	11:15	22,1	45,7	22,1	45,4	Yes
						1.9.2014	11:30	22,4	49,6	22,2	46,1	Yes
			1.9.2014	11:45	22,3	47,7	22,2	46,9	Yes			
			1.9.2014	12:00	22,2	45,8	22,3	47,2	Yes			
			1.9.2014	12:15	22,2	46,1	22,3	47,3	Yes			
			1.9.2014	12:30	22,2	44,0	22,2	45,9	Yes			
			1.9.2014	12:45	22,3	48,1	22,2	46,0	Yes			
			1.9.2014	13:00	22,5	47,5	22,3	46,4	Yes			
			1.9.2014	13:15	22,5	46,3	22,4	46,5	Yes			
			1.9.2014	13:30	22,4	45,4	22,4	46,8	Yes			
			1.9.2014	13:45	22,3	42,9	22,4	45,5	Yes			
			1.9.2014	14:00	22,2	51,5	22,4	46,5	Yes			
			1.9.2014	14:15	22,4	55,8	22,3	48,9	Yes			
						1.9.2014	14:30	22,6	55,6	22,4	51,5	Yes
						1.9.2014	14:45	22,6	51,3	22,5	53,6	Yes
						1.9.2014	15:00	22,3	56,7	22,5	54,9	Yes
						1.9.2014	15:15	22,4	56,8	22,5	55,1	Yes
						1.9.2014	15:30	22,5	57,8	22,5	55,7	Yes
						1.9.2014	15:45	22,7	56,7	22,5	57,0	Yes
						1.9.2014	16:00	22,7	57,1	22,6	57,1	Yes
1.9.2014	16:15	22,8				57,7	22,7	57,3	Yes			
1.9.2014	16:30	22,8				56,9	22,8	57,1	Yes			
1.9.2014	16:45	22,3				56,0	22,7	56,9	Yes			
1.9.2014	17:00	22,4				60,1	22,6	57,7	Yes			

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	1.9.2014	17:15	22,5	58,7	22,5	57,9	Yes
			1.9.2014	17:30	22,7	58,1	22,5	58,2	Yes
			1.9.2014	17:45	22,7	57,9	22,6	58,7	Yes
			1.9.2014	18:00	22,8	58,0	22,7	58,2	Yes
			1.9.2014	18:15	22,9	57,7	22,8	57,9	Yes
			1.9.2014	18:30	22,6	55,0	22,8	57,2	Yes
			1.9.2014	18:45	22,5	60,4	22,7	57,8	Yes
			1.9.2014	19:00	22,6	59,8	22,7	58,2	Yes
			1.9.2014	19:15	22,7	59,1	22,6	58,6	Yes
			1.9.2014	19:30	22,7	58,9	22,6	59,6	Yes
			1.9.2014	19:45	22,7	58,6	22,7	59,1	Yes
			1.9.2014	20:00	22,8	58,5	22,7	58,8	Yes
			1.9.2014	20:15	22,8	58,5	22,8	58,6	Yes
			1.9.2014	20:30	22,8	58,3	22,8	58,5	Yes
			1.9.2014	20:45	22,4	58,2	22,7	58,4	Yes
			1.9.2014	21:00	22,4	60,9	22,6	59,0	Yes
			1.9.2014	21:15	22,5	59,9	22,5	59,3	Yes
			1.9.2014	21:30	22,6	59,3	22,5	59,6	Yes
			1.9.2014	21:45	22,7	59,2	22,6	59,8	Yes
			1.9.2014	22:00	22,7	59,0	22,6	59,4	Yes
			1.9.2014	22:15	22,7	58,8	22,7	59,1	Yes
			1.9.2014	22:30	22,7	58,7	22,7	58,9	Yes
			1.9.2014	22:45	22,8	58,7	22,7	58,8	Yes
			1.9.2014	23:00	22,8	58,6	22,8	58,7	Yes
			1.9.2014	23:15	22,8	58,6	22,8	58,7	Yes
			1.9.2014	23:30	22,8	56,7	22,8	58,2	Yes
			1.9.2014	23:45	22,2	59,0	22,7	58,2	Yes
			2.9.2014	0:00	22,3	61,9	22,5	59,1	Yes
			2.9.2014	0:15	22,4	60,8	22,4	59,6	Yes
			2.9.2014	0:30	22,5	60,2	22,4	60,5	Yes
			2.9.2014	0:45	22,6	60,0	22,5	60,7	Yes
			2.9.2014	1:00	22,6	59,7	22,5	60,2	Yes
			2.9.2014	1:15	22,6	59,6	22,6	59,9	Yes
			2.9.2014	1:30	22,6	59,4	22,6	59,7	Yes
			2.9.2014	1:45	22,7	59,3	22,6	59,5	Yes
			2.9.2014	2:00	22,7	59,2	22,7	59,4	Yes
			2.9.2014	2:15	22,7	59,1	22,7	59,3	Yes
			2.9.2014	2:30	22,7	59,0	22,7	59,2	Yes
			2.9.2014	2:45	22,7	58,9	22,7	59,1	Yes
			2.9.2014	3:00	22,7	58,9	22,7	59,0	Yes
			2.9.2014	3:15	22,8	58,8	22,7	58,9	Yes
			2.9.2014	3:30	22,8	58,7	22,8	58,8	Yes
			2.9.2014	3:45	22,8	58,8	22,8	58,8	Yes
			2.9.2014	4:00	22,8	58,7	22,8	58,8	Yes
			2.9.2014	4:15	22,8	58,6	22,8	58,7	Yes
			2.9.2014	4:30	22,8	58,6	22,8	58,7	Yes
			2.9.2014	4:45	22,8	58,6	22,8	58,6	Yes
			2.9.2014	5:00	22,4	58,0	22,7	58,5	Yes
			2.9.2014	5:15	22,7	58,5	22,7	58,4	Yes
PHI_14_I0808	PHI_14_I0811	PHI_14_I0813	2.9.2014	5:30	22,3	50,8	22,6	56,5	Yes
			2.9.2014	5:45	22,2	55,7	22,4	55,8	Yes
			2.9.2014	6:00	22,5	59,9	22,4	56,2	Yes
			2.9.2014	6:15	22,5	52,0	22,4	54,6	Yes
			2.9.2014	6:30	22,3	51,0	22,4	54,7	Yes
			2.9.2014	6:45	22,2	49,3	22,4	53,1	Yes
			2.9.2014	7:00	22,0	49,9	22,3	50,6	Yes
			2.9.2014	7:15	22,4	53,4	22,2	50,9	Yes
			2.9.2014	7:30	22,2	46,3	22,2	49,7	Yes
			2.9.2014	7:45	22,4	57,0	22,3	51,7	Yes
			2.9.2014	8:00	22,4	50,3	22,4	51,8	Yes
			2.9.2014	8:15	22,3	48,4	22,3	50,5	Yes
			2.9.2014	8:30	22,2	46,2	22,3	50,5	Yes
			2.9.2014	8:45	22,1	47,6	22,3	48,1	Yes
			2.9.2014	9:00	22,2	52,1	22,2	48,6	Yes
			2.9.2014	9:15	22,4	50,1	22,2	49,0	Yes
			2.9.2014	9:30	22,3	48,0	22,3	49,5	Yes
			2.9.2014	9:45	22,2	45,6	22,3	49,0	Yes
			2.9.2014	10:00	22,1	46,2	22,3	47,5	Yes
			2.9.2014	10:15	22,2	47,6	22,2	46,9	Yes
			2.9.2014	10:30	22,3	50,8	22,2	47,6	Yes
			2.9.2014	10:45	22,4	46,4	22,3	47,8	Yes
			2.9.2014	11:00	22,2	44,8	22,3	47,4	Yes
			2.9.2014	11:15	22,3	51,2	22,3	48,3	Yes
N/A	N/A	PHI_14_I0814	2.9.2014	11:30	22,4	46,7	22,3	47,3	Yes
			2.9.2014	11:45	22,2	44,3	22,3	46,8	Yes
			2.9.2014	12:00	22,1	46,4	22,3	47,2	Yes
			2.9.2014	12:15	22,1	47,7	22,2	46,3	Yes
			2.9.2014	12:30	22,5	49,3	22,2	46,9	Yes
			2.9.2014	12:45	22,3	45,0	22,3	47,1	Yes
			2.9.2014	13:00	22,2	43,1	22,3	46,3	Yes