

TYPE OF TEST: ISO 19752

When cartridge Samsung MLT-D2092L is used in printer Samsung SCX-4828FN.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 5250 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 5288 standard pages

Date Tested:

17.6.2015 - 26.6.2015

For questions concerning testing contact

Pelikan Hardcopy CZ s.r.o.
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Samsung MLT-D2092L

Shake Procedure Used

Yes

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - 100 Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

	Station 1.	Station 2.	Station 3.
Computer Model:	Athlon 64X2 Dual Core 2,09 GHz	Intel(R) Pentium(R) 4 2.4 GHz	Intel(R) Pentium(R) 4 2.4 GHz
Operating System:	Windows XP Professional	Windows XP Professional	Windows XP Professional
Printer Nr.	63068	63212	63068
Printer Type	SCX-4828 FN	SCX-4828 FN	SCX-4828 FN
Serial Nr.	144BBAAQ900062A	6583BAL2800320N	Z208BALZ800562R
Driver Version:	PCL 6-V2.50.04.00:08	PCL 6-V2.50.04.00:08	PCL 6-V2.50.04.00:08

Note:

Page yield rounded to 5250. It's 250 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15040867028771 - K001	PHI_15_I0140	5 102	Y
	C				
	Y				
	M				
2nd set	K	15040866928771 - K002	PHI_15_I0141	5 900	Y
	C				
	Y				
	M				
3rd set	K	15040866728771 - K003	PHI_15_I0142	6 627	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	17 629	5 876	763	4 590	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15040866628771 - K004	PHI_15_I0143	5 213	Y
	C				
	Y				
	M				
2nd set	K	15040865928771 - K005	PHI_15_I0144	6 030	Y
	C				
	Y				
	M				
3rd set	K	15040861528771 - K006	PHI_15_I0145	5 203	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	16 446	5 482	475	4 682	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	15040866128771 - K007	PHI_15_I0146	5 182	Y
	C				
	Y				
	M				
2nd set	K	15040866428771 - K008	PHI_15_I0147	5 303	Y
	C				
	Y				
	M				
3rd set	K	15040866528771 - K009	PHI_15_I0148	6 052	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	16 537	5 512	471	4 718	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	50 612	5 624	542	5 288	9
	C						
	Y						
	M						

Note:
Statement OEM 5000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	24,2	Allowed 23
Testing Room - max. running average temp. [°C]	25,0	26
Testing Room - min. running average temp. [°C]	23,6	20

Testing Room average RH. [%]	51,5	Allowed 50
Testing Room - max. running average RH [%]	57,2	65
Testing Room - min. running average RH [%]	44,0	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.
Condition 24 hours before the start of the tests.

Date of testing: 16.6.2015 6:00 - 26.6.2015 14:30

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
N/A	N/A	N/A	16.6.2015	6:00	24,2	54,6	N/A	N/A	No
			16.6.2015	6:15	24,3	51,2	N/A	N/A	No
			16.6.2015	6:30	24,2	50,9	N/A	N/A	No
			16.6.2015	6:45	24,1	47,9	24,2	51,2	Yes
			16.6.2015	7:00	24,2	46,8	24,2	49,2	Yes
			16.6.2015	7:15	24,2	47,2	24,2	48,2	Yes
			16.6.2015	7:30	24,2	48,6	24,2	47,6	Yes
			16.6.2015	7:45	24,3	52,8	24,2	48,9	Yes
			16.6.2015	8:00	24	49,2	24,2	49,5	Yes
			16.6.2015	8:15	24,3	51	24,2	50,4	Yes
			16.6.2015	8:30	24,1	50,3	24,2	50,8	Yes
			16.6.2015	8:45	24,3	49,3	24,2	50,0	Yes
			16.6.2015	9:00	24,2	47,9	24,2	49,6	Yes
			16.6.2015	9:15	24,2	51,7	24,2	49,8	Yes
			16.6.2015	9:30	24,1	51	24,2	50,0	Yes
			16.6.2015	9:45	24,3	50,1	24,2	50,2	Yes
			16.6.2015	10:00	24,1	47,3	24,2	50,0	Yes
			16.6.2015	10:15	24,1	48,7	24,2	49,3	Yes
			16.6.2015	10:30	24,2	50,6	24,2	49,2	Yes
			16.6.2015	10:45	24	50,7	24,1	49,3	Yes
			16.6.2015	11:00	24,1	45,1	24,1	48,8	Yes
			16.6.2015	11:15	24,1	47,8	24,1	48,6	Yes
			16.6.2015	11:30	24,1	48,1	24,1	47,9	Yes
			16.6.2015	11:45	24,2	48,2	24,1	47,3	Yes
			16.6.2015	12:00	24,2	49	24,2	48,3	Yes
			16.6.2015	12:15	24,2	49,6	24,2	48,7	Yes
			16.6.2015	12:30	24,1	51,6	24,2	49,6	Yes
			16.6.2015	12:45	24,2	49,6	24,2	50,0	Yes
			16.6.2015	13:00	24,2	50,9	24,2	50,4	Yes
			16.6.2015	13:15	24,1	48	24,2	50,0	Yes
			16.6.2015	13:30	24,3	52,9	24,2	50,4	Yes
			16.6.2015	13:45	24,1	52,2	24,2	51,0	Yes
			16.6.2015	14:00	24,4	50,8	24,2	51,0	Yes
			16.6.2015	14:15	24,2	53	24,3	52,2	Yes
			16.6.2015	14:30	24,2	48,8	24,2	51,2	Yes
			16.6.2015	14:45	24,3	52,7	24,3	51,3	Yes
			16.6.2015	15:00	24,2	51,3	24,2	51,5	Yes
			16.6.2015	15:15	24,3	50,7	24,3	50,9	Yes
			16.6.2015	15:30	24,5	49,8	24,3	51,1	Yes
			16.6.2015	15:45	24,3	51,1	24,3	50,7	Yes
			16.6.2015	16:00	24,2	47	24,3	49,7	Yes
			16.6.2015	16:15	24,4	49,2	24,4	49,3	Yes
			16.6.2015	16:30	24,2	52	24,3	49,8	Yes
			16.6.2015	16:45	24,4	51	24,3	49,8	Yes
			16.6.2015	17:00	24,5	48,5	24,4	50,2	Yes
			16.6.2015	17:15	24,3	53	24,4	51,1	Yes
			16.6.2015	17:30	24,4	53,6	24,4	51,5	Yes
			16.6.2015	17:45	24,3	50,4	24,4	51,4	Yes
			16.6.2015	18:00	24,4	50,1	24,4	51,8	Yes
			16.6.2015	18:15	24,5	51,2	24,4	51,3	Yes
			16.6.2015	18:30	24,4	47	24,4	49,7	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0140	PHI_15_I0143	PHI_15_I0146	16.6.2015	18:45	24,3	51,2	24,4	49,9	Yes
			16.6.2015	19:00	24,5	52,3	24,4	50,4	Yes
			16.6.2015	19:15	24,5	51,9	24,4	50,6	Yes
			16.6.2015	19:30	24,2	52,8	24,4	52,1	Yes
			16.6.2015	19:45	24,4	53,3	24,4	52,6	Yes
			16.6.2015	20:00	24,5	52,6	24,4	52,7	Yes
			16.6.2015	20:15	24,5	53,1	24,4	53,0	Yes
			16.6.2015	20:30	24,2	52,2	24,4	52,8	Yes
			16.6.2015	20:45	24,4	52,9	24,4	52,7	Yes
			16.6.2015	21:00	24,5	53,1	24,4	52,8	Yes
			16.6.2015	21:15	24,5	53,4	24,4	52,9	Yes
			16.6.2015	21:30	24,2	54,2	24,4	53,4	Yes
			16.6.2015	21:45	24,4	53,4	24,4	53,5	Yes
			16.6.2015	22:00	24,4	53,7	24,4	53,7	Yes
			16.6.2015	22:15	24,5	52,4	24,4	53,4	Yes
			16.6.2015	22:30	24,5	50,3	24,5	52,5	Yes
			16.6.2015	22:45	24,5	52,8	24,5	52,3	Yes
			16.6.2015	23:00	24,3	50	24,5	51,4	Yes
			16.6.2015	23:15	24,3	52,6	24,4	51,4	Yes
			16.6.2015	23:30	24,4	52,8	24,4	52,1	Yes
			16.6.2015	23:45	24,4	52	24,4	51,9	Yes
			17.6.2015	0:00	24,5	51,6	24,4	52,3	Yes
			17.6.2015	0:15	24,4	53,9	24,4	52,6	Yes
			17.6.2015	0:30	24,5	52,9	24,5	52,6	Yes
			17.6.2015	0:45	24,5	53,3	24,5	52,9	Yes
			17.6.2015	1:00	24,3	51	24,4	52,8	Yes
			17.6.2015	1:15	24,2	53,1	24,4	52,6	Yes
			17.6.2015	1:30	24,3	52,9	24,3	52,6	Yes
			17.6.2015	1:45	24,4	53	24,3	52,5	Yes
			17.6.2015	2:00	24,4	53	24,3	53,0	Yes
			17.6.2015	2:15	24,4	53	24,4	53,0	Yes
			17.6.2015	2:30	24,4	53,7	24,4	53,2	Yes
			17.6.2015	2:45	24,4	54	24,4	53,4	Yes
			17.6.2015	3:00	24,4	54	24,4	53,7	Yes
			17.6.2015	3:15	24,4	53,9	24,4	53,9	Yes
			17.6.2015	3:30	24,4	53,3	24,4	53,8	Yes
			17.6.2015	3:45	24,4	53,5	24,4	53,7	Yes
			17.6.2015	4:00	24,4	53,3	24,4	53,5	Yes
			17.6.2015	4:15	24,4	53,4	24,4	53,4	Yes
			17.6.2015	4:30	24,4	51,2	24,4	52,9	Yes
			17.6.2015	4:45	24,3	53	24,4	52,7	Yes
			17.6.2015	5:00	24,3	53,2	24,4	52,7	Yes
			17.6.2015	5:15	24,3	53,2	24,3	52,7	Yes
			17.6.2015	5:30	24,3	54	24,3	53,4	Yes
			17.6.2015	5:45	24,1	54,8	24,3	53,8	Yes
			17.6.2015	6:00	24,2	54,2	24,2	54,1	Yes
			17.6.2015	6:15	24,1	52,5	24,2	53,9	Yes
			17.6.2015	6:30	24,2	49,4	24,2	52,7	Yes
			17.6.2015	6:45	24,3	54	24,2	52,5	Yes
			17.6.2015	7:00	24,1	52,5	24,2	52,1	Yes
			17.6.2015	7:15	24,1	49,7	24,2	51,4	Yes
			17.6.2015	7:30	24,2	54,2	24,2	52,6	Yes
			17.6.2015	7:45	24,1	52,9	24,1	52,3	Yes
			17.6.2015	8:00	24,2	48,1	24,2	51,2	Yes
			17.6.2015	8:15	24,1	53,2	24,2	52,1	Yes
			17.6.2015	8:30	24	52	24,1	51,6	Yes
			17.6.2015	8:45	24,2	52,8	24,1	51,5	Yes
			17.6.2015	9:00	24	52,2	24,1	52,6	Yes
			17.6.2015	9:15	24,1	49,1	24,1	51,5	Yes
			17.6.2015	9:30	24,1	52,6	24,1	51,7	Yes
			17.6.2015	9:45	24	52,4	24,1	51,6	Yes
			17.6.2015	10:00	24,2	49	24,1	50,8	Yes
			17.6.2015	10:15	24,2	52	24,1	51,5	Yes
			17.6.2015	10:30	24,1	51	24,1	51,1	Yes
			17.6.2015	10:45	24,2	49,8	24,2	50,5	Yes
			17.6.2015	11:00	24,1	50,3	24,2	50,8	Yes
			17.6.2015	11:15	24	50,5	24,1	50,4	Yes
			17.6.2015	11:30	24,1	50,3	24,1	50,2	Yes
			17.6.2015	11:45	24,1	51,4	24,1	50,6	Yes
			17.6.2015	12:00	23,8	45,6	24,0	49,5	Yes
			17.6.2015	12:15	23,5	42,8	23,9	47,5	Yes
			17.6.2015	12:30	23,4	50,2	23,7	47,5	Yes
			17.6.2015	12:45	23,8	51,7	23,6	47,6	Yes
			17.6.2015	13:00	23,7	49,3	23,6	48,5	Yes
			17.6.2015	13:15	23,9	51,1	23,7	50,6	Yes
			17.6.2015	13:30	23,9	52,9	23,8	51,3	Yes
			17.6.2015	13:45	23,8	48,2	23,8	50,4	Yes
			17.6.2015	14:00	24,1	51,8	23,9	51,0	Yes
			17.6.2015	14:15	24,1	52,4	24,0	51,3	Yes
			17.6.2015	14:30	24,2	51,9	24,1	51,1	Yes
			17.6.2015	14:45	24,1	51,3	24,1	51,9	Yes
			17.6.2015	15:00	24,1	49,2	24,1	51,2	Yes
			17.6.2015	15:15	24,2	53,8	24,2	51,6	Yes
			17.6.2015	15:30	24,3	53,5	24,2	52,0	Yes
			17.6.2015	15:45	24,4	52,6	24,3	52,3	Yes
			17.6.2015	16:00	24,5	51,5	24,4	52,9	Yes
			17.6.2015	16:15	24,5	53,1	24,4	52,7	Yes
			17.6.2015	16:30	24,2	54,3	24,4	52,9	Yes
			17.6.2015	16:45	24,3	53,1	24,4	53,0	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	17.6.2015	17:00	24,4	50,3	24,4	52,7	Yes
			17.6.2015	17:15	24,4	50,3	24,3	52,0	Yes
			17.6.2015	17:30	24,5	51,4	24,4	51,3	Yes
			17.6.2015	17:45	24,5	49,4	24,5	50,4	Yes
			17.6.2015	18:00	24,2	51,1	24,4	50,6	Yes
			17.6.2015	18:15	24,3	51,9	24,4	51,0	Yes
			17.6.2015	18:30	24,4	54	24,4	51,6	Yes
			17.6.2015	18:45	24,4	53,1	24,3	52,5	Yes
			17.6.2015	19:00	24,3	50,9	24,4	52,5	Yes
			17.6.2015	19:15	24,2	53,5	24,3	52,9	Yes
			17.6.2015	19:30	24,4	53,1	24,3	52,7	Yes
			17.6.2015	19:45	24,4	53,5	24,3	52,8	Yes
			17.6.2015	20:00	24,5	53,9	24,4	53,5	Yes
			17.6.2015	20:15	24,5	53,8	24,5	53,6	Yes
			17.6.2015	20:30	24,2	53,5	24,4	53,7	Yes
			17.6.2015	20:45	24,3	54,3	24,4	53,9	Yes
			17.6.2015	21:00	24,3	54,2	24,3	54,0	Yes
			17.6.2015	21:15	24,4	54,2	24,3	54,1	Yes
			17.6.2015	21:30	24,4	53,6	24,4	54,1	Yes
			17.6.2015	21:45	24,4	53,7	24,4	53,9	Yes
			17.6.2015	22:00	24,4	53,9	24,4	53,9	Yes
			17.6.2015	22:15	24,4	52,9	24,4	53,5	Yes
			17.6.2015	22:30	24,3	53	24,4	53,4	Yes
			17.6.2015	22:45	24,3	53,5	24,4	53,3	Yes
			17.6.2015	23:00	24,3	53,8	24,3	53,3	Yes
			17.6.2015	23:15	24,3	54	24,3	53,6	Yes
			17.6.2015	23:30	24,3	54,6	24,3	54,0	Yes
			17.6.2015	23:45	24,3	54,2	24,3	54,2	Yes
			18.6.2015	0:00	24,3	54,4	24,3	54,3	Yes
			18.6.2015	0:15	24,3	54,2	24,3	54,4	Yes
			18.6.2015	0:30	24,3	54,5	24,3	54,3	Yes
			18.6.2015	0:45	24,3	53,7	24,3	54,2	Yes
			18.6.2015	1:00	24,3	53,6	24,3	54,0	Yes
			18.6.2015	1:15	24,2	53,9	24,3	53,9	Yes
			18.6.2015	1:30	24,2	53,9	24,3	53,8	Yes
			18.6.2015	1:45	24,2	54,2	24,2	53,9	Yes
			18.6.2015	2:00	24,2	54	24,2	54,0	Yes
			18.6.2015	2:15	24,2	53,8	24,2	54,0	Yes
			18.6.2015	2:30	24,1	54,1	24,2	54,0	Yes
			18.6.2015	2:45	24,2	54	24,2	54,0	Yes
			18.6.2015	3:00	24,1	54,1	24,2	54,0	Yes
			18.6.2015	3:15	24,1	54,7	24,1	54,2	Yes
			18.6.2015	3:30	24,1	54,5	24,1	54,3	Yes
			18.6.2015	3:45	24,1	54,5	24,1	54,5	Yes
			18.6.2015	4:00	24	54,3	24,1	54,5	Yes
			18.6.2015	4:15	24	54,3	24,1	54,4	Yes
			18.6.2015	4:30	24	55,4	24,0	54,6	Yes
			18.6.2015	4:45	24	54,4	24,0	54,6	Yes
			18.6.2015	5:00	24	55,3	24,0	54,9	Yes
			18.6.2015	5:15	24	53,7	24,0	54,7	Yes
			18.6.2015	5:30	24	53,3	24,0	54,2	Yes
			18.6.2015	5:45	24	53,4	24,0	53,9	Yes
PHI_15_I0140	PHI_15_I0143	PHI_15_I0146	18.6.2015	6:00	24	50,3	24,0	52,7	Yes
			18.6.2015	6:15	24	51,9	24,0	52,2	Yes
			18.6.2015	6:30	23,9	55,2	24,0	52,7	Yes
			18.6.2015	6:45	23,8	54,3	23,9	52,9	Yes
			18.6.2015	7:00	23,8	52,9	23,9	53,6	Yes
			18.6.2015	7:15	24	55,6	23,9	54,5	Yes
			18.6.2015	7:30	23,8	54,5	23,9	54,3	Yes
			18.6.2015	7:45	23,8	52,6	23,9	53,9	Yes
			18.6.2015	8:00	24	54,6	23,9	54,3	Yes
			18.6.2015	8:15	23,9	53,8	23,9	53,9	Yes
			18.6.2015	8:30	23,8	53,8	23,9	53,7	Yes
			18.6.2015	8:45	24	51,4	23,9	53,4	Yes
			18.6.2015	9:00	23,9	52,2	23,9	52,8	Yes
			18.6.2015	9:15	24,1	52,1	24,0	52,4	Yes
			18.6.2015	9:30	23,9	54,8	24,0	52,6	Yes
			18.6.2015	9:45	23,9	50,6	24,0	52,4	Yes
			18.6.2015	10:00	24,1	56,1	24,0	53,4	Yes
			18.6.2015	10:15	23,8	52,8	23,9	53,6	Yes
			18.6.2015	10:30	24,1	52,1	24,0	52,9	Yes
			18.6.2015	10:45	23,8	46,4	24,0	51,9	Yes
			18.6.2015	11:00	23,6	48,7	23,8	50,0	Yes
			18.6.2015	11:15	23,8	53,5	23,8	50,2	Yes
			18.6.2015	11:30	23,8	50,3	23,8	49,7	Yes
			18.6.2015	11:45	24	54,9	23,8	51,9	Yes
			18.6.2015	12:00	23,9	53,3	23,9	53,0	Yes
			18.6.2015	12:15	24,1	48,5	24,0	51,8	Yes
			18.6.2015	12:30	24	45,7	24,0	50,6	Yes
			18.6.2015	12:45	23,9	44,2	24,0	47,9	Yes
			18.6.2015	13:00	23,8	42,8	24,0	45,3	Yes
			18.6.2015	13:15	23,5	43,4	23,8	44,0	Yes
			18.6.2015	13:30	23,9	50	23,8	45,1	Yes
			18.6.2015	13:45	23,8	51,3	23,8	46,9	Yes
			18.6.2015	14:00	23,9	48,7	23,8	48,4	Yes
			18.6.2015	14:15	24,1	51,4	23,9	50,4	Yes
			18.6.2015	14:30	24	51,6	24,0	50,8	Yes
			18.6.2015	14:45	24	54,4	24,0	51,5	Yes
			18.6.2015	15:00	24	50,8	24,0	52,1	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	18.6.2015	15:15	24	53,5	24,0	52,6	Yes
			18.6.2015	15:30	24,2	54	24,1	53,2	Yes
			18.6.2015	15:45	24,2	52,6	24,1	52,7	Yes
			18.6.2015	16:00	24,3	53,3	24,2	53,4	Yes
			18.6.2015	16:15	24,3	53	24,3	53,2	Yes
			18.6.2015	16:30	24,3	53,6	24,3	53,1	Yes
			18.6.2015	16:45	24,3	53,7	24,3	53,4	Yes
			18.6.2015	17:00	24,3	53,6	24,3	53,5	Yes
			18.6.2015	17:15	24,4	54	24,3	53,7	Yes
			18.6.2015	17:30	24,4	54,3	24,4	53,9	Yes
			18.6.2015	17:45	24,4	53,5	24,4	53,9	Yes
			18.6.2015	18:00	24,4	53,8	24,4	53,9	Yes
			18.6.2015	18:15	24,4	54	24,4	53,9	Yes
			18.6.2015	18:30	24,4	54,1	24,4	53,9	Yes
			18.6.2015	18:45	24,4	53,9	24,4	54,0	Yes
			18.6.2015	19:00	24,4	53,9	24,4	54,0	Yes
			18.6.2015	19:15	24,4	54,4	24,4	54,1	Yes
			18.6.2015	19:30	24,4	54	24,4	54,1	Yes
			18.6.2015	19:45	24,4	54,1	24,4	54,1	Yes
			18.6.2015	20:00	24,4	54,2	24,4	54,2	Yes
			18.6.2015	20:15	24,4	54,2	24,4	54,1	Yes
			18.6.2015	20:30	24,4	53,9	24,4	54,1	Yes
			18.6.2015	20:45	24,4	54,4	24,4	54,2	Yes
			18.6.2015	21:00	24,4	54,5	24,4	54,3	Yes
			18.6.2015	21:15	24,4	54,1	24,4	54,2	Yes
			18.6.2015	21:30	24,4	54,1	24,4	54,3	Yes
			18.6.2015	21:45	24,4	54,3	24,4	54,3	Yes
			18.6.2015	22:00	24,4	54,3	24,4	54,2	Yes
			18.6.2015	22:15	24,4	54,1	24,4	54,2	Yes
			18.6.2015	22:30	24,3	53,8	24,4	54,1	Yes
			18.6.2015	22:45	24,3	54,2	24,4	54,1	Yes
			18.6.2015	23:00	24,3	54,3	24,3	54,1	Yes
			18.6.2015	23:15	24,3	54,5	24,3	54,2	Yes
			18.6.2015	23:30	24,3	55,1	24,3	54,5	Yes
			18.6.2015	23:45	24,3	54,3	24,3	54,6	Yes
			19.6.2015	0:00	24,3	54,5	24,3	54,6	Yes
			19.6.2015	0:15	24,3	54,7	24,3	54,7	Yes
			19.6.2015	0:30	24,3	55,2	24,3	54,7	Yes
			19.6.2015	0:45	24,3	54,4	24,3	54,7	Yes
			19.6.2015	1:00	24,3	54,7	24,3	54,8	Yes
			19.6.2015	1:15	24,2	54,9	24,3	54,8	Yes
			19.6.2015	1:30	24,2	55,7	24,3	54,9	Yes
			19.6.2015	1:45	24,2	54,6	24,2	55,0	Yes
			19.6.2015	2:00	24,2	54,9	24,2	55,0	Yes
			19.6.2015	2:15	24,2	54,8	24,2	55,0	Yes
			19.6.2015	2:30	24,2	54,9	24,2	54,8	Yes
			19.6.2015	2:45	24,2	54,6	24,2	54,8	Yes
			19.6.2015	3:00	24,2	55	24,2	54,8	Yes
			19.6.2015	3:15	24,2	55	24,2	54,9	Yes
			19.6.2015	3:30	24,2	55,2	24,2	55,0	Yes
			19.6.2015	3:45	24,2	54,7	24,2	55,0	Yes
			19.6.2015	4:00	24,1	54,6	24,2	54,9	Yes
			19.6.2015	4:15	24,1	55,3	24,2	55,0	Yes
			19.6.2015	4:30	24,1	54,6	24,1	54,8	Yes
			19.6.2015	4:45	24,1	54,5	24,1	54,8	Yes
			19.6.2015	5:00	24,1	54,5	24,1	54,7	Yes
			19.6.2015	5:15	24,1	55,1	24,1	54,7	Yes
			19.6.2015	5:30	24,1	54,8	24,1	54,7	Yes
			19.6.2015	5:45	24	55	24,1	54,9	Yes
			19.6.2015	6:00	23,9	54	24,0	54,7	Yes
PHI_15_I0140	PHI_15_I0143	PHI_15_I0146	19.6.2015	6:15	24	52,8	24,0	54,2	Yes
			19.6.2015	6:30	24	57,8	24,0	54,9	Yes
			19.6.2015	6:45	23,9	53	24,0	54,4	Yes
			19.6.2015	7:00	24,1	58,3	24,0	55,5	Yes
			19.6.2015	7:15	23,9	53,9	24,0	55,8	Yes
			19.6.2015	7:30	24,1	53,5	24,0	54,7	Yes
			19.6.2015	7:45	23,9	53,1	24,0	54,7	Yes
			19.6.2015	8:00	24	50,3	24,0	52,7	Yes
			19.6.2015	8:15	23,7	50,3	23,9	51,8	Yes
			19.6.2015	8:30	24,1	54,4	23,9	52,0	Yes
			19.6.2015	8:45	23,9	48,8	23,9	51,0	Yes
			19.6.2015	9:00	24,1	55,8	24,0	52,3	Yes
			19.6.2015	9:15	23,9	47,5	24,0	51,6	Yes
			19.6.2015	9:30	23,7	50,7	23,9	50,7	Yes
			19.6.2015	9:45	24	50,7	23,9	51,2	Yes
			19.6.2015	10:00	23,8	52,7	23,9	50,4	Yes
			19.6.2015	10:15	24	51	23,9	51,3	Yes
			19.6.2015	10:30	23,9	54,9	23,9	52,3	Yes
			19.6.2015	10:45	24	52,4	23,9	52,8	Yes
			19.6.2015	11:00	23,6	48,4	23,9	51,7	Yes
			19.6.2015	11:15	23,8	54,5	23,8	52,6	Yes
			19.6.2015	11:30	23,9	51,6	23,8	51,7	Yes
			19.6.2015	11:45	24,1	55,8	23,9	52,6	Yes
			19.6.2015	12:00	23,7	49,4	23,9	52,8	Yes
			19.6.2015	12:15	23,9	56,3	23,9	53,3	Yes
			19.6.2015	12:30	23,8	52,6	23,9	53,5	Yes
			19.6.2015	12:45	23,9	51,4	23,8	52,4	Yes
			19.6.2015	13:00	23,8	56,1	23,9	54,1	Yes
			19.6.2015	13:15	23,9	57,6	23,9	54,4	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			19.6.2015	13:30	24,1	57,6	23,9	55,7	Yes
			19.6.2015	13:45	24,1	57,1	24,0	57,1	Yes
			19.6.2015	14:00	24,2	56,5	24,1	57,2	Yes
			19.6.2015	14:15	24,2	55,8	24,2	56,8	Yes
			19.6.2015	14:30	24,2	54,9	24,2	56,1	Yes
			19.6.2015	14:45	24,2	54,7			No
			19.6.2015	15:00	24,2	54			No
			19.6.2015	15:15	24,2	54,2			No
			19.6.2015	15:30	24,2	54,5			No
			19.6.2015	15:45	24,2	53,8			No
			19.6.2015	16:00	24,2	54,2			No
			19.6.2015	16:15	24,2	54,4			No
			19.6.2015	16:30	24,2	54,3			No
			19.6.2015	16:45	24,3	54,7			No
			19.6.2015	17:00	24,3	53,9			No
			19.6.2015	17:15	24,3	53,7			No
			19.6.2015	17:30	24,3	54,4			No
			19.6.2015	17:45	24,3	54,5			No
			19.6.2015	18:00	24,3	55,2			No
			19.6.2015	18:15	24,4	54,2			No
			19.6.2015	18:30	24,4	54,5			No
			19.6.2015	18:45	24,3	54,8			No
			19.6.2015	19:00	24,4	55,2			No
			19.6.2015	19:15	24,4	54,2			No
			19.6.2015	19:30	24,4	54,5			No
			19.6.2015	19:45	24,4	54,3			No
			19.6.2015	20:00	24,4	54,5			No
			19.6.2015	20:15	24,4	54,2			No
			19.6.2015	20:30	24,4	54,7			No
			19.6.2015	20:45	24,4	54,9			No
			19.6.2015	21:00	24,4	54,6			No
			19.6.2015	21:15	24,4	54,5			No
			19.6.2015	21:30	24,3	53,7			No
			19.6.2015	21:45	24,3	53,8			No
			19.6.2015	22:00	24,3	53,9			No
			19.6.2015	22:15	24,3	54,2			No
			19.6.2015	22:30	24,2	53,9			No
			19.6.2015	22:45	24,2	53,4			No
			19.6.2015	23:00	24,2	53,1			No
			19.6.2015	23:15	24,1	54,3			No
			19.6.2015	23:30	24,1	54,6			No
			19.6.2015	23:45	24,1	53,8			No
			20.6.2015	0:00	24,1	53,6			No
			20.6.2015	0:15	24,1	53,9			No
			20.6.2015	0:30	24,1	54,2			No
			20.6.2015	0:45	24	54,4			No
			20.6.2015	1:00	24	54,6			No
			20.6.2015	1:15	24	54,9			No
			20.6.2015	1:30	24	55,2			No
			20.6.2015	1:45	24	54,4			No
			20.6.2015	2:00	24	54,6			No
			20.6.2015	2:15	24	54,4			No
			20.6.2015	2:30	23,9	54,5			No
			20.6.2015	2:45	23,9	55			No
			20.6.2015	3:00	23,9	54,5			No
			20.6.2015	3:15	23,9	55			No
			20.6.2015	3:30	23,9	55,2			No
			20.6.2015	3:45	23,9	55,4			No
			20.6.2015	4:00	23,9	54,7			No
			20.6.2015	4:15	23,9	55,1			No
			20.6.2015	4:30	23,8	55,3			No
			20.6.2015	4:45	23,8	56			No
			20.6.2015	5:00	23,8	54,9			No
			20.6.2015	5:15	23,8	54,9			No
			20.6.2015	5:30	23,8	54,9			No
			20.6.2015	5:45	23,7	55,2			No
			20.6.2015	6:00	23,7	55,2			No
			20.6.2015	6:15	23,7	54,8			No
			20.6.2015	6:30	23,7	54,6			No
			20.6.2015	6:45	23,7	54,7			No
			20.6.2015	7:00	23,7	55,2			No
			20.6.2015	7:15	23,7	55,4			No
			20.6.2015	7:30	23,7	55,6			No
			20.6.2015	7:45	23,7	55,6			No
			20.6.2015	8:00	23,7	55,8			No
			20.6.2015	8:15	23,7	55,4			No
			20.6.2015	8:30	23,7	55,7			No
			20.6.2015	8:45	23,7	55,5			No
			20.6.2015	9:00	23,7	55,1			No
			20.6.2015	9:15	23,7	55,4			No
			20.6.2015	9:30	23,7	55,5			No
			20.6.2015	9:45	23,7	55			No
			20.6.2015	10:00	23,7	55,2			No
			20.6.2015	10:15	23,7	54,6			No
			20.6.2015	10:30	23,7	54,3			No
			20.6.2015	10:45	23,7	55			No
			20.6.2015	11:00	23,7	55,2			No
			20.6.2015	11:15	23,7	55,4			No
			20.6.2015	11:30	23,7	54,8			No

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	20.6.2015	11:45	23,7	55			No
			20.6.2015	12:00	23,7	55,2			No
			20.6.2015	12:15	23,7	55,1			No
			20.6.2015	12:30	23,7	54,7			No
			20.6.2015	12:45	23,8	55,4			No
			20.6.2015	13:00	23,8	55,2			No
			20.6.2015	13:15	23,8	55			No
			20.6.2015	13:30	23,8	54,5			No
			20.6.2015	13:45	23,8	54,9			No
			20.6.2015	14:00	23,8	55,2			No
			20.6.2015	14:15	23,8	54,7			No
			20.6.2015	14:30	23,9	55,1			No
			20.6.2015	14:45	23,9	55,1			No
			20.6.2015	15:00	23,9	54,8			No
			20.6.2015	15:15	23,9	55,1			No
			20.6.2015	15:30	24	55,4			No
			20.6.2015	15:45	24	54,8			No
			20.6.2015	16:00	24	55,2			No
			20.6.2015	16:15	24,1	55,1			No
			20.6.2015	16:30	24,1	54,8			No
			20.6.2015	16:45	24,1	54,9			No
			20.6.2015	17:00	24,1	54,9			No
			20.6.2015	17:15	24,2	54,3			No
			20.6.2015	17:30	24,2	54,3			No
			20.6.2015	17:45	24,3	54,7			No
			20.6.2015	18:00	24,3	55,4			No
			20.6.2015	18:15	24,3	54,4			No
			20.6.2015	18:30	24,3	54,6			No
			20.6.2015	18:45	24,4	54,9			No
			20.6.2015	19:00	24,4	53,1			No
			20.6.2015	19:15	24,4	53,5			No
			20.6.2015	19:30	24,4	54,1			No
			20.6.2015	19:45	24,4	54,4			No
			20.6.2015	20:00	24,4	54,8			No
			20.6.2015	20:15	24,4	54,2			No
			20.6.2015	20:30	24,4	54,2			No
			20.6.2015	20:45	24,4	54,6			No
			20.6.2015	21:00	24,4	54,8			No
			20.6.2015	21:15	24,4	54,4			No
			20.6.2015	21:30	24,4	54,3			No
			20.6.2015	21:45	24,4	54,6			No
			20.6.2015	22:00	24,3	54,8			No
			20.6.2015	22:15	24,4	53,1			No
			20.6.2015	22:30	24,3	53,3			No
			20.6.2015	22:45	24,2	53,6			No
			20.6.2015	23:00	24,2	53,8			No
			20.6.2015	23:15	24,2	53,9			No
			20.6.2015	23:30	24,2	53,9			No
			20.6.2015	23:45	24,1	54,2			No
			21.6.2015	0:00	24,1	54,3			No
			21.6.2015	0:15	24,1	54,4			No
			21.6.2015	0:30	24,1	54,5			No
			21.6.2015	0:45	24,1	54,2			No
			21.6.2015	1:00	24,1	54,3			No
			21.6.2015	1:15	24	54,3			No
			21.6.2015	1:30	24	54,5			No
			21.6.2015	1:45	24	54,5			No
			21.6.2015	2:00	24	54,7			No
			21.6.2015	2:15	23,9	55,2			No
			21.6.2015	2:30	23,9	54,2			No
			21.6.2015	2:45	23,9	54,3			No
			21.6.2015	3:00	23,9	54,5			No
			21.6.2015	3:15	23,9	54,5			No
			21.6.2015	3:30	23,8	54,6			No
			21.6.2015	3:45	23,8	55,4			No
			21.6.2015	4:00	23,8	54,9			No
			21.6.2015	4:15	23,8	54,4			No
			21.6.2015	4:30	23,8	54,6			No
			21.6.2015	4:45	23,8	52,5			No
			21.6.2015	5:00	23,7	53,2			No
			21.6.2015	5:15	23,7	52,6			No
			21.6.2015	5:30	23,7	53,7			No
			21.6.2015	5:45	23,6	53,6			No
			21.6.2015	6:00	23,6	53,7	23,7	53,4	Yes
			21.6.2015	6:15	23,6	53,9	23,6	53,7	Yes
			21.6.2015	6:30	23,6	54,2	23,6	53,9	Yes
			21.6.2015	6:45	23,6	54	23,6	54,0	Yes
			21.6.2015	7:00	23,6	54,1	23,6	54,1	Yes
			21.6.2015	7:15	23,6	54,5	23,6	54,2	Yes
			21.6.2015	7:30	23,6	55	23,6	54,4	Yes
			21.6.2015	7:45	23,6	54,9	23,6	54,6	Yes
			21.6.2015	8:00	23,6	54,6	23,6	54,8	Yes
			21.6.2015	8:15	23,6	54,1	23,6	54,7	Yes
			21.6.2015	8:30	23,6	53,6	23,6	54,3	Yes
			21.6.2015	8:45	23,6	53,1	23,6	53,9	Yes
			21.6.2015	9:00	23,6	52,9	23,6	53,4	Yes
			21.6.2015	9:15	23,6	52,6	23,6	53,1	Yes
			21.6.2015	9:30	23,6	52,4	23,6	52,8	Yes
			21.6.2015	9:45	23,6	52	23,6	52,5	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			21.6.2015	10:00	23,6	51,5	23,6	52,1	Yes
			21.6.2015	10:15	23,6	51,2	23,6	51,8	Yes
			21.6.2015	10:30	23,6	51,1	23,6	51,5	Yes
			21.6.2015	10:45	23,6	51	23,6	51,2	Yes
			21.6.2015	11:00	23,6	50,8	23,6	51,0	Yes
			21.6.2015	11:15	23,6	50,8	23,6	50,9	Yes
			21.6.2015	11:30	23,7	50,7	23,6	50,8	Yes
			21.6.2015	11:45	23,7	50,7	23,7	50,8	Yes
			21.6.2015	12:00	23,7	50,6	23,7	50,7	Yes
			21.6.2015	12:15	23,7	50,5	23,7	50,6	Yes
			21.6.2015	12:30	23,8	50,5	23,7	50,6	Yes
			21.6.2015	12:45	23,8	50,4	23,8	50,5	Yes
			21.6.2015	13:00	23,8	50,3	23,8	50,4	Yes
			21.6.2015	13:15	23,8	50,2	23,8	50,4	Yes
			21.6.2015	13:30	23,9	49,9	23,8	50,2	Yes
			21.6.2015	13:45	23,9	49,8	23,9	50,1	Yes
			21.6.2015	14:00	23,9	49,7	23,9	49,9	Yes
			21.6.2015	14:15	24	49,7	23,9	49,8	Yes
			21.6.2015	14:30	24	49,6	24,0	49,7	Yes
			21.6.2015	14:45	24	49,6	24,0	49,7	Yes
			21.6.2015	15:00	24,1	49,6	24,0	49,6	Yes
			21.6.2015	15:15	24,1	49,5	24,1	49,6	Yes
			21.6.2015	15:30	24,1	49,4	24,1	49,5	Yes
			21.6.2015	15:45	24,1	49,3	24,1	49,5	Yes
			21.6.2015	16:00	24,2	49,3	24,1	49,4	Yes
			21.6.2015	16:15	24,2	49,2	24,2	49,3	Yes
			21.6.2015	16:30	24,2	49	24,2	49,2	Yes
			21.6.2015	16:45	24,3	48,8	24,2	49,1	Yes
			21.6.2015	17:00	24,3	48,8	24,3	49,0	Yes
			21.6.2015	17:15	24,4	48,6	24,3	48,8	Yes
			21.6.2015	17:30	24,4	48,5	24,4	48,7	Yes
			21.6.2015	17:45	24,5	48,5	24,4	48,6	Yes
			21.6.2015	18:00	24,5	48,3	24,5	48,5	Yes
			21.6.2015	18:15	24,5	48,2	24,5	48,4	Yes
			21.6.2015	18:30	24,5	48	24,5	48,3	Yes
			21.6.2015	18:45	24,6	47,9	24,5	48,1	Yes
			21.6.2015	19:00	24,6	47,6	24,6	47,9	Yes
			21.6.2015	19:15	24,6	47,2	24,6	47,7	Yes
			21.6.2015	19:30	24,6	47,1	24,6	47,5	Yes
			21.6.2015	19:45	24,6	47	24,6	47,2	Yes
			21.6.2015	20:00	24,6	47	24,6	47,1	Yes
			21.6.2015	20:15	24,6	47	24,6	47,0	Yes
			21.6.2015	20:30	24,6	47	24,6	47,0	Yes
			21.6.2015	20:45	24,6	47	24,6	47,0	Yes
			21.6.2015	21:00	24,6	46,9	24,6	47,0	Yes
			21.6.2015	21:15	24,6	46,8	24,6	46,9	Yes
			21.6.2015	21:30	24,6	46,7	24,6	46,9	Yes
			21.6.2015	21:45	24,6	46,7	24,6	46,8	Yes
			21.6.2015	22:00	24,6	46,6	24,6	46,7	Yes
			21.6.2015	22:15	24,5	46,5	24,6	46,6	Yes
			21.6.2015	22:30	24,5	46,1	24,6	46,5	Yes
			21.6.2015	22:45	24,5	45,9	24,5	46,3	Yes
			21.6.2015	23:00	24,5	45,9	24,5	46,1	Yes
			21.6.2015	23:15	24,5	45,8	24,5	45,9	Yes
			21.6.2015	23:30	24,5	45,7	24,5	45,8	Yes
			21.6.2015	23:45	24,4	45,7	24,5	45,8	Yes
			22.6.2015	0:00	24,4	45,6	24,5	45,7	Yes
			22.6.2015	0:15	24,4	45,5	24,4	45,6	Yes
			22.6.2015	0:30	24,4	45,5	24,4	45,6	Yes
			22.6.2015	0:45	24,4	45,3	24,4	45,5	Yes
			22.6.2015	1:00	24,4	45,3	24,4	45,4	Yes
			22.6.2015	1:15	24,3	45,2	24,4	45,3	Yes
			22.6.2015	1:30	24,3	45,2	24,4	45,3	Yes
			22.6.2015	1:45	24,3	45,2	24,3	45,2	Yes
			22.6.2015	2:00	24,3	45	24,3	45,2	Yes
			22.6.2015	2:15	24,3	45	24,3	45,1	Yes
			22.6.2015	2:30	24,2	44,9	24,3	45,0	Yes
			22.6.2015	2:45	24,2	44,8	24,3	44,9	Yes
			22.6.2015	3:00	24,2	44,9	24,2	44,9	Yes
			22.6.2015	3:15	24,2	44,7	24,2	44,8	Yes
			22.6.2015	3:30	24,2	44,6	24,2	44,8	Yes
			22.6.2015	3:45	24,1	44,6	24,2	44,7	Yes
			22.6.2015	4:00	24,1	44,5	24,2	44,6	Yes
			22.6.2015	4:15	24,1	44,4	24,1	44,5	Yes
			22.6.2015	4:30	24,1	44,5	24,1	44,5	Yes
			22.6.2015	4:45	24,1	44,3	24,1	44,4	Yes
			22.6.2015	5:00	24	44,3	24,1	44,4	Yes
			22.6.2015	5:15	24	44,2	24,1	44,3	Yes
			22.6.2015	5:30	24	44,2	24,0	44,3	Yes
			22.6.2015	5:45	24	44,1	24,0	44,2	Yes
			22.6.2015	6:00	24	47,3	24,0	45,0	Yes
			22.6.2015	6:15	23,9	52,5	24,0	47,0	Yes
			22.6.2015	6:30	24	52,3	24,0	49,1	Yes
			22.6.2015	6:45	24,2	51,9	24,0	51,0	Yes
			22.6.2015	7:00	24,4	52,2	24,1	52,2	Yes
			22.6.2015	7:15	24,8	51,7	24,4	52,0	Yes
			22.6.2015	7:30	25,1	53	24,6	52,2	Yes
			22.6.2015	7:45	25,3	50,7	24,9	51,9	Yes
			22.6.2015	8:00	24,6	44,7	25,0	50,0	Yes

TYPE OF TEST: ISO 19752

PH	PHI_15_I0141	PHI_15_I0143	PHI_15_I0146	22.6.2015	8:15	24	41,9	24,8	47,6	Yes
				22.6.2015	8:30	24,1	49,7	24,5	46,8	Yes
N/A	N/A	N/A	N/A	22.6.2015	8:45	24,1	46,5	24,2	45,7	Yes
				22.6.2015	9:00	23,7	43,5	24,0	45,4	Yes
				22.6.2015	9:15	24,1	51,3	24,0	47,8	Yes
				22.6.2015	9:30	23,8	44,4	23,9	46,4	Yes
				22.6.2015	9:45	23,9	50,1	23,9	47,3	Yes
				22.6.2015	10:00	23,8	44,5	23,9	47,6	Yes
				22.6.2015	10:15	23,6	46,6	23,8	46,4	Yes
				22.6.2015	10:30	23,8	50,7	23,8	48,0	Yes
				22.6.2015	10:45	23,9	49,2	23,8	47,8	Yes
				22.6.2015	11:00	23,9	52,6	23,8	49,8	Yes
				22.6.2015	11:15	23,8	54,1	23,9	51,7	Yes
				22.6.2015	11:30	24	50,9	23,9	51,7	Yes
				22.6.2015	11:45	24,1	51,5	24,0	52,3	Yes
				22.6.2015	12:00	24,1	53,9	24,0	52,6	Yes
				22.6.2015	12:15	23,8	46,3	24,0	50,7	Yes
				22.6.2015	12:30	23,7	50,2	23,9	50,5	Yes
				22.6.2015	12:45	23,8	48,9	23,9	49,8	Yes
				22.6.2015	13:00	24	50,7	23,8	49,0	Yes
				22.6.2015	13:15	23,8	50,8	23,8	50,2	Yes
				22.6.2015	13:30	23,8	48,9	23,9	49,8	Yes
				22.6.2015	13:45	23,9	52,5	23,9	50,7	Yes
				22.6.2015	14:00	23,8	54,2	23,8	51,6	Yes
				22.6.2015	14:15	24	52,8	23,9	52,1	Yes
				22.6.2015	14:30	23,9	56,5	23,9	54,0	Yes
				22.6.2015	14:45	24,1	55,7	24,0	54,8	Yes
				22.6.2015	15:00	23,8	56	24,0	55,3	Yes
				22.6.2015	15:15	24	56,4	24,0	56,2	Yes
				22.6.2015	15:30	23,8	56,5	23,9	56,2	Yes
				22.6.2015	15:45	23,9	56,7	23,9	56,4	Yes
				22.6.2015	16:00	24	56,7	23,9	56,6	Yes
				22.6.2015	16:15	24,1	56,1	24,0	56,5	Yes
				22.6.2015	16:30	24,1	55,8	24,0	56,3	Yes
				22.6.2015	16:45	24,1	55,4	24,1	56,0	Yes
				22.6.2015	17:00	24,2	55	24,1	55,6	Yes
				22.6.2015	17:15	24,2	54,7	24,2	55,2	Yes
				22.6.2015	17:30	24,2	54,7	24,2	55,0	Yes
				22.6.2015	17:45	24,2	55,3	24,2	54,9	Yes
				22.6.2015	18:00	24,2	54,9	24,2	54,9	Yes
				22.6.2015	18:15	24,2	55,5	24,2	55,1	Yes
				22.6.2015	18:30	24,2	55	24,2	55,2	Yes
				22.6.2015	18:45	24,2	55,8	24,2	55,3	Yes
				22.6.2015	19:00	24,2	55,2	24,2	55,4	Yes
				22.6.2015	19:15	24,2	54,8	24,2	55,2	Yes
				22.6.2015	19:30	24,2	55,4	24,2	55,3	Yes
				22.6.2015	19:45	24,2	54,9	24,2	55,1	Yes
				22.6.2015	20:00	24,2	55,6	24,2	55,2	Yes
				22.6.2015	20:15	24,2	54,9	24,2	55,2	Yes
				22.6.2015	20:30	24,2	55,5	24,2	55,2	Yes
				22.6.2015	20:45	24,2	54,8	24,2	55,2	Yes
				22.6.2015	21:00	24,1	55,4	24,2	55,2	Yes
				22.6.2015	21:15	24,1	54,8	24,2	55,1	Yes
				22.6.2015	21:30	24,1	55,4	24,1	55,1	Yes
				22.6.2015	21:45	24,1	54,8	24,1	55,1	Yes
				22.6.2015	22:00	24,1	55,4	24,1	55,1	Yes
				22.6.2015	22:15	24,1	54,7	24,1	55,1	Yes
				22.6.2015	22:30	24	55,2	24,1	55,0	Yes
				22.6.2015	22:45	24	54,8	24,1	55,0	Yes
				22.6.2015	23:00	24	55,3	24,0	55,0	Yes
				22.6.2015	23:15	24	54,9	24,0	55,1	Yes
				22.6.2015	23:30	24	55,5	24,0	55,1	Yes
				22.6.2015	23:45	24	55	24,0	55,2	Yes
				23.6.2015	0:00	23,9	55,5	24,0	55,2	Yes
				23.6.2015	0:15	24	55,1	24,0	55,3	Yes
				23.6.2015	0:30	23,9	55,7	24,0	55,3	Yes
				23.6.2015	0:45	24	55,2	24,0	55,4	Yes
				23.6.2015	1:00	23,9	55,7	24,0	55,4	Yes
				23.6.2015	1:15	23,9	55,1	23,9	55,4	Yes
				23.6.2015	1:30	23,9	55,7	23,9	55,4	Yes
				23.6.2015	1:45	23,9	55,3	23,9	55,5	Yes
				23.6.2015	2:00	23,8	56	23,9	55,5	Yes
				23.6.2015	2:15	23,9	55,2	23,9	55,6	Yes
				23.6.2015	2:30	23,8	56,1	23,9	55,7	Yes
				23.6.2015	2:45	23,8	55,2	23,8	55,6	Yes
				23.6.2015	3:00	23,8	55,8	23,8	55,6	Yes
				23.6.2015	3:15	23,8	54,8	23,8	55,5	Yes
				23.6.2015	3:30	23,7	55,7	23,8	55,4	Yes
				23.6.2015	3:45	23,8	55,2	23,8	55,4	Yes
				23.6.2015	4:00	23,7	55,6	23,8	55,3	Yes
				23.6.2015	4:15	23,7	56,4	23,7	55,7	Yes
				23.6.2015	4:30	23,7	55,2	23,7	55,6	Yes
				23.6.2015	4:45	23,7	55,9	23,7	55,8	Yes
				23.6.2015	5:00	23,7	55	23,7	55,6	Yes
				23.6.2015	5:15	23,7	55,5	23,7	55,4	Yes
				23.6.2015	5:30	23,8	56	23,7	55,6	Yes
				23.6.2015	5:45	23,9	56,2	23,8	55,7	Yes
				23.6.2015	6:00	23,7	56,7	23,8	56,1	Yes
				23.6.2015	6:15	23,8	52,7	23,8	55,4	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0141	PHI_15_I0143	PHI_15_I0147	23.6.2015	6:30	23,8	57,2	23,8	55,7	Yes
			23.6.2015	6:45	23,7	55,2	23,8	55,5	Yes
			23.6.2015	7:00	23,9	53,4	23,8	54,6	Yes
			23.6.2015	7:15	23,9	57,1	23,8	55,7	Yes
			23.6.2015	7:30	23,8	53,9	23,8	54,9	Yes
			23.6.2015	7:45	23,9	58,4	23,9	55,7	Yes
			23.6.2015	8:00	23,8	57	23,9	56,6	Yes
			23.6.2015	8:15	24	57,8	23,9	56,8	Yes
			23.6.2015	8:30	23,7	57,8	23,9	57,8	Yes
			23.6.2015	8:45	23,8	53,7	23,8	56,6	Yes
			23.6.2015	9:00	24	56,8	23,9	56,5	Yes
			23.6.2015	9:15	23,7	48,8	23,8	54,3	Yes
			23.6.2015	9:30	23,8	54,9	23,8	53,6	Yes
			23.6.2015	9:45	23,8	51,1	23,8	52,9	Yes
			23.6.2015	10:00	23,7	56,1	23,8	52,7	Yes
			23.6.2015	10:15	24	58,8	23,8	55,2	Yes
			23.6.2015	10:30	23,7	56,4	23,8	55,6	Yes
			23.6.2015	10:45	23,9	59	23,8	57,6	Yes
			23.6.2015	11:00	23,8	52,4	23,9	56,7	Yes
			23.6.2015	11:15	23,8	57,9	23,8	56,4	Yes
			23.6.2015	11:30	23,8	53,5	23,8	55,7	Yes
			23.6.2015	11:45	23,9	58,8	23,8	55,7	Yes
			23.6.2015	12:00	23,7	54,2	23,8	56,1	Yes
			23.6.2015	12:15	23,8	58,8	23,8	56,3	Yes
			23.6.2015	12:30	23,7	54	23,8	56,5	Yes
			23.6.2015	12:45	23,7	58,8	23,7	56,5	Yes
			23.6.2015	13:00	23,8	52,5	23,8	56,0	Yes
			23.6.2015	13:15	23,9	58,6	23,8	56,0	Yes
			23.6.2015	13:30	23,7	56	23,8	56,5	Yes
			23.6.2015	13:45	23,9	59,3	23,8	56,6	Yes
			23.6.2015	14:00	23,6	56,6	23,8	57,6	Yes
			23.6.2015	14:15	23,8	58,8	23,8	57,7	Yes
			23.6.2015	14:30	24	58,7	23,8	58,4	Yes
			23.6.2015	14:45	24,1	58	23,9	58,0	Yes
			23.6.2015	15:00	23,8	57,2	23,9	58,2	Yes
			23.6.2015	15:15	23,8	57,9	23,9	58,0	Yes
			23.6.2015	15:30	23,9	56,7	23,9	57,5	Yes
			23.6.2015	15:45	24	55,9	23,9	56,9	Yes
			23.6.2015	16:00	24	55,3	23,9	56,5	Yes
			23.6.2015	16:15	24	55,9	24,0	56,0	Yes
			23.6.2015	16:30	24	55	24,0	55,5	Yes
			23.6.2015	16:45	24	55,6	24,0	55,5	Yes
			23.6.2015	17:00	24	55,9	24,0	55,6	Yes
			23.6.2015	17:15	24	55,5	24,0	55,5	Yes
			23.6.2015	17:30	24	54,4	24,0	55,4	Yes
			23.6.2015	17:45	23,9	55,2	24,0	55,3	Yes
			23.6.2015	18:00	24	54,8	24,0	55,0	Yes
			23.6.2015	18:15	24	55,7	24,0	55,0	Yes
			23.6.2015	18:30	24	55,4	24,0	55,3	Yes
			23.6.2015	18:45	24	55,7	24,0	55,4	Yes
			23.6.2015	19:00	24	55,2	24,0	55,5	Yes
			23.6.2015	19:15	24	55,7	24,0	55,5	Yes
			23.6.2015	19:30	24,1	55,4	24,0	55,5	Yes
			23.6.2015	19:45	24	55,7	24,0	55,5	Yes
			23.6.2015	20:00	24,1	55,3	24,1	55,5	Yes
			23.6.2015	20:15	24,1	55,7	24,1	55,5	Yes
			23.6.2015	20:30	24,1	55	24,1	55,4	Yes
			23.6.2015	20:45	24,1	55,6	24,1	55,4	Yes
			23.6.2015	21:00	24,1	54,8	24,1	55,3	Yes
			23.6.2015	21:15	24,1	55,4	24,1	55,2	Yes
			23.6.2015	21:30	24,1	55,1	24,1	55,2	Yes
			23.6.2015	21:45	24,1	55,2	24,1	55,1	Yes
			23.6.2015	22:00	24	55,5	24,1	55,3	Yes
			23.6.2015	22:15	24	54,3	24,1	55,0	Yes
			23.6.2015	22:30	24	54,6	24,0	54,9	Yes
			23.6.2015	22:45	24	55,1	24,0	54,9	Yes
			23.6.2015	23:00	23,9	54,9	24,0	54,7	Yes
			23.6.2015	23:15	23,9	54,8	24,0	54,9	Yes
			23.6.2015	23:30	23,9	55,3	23,9	55,0	Yes
			23.6.2015	23:45	23,9	55,2	23,9	55,1	Yes
			24.6.2015	0:00	23,9	56,4	23,9	55,4	Yes
			24.6.2015	0:15	23,9	54,9	23,9	55,5	Yes
			24.6.2015	0:30	23,8	55,4	23,9	55,5	Yes
			24.6.2015	0:45	23,8	55,5	23,9	55,6	Yes
			24.6.2015	1:00	23,8	56,1	23,8	55,5	Yes
			24.6.2015	1:15	23,8	55	23,8	55,5	Yes
			24.6.2015	1:30	23,8	55,4	23,8	55,5	Yes
			24.6.2015	1:45	23,8	55,8	23,8	55,6	Yes
			24.6.2015	2:00	23,7	55	23,8	55,3	Yes
			24.6.2015	2:15	23,7	55,3	23,8	55,4	Yes
			24.6.2015	2:30	23,7	55,6	23,7	55,4	Yes
			24.6.2015	2:45	23,7	55,1	23,7	55,3	Yes
			24.6.2015	3:00	23,6	55,4	23,7	55,4	Yes
			24.6.2015	3:15	23,6	55,8	23,7	55,5	Yes
			24.6.2015	3:30	23,6	54,8	23,6	55,3	Yes
			24.6.2015	3:45	23,6	55,1	23,6	55,3	Yes
			24.6.2015	4:00	23,6	55,2	23,6	55,2	Yes
			24.6.2015	4:15	23,6	55,8	23,6	55,2	Yes
			24.6.2015	4:30	23,5	55,4	23,6	55,4	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			24.6.2015	4:45	23,5	55,7	23,6	55,5	Yes
			24.6.2015	5:00	23,5	54,7	23,5	55,4	Yes
			24.6.2015	5:15	23,5	54,5	23,5	55,1	Yes
			24.6.2015	5:30	23,6	54,2	23,5	54,8	Yes
			24.6.2015	5:45	23,6	54,5	23,6	54,5	Yes
			24.6.2015	6:00	23,8	52,7	23,6	54,0	Yes
PHI_15_I0141			24.6.2015	6:15	23,8	52,2	23,7	53,4	Yes
			24.6.2015	6:30	23,8	55,2	23,8	53,7	Yes
			24.6.2015	6:45	23,8	54,1	23,8	53,6	Yes
			24.6.2015	7:00	23,8	50,7	23,8	53,1	Yes
			24.6.2015	7:15	23,7	55,3	23,8	53,8	Yes
			24.6.2015	7:30	23,8	51,5	23,8	52,9	Yes
			24.6.2015	7:45	23,8	55,6	23,8	53,3	Yes
			24.6.2015	8:00	23,7	55,1	23,8	54,4	Yes
			24.6.2015	8:15	23,6	55,2	23,7	54,4	Yes
			24.6.2015	8:30	23,6	49,8	23,7	53,9	Yes
			24.6.2015	8:45	23,8	55,2	23,7	53,8	Yes
			24.6.2015	9:00	23,7	47,6	23,7	52,0	Yes
			24.6.2015	9:15	23,4	50,2	23,6	50,7	Yes
			24.6.2015	9:30	23,8	52	23,7	51,3	Yes
			24.6.2015	9:45	23,7	52,7	23,7	50,6	Yes
			24.6.2015	10:00	23,7	49	23,7	51,0	Yes
			24.6.2015	10:15	23,7	52,1	23,7	51,5	Yes
			24.6.2015	10:30	23,7	54,6	23,7	52,1	Yes
			24.6.2015	10:45	23,6	53,2	23,7	52,2	Yes
			24.6.2015	11:00	23,7	50	23,7	52,5	Yes
			24.6.2015	11:15	23,6	53,4	23,7	52,8	Yes
			24.6.2015	11:30	23,6	49,1	23,6	51,4	Yes
			24.6.2015	11:45	23,6	55,9	23,6	52,1	Yes
			24.6.2015	12:00	23,5	54,8	23,6	53,3	Yes
			24.6.2015	12:15	23,8	55,4	23,6	53,8	Yes
			24.6.2015	12:30	23,7	56	23,7	55,5	Yes
			24.6.2015	12:45	23,6	51,2	23,7	54,4	Yes
			24.6.2015	13:00	23,7	56,8	23,7	54,9	Yes
			24.6.2015	13:15	23,9	56,1	23,7	55,0	Yes
			24.6.2015	13:30	23,8	52,2	23,8	54,1	Yes
			24.6.2015	13:45	23,9	55,9	23,8	55,3	Yes
			24.6.2015	14:00	23,7	56	23,8	55,1	Yes
			24.6.2015	14:15	23,8	55,1	23,8	54,8	Yes
			24.6.2015	14:30	24	53,8	23,9	55,2	Yes
			24.6.2015	14:45	24,1	52,5	23,9	54,4	Yes
			24.6.2015	15:00	24	51,6	24,0	53,3	Yes
			24.6.2015	15:15	23,8	54,4	24,0	53,1	Yes
			24.6.2015	15:30	24	54,6	24,0	53,3	Yes
			24.6.2015	15:45	24	54,8	24,0	53,9	Yes
			24.6.2015	16:00	24	54	24,0	54,5	Yes
			24.6.2015	16:15	24	52	24,0	53,9	Yes
			24.6.2015	16:30	24	53,1	24,0	53,5	Yes
			24.6.2015	16:45	24,1	52,7	24,0	53,0	Yes
			24.6.2015	17:00	24,1	52,9	24,1	52,7	Yes
			24.6.2015	17:15	24,1	53	24,1	52,9	Yes
			24.6.2015	17:30	24,1	53,1	24,1	52,9	Yes
			24.6.2015	17:45	24,1	52,9	24,1	53,0	Yes
			24.6.2015	18:00	24,1	52,8	24,1	53,0	Yes
			24.6.2015	18:15	24,1	53,7	24,1	53,1	Yes
			24.6.2015	18:30	24,1	53,4	24,1	53,2	Yes
			24.6.2015	18:45	24,1	53,9	24,1	53,5	Yes
			24.6.2015	19:00	24,1	55,1	24,1	54,0	Yes
			24.6.2015	19:15	24,1	54,3	24,1	54,2	Yes
			24.6.2015	19:30	24,1	53,8	24,1	54,3	Yes
			24.6.2015	19:45	24,1	54	24,1	54,3	Yes
			24.6.2015	20:00	24,1	54,3	24,1	54,1	Yes
			24.6.2015	20:15	24,1	54,8	24,1	54,2	Yes
			24.6.2015	20:30	24,1	53,8	24,1	54,2	Yes
			24.6.2015	20:45	24,1	53,9	24,1	54,2	Yes
			24.6.2015	21:00	24,1	54,7	24,1	54,3	Yes
			24.6.2015	21:15	24	55,2	24,1	54,4	Yes
			24.6.2015	21:30	24	54,7	24,1	54,6	Yes
			24.6.2015	21:45	24	53,5	24,0	54,5	Yes
			24.6.2015	22:00	24	54,3	24,0	54,4	Yes
			24.6.2015	22:15	24	54,7	24,0	54,3	Yes
			24.6.2015	22:30	24	54,1	24,0	54,2	Yes
			24.6.2015	22:45	23,9	54,1	24,0	54,3	Yes
			24.6.2015	23:00	23,9	54,1	24,0	54,3	Yes
			24.6.2015	23:15	23,9	54,5	23,9	54,2	Yes
			24.6.2015	23:30	23,9	54,7	23,9	54,4	Yes
			24.6.2015	23:45	23,9	54,1	23,9	54,4	Yes
			25.6.2015	0:00	23,8	54,7	23,9	54,5	Yes
			25.6.2015	0:15	23,8	54,6	23,9	54,5	Yes
			25.6.2015	0:30	23,8	54,9	23,8	54,6	Yes
			25.6.2015	0:45	23,8	54,6	23,8	54,7	Yes
			25.6.2015	1:00	23,8	54,4	23,8	54,6	Yes
			25.6.2015	1:15	23,8	54,8	23,8	54,7	Yes
			25.6.2015	1:30	23,8	54,5	23,8	54,6	Yes
			25.6.2015	1:45	23,7	54,5	23,8	54,6	Yes
			25.6.2015	2:00	23,7	55,3	23,8	54,8	Yes
			25.6.2015	2:15	23,7	55,6	23,7	55,0	Yes
			25.6.2015	2:30	23,7	55,2	23,7	55,2	Yes
			25.6.2015	2:45	23,7	54,6	23,7	55,2	Yes

TEST REPORT

Creation date of report: 8.7.2015

Signature: jelele

TYPE OF TEST: ISO 19752

PHI_15_I0142	PHI_15_I0144	PHI_15_I0148	25.6.2015	3:00	23,6	54,6	23,7	55,0	Yes
			25.6.2015	3:15	23,6	54,6	23,7	54,8	Yes
			25.6.2015	3:30	23,6	55,1	23,6	54,7	Yes
			25.6.2015	3:45	23,6	54,8	23,6	54,8	Yes
			25.6.2015	4:00	23,6	55,2	23,6	54,9	Yes
			25.6.2015	4:15	23,5	54,9	23,6	55,0	Yes
			25.6.2015	4:30	23,5	54,1	23,6	54,8	Yes
			25.6.2015	4:45	23,5	54,2	23,5	54,6	Yes
			25.6.2015	5:00	23,4	55	23,5	54,6	Yes
			25.6.2015	5:15	23,5	55,3	23,5	54,7	Yes
			25.6.2015	5:30	23,6	55,1	23,5	54,9	Yes
			25.6.2015	5:45	23,8	53,1	23,6	54,6	Yes
			25.6.2015	6:00	23,9	52,4	23,7	54,0	Yes
			25.6.2015	6:15	23,7	55,3	23,8	54,0	Yes
			25.6.2015	6:30	23,6	52,9	23,8	53,4	Yes
PHI_15_I0142	PHI_15_I0145	PHI_15_I0148	25.6.2015	6:45	23,7	52,8	23,7	53,4	Yes
			25.6.2015	7:00	23,7	57	23,7	54,5	Yes
			25.6.2015	7:15	23,5	56,2	23,6	54,7	Yes
			25.6.2015	7:30	23,7	57,4	23,7	55,9	Yes
			25.6.2015	7:45	23,6	56,6	23,6	56,8	Yes
			25.6.2015	8:00	23,7	53,6	23,6	56,0	Yes
			25.6.2015	8:15	23,6	56,4	23,7	56,0	Yes
			25.6.2015	8:30	23,6	55,7	23,6	55,6	Yes
			25.6.2015	8:45	23,6	52	23,6	54,4	Yes
			25.6.2015	9:00	23,7	52,5	23,6	54,2	Yes
			25.6.2015	9:15	23,6	54,3	23,6	53,6	Yes
			25.6.2015	9:30	23,5	51,4	23,6	52,6	Yes
			25.6.2015	9:45	23,5	50,7	23,6	52,2	Yes
			25.6.2015	10:00	23,7	55,9	23,6	53,1	Yes
			25.6.2015	10:15	23,7	55,8	23,6	53,5	Yes
			25.6.2015	10:30	23,6	52,3	23,6	53,7	Yes
			25.6.2015	10:45	23,9	53,8	23,7	54,5	Yes
			25.6.2015	11:00	23,7	55,3	23,7	54,3	Yes
			25.6.2015	11:15	23,7	50,8	23,7	53,1	Yes
			25.6.2015	11:30	23,7	56,4	23,8	54,1	Yes
			25.6.2015	11:45	23,6	55,9	23,7	54,6	Yes
			25.6.2015	12:00	23,7	51,8	23,7	53,7	Yes
			25.6.2015	12:15	23,8	54,6	23,7	54,7	Yes
			25.6.2015	12:30	23,6	54,9	23,7	54,3	Yes
			25.6.2015	12:45	23,8	56,7	23,7	54,5	Yes
			25.6.2015	13:00	23,7	57,3	23,7	55,9	Yes
			25.6.2015	13:15	23,8	53,9	23,7	55,7	Yes
			25.6.2015	13:30	23,7	57,5	23,8	56,4	Yes
			25.6.2015	13:45	23,9	55,5	23,8	56,1	Yes
			25.6.2015	14:00	23,8	56,2	23,8	55,8	Yes
25.6.2015	14:15	24	55,3	23,9	56,1	Yes			
N/A	N/A	N/A	25.6.2015	14:30	23,7	56,1	23,9	55,8	Yes
			25.6.2015	14:45	24	51,5	23,9	54,8	Yes
			25.6.2015	15:00	23,8	49,5	23,9	53,1	Yes
			25.6.2015	15:15	23,8	55,2	23,8	53,1	Yes
			25.6.2015	15:30	23,8	51,9	23,9	52,0	Yes
			25.6.2015	15:45	23,9	50,9	23,8	51,9	Yes
			25.6.2015	16:00	24,1	53,3	23,9	52,8	Yes
			25.6.2015	16:15	24,1	53	24,0	52,3	Yes
			25.6.2015	16:30	24,2	53,3	24,1	52,6	Yes
			25.6.2015	16:45	24,2	53,3	24,2	53,2	Yes
			25.6.2015	17:00	24,3	52,7	24,2	53,1	Yes
			25.6.2015	17:15	24	52,9	24,2	53,1	Yes
			25.6.2015	17:30	24,2	52,9	24,2	53,0	Yes
			25.6.2015	17:45	24,2	52	24,2	52,6	Yes
			25.6.2015	18:00	24,3	52,3	24,2	52,5	Yes
			25.6.2015	18:15	24,3	50,1	24,3	51,8	Yes
			25.6.2015	18:30	24,1	53,5	24,2	52,0	Yes
			25.6.2015	18:45	24,2	53,4	24,2	52,3	Yes
			25.6.2015	19:00	24,3	53,5	24,2	52,6	Yes
			25.6.2015	19:15	24,3	53,4	24,2	53,5	Yes
			25.6.2015	19:30	24,4	53,9	24,3	53,6	Yes
			25.6.2015	19:45	24,4	53,8	24,4	53,7	Yes
			25.6.2015	20:00	24,1	53	24,3	53,5	Yes
			25.6.2015	20:15	24,1	54	24,3	53,7	Yes
			25.6.2015	20:30	24,2	54,1	24,2	53,7	Yes
			25.6.2015	20:45	24,3	53,8	24,2	53,7	Yes
			25.6.2015	21:00	24,3	54	24,2	54,0	Yes
			25.6.2015	21:15	24,3	53,7	24,3	53,9	Yes
			25.6.2015	21:30	24,3	54	24,3	53,9	Yes
			25.6.2015	21:45	24,3	53,2	24,3	53,7	Yes
			25.6.2015	22:00	24,3	54,2	24,3	53,8	Yes
			25.6.2015	22:15	24,4	53,6	24,3	53,8	Yes
			25.6.2015	22:30	24,4	52,7	24,4	53,4	Yes
			25.6.2015	22:45	24,4	53,2	24,4	53,4	Yes
			25.6.2015	23:00	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:15	24,3	53,6	24,4	53,3	Yes
			25.6.2015	23:30	24,3	53,6	24,3	53,5	Yes
			25.6.2015	23:45	24,3	53,6	24,3	53,6	Yes
			26.6.2015	0:00	24,3	54,2	24,3	53,8	Yes
			26.6.2015	0:15	24,3	53,1	24,3	53,6	Yes
			26.6.2015	0:30	24,3	54	24,3	53,7	Yes
			26.6.2015	0:45	24,3	54	24,3	53,8	Yes
			26.6.2015	1:00	24,3	54,1	24,3	53,8	Yes

TYPE OF TEST: ISO 19752

			26.6.2015	1:15	24,3	54,3	24,3	54,1	Yes
			26.6.2015	1:30	24,2	54,2	24,3	54,2	Yes
			26.6.2015	1:45	24,2	54,8	24,3	54,4	Yes
			26.6.2015	2:00	24,2	55,2	24,2	54,6	Yes
			26.6.2015	2:15	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:30	24,2	54,4	24,2	54,7	Yes
			26.6.2015	2:45	24,2	54,5	24,2	54,6	Yes
			26.6.2015	3:00	24,2	54,8	24,2	54,5	Yes
			26.6.2015	3:15	24,2	54,9	24,2	54,7	Yes
			26.6.2015	3:30	24,2	54,7	24,2	54,7	Yes
			26.6.2015	3:45	24,1	54,6	24,2	54,8	Yes
			26.6.2015	4:00	24,1	54	24,2	54,6	Yes
			26.6.2015	4:15	24,1	54,4	24,1	54,4	Yes
			26.6.2015	4:30	24,1	54,2	24,1	54,3	Yes
			26.6.2015	4:45	24,1	54,5	24,1	54,3	Yes
			26.6.2015	5:00	24	54,2	24,1	54,3	Yes
			26.6.2015	5:15	24	54,1	24,1	54,3	Yes
			26.6.2015	5:30	24	54,4	24,0	54,3	Yes
			26.6.2015	5:45	24	54,1	24,0	54,2	Yes
			26.6.2015	6:00	23,9	54,8	24,0	54,4	Yes
			26.6.2015	6:15	23,9	55,2	24,0	54,6	Yes
			26.6.2015	6:30	24	56,3	24,0	55,1	Yes
			26.6.2015	6:45	23,8	55,8	23,9	55,5	Yes
			26.6.2015	7:00	23,7	53	23,9	55,1	Yes
			26.6.2015	7:15	23,8	56,9	23,8	55,5	Yes
			26.6.2015	7:30	23,6	56,8	23,7	55,6	Yes
			26.6.2015	7:45	23,7	52,4	23,7	54,8	Yes
			26.6.2015	8:00	23,7	51,4	23,7	54,4	Yes
			26.6.2015	8:15	23,7	52,6	23,7	53,3	Yes
			26.6.2015	8:30	23,7	56,2	23,7	53,2	Yes
			26.6.2015	8:45	23,6	56,1	23,7	54,1	Yes
			26.6.2015	9:00	23,8	54	23,7	54,7	Yes
			26.6.2015	9:15	23,7	55,9	23,7	55,6	Yes
			26.6.2015	9:30	23,7	54,6	23,7	55,2	Yes
			26.6.2015	9:45	23,8	54,7	23,8	54,8	Yes
			26.6.2015	10:00	23,7	56,5	23,7	55,4	Yes
			26.6.2015	10:15	23,7	55,1	23,7	55,2	Yes
			26.6.2015	10:30	23,5	54,6	23,7	55,2	Yes
			26.6.2015	10:45	23,6	52,2	23,6	54,6	Yes
			26.6.2015	11:00	23,7	58,2	23,6	55,0	Yes
			26.6.2015	11:15	23,7	56,8	23,6	55,5	Yes
			26.6.2015	11:30	23,9	52,3	23,7	54,9	Yes
			26.6.2015	11:45	23,8	57,9	23,8	56,3	Yes
			26.6.2015	12:00	23,7	50,5	23,8	54,4	Yes
			26.6.2015	12:15	23,9	53,7	23,8	53,6	Yes
			26.6.2015	12:30	23,6	47,6	23,8	52,4	Yes
			26.6.2015	12:45	23,6	53,8	23,7	51,4	Yes
			26.6.2015	13:00	23,5	51,3	23,7	51,6	Yes
			26.6.2015	13:15	23,5	49,3	23,6	50,5	Yes
			26.6.2015	13:30	23,8	56,7	23,6	52,8	Yes
			26.6.2015	13:45	24	56,8	23,7	53,5	Yes
			26.6.2015	14:00	23,6	55,5	23,7	54,6	Yes
			26.6.2015	14:15	23,8	56,5	23,8	56,4	Yes
			26.6.2015	14:30	24	54,7	23,9	55,9	Yes