

TYPE OF TEST: ISO 19752

When cartridge Samsung MLT-D307E is used in printer Samsung ML-4510ND.

Toner Cartridge yield

Average Continuous Black Cartridge Yield 26950 standard pages

Declared Yield value in accordance with ISO/IEC 19752

90% Lower Confidence Black Cartridge 26977 standard pages

Date Tested:

For questions concerning testing contact

22.9.2015 - 8.10.2015

Pelikan Hardcopy CZ s.r.o
Svatoborska 395
697 01, Kyjov
Czech Republic
+420 518 699 888

Number of Cartridges used in testing:

K009

Number of Cartridges used in calculations

K009

Type of Cartridge

Samsung MLT-D307E

Shake Procedure Used

No

Print mode:

Continuous

Number of engines used in testing:

3

Media Used:

Navigator Universal 80g/m²

Paper Size:

A4

Paper feed orientation:

Short edge feed

Application Software:

Adobe Reader 11.0

Test Page Version

ISO-IEC 19752 - Test Page Example:2004

Power (off/on) everyday?

Yes

Computer stations and printers:

Station 1.
Computer Model: Intel(R) Pentium(R) 4 2.66 GHz
Operating System: Windows XP Professional

Station 2.
Computer Model: Intel(R) Pentium(R) 4 2.66 GHz
Operating System: Windows XP Professional

Station 3.
Computer Model: Intel(R) Pentium(R) 4 2.66 GHz
Operating System: Windows XP Professional

Printer Number: 63669
Printer Type: Samsung ML-4510ND
Printer Serial Number: Z5PTBJFG700007X
Printer Firmware Version:
Driver Version: PCL - V3.13.12.02:31

63471
Samsung ML-4510ND
Z5PTBJZD0004VY
PCL - V3.13.12.02:31

63670
Samsung ML-4510ND
Z5PTBJFG700005P
PCL - V3.13.12.02:31

Note:

Page yield rounded to 26950. It's 6950 pages more than OEM.

TYPE OF TEST: ISO 19752

Cartridges testing data:

Station 1	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14021246428812-K001	PHI_15_I0257	24 868	Y
	C				
	Y				
	M				
2nd set	K	14021248628812-K002	PHI_15_I0258	26 058	Y
	C				
	Y				
	M				
3rd set	K	14021248228812-K003	PHI_15_I0259	28 000	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	78 926	26 309	1581	23 643	3
C					
Y					
M					

Station 2	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14021248728812-K004	PHI_15_I0260	28 698	Y
	C				
	Y				
	M				
2nd set	K	14021245628812-K005	PHI_15_I0261	27 987	Y
	C				
	Y				
	M				
3rd set	K	14021248328812-K006	PHI_15_I0262	28 501	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	85 186	28 395	367	27 776	3
C					
Y					
M					

Station 3	Color	Cartidge No.	Internal summary	Cartridge yield	Cartridge used in calculation
1st set	K	14021248728812-K007	PHI_15_I0263	28 773	Y
	C				
	Y				
	M				
2nd set	K	14021245628812-K008	PHI_15_I0264	28 976	Y
	C				
	Y				
	M				
3rd set	K	14021248328812-K009	PHI_15_I0265	29 000	Y
	C				
	Y				
	M				
4th set	K				
	C				
	Y				
	M				
5th set	K				
	C				
	Y				
	M				

Color	Total yield	Avg yield	St Dev	90%LCB	Number cartridges used in calculation
K	86 749	28 916	125	28 706	3
C					
Y					
M					

Summary	Color	Cartidges No.	Total	Avg	St Dev	90%LCB	Number cartridges
	K	K001 - K009	250 861	27 873	1446	26 977	9
	C						
	Y						
	M						

Note:
Statement OEM 20000 pages.

TYPE OF TEST: ISO 19752

Temperature / Humidity

Thermometer hygrometer data logger
Measuring device Nr.

Comet S3120
12932752 - 12

Testing Room average temp. [°C]	23,4	Allowed 21-25
Testing Room - max. running average temp. [°C]	23,9	26
Testing Room - min. running average temp. [°C]	21,7	20

Testing Room average RH. [%]	54,7	Allowed 40-60
Testing Room - max. running average RH [%]	65,0	65
Testing Room - min. running average RH [%]	40,7	35

Note:

During tests there were temperatures and humidity in accordance with the international standard ISO/IEC 19752.

Condition 24 hours before the start of the tests.

Date of testing: 21.9.2015 8:00 - 8.10.2015 10:15

Station 1	Station 2	Station 3	Date	Time	Testing Room average temp.	Testing Room average RH	Testing Room running average temp.	Testing Room running average RH	Value included in the test interval
					15-minute interval	15-minute interval			
			21.9.2015	8:00	23,2	54,2	N/A	N/A	No
			21.9.2015	8:15	23	51,4	N/A	N/A	No
			21.9.2015	8:30	23,2	56,7	N/A	N/A	No
			21.9.2015	8:45	23,3	51,3	23,2	53,4	Yes
			21.9.2015	9:00	23,1	54,2	23,2	53,4	Yes
			21.9.2015	9:15	23,2	49,5	23,2	52,9	Yes
			21.9.2015	9:30	23	52,7	23,2	51,9	Yes
			21.9.2015	9:45	23,2	50,4	23,1	51,7	Yes
			21.9.2015	10:00	23	47,2	23,1	50,0	Yes
			21.9.2015	10:15	23,3	53,6	23,1	51,0	Yes
			21.9.2015	10:30	23	46,5	23,1	49,4	Yes
			21.9.2015	10:45	23,1	55	23,1	50,6	Yes
			21.9.2015	11:00	23,3	49,2	23,2	51,1	Yes
			21.9.2015	11:15	23,1	52	23,1	50,7	Yes
			21.9.2015	11:30	23,3	58,5	23,2	53,7	Yes
			21.9.2015	11:45	23,4	54,9	23,3	53,7	Yes
			21.9.2015	12:00	23,3	48,2	23,3	53,4	Yes
			21.9.2015	12:15	23	52,3	23,3	53,5	Yes
			21.9.2015	12:30	23,4	57,2	23,3	53,2	Yes
			21.9.2015	12:45	23,2	49,2	23,2	51,7	Yes
			21.9.2015	13:00	23,1	54,9	23,2	53,4	Yes
			21.9.2015	13:15	23,5	56,5	23,3	54,5	Yes
			21.9.2015	13:30	23,2	48,5	23,3	52,3	Yes
			21.9.2015	13:45	22,8	45	23,2	51,2	Yes
			21.9.2015	14:00	22,7	52	23,1	50,5	Yes
			21.9.2015	14:15	23,2	54,8	23,0	50,1	Yes
			21.9.2015	14:30	23	46,9	22,9	49,7	Yes
			21.9.2015	14:45	22,7	51,3	22,9	51,3	Yes
			21.9.2015	15:00	22,8	56,3	22,9	52,3	Yes
			21.9.2015	15:15	23	56,4	22,9	52,7	Yes
			21.9.2015	15:30	23,1	55,9	22,9	55,0	Yes
			21.9.2015	15:45	23,3	55	23,1	55,9	Yes
			21.9.2015	16:00	23,4	55,6	23,2	55,7	Yes
			21.9.2015	16:15	23,5	55,3	23,3	55,5	Yes
			21.9.2015	16:30	23,6	55,4	23,5	55,3	Yes
			21.9.2015	16:45	23,6	55,1	23,5	55,4	Yes
			21.9.2015	17:00	23,7	54,5	23,6	55,1	Yes
			21.9.2015	17:15	23,7	55,1	23,7	55,0	Yes
			21.9.2015	17:30	23,8	54,4	23,7	54,8	Yes
			21.9.2015	17:45	23,8	55,7	23,8	54,9	Yes
			21.9.2015	18:00	23,3	48,5	23,7	53,4	Yes
			21.9.2015	18:15	23,1	57,9	23,5	54,1	Yes
			21.9.2015	18:30	23,3	58,4	23,4	55,1	Yes

TYPE OF TEST: ISO 19752

Q	Q	Q	23.9.2015	11:15	23,5	47,6	23,5	49,3	Yes
			23.9.2015	11:30	23,3	51,2	23,4	49,0	Yes
			23.9.2015	11:45	23,6	55,6	23,5	50,9	Yes
			23.9.2015	12:00	23,5	48,1	23,5	50,6	Yes
			23.9.2015	12:15	23,4	46,4	23,5	50,3	Yes
			23.9.2015	12:30	23,4	45,5	23,5	48,9	Yes
			23.9.2015	12:45	23,3	45,1	23,4	46,3	Yes
			23.9.2015	13:00	23,6	48,5	23,4	46,4	Yes
			23.9.2015	13:15	23,6	46	23,5	46,3	Yes
			23.9.2015	13:30	23,5	45,9	23,5	46,4	Yes
			23.9.2015	13:45	23,5	45,1	23,6	46,4	Yes
			23.9.2015	14:00	23,5	45,4	23,5	45,6	Yes
			23.9.2015	14:15	23,5	44,7	23,5	45,3	Yes
			23.9.2015	14:30	23,4	47,2	23,5	45,6	Yes
			23.9.2015	14:45	23,7	53,5	23,5	47,7	Yes
			23.9.2015	15:00	23,3	52,1	23,5	49,4	Yes
			23.9.2015	15:15	23,6	55	23,5	52,0	Yes
			23.9.2015	15:30	23,4	52,9	23,5	53,4	Yes
			23.9.2015	15:45	23,5	55,7	23,5	53,9	Yes
			23.9.2015	16:00	23,4	52,4	23,5	54,0	Yes
			23.9.2015	16:15	23,5	55,5	23,5	54,1	Yes
			23.9.2015	16:30	23,7	53,5	23,5	54,3	Yes
			23.9.2015	16:45	23,4	56,7	23,5	54,5	Yes
			23.9.2015	17:00	23,6	55,7	23,6	55,4	Yes
			23.9.2015	17:15	23,4	53,3	23,5	54,8	Yes
			23.9.2015	17:30	23,5	57,3	23,5	55,8	Yes
			23.9.2015	17:45	23,7	55,5	23,6	55,5	Yes
			23.9.2015	18:00	23,4	56,7	23,5	55,7	Yes
			23.9.2015	18:15	23,5	56,6	23,5	56,5	Yes
			23.9.2015	18:30	23,7	55,6	23,6	56,1	Yes
			23.9.2015	18:45	23,4	56,6	23,5	56,4	Yes
			23.9.2015	19:00	23,5	57,1	23,5	56,5	Yes
			23.9.2015	19:15	23,7	55,8	23,6	56,3	Yes
			23.9.2015	19:30	23,7	56,2	23,6	56,4	Yes
			23.9.2015	19:45	23,8	52,6	23,7	55,4	Yes
			23.9.2015	20:00	23,4	57,2	23,7	55,5	Yes
			23.9.2015	20:15	23,6	56,2	23,6	55,6	Yes
			23.9.2015	20:30	23,7	56,3	23,6	55,6	Yes
			23.9.2015	20:45	23,7	55,7	23,6	56,4	Yes
			23.9.2015	21:00	23,8	56,2	23,7	56,1	Yes
			23.9.2015	21:15	23,8	54,7	23,8	55,7	Yes
			23.9.2015	21:30	23,8	56,2	23,8	55,7	Yes
			23.9.2015	21:45	23,7	50,9	23,8	54,5	Yes
			23.9.2015	22:00	23,4	58	23,7	55,0	Yes
			23.9.2015	22:15	23,6	55,2	23,6	55,1	Yes
			23.9.2015	22:30	23,6	56,1	23,6	55,1	Yes
			23.9.2015	22:45	23,7	55,4	23,6	56,2	Yes
			23.9.2015	23:00	23,7	56,2	23,7	55,7	Yes
			23.9.2015	23:15	23,8	55,6	23,7	55,8	Yes
			23.9.2015	23:30	23,8	55,5	23,8	55,7	Yes
			23.9.2015	23:45	23,8	56,4	23,8	55,9	Yes
			24.9.2015	0:00	23,8	55,5	23,8	55,8	Yes
			24.9.2015	0:15	23,8	56,4	23,8	56,0	Yes
			24.9.2015	0:30	23,8	55,5	23,8	56,0	Yes
			24.9.2015	0:45	23,8	56,5	23,8	56,0	Yes
			24.9.2015	1:00	23,8	55,5	23,8	56,0	Yes
			24.9.2015	1:15	23,9	56,2	23,8	55,9	Yes
			24.9.2015	1:30	23,9	55,6	23,9	56,0	Yes
			24.9.2015	1:45	23,9	56	23,9	55,8	Yes
			24.9.2015	2:00	23,9	55,5	23,9	55,8	Yes
			24.9.2015	2:15	23,9	55,9	23,9	55,8	Yes
			24.9.2015	2:30	23,8	55,4	23,9	55,7	Yes
			24.9.2015	2:45	23,9	55	23,9	55,5	Yes
			24.9.2015	3:00	23,9	55,8	23,9	55,5	Yes
			24.9.2015	3:15	23,9	55	23,9	55,3	Yes
			24.9.2015	3:30	23,8	56	23,9	55,5	Yes
			24.9.2015	3:45	23,9	55	23,9	55,5	Yes
			24.9.2015	4:00	23,8	56,1	23,9	55,5	Yes
			24.9.2015	4:15	23,8	55,3	23,8	55,6	Yes
			24.9.2015	4:30	23,8	56,4	23,8	55,7	Yes
			24.9.2015	4:45	23,8	55,5	23,8	55,8	Yes
			24.9.2015	5:00	23,8	56,9	23,8	56,0	Yes
			24.9.2015	5:15	23,8	55,1	23,8	56,0	Yes
			24.9.2015	5:30	23,8	55,5	23,8	55,8	Yes
			24.9.2015	5:45	23,8	55,3	23,8	55,7	Yes
			24.9.2015	6:00	23,6	51,7	23,8	54,4	Yes
			24.9.2015	6:15	23,4	57,9	23,7	55,1	Yes
			24.9.2015	6:30	23,6	52,2	23,6	54,3	Yes
			24.9.2015	6:45	23,6	57,4	23,6	54,8	Yes
			24.9.2015	7:00	23,6	50,2	23,6	54,4	Yes
			24.9.2015	7:15	23,4	46,7	23,6	51,6	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			26.9.2015	0:00	23,4	47		No
			26.9.2015	0:15	23,4	47,1		No
			26.9.2015	0:30	23,4	47,1		No
			26.9.2015	0:45	23,4	47,1		No
			26.9.2015	1:00	23,4	47,2		No
			26.9.2015	1:15	23,4	47		No
			26.9.2015	1:30	23,4	47		No
			26.9.2015	1:45	23,4	47,1		No
			26.9.2015	2:00	23,4	47		No
			26.9.2015	2:15	23,4	47		No
			26.9.2015	2:30	23,3	47		No
			26.9.2015	2:45	23,3	46,9		No
			26.9.2015	3:00	23,3	47,1		No
			26.9.2015	3:15	23,3	47		No
			26.9.2015	3:30	23,3	46,9		No
			26.9.2015	3:45	23,3	47,1		No
			26.9.2015	4:00	23,3	47		No
			26.9.2015	4:15	23,3	46,9		No
			26.9.2015	4:30	23,3	46,9		No
			26.9.2015	4:45	23,3	46,9		No
			26.9.2015	5:00	23,3	47		No
			26.9.2015	5:15	23,3	46,9		No
			26.9.2015	5:30	23,2	47		No
			26.9.2015	5:45	23,2	47		No
			26.9.2015	6:00	23,2	46,9		No
			26.9.2015	6:15	23,2	46,9		No
			26.9.2015	6:30	23,2	46,8		No
			26.9.2015	6:45	23,2	46,9		No
			26.9.2015	7:00	23,2	46,9		No
			26.9.2015	7:15	23,2	46,9		No
			26.9.2015	7:30	23,2	46,9		No
			26.9.2015	7:45	23,1	46,9		No
			26.9.2015	8:00	23,1	46,9		No
			26.9.2015	8:15	23,1	46,9		No
			26.9.2015	8:30	23,2	46,9		No
			26.9.2015	8:45	23,1	46,9		No
			26.9.2015	9:00	23,1	46,9		No
			26.9.2015	9:15	23,1	46,9		No
			26.9.2015	9:30	23,1	46,9		No
			26.9.2015	9:45	23,1	46,9		No
			26.9.2015	10:00	23,1	46,9		No
			26.9.2015	10:15	23,1	47		No
			26.9.2015	10:30	23,1	47		No
			26.9.2015	10:45	23,1	46,9		No
			26.9.2015	11:00	23,1	46,9		No
			26.9.2015	11:15	23,1	47		No
			26.9.2015	11:30	23,1	47		No
			26.9.2015	11:45	23,1	47		No
			26.9.2015	12:00	23,1	47		No
			26.9.2015	12:15	23	47,1		No
			26.9.2015	12:30	23	47,1		No
			26.9.2015	12:45	23,1	47,1		No
			26.9.2015	13:00	23,1	47,1		No
			26.9.2015	13:15	23	47,2		No
			26.9.2015	13:30	23,1	47,2		No
			26.9.2015	13:45	23	47,2		No
			26.9.2015	14:00	23	47,2		No
			26.9.2015	14:15	23	47,2		No
			26.9.2015	14:30	23	47,2		No
			26.9.2015	14:45	23	47,2		No
			26.9.2015	15:00	23	47,2		No
			26.9.2015	15:15	23	47,2		No
			26.9.2015	15:30	23	47,3		No
			26.9.2015	15:45	23	47,3		No
			26.9.2015	16:00	23	47,3		No
			26.9.2015	16:15	23	47,3		No
			26.9.2015	16:30	23	47,3		No
			26.9.2015	16:45	23	47,3		No
			26.9.2015	17:00	23	47,3		No
			26.9.2015	17:15	23	47,3		No
			26.9.2015	17:30	23	47,4		No
			26.9.2015	17:45	23	47,4		No
			26.9.2015	18:00	23	47,4		No
			26.9.2015	18:15	23	47,4		No
			26.9.2015	18:30	23	47,4		No
			26.9.2015	18:45	23	47,4		No
			26.9.2015	19:00	23	47,4		No
			26.9.2015	19:15	23	47,4		No
			26.9.2015	19:30	23	47,4		No
			26.9.2015	19:45	22,9	47,4		No
			26.9.2015	20:00	22,9	47,3		No

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	26.9.2015	20:15	22,9	47,3			No
			26.9.2015	20:30	22,9	47,3			No
			26.9.2015	20:45	22,9	47,3			No
			26.9.2015	21:00	22,9	47,2			No
			26.9.2015	21:15	22,9	47,2			No
			26.9.2015	21:30	22,9	47,2			No
			26.9.2015	21:45	22,9	47,2			No
			26.9.2015	22:00	22,9	47,1			No
			26.9.2015	22:15	22,9	47,2			No
			26.9.2015	22:30	22,8	47,1			No
			26.9.2015	22:45	22,8	47,1			No
			26.9.2015	23:00	22,8	47,1			No
			26.9.2015	23:15	22,8	47			No
			26.9.2015	23:30	22,8	47			No
			26.9.2015	23:45	22,8	46,9			No
			27.9.2015	0:00	22,8	46,9			No
			27.9.2015	0:15	22,7	46,9			No
			27.9.2015	0:30	22,7	46,9			No
			27.9.2015	0:45	22,7	46,8			No
			27.9.2015	1:00	22,7	46,8			No
			27.9.2015	1:15	22,7	46,8			No
			27.9.2015	1:30	22,7	46,8			No
			27.9.2015	1:45	22,7	46,7			No
			27.9.2015	2:00	22,6	46,8			No
			27.9.2015	2:15	22,7	46,7			No
			27.9.2015	2:30	22,6	46,7			No
			27.9.2015	2:45	22,6	46,7			No
			27.9.2015	3:00	22,6	46,7			No
			27.9.2015	3:15	22,6	46,6			No
			27.9.2015	3:30	22,6	46,7			No
			27.9.2015	3:45	22,6	46,6			No
			27.9.2015	4:00	22,6	46,6			No
			27.9.2015	4:15	22,5	46,6			No
			27.9.2015	4:30	22,5	46,6			No
			27.9.2015	4:45	22,5	46,5			No
			27.9.2015	5:00	22,5	46,5			No
			27.9.2015	5:15	22,5	46,5			No
			27.9.2015	5:30	22,5	46,5			No
			27.9.2015	5:45	22,5	46,5			No
			27.9.2015	6:00	22,5	46,4	22,5	46,5	Yes
			27.9.2015	6:15	22,5	46,4	22,5	46,5	Yes
			27.9.2015	6:30	22,5	46,3	22,5	46,4	Yes
			27.9.2015	6:45	22,4	46,3	22,5	46,4	Yes
			27.9.2015	7:00	22,4	46,3	22,5	46,3	Yes
			27.9.2015	7:15	22,4	46,3	22,4	46,3	Yes
			27.9.2015	7:30	22,4	46,2	22,4	46,3	Yes
			27.9.2015	7:45	22,4	46,2	22,4	46,3	Yes
			27.9.2015	8:00	22,4	46,2	22,4	46,2	Yes
			27.9.2015	8:15	22,4	46,2	22,4	46,2	Yes
			27.9.2015	8:30	22,4	46,2	22,4	46,2	Yes
			27.9.2015	8:45	22,3	46,2	22,4	46,2	Yes
			27.9.2015	9:00	22,3	46,2	22,4	46,2	Yes
			27.9.2015	9:15	22,3	46,2	22,3	46,2	Yes
			27.9.2015	9:30	22,3	46,2	22,3	46,2	Yes
			27.9.2015	9:45	22,3	46,2	22,3	46,2	Yes
			27.9.2015	10:00	22,3	46,2	22,3	46,2	Yes
			27.9.2015	10:15	22,3	46,2	22,3	46,2	Yes
			27.9.2015	10:30	22,3	46,2	22,3	46,2	Yes
			27.9.2015	10:45	22,3	46,2	22,3	46,2	Yes
			27.9.2015	11:00	22,3	46,2	22,3	46,2	Yes
			27.9.2015	11:15	22,3	46,2	22,3	46,2	Yes
			27.9.2015	11:30	22,3	46,2	22,3	46,2	Yes
			27.9.2015	11:45	22,3	46,2	22,3	46,2	Yes
			27.9.2015	12:00	22,3	46,2	22,3	46,2	Yes
			27.9.2015	12:15	22,3	46,3	22,3	46,2	Yes
			27.9.2015	12:30	22,3	46,3	22,3	46,3	Yes
			27.9.2015	12:45	22,3	46,3	22,3	46,3	Yes
			27.9.2015	13:00	22,3	46,3	22,3	46,3	Yes
			27.9.2015	13:15	22,3	46,4	22,3	46,3	Yes
			27.9.2015	13:30	22,3	46,4	22,3	46,4	Yes
			27.9.2015	13:45	22,3	46,4	22,3	46,4	Yes
			27.9.2015	14:00	22,3	46,4	22,3	46,4	Yes
			27.9.2015	14:15	22,3	46,5	22,3	46,4	Yes
			27.9.2015	14:30	22,3	46,4	22,3	46,4	Yes
			27.9.2015	14:45	22,4	46,5	22,3	46,5	Yes
			27.9.2015	15:00	22,4	46,5	22,4	46,5	Yes
			27.9.2015	15:15	22,4	46,5	22,4	46,5	Yes
			27.9.2015	15:30	22,4	46,6	22,4	46,5	Yes
			27.9.2015	15:45	22,4	46,5	22,4	46,5	Yes
			27.9.2015	16:00	22,5	46,6	22,4	46,6	Yes
			27.9.2015	16:15	22,5	46,6	22,5	46,6	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			27.9.2015	16:30	22,5	46,5	22,5	46,6	Yes
			27.9.2015	16:45	22,5	46,5	22,5	46,6	Yes
			27.9.2015	17:00	22,5	46,5	22,5	46,5	Yes
			27.9.2015	17:15	22,5	46,4	22,5	46,5	Yes
			27.9.2015	17:30	22,6	46,4	22,5	46,5	Yes
			27.9.2015	17:45	22,5	46,4	22,5	46,4	Yes
			27.9.2015	18:00	22,6	46,4	22,6	46,4	Yes
			27.9.2015	18:15	22,6	46,3	22,6	46,4	Yes
			27.9.2015	18:30	22,6	46,3	22,6	46,4	Yes
			27.9.2015	18:45	22,6	46,3	22,6	46,3	Yes
			27.9.2015	19:00	22,6	46,2	22,6	46,3	Yes
			27.9.2015	19:15	22,6	46,2	22,6	46,3	Yes
			27.9.2015	19:30	22,6	46,1	22,6	46,2	Yes
			27.9.2015	19:45	22,6	46	22,6	46,1	Yes
			27.9.2015	20:00	22,6	46	22,6	46,1	Yes
			27.9.2015	20:15	22,5	45,9	22,6	46,0	Yes
			27.9.2015	20:30	22,5	45,8	22,6	45,9	Yes
			27.9.2015	20:45	22,5	45,8	22,5	45,9	Yes
			27.9.2015	21:00	22,5	45,7	22,5	45,8	Yes
			27.9.2015	21:15	22,5	45,7	22,5	45,8	Yes
			27.9.2015	21:30	22,5	45,6	22,5	45,7	Yes
			27.9.2015	21:45	22,5	45,5	22,5	45,6	Yes
			27.9.2015	22:00	22,5	45,5	22,5	45,6	Yes
			27.9.2015	22:15	22,5	45,4	22,5	45,5	Yes
			27.9.2015	22:30	22,5	45,4	22,5	45,5	Yes
			27.9.2015	22:45	22,4	45,3	22,5	45,4	Yes
			27.9.2015	23:00	22,4	45,3	22,5	45,4	Yes
			27.9.2015	23:15	22,4	45,3	22,4	45,3	Yes
			27.9.2015	23:30	22,4	45,2	22,4	45,3	Yes
			27.9.2015	23:45	22,4	45,1	22,4	45,2	Yes
			28.9.2015	0:00	22,3	45,1	22,4	45,2	Yes
			28.9.2015	0:15	22,3	45	22,4	45,1	Yes
			28.9.2015	0:30	22,3	45	22,3	45,1	Yes
			28.9.2015	0:45	22,3	44,9	22,3	45,0	Yes
			28.9.2015	1:00	22,3	44,9	22,3	45,0	Yes
			28.9.2015	1:15	22,3	44,9	22,3	44,9	Yes
			28.9.2015	1:30	22,2	44,9	22,3	44,9	Yes
			28.9.2015	1:45	22,2	44,9	22,3	44,9	Yes
			28.9.2015	2:00	22,2	44,8	22,2	44,9	Yes
			28.9.2015	2:15	22,2	44,8	22,2	44,9	Yes
			28.9.2015	2:30	22,2	44,8	22,2	44,8	Yes
			28.9.2015	2:45	22,2	44,8	22,2	44,8	Yes
			28.9.2015	3:00	22,2	44,8	22,2	44,8	Yes
			28.9.2015	3:15	22,1	44,7	22,2	44,8	Yes
			28.9.2015	3:30	22,1	44,7	22,2	44,8	Yes
			28.9.2015	3:45	22,1	44,7	22,1	44,7	Yes
			28.9.2015	4:00	22,1	44,7	22,1	44,7	Yes
			28.9.2015	4:15	22,1	44,7	22,1	44,7	Yes
			28.9.2015	4:30	22,1	44,7	22,1	44,7	Yes
			28.9.2015	4:45	22,1	44,7	22,1	44,7	Yes
			28.9.2015	5:00	22	44,6	22,1	44,7	Yes
			28.9.2015	5:15	22	44,5	22,1	44,6	Yes
			28.9.2015	5:30	22	44,4	22,0	44,6	Yes
			28.9.2015	5:45	22	44,4	22,0	44,5	Yes
			28.9.2015	6:00	22	44,4	22,0	44,4	Yes
			28.9.2015	6:15	22	44,4	22,0	44,4	Yes
			28.9.2015	6:30	22	44,3	22,0	44,4	Yes
			28.9.2015	6:45	21,9	44,2	22,0	44,3	Yes
			28.9.2015	7:00	21,9	44,2	22,0	44,3	Yes
			28.9.2015	7:15	21,9	44,2	21,9	44,2	Yes
			28.9.2015	7:30	21,9	44,1	21,9	44,2	Yes
			28.9.2015	7:45	21,9	44,1	21,9	44,2	Yes
			28.9.2015	8:00	21,9	44,1	21,9	44,1	Yes
			28.9.2015	8:15	21,9	44	21,9	44,1	Yes
			28.9.2015	8:30	21,8	43,8	21,9	44,0	Yes
			28.9.2015	8:45	21,8	43,6	21,9	43,9	Yes
			28.9.2015	9:00	21,8	43,6	21,8	43,8	Yes
			28.9.2015	9:15	21,8	43,7	21,8	43,7	Yes
			28.9.2015	9:30	21,8	43,6	21,8	43,6	Yes
			28.9.2015	9:45	21,8	43,6	21,8	43,6	Yes
			28.9.2015	10:00	21,8	43,6	21,8	43,6	Yes
			28.9.2015	10:15	21,8	43,7	21,8	43,6	Yes
			28.9.2015	10:30	21,7	43,7	21,8	43,7	Yes
			28.9.2015	10:45	21,7	43,7	21,8	43,7	Yes
			28.9.2015	11:00	21,8	43,7	21,8	43,7	Yes
			28.9.2015	11:15	21,7	43,7	21,7	43,7	Yes
			28.9.2015	11:30	21,8	43,7	21,8	43,7	Yes
			28.9.2015	11:45	21,8	43,7	21,8	43,7	Yes
			28.9.2015	12:00	21,7	43,7	21,8	43,7	Yes
			28.9.2015	12:15	21,8	43,6	21,8	43,7	Yes
			28.9.2015	12:30	21,8	43,7	21,8	43,7	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			30.9.2015	5:15	22,7	56,8	22,8	56,2	Yes
			30.9.2015	5:30	22,7	55,7	22,8	56,0	Yes
			30.9.2015	5:45	22,9	57	22,8	56,4	Yes
			30.9.2015	6:00	23	55,5	22,8	56,3	Yes
			30.9.2015	6:15	22,9	56,3	22,9	56,1	Yes
			30.9.2015	6:30	23,1	52,9	23,0	55,4	Yes
			30.9.2015	6:45	23	57,3	23,0	55,5	Yes
			30.9.2015	7:00	23,2	52,9	23,1	54,9	Yes
			30.9.2015	7:15	23,2	57,6	23,1	55,2	Yes
			30.9.2015	7:30	23,2	51,3	23,2	54,8	Yes
			30.9.2015	7:45	23	47,6	23,2	52,4	Yes
			30.9.2015	8:00	23,1	51	23,1	51,9	Yes
			30.9.2015	8:15	23	48	23,1	49,5	Yes
			30.9.2015	8:30	23,1	57	23,1	50,9	Yes
			30.9.2015	8:45	23,1	51,8	23,1	52,0	Yes
			30.9.2015	9:00	23,1	53	23,1	52,5	Yes
			30.9.2015	9:15	23,2	51	23,1	53,2	Yes
			30.9.2015	9:30	23,3	57,8	23,2	53,4	Yes
			30.9.2015	9:45	23,5	61	23,3	55,7	Yes
			30.9.2015	10:00	23,5	52,9	23,4	55,7	Yes
			30.9.2015	10:15	23,4	60	23,4	57,9	Yes
			30.9.2015	10:30	23,6	61,5	23,5	58,9	Yes
			30.9.2015	10:45	23,5	56,6	23,5	57,8	Yes
			30.9.2015	11:00	23,6	61	23,5	59,8	Yes
			30.9.2015	11:15	23,6	55,3	23,6	58,6	Yes
			30.9.2015	11:30	23,6	59,7	23,6	58,2	Yes
			30.9.2015	11:45	23,7	62,5	23,6	59,6	Yes
			30.9.2015	12:00	23,6	52,1	23,6	57,4	Yes
			30.9.2015	12:15	23,6	55,7	23,6	57,5	Yes
			30.9.2015	12:30	23,5	50,6	23,6	55,2	Yes
			30.9.2015	12:45	23,4	48,9	23,5	51,8	Yes
			30.9.2015	13:00	23,3	47,3	23,5	50,6	Yes
			30.9.2015	13:15	23,3	49,3	23,4	49,0	Yes
			30.9.2015	13:30	23,3	46,4	23,3	48,0	Yes
			30.9.2015	13:45	23,2	44,3	23,3	46,8	Yes
			30.9.2015	14:00	23,2	45,2	23,3	46,3	Yes
			30.9.2015	14:15	23,4	50,6	23,3	46,6	Yes
			30.9.2015	14:30	23,4	45,3	23,3	46,4	Yes
			30.9.2015	14:45	23,4	52,8	23,4	48,5	Yes
			30.9.2015	15:00	23,4	57,4	23,4	51,5	Yes
			30.9.2015	15:15	23,5	58,6	23,4	53,5	Yes
			30.9.2015	15:30	23,6	59,3	23,5	57,0	Yes
			30.9.2015	15:45	23,6	59,7	23,5	58,8	Yes
			30.9.2015	16:00	23,6	60,3	23,6	59,5	Yes
			30.9.2015	16:15	23,7	61,1	23,6	60,1	Yes
			30.9.2015	16:30	23,7	61,5	23,7	60,7	Yes
			30.9.2015	16:45	23,7	61,5	23,7	61,1	Yes
			30.9.2015	17:00	23,6	62,3	23,7	61,6	Yes
			30.9.2015	17:15	23,6	62,7	23,7	62,0	Yes
			30.9.2015	17:30	23,6	63	23,6	62,4	Yes
			30.9.2015	17:45	23,5	63	23,6	62,8	Yes
			30.9.2015	18:00	23,5	63,7	23,6	63,1	Yes
			30.9.2015	18:15	23,5	64	23,5	63,4	Yes
			30.9.2015	18:30	23,4	64,4	23,5	63,8	Yes
			30.9.2015	18:45	23,4	64,6	23,5	64,2	Yes
			30.9.2015	19:00	23,4	64,9	23,4	64,5	Yes
			30.9.2015	19:15	23,3	65,1	23,4	64,8	Yes
			30.9.2015	19:30	23,3	64,3	23,4	64,7	Yes
			30.9.2015	19:45	23,3	64,1	23,3	64,6	Yes
			30.9.2015	20:00	23,2	63,9	23,3	64,4	Yes
			30.9.2015	20:15	23,2	64,5	23,3	64,2	Yes
			30.9.2015	20:30	23,1	64,9	23,2	64,4	Yes
			30.9.2015	20:45	23,1	65,4	23,2	64,7	Yes
			30.9.2015	21:00	23,1	65,1	23,1	65,0	Yes
			30.9.2015	21:15	23	64,3	23,1	64,9	Yes
			30.9.2015	21:30	23	64,1	23,1	64,7	Yes
			30.9.2015	21:45	23	63,9	23,0	64,4	Yes
			30.9.2015	22:00	23	64,1	23,0	64,1	Yes
			30.9.2015	22:15	22,9	63,9	23,0	64,0	Yes
			30.9.2015	22:30	22,9	64,5	23,0	64,1	Yes
			30.9.2015	22:45	22,9	65,6	22,9	64,5	Yes
			30.9.2015	23:00	22,8	64,5	22,9	64,6	Yes
			30.9.2015	23:15	22,8	64,9	22,9	64,9	Yes
			30.9.2015	23:30	22,7	64,9	22,8	65,0	Yes
			30.9.2015	23:45	22,7	65,1	22,8	64,9	Yes
			1.10.2015	0:00	22,7	64,3	22,7	64,8	Yes
			1.10.2015	0:15	22,7	64,1	22,7	64,6	Yes
			1.10.2015	0:30	22,7	63,9	22,7	64,4	Yes
			1.10.2015	0:45	22,6	64,5	22,7	64,2	Yes
			1.10.2015	1:00	22,6	64,9	22,7	64,4	Yes
			1.10.2015	1:15	22,6	65,4	22,6	64,7	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

	2.10.2015	18:00	23,4	56,2		No
	2.10.2015	18:15	23,5	54,4		No
	2.10.2015	18:30	23,5	55		No
	2.10.2015	18:45	23,6	54,8		No
	2.10.2015	19:00	23,6	54,6		No
	2.10.2015	19:15	23,6	55,7		No
	2.10.2015	19:30	23,7	53,9		No
	2.10.2015	19:45	23,6	54,4		No
	2.10.2015	20:00	23,6	55		No
	2.10.2015	20:15	23,6	54,2		No
	2.10.2015	20:30	23,6	55,1		No
	2.10.2015	20:45	23,6	54,5		No
	2.10.2015	21:00	23,6	55		No
	2.10.2015	21:15	23,5	55,6		No
	2.10.2015	21:30	23,6	54,2		No
	2.10.2015	21:45	23,5	55		No
	2.10.2015	22:00	23,5	54,6		No
	2.10.2015	22:15	23,4	55,1		No
	2.10.2015	22:30	23,4	55,1		No
	2.10.2015	22:45	23,4	54,1		No
	2.10.2015	23:00	23,4	55		No
	2.10.2015	23:15	23,3	56		No
	2.10.2015	23:30	23,3	54,4		No
	2.10.2015	23:45	23,3	55,3		No
	3.10.2015	0:00	23,3	55,7		No
	3.10.2015	0:15	23,3	54,9		No
	3.10.2015	0:30	23,2	55,4		No
	3.10.2015	0:45	23,2	55,6		No
	3.10.2015	1:00	23,2	55,1		No
	3.10.2015	1:15	23,1	55,5		No
	3.10.2015	1:30	23,1	56,1		No
	3.10.2015	1:45	23,1	55		No
	3.10.2015	2:00	23,1	55,8		No
	3.10.2015	2:15	23	56,4		No
	3.10.2015	2:30	23	55,9		No
	3.10.2015	2:45	23	55,9		No
	3.10.2015	3:00	23	56,8		No
	3.10.2015	3:15	23	55		No
	3.10.2015	3:30	22,9	56,1		No
	3.10.2015	3:45	22,9	57		No
	3.10.2015	4:00	22,9	55,5		No
	3.10.2015	4:15	22,9	56,3		No
	3.10.2015	4:30	22,9	56,8		No
	3.10.2015	4:45	22,8	55,9		No
	3.10.2015	5:00	22,8	56,8		No
	3.10.2015	5:15	22,8	55,6		No
	3.10.2015	5:30	22,8	56,5		No
	3.10.2015	5:45	22,8	55,6		No
	3.10.2015	6:00	22,7	56,4		No
	3.10.2015	6:15	22,7	55,7		No
	3.10.2015	6:30	22,7	55,8		No
	3.10.2015	6:45	22,7	55,9		No
	3.10.2015	7:00	22,6	55,9		No
	3.10.2015	7:15	22,6	56,8		No
	3.10.2015	7:30	22,6	55,7		No
	3.10.2015	7:45	22,6	56,5		No
	3.10.2015	8:00	22,5	56,6		No
	3.10.2015	8:15	22,5	56,1		No
	3.10.2015	8:30	22,5	57,1		No
	3.10.2015	8:45	22,5	55,8		No
	3.10.2015	9:00	22,5	56,6		No
	3.10.2015	9:15	22,5	55,9		No
	3.10.2015	9:30	22,5	56,4		No
	3.10.2015	9:45	22,5	56,4		No
	3.10.2015	10:00	22,5	56		No
	3.10.2015	10:15	22,4	57,2		No
	3.10.2015	10:30	22,4	55,7		No
	3.10.2015	10:45	22,4	56,7		No
	3.10.2015	11:00	22,4	55,6		No
	3.10.2015	11:15	22,4	56,1		No
	3.10.2015	11:30	22,4	56,8		No
	3.10.2015	11:45	22,4	56,1		No
	3.10.2015	12:00	22,4	57,3		No
	3.10.2015	12:15	22,4	56		No
	3.10.2015	12:30	22,4	56,8		No
	3.10.2015	12:45	22,4	56		No
	3.10.2015	13:00	22,4	57,6		No
	3.10.2015	13:15	22,5	56,2		No
	3.10.2015	13:30	22,5	55,8		No
	3.10.2015	13:45	22,5	56,4		No
	3.10.2015	14:00	22,6	55,8		No

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	3.10.2015	14:15	22,5	57,5			No
			3.10.2015	14:30	22,6	56			No
			3.10.2015	14:45	22,7	55,5			No
			3.10.2015	15:00	22,7	56,5			No
			3.10.2015	15:15	22,7	55,2			No
			3.10.2015	15:30	22,7	56,2			No
			3.10.2015	15:45	22,8	55,1			No
			3.10.2015	16:00	22,8	56,8			No
			3.10.2015	16:15	22,9	56,1			No
			3.10.2015	16:30	22,9	57			No
			3.10.2015	16:45	23	56,3			No
			3.10.2015	17:00	23,1	56,9			No
			3.10.2015	17:15	23,1	56,5			No
			3.10.2015	17:30	23,2	55,8			No
			3.10.2015	17:45	23,2	56,6			No
			3.10.2015	18:00	23,3	55,8			No
			3.10.2015	18:15	23,2	56,9			No
			3.10.2015	18:30	23,3	55,9			No
			3.10.2015	18:45	23,3	55,9			No
			3.10.2015	19:00	23,3	56,2			No
			3.10.2015	19:15	23,4	55,5			No
			3.10.2015	19:30	23,3	56,6			No
			3.10.2015	19:45	23,4	55,7			No
			3.10.2015	20:00	23,3	55,9			No
			3.10.2015	20:15	23,4	55,2			No
			3.10.2015	20:30	23,3	56,3			No
			3.10.2015	20:45	23,4	55,4			No
			3.10.2015	21:00	23,3	56,3			No
			3.10.2015	21:15	23,4	55,5			No
			3.10.2015	21:30	23,3	56,3			No
			3.10.2015	21:45	23,3	55,7			No
			3.10.2015	22:00	23,3	56,4			No
			3.10.2015	22:15	23,3	55,6			No
			3.10.2015	22:30	23,3	56,3			No
			3.10.2015	22:45	23,3	55,5			No
			3.10.2015	23:00	23,2	56,8			No
			3.10.2015	23:15	23,3	55			No
			3.10.2015	23:30	23,2	55,9			No
			3.10.2015	23:45	23,2	55,3			No
			4.10.2015	0:00	23,2	56,1			No
			4.10.2015	0:15	23,2	55,4			No
			4.10.2015	0:30	23,2	56,3			No
			4.10.2015	0:45	23,2	55,5			No
			4.10.2015	1:00	23,1	56,4			No
			4.10.2015	1:15	23,1	55,5			No
			4.10.2015	1:30	23,1	56,4			No
			4.10.2015	1:45	23,1	55,5			No
			4.10.2015	2:00	23,1	56,3			No
			4.10.2015	2:15	23,1	55,6			No
			4.10.2015	2:30	23,1	56,5			No
			4.10.2015	2:45	23,1	55,7			No
			4.10.2015	3:00	23	56,5			No
			4.10.2015	3:15	23	55,9			No
			4.10.2015	3:30	23	56,6			No
			4.10.2015	3:45	23	55,9			No
			4.10.2015	4:00	23	56,5			No
			4.10.2015	4:15	23	56			No
			4.10.2015	4:30	23	56,9			No
			4.10.2015	4:45	22,9	56,2			No
			4.10.2015	5:00	22,9	56,6			No
			4.10.2015	5:15	22,9	56,1			No
			4.10.2015	5:30	22,9	56,8			No
			4.10.2015	5:45	22,9	56,2			No
			4.10.2015	6:00	22,9	57,5	22,9	56,7	Yes
			4.10.2015	6:15	22,9	56,2	22,9	56,7	Yes
			4.10.2015	6:30	22,8	57,7	22,9	56,9	Yes
			4.10.2015	6:45	22,8	56,2	22,9	56,9	Yes
			4.10.2015	7:00	22,8	56,8	22,8	56,7	Yes
			4.10.2015	7:15	22,8	56,2	22,8	56,7	Yes
			4.10.2015	7:30	22,8	57,1	22,8	56,6	Yes
			4.10.2015	7:45	22,8	56,3	22,8	56,6	Yes
			4.10.2015	8:00	22,7	56,8	22,8	56,6	Yes
			4.10.2015	8:15	22,7	56,3	22,8	56,6	Yes
			4.10.2015	8:30	22,7	57	22,7	56,6	Yes
			4.10.2015	8:45	22,7	56,4	22,7	56,6	Yes
			4.10.2015	9:00	22,7	57,4	22,7	56,8	Yes
			4.10.2015	9:15	22,7	56,6	22,7	56,9	Yes
			4.10.2015	9:30	22,7	56,8	22,7	56,8	Yes
			4.10.2015	9:45	22,6	56,9	22,7	56,9	Yes
			4.10.2015	10:00	22,6	56,2	22,7	56,6	Yes
			4.10.2015	10:15	22,6	57,1	22,6	56,8	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

			4.10.2015	10:30	22,6	56,5	22,6	56,7	Yes
			4.10.2015	10:45	22,6	57,3	22,6	56,8	Yes
			4.10.2015	11:00	22,6	56,9	22,6	57,0	Yes
			4.10.2015	11:15	22,6	56,3	22,6	56,8	Yes
			4.10.2015	11:30	22,6	57,1	22,6	56,9	Yes
			4.10.2015	11:45	22,6	56,6	22,6	56,7	Yes
			4.10.2015	12:00	22,7	56,2	22,6	56,6	Yes
			4.10.2015	12:15	22,7	55,8	22,7	56,4	Yes
			4.10.2015	12:30	22,7	55,6	22,7	56,1	Yes
			4.10.2015	12:45	22,7	56,8	22,7	56,1	Yes
			4.10.2015	13:00	22,7	56,2	22,7	56,1	Yes
			4.10.2015	13:15	22,7	55,9	22,7	56,1	Yes
			4.10.2015	13:30	22,7	55,6	22,7	56,1	Yes
			4.10.2015	13:45	22,7	56,7	22,7	56,1	Yes
			4.10.2015	14:00	22,8	56,6	22,7	56,2	Yes
			4.10.2015	14:15	22,8	55,9	22,8	56,2	Yes
			4.10.2015	14:30	22,7	57,1	22,8	56,6	Yes
			4.10.2015	14:45	22,8	56,7	22,8	56,6	Yes
			4.10.2015	15:00	22,8	57,1	22,8	56,7	Yes
			4.10.2015	15:15	22,8	57	22,8	57,0	Yes
			4.10.2015	15:30	22,8	56,6	22,8	56,9	Yes
			4.10.2015	15:45	22,9	57,6	22,8	57,1	Yes
			4.10.2015	16:00	22,9	57	22,9	57,1	Yes
			4.10.2015	16:15	22,9	56,6	22,9	57,0	Yes
			4.10.2015	16:30	22,9	57,5	22,9	57,2	Yes
			4.10.2015	16:45	22,9	57	22,9	57,0	Yes
			4.10.2015	17:00	23	56,5	22,9	56,9	Yes
			4.10.2015	17:15	23	56,7	23,0	56,9	Yes
			4.10.2015	17:30	23	57	23,0	56,8	Yes
			4.10.2015	17:45	23	56,5	23,0	56,7	Yes
			4.10.2015	18:00	23	56	23,0	56,6	Yes
			4.10.2015	18:15	23	56,9	23,0	56,6	Yes
			4.10.2015	18:30	23	56,4	23,0	56,5	Yes
			4.10.2015	18:45	23	56,7	23,0	56,5	Yes
			4.10.2015	19:00	23	56,9	23,0	56,7	Yes
			4.10.2015	19:15	23	56,3	23,0	56,6	Yes
			4.10.2015	19:30	23	56,7	23,0	56,7	Yes
			4.10.2015	19:45	23	56,8	23,0	56,7	Yes
			4.10.2015	20:00	23	56,8	23,0	56,7	Yes
			4.10.2015	20:15	23	56,6	23,0	56,7	Yes
			4.10.2015	20:30	23	56,2	23,0	56,6	Yes
			4.10.2015	20:45	23	57,1	23,0	56,7	Yes
			4.10.2015	21:00	23	56,5	23,0	56,6	Yes
			4.10.2015	21:15	23	56	23,0	56,5	Yes
			4.10.2015	21:30	23	56,9	23,0	56,6	Yes
			4.10.2015	21:45	23	56,3	23,0	56,4	Yes
			4.10.2015	22:00	22,9	56,9	23,0	56,5	Yes
			4.10.2015	22:15	22,9	56,6	23,0	56,7	Yes
			4.10.2015	22:30	22,9	56	22,9	56,5	Yes
			4.10.2015	22:45	22,9	56,8	22,9	56,6	Yes
			4.10.2015	23:00	22,9	56,2	22,9	56,4	Yes
			4.10.2015	23:15	22,9	57	22,9	56,5	Yes
			4.10.2015	23:30	22,9	56,5	22,9	56,6	Yes
			4.10.2015	23:45	22,9	56,8	22,9	56,6	Yes
			5.10.2015	0:00	22,8	56,8	22,9	56,8	Yes
			5.10.2015	0:15	22,8	56,2	22,9	56,6	Yes
			5.10.2015	0:30	22,8	56,9	22,8	56,7	Yes
			5.10.2015	0:45	22,8	56,4	22,8	56,6	Yes
			5.10.2015	1:00	22,8	57,3	22,8	56,7	Yes
			5.10.2015	1:15	22,8	56,7	22,8	56,8	Yes
			5.10.2015	1:30	22,8	56,8	22,8	56,8	Yes
			5.10.2015	1:45	22,8	57	22,8	57,0	Yes
			5.10.2015	2:00	22,7	56,4	22,8	56,7	Yes
			5.10.2015	2:15	22,7	57,1	22,8	56,8	Yes
			5.10.2015	2:30	22,7	56,5	22,7	56,8	Yes
			5.10.2015	2:45	22,7	57,6	22,7	56,9	Yes
			5.10.2015	3:00	22,7	56,8	22,7	57,0	Yes
			5.10.2015	3:15	22,7	56,8	22,7	56,9	Yes
			5.10.2015	3:30	22,7	57	22,7	57,1	Yes
			5.10.2015	3:45	22,7	56,4	22,7	56,8	Yes
			5.10.2015	4:00	22,6	57,2	22,7	56,9	Yes
			5.10.2015	4:15	22,6	56,7	22,7	56,8	Yes
			5.10.2015	4:30	22,6	56,2	22,6	56,6	Yes
			5.10.2015	4:45	22,6	55,8	22,6	56,5	Yes
			5.10.2015	5:00	22,6	56,9	22,6	56,4	Yes
			5.10.2015	5:15	22,6	55,9	22,6	56,2	Yes
			5.10.2015	5:30	22,5	56,8	22,6	56,4	Yes
			5.10.2015	5:45	22,6	56,4	22,6	56,5	Yes
			5.10.2015	6:00	22,8	58,2	22,6	56,8	Yes
			5.10.2015	6:15	23	53,6	22,7	56,3	Yes
			5.10.2015	6:30	23	59,6	22,9	57,0	Yes

TEST REPORT

Creation date of report: 21.10.2015

Signature: jelele

TYPE OF TEST: ISO 19752

N/A	N/A	N/A	7.10.2015	19:30	23,7	56,3	23,7	56,9	Yes
			7.10.2015	19:45	23,7	57,9	23,7	57,0	Yes
			7.10.2015	20:00	23,7	56,9	23,7	57,0	Yes
			7.10.2015	20:15	23,7	56,7	23,7	57,0	Yes
			7.10.2015	20:30	23,6	58,3	23,7	57,5	Yes
			7.10.2015	20:45	23,6	57,7	23,7	57,4	Yes
			7.10.2015	21:00	23,6	57,3	23,6	57,5	Yes
			7.10.2015	21:15	23,6	56,8	23,6	57,5	Yes
			7.10.2015	21:30	23,6	56,7	23,6	57,1	Yes
			7.10.2015	21:45	23,6	56,6	23,6	56,9	Yes
			7.10.2015	22:00	23,6	56,5	23,6	56,7	Yes
			7.10.2015	22:15	23,6	57,7	23,6	56,9	Yes
			7.10.2015	22:30	23,5	57,1	23,6	57,0	Yes
			7.10.2015	22:45	23,6	57,5	23,6	57,2	Yes
			7.10.2015	23:00	23,5	58,3	23,6	57,7	Yes
			7.10.2015	23:15	23,5	57,3	23,5	57,6	Yes
			7.10.2015	23:30	23,5	59,3	23,5	58,1	Yes
			7.10.2015	23:45	23,5	58,4	23,5	58,3	Yes
			8.10.2015	0:00	23,5	58	23,5	58,3	Yes
			8.10.2015	0:15	23,5	57,7	23,5	58,4	Yes
			8.10.2015	0:30	23,5	57,5	23,5	57,9	Yes
			8.10.2015	0:45	23,5	57,3	23,5	57,6	Yes
			8.10.2015	1:00	23,4	57,1	23,5	57,4	Yes
			8.10.2015	1:15	23,5	56,9	23,5	57,2	Yes
			8.10.2015	1:30	23,4	56,8	23,5	57,0	Yes
			8.10.2015	1:45	23,4	56,7	23,4	56,9	Yes
			8.10.2015	2:00	23,4	58,1	23,4	57,1	Yes
			8.10.2015	2:15	23,4	57,6	23,4	57,3	Yes
			8.10.2015	2:30	23,3	57,3	23,4	57,4	Yes
			8.10.2015	2:45	23,4	57,1	23,4	57,5	Yes
			8.10.2015	3:00	23,3	58,7	23,4	57,7	Yes
			8.10.2015	3:15	23,3	58	23,3	57,8	Yes
			8.10.2015	3:30	23,3	57,6	23,3	57,9	Yes
			8.10.2015	3:45	23,3	57,3	23,3	57,9	Yes
			8.10.2015	4:00	23,3	57,1	23,3	57,5	Yes
			8.10.2015	4:15	23,3	58,4	23,3	57,6	Yes
			8.10.2015	4:30	23,3	58,2	23,3	57,8	Yes
			8.10.2015	4:45	23,3	57,7	23,3	57,9	Yes
			8.10.2015	5:00	23,2	58,5	23,3	58,2	Yes
			8.10.2015	5:15	23,2	58,3	23,3	58,2	Yes
			8.10.2015	5:30	23,2	57,7	23,2	58,1	Yes
			8.10.2015	5:45	23,2	59,1	23,2	58,4	Yes
			8.10.2015	6:00	23,3	54,3	23,2	57,4	Yes
			8.10.2015	6:15	23,2	62,4	23,2	58,4	Yes
			8.10.2015	6:30	23,2	52,8	23,2	57,2	Yes
			8.10.2015	6:45	23,2	59,2	23,2	57,2	Yes
			8.10.2015	7:00	23,1	49,8	23,2	56,1	Yes
			8.10.2015	7:15	23,1	56,6	23,2	54,6	Yes
			8.10.2015	7:30	22,9	54,4	23,1	55,0	Yes
			8.10.2015	7:45	23	50,2	23,0	52,8	Yes
			8.10.2015	8:00	23,1	54,9	23,0	54,0	Yes
			8.10.2015	8:15	22,9	51	23,0	52,6	Yes
			8.10.2015	8:30	22,9	49,9	23,0	51,5	Yes
			8.10.2015	8:45	23,2	56,2	23,0	53,0	Yes
			8.10.2015	9:00	23,1	54,1	23,0	52,8	Yes
			8.10.2015	9:15	23	48,6	23,1	52,2	Yes
			8.10.2015	9:30	22,9	54,7	23,1	53,4	Yes
			8.10.2015	9:45	23,1	58,5	23,0	54,0	Yes
			8.10.2015	10:00	22,9	51,1	23,0	53,2	Yes
			8.10.2015	10:15	23,2	53,3	23,0	54,4	Yes