# **Office Lockers**



## Sizes & Compartments Available

#### Sizes:

1800Hx300Wx300Dmm 1800Hx300Wx450Dmm

#### **Door Compartment Options:**

- 1 Compartment
- 2 Compartments
- 3 Compartments
- 4 Compartments
- 5 Compartments
- 6 Compartments

### **Internal Compartment Sizes:** 1800Hx300Wx300Dmm

- 1 Compartment 1698Hx245Wx275Dmm
- 2 Compartments 830Hx245Wx275Dmm
- 3 Compartments 548Hx245Wx275Dmm
- 4 Compartments 408Hx245Wx275Dmm
- 5 Compartments 318Hx245Wx275Dmm
- 6 Compartments 260Hx245Wx275Dmm

#### 1800Hx300Wx450Dmm

- 1 Compartment 1698Hx245Wx430Dmm
- 2 Compartments 830Hx245Wx430Dmm
- 3 Compartment 548Hx245Wx430Dmm
- 4 Compartments 408Hx245Wx430Dmm
- 5 Compartments 318Hx245Wx430Dmm
- 6 Compartments 260Hx245Wx430mm











# **Office Lockers**





#### **Paint Finish**

A three-stage pre-treatment and phosphate coating are applied.

Carcass and doors are powder-coated with one coat of epoxy polyester full gloss powder, stoved at 180 deg, including our germ guard anti-bacterial compound.

The carcass and doors are powder-coated with the choice of white RAL BS 00.E.55 or Jet Black RAL 9005



### Cleaning & Maintenance

Clean paint work periodically with warm soapy water or foaming cleaner. Oil hinges and lock sparingly as required with a light oil (3in1 or similar).



### **Locker Construction**

#### **General Construction:**

- 0.7mm mild steel, pop riveted carcass construction.
- Rust-resisting galvanised shelves.
- Delivered as a fully assembled unit.
- Pre-drilled carcass for nesting lockers together to complete a run/bank.
- Fitted with standard master cam locks with 2,000 differs or digital keypad locks. Additional locks can be purchased such as our Echo Locks or Key Card Locks. These are additional to purchase, please speak to our sales team for details and pricing.
- Single compartment locker fitted with top shelf and coat hook.
- Two-tier lockers fitted with coat hook in each compartment.
- Reaction to Fire Classification EN 13501-1 supporting documents are available from our sales or marketing team.

#### **Locker Door Construction:**

• A door stiffener is spot welded vertically in the centre of the door (except for 6 door units), the door is attached by pop rivets to the right-hand side of the carcase with two 38mm butt hinges and fitted with 10 disc key operated cam lock. Alternatively, swivel latch locks (to accept padlocks supplied by others) can be specified.







# **Office Lockers**





### Replacement Locks & Spare Keys

Replacement locks and keys are available from QMP. Replacement keys are available from Fast Key Ltd. www.fastkeys.co.uk - sales@fastkeys.co.uk.



### **Delivery**

1800Hx300Wx300Dmm & 1800Hx300Wx450Dmm - 10-15 working days



#### **Smart Lockers - Locks**

**Echo Locks** - Unlock and lock with just the tap of a smartphone. No Keys, no batteries and no maintenance. The smart locks require the use of a simple app and subscription. Please speak to sales for further details and pricing.

**Keycard Locks** - Convenience of a contactless digital lock that lets you effortlessly secure and access your locker with a smiple key card.







