PRODUCT SAFETY DATA SHEET



HEALTH + HYGIENE + HOME

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

FINISH Professional Liquid Regular Contains Potassium Hydroxide. Sodium Hypochlorite

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergent for use in domestic automatic dishwashers

1.3. Details of the Supplier of the Safety Data Sheet

The United Kingdom:RB UK Commercial Ltd

Reckitt Benckiser Ireland Ltd

Wellcroft House 7 Riverwalk

Wellcroft Road Citywest Business Campus

Slough Dublin 24
Berkshire Ireland

SL1 4AQ

1.4 Emergency telephone number

RB UK Contact Telephone: 0845 769 7079 RB ROI Contact Telephone: 01 661 7318

Only available during the following office hours: 09:00 - 17:00 weekdays

RB Contact Email: consumer.relations-ukroi@rb.com

Poisons Information Centre of Ireland: 01 809 2166 8am-10pm 7 days a week

 Revision Date:
 Revision
 Replacing
 RB Ref No:

 1 February 2017
 5
 3522134704 01 Apr 2015
 3522134705

Revisions: Updated data sheet, multiple changes

Additional useful information

Product Format: Colourless liquid

Product Identification Code

Class & Packing Group 8 II

Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, Sodium

hypochlorite) Store below 50°C

Page 1 of 21



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product definition Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

May be corrosive to metals.

Precautionary statements

General : Keep out of reach of children. If medical advice is needed, have product container

or label at hand.

Prevention : Wear protective gloves. Wear eye or face protection. Wear protective clothing.

Avoid release to the environment.

Response : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting, Immediately call a

> POISON CENTER or physician. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

Storage : Store locked up.

 Dispose of contents and container in accordance with all local, regional, national Disposal

and international regulations.

Hazardous ingredients

(CLP)

Supplemental label

elements (CLP)

: Potassium hydroxide

: Warning! Do not use together with other products. May release dangerous gases

(chlorine).

Ingredient Declaration: rbeuroinfo.com

5 - 15% Phosphates

< 5 % Chlorine-based bleaching agents

< 5 % Polycarboxylate

Special packaging requirements

Containers to be fitted

: FN892

with child-resistant

fastenings

Tactile warning of danger : EN/ISO 11683

EN = European Standard (Norm)

EN = European Standard (Norm)

2.3 Other hazards

Other hazards which do not result in classification None known.

Additional information : Short term Skin Bleaching agent, IF ON SKIN: Rinse skin with water.

Additional guidance Do not mix with household chemicals. May release dangerous gases (chlorine).



SECTION 3: Composition/Information on Ingredients

Substance/mixture : Mixture

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Type
potassium hydroxide	REACH #: 01-2119487136-33 EC: 215-181-3 CAS: 1310-58-3 Index: 019-002-00-8	10 - 15	Xn; R22 C; R35	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318	[1]
Silicic acid, sodium salt	REACH #: 01-2119448725-31 EC: 215-687-4 CAS: 1344-09-8	2.5 - 5	Xi; R41, R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	[1]
sodium hypochlorite, solution	REACH #: 01-2119488154-34 EC: 231-668-3 CAS: 7681-52-9 Index: 017-011-00-1	< 2.5	C; R34 R31 N; R50	Skin Corr. 1B, H314 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH031	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : None

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.



SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye contact : Get medical attention immediately. Call a poison center or physician. Immediately

flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

Inhalation : Get medical attention immediately. Call a poison center or physician. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

Skin contact : Get medical attention immediately. Call a poison center or physician. Flush

contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Ingestion : Get medical attention immediately. Call a poison center or physician. Wash out

mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Severely corrosive to the skin. Causes severe burns.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains



4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Notes to physician

Specific treatments : No specific treatment.



SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing

media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: phosphorus oxides halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways. drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.



SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific

: Professional uses : Not available.

solutions



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Product/ingredient name	Exposure limit values
Europe	
potassium hydroxide	MZCR PEL/NPK-P (Czech Republic, 1/2013).
potassium nydroxide	TWA: 1 mg/m³ 8 hours.
	STEL: 2 mg/m³ 15 minutes.
	AFS 2011:18 (Sweden, 12/2011).
	TWA: 1 mg/m³ 8 hours. Form: Inhalable dust
	CEIL: 2 mg/m3 15 minutes. Form: Inhalable dust
	INSHT (Spain, 1/2014).
	STEL: 2 mg/m³ 15 minutes.
	Arbejdstilsynet (Denmark, 10/2012).
	CEIL: 2 mg/m³
	Työterveyslaitos, Sosiaali- ja terveysministeriö (Finland, 3/20
).
	CEIL: 2 mg/m³
	NAOSH (Ireland, 12/2011).
	OELV-15min: 2 mg/m³ 15 minutes.
	SUVA (Switzerland, 1/2014).
	TWA: 2 mg/m³ 8 hours. Form: Inhalable dust (total dust)
	FOR-2011-12-06-1358 (Norway, 1/2013).
	CEIL: 2 mg/m³
	EH40/2005 WELs (United Kingdom (UK), 12/2011).
	STEL: 2 mg/m³ 15 minutes.
	25/2000. (IX. 30.) EüM-SzCsM együttes rendelet (Hungary, 12/2011).
	TWA: 2 mg/m³ 8 hours.
	PEAK: 2 mg/m³ 15 minutes.
	Rozporzadzenie Ministra Pracy i Polityki Spolecznej (Dz.U.
	2014 poz. 817) (Poland, 6/2014).
	TWA: 0.5 mg/m³ 8 hours.
	STEL: 1 mg/m³ 15 minutes.
	Töökeskkonna keemiliste ohutegurite piirnormid määrus nr
	293 (Estonia, 1/2008).
	TWA: 2 mg/m³ 8 hours.
	Instituto Português da Qualidade (Portugal, 11/2014).
	CEIL: 2 mg/m³
	Υπουργείο Εργασίας και Κοινωνικών Υποθέσεων (Greece,
	2/2012).
	TWA: 2 mg/m³ 8 hours.
	STEL: 2 mg/m³ 15 minutes.
	Lijst Grenswaarden / Valeurs Limites (Belgium, 4/2014).
	_M: 2 mg/m³
	България Министерство на труда и социалната политика
	Министерството на здравеопазването (Bulgaria, 1/2012).
	Limit value 8 hours: 2 mg/m³ 8 hours.
	HG 1218/2006 cu modificările şi completările ulterioare (
	Romania, 1/2012).
	VLA: 1 mg/m³, (expressed as sodium hydroxide) 8 hours.
	Short term: 3 mg/m³, (expressed as sodium hydroxide) 15 minut
	РО МинЗдраСоц ПДК (Russian Federation, 9/2011).
	CEIL: 0.5 mg/m³, (as sodium hydrocarbonate) Form: aerosol
	GKV_MAK (Austria, 12/2011).
	TWA: 2 mg/m³ 8 hours. Form: inhalable fraction
	MinGoRP GVI/KGVI (Croatia, 6/2013).
	STELV: 2 mg/m³ 15 minutes.



Velferdarráðuneytið, Mengunarmarkaskrá (Iceland, 4/2009).

STEL: 2 mg/m3 15 minutes.

Ministerio de Trabajo, Empleo y Seguridad Social (Argentina, 11/2003).

CEIL: 2 mg/m3

Ministerio de Salud - TLV (Peru, 7/2005).

CEIL: 2 mg/m3

Menteri Tenaga Kerja dan Transmigrasi (Indonesia, 9/2014). Absorbed through skin.

STEL: 2 mg/m3 15 minutes.

Ministère du travail (France, 7/2012). Notes: Ministry of Labour (Brochure INRS Ed 984, July 2012). Indicative exposure limits

STEL: 2 mg/m3 15 minutes.

DOL OEL (South Africa, 8/1995). Notes: Recommended limit

STEL: 2 mg/m3 15 minutes.

procedures

Recommended monitoring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Manufacturer: Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists. gases or dusts. If contact is possible, the following protection should be worn. unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Permeation level 6, Penetration level 3 following EN374, taking into consideration the exposure of chemicals given in chapter 3.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



Other skin protection

 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. [Viscous liquid.]

Color : Colorless. Odor : Characteristic. : Not available. Odor threshold pΗ : 13.55 to 13.95

Melting point/freezing point : <0°C Initial boiling point and : >100°C

boiling range

Flash point : Closed cup: >100°C [flash point value based on ingredient data]

Evaporation rate : Not available. : Not available. Flammability (solid, gas) **Burning time** : Not applicable. : Not applicable. Burning rate Upper/lower flammability or : Not available.

explosive limits

: Not available. Vapor pressure : Not available. Vapor density

Density : 1.265 to 1.305 g/cm3 [20°C]

Solubility(ies) : Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/ : Not available.

water

Decomposition temperature : Not available.

Viscosity : Dynamic (room temperature): 100 mPa·s

Explosive properties : Not available. Oxidizing properties : Not available. : corrosive Alkali. Test [g HCI/100g

Product]

Corrosivity Remarks : Not available.

9.2 Other information

No additional information.



SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product may not be stable under certain conditions of storage or use. See

"Possibility of Hazardous Reactions" for further information.

10.3 Possibility of Hazardous reactions or instability may occur under certain conditions of storage or use.

Contact with acids liberates toxic gas.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products Instability Conditions : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Conditions : Keep away from heat and direct sunlight.

Instability temperature : 50°C (122°F)



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
potassium hydroxide	LD50 Oral	Rat	273 mg/kg	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Acute toxicity estimates

Route	ATE value		
Oral	4902 mg/kg		

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
potassium hydroxide	Eyes - Moderate irritant	Rabbit	-	24 hours 1 milligrams	-
	Skin - Severe irritant	Guinea pig	-	24 hours 50 milligrams	-
	Skin - Severe irritant	Human	-	24 hours 50 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 50 milligrams	-
Silicic acid, sodium salt	Eyes - Severe irritant	Rabbit	-	24 hours 10 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-
sodium hypochlorite, solution	Eyes - Mild irritant	Rabbit	-	1.31 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-

Skin : Based on Calculation method: Causes Severe Skin Burns.

Eyes : Based on Calculation method: Causes serious eye damage.

Respiratory : Based on available data, the classification criteria are not met.

<u>Sensitization</u>

No known effect according to our database.

Skin : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

No known effect according to our database.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

No known effect according to our database.

Conclusion/Summary : Ba Reproductive toxicity

: Based on available data, the classification criteria are not met.

No known effect according to our database.

Conclusion/Summary : Based on available data, the classification criteria are not met.

<u>Teratogenicity</u>

No known effect according to our database.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Silicic acid, sodium salt	Category 3	Not applicable.	Respiratory tract irritation



Specific target organ toxicity (repeated exposure)

No known effect according to our database.

Aspiration hazard

No known effect according to our database.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Severely corrosive to the skin. Causes severe burns.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Other information : Not available.



SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
potassium hydroxide	Acute LC50 80 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours
Silicic acid, sodium salt	Acute EC50 33.53 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 494000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
sodium hypochlorite, solution	Acute EC50 46000 µg/l Marine water	Algae - Gracilaria tenuistipitata	4 days
	Acute LC50 56400 µg/l Marine water	Crustaceans - Palaemonetes pugio	48 hours
	Acute LC50 32 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 32 µg/l Marine water	Fish - Oncorhynchus kisutch - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 10000 µg/l Marine water	Algae - Gracilaria tenuistipitata	4 days
	Chronic NOEC 0.1 ppm Fresh water	Fish - Cyprinus carpio - Young	30 days

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

No known effect according to our database.

12.3 Bioaccumulative potential

No known effect according to our database.

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.



SECTION 13: DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes. European waste catalogue (EWC)

Waste code	Waste designation	
20 01 15*	Alkalines	

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	UN3266	UN3266	UN3266	UN3266
14.2 UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite, solution, mixture)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	Corrosive liquid, basic, inorganic, n.o.s. (potassium hydroxide, sodium hypochlorite, solution)
14.3 Transport hazard class(es)	8	8	8	8
14.4 Packing group	II	II	II	II
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	Hazard identification number 80 Limited quantity 1 L Special provisions 274 Tunnel code (E)	Special provisions 274	Emergency schedules (EmS) F-A, S-B Special provisions 274	The environmentally hazardous substance mark may appear if required by other transportation regulations.

For long distance transport of bulk material or shrunk pallet take into consideration sections 7 and 10.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Annex XVII - Restrictions : None

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Europe inventory : All components are listed or exempted.

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Air

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Water

CMR Substances

None of the components are listed.

Hazard class for water : PAppendix No. 4

15.2 Chemical Safety

Assessment

: Complete.



SECTION 16: OTHER INFORMATION

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Key literature references and sources for data Not available.

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aguatic Chronic 3, H412

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Met. Corr. 1, H290	Expert judgment
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Chronic 3, H412	Calculation method

Europe

Full text of abbreviated H

statements

: H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335i May cause respiratory irritation.

H400 Very toxic to aquatic life.EUH031 Contact with acids liberates toxic gas.

Full text of classifications [CLP/GHS]

Aquatic Acute 1, H400

ACUTE TOXICITY: ORAL - Category 4 AQUATIC TOXICITY (ACUTE) - Category 1

Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Met. Corr. 1, H290 CORROSIVE TO METALS - Category 1
Skin Corr. 1A, H314 SKIN CORROSION/IRRITATION - Category 1A
Skin Corr. 1B, H314 SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2
STOT SE 3, H335i SPECIFIC TARGET ORGAN TOXICITY (SINGLE

EXPOSURE): INHALATION [Respiratory tract irritation] -

Category 3

EUH031 Contact with acids liberates toxic gas.

Full text of abbreviated R phrases

: R22- Harmful if swallowed.

R34- Causes burns. R35- Causes severe burns.

R41- Risk of serious damage to eyes.

R38- Irritating to skin.

R31- Contact with acids liberates toxic gas. R50- Very toxic to aquatic organisms.

Full text of classifications [DSD/DPD]

C - Corrosive
 Xn - Harmful

Xi - Irritant

N - Dangerous for the environment

This document complements the technical usage instructions but does not replace them. The information contained herein is based on our best current knowledge of the product concerned, and is given in good faith. The attention of recipients is drawn to (amongst other things) the element of risk consequent to use of the product other than that for which it was intended.



In no way does this document remove the need of the recipient of the product to fully understand and apply statutory requirements. It is the recipient's sole responsibility to take due precautions relative to the use made of the product. All information contained herein is only to assist the recipient in fulfilling their statutory duty connected with the use of hazardous materials.

This Document may be entitled <u>Product Safety Data Sheet</u> as required by REACH (Registration, Evaluation, Authorisation and restriction of Chemicals) Annex II OR <u>Product Data Information Sheet</u> where a product is not required to be supported by a full REACH compliant SDS (e.g. not classified as hazardous or out of scope, such as cosmetics). Changes from the previous version are given in Section 1.

This list of information must not be considered as exhaustive, and does not exonerate the recipient from taking other precautions described in documents other than those mentioned, concerning the storage and use of the product, for which they remain the sole person responsible.