Canon

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CLI-8PC

DESCRIPTION: Inkjet Cartridge

USED WITH MACHINES: Canon PIXMA iP6700D, Pro9000

MANUFACTURER: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-Ku

Tokyo 146, Japan Phone: 03-3758-2111

DISTRIBUTER: Canon (UK) Ltd

Woodhatch Reigate Surrey RH2 8BF

Phone: 01737 220000

DATE PREPARED: 06/12/2006

DATE REVISED: 06/12/06

UK MSDS REF: MSDSCCI3277

Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: __ Product Code: IC1457-0202 0624B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-8PC

Product Code: 0624B

Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingre		

< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	10 - 15	None / None	(as mist) Total dust TWA = 15 mg/m ³ Respirable fraction TWA = 5 mg/m ³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	$TWA = 20 \text{ ppm},$ 52 mg/m^3 $STEL = 40 \text{ ppm},$ 104 mg/m^3	10 ppm, 26 mg/m ³
Substituted phthalocyanine	Confidential	1 - 5	Xi / R41 R52/53	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

IC1457-0202 MSDS #: Product Code:

0624B

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

May cause slight irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Date of Issue: Revised: April 22, 2005 October 26, 2005



MATERIAL SAFETY DATA SHEET

MSDS #: IC1457-0202
Product Code: 0624B

SECTION 5 FIRE FIG	GHTING MEASURES
Fire Fighting Measures:	
Extinguishing Media:	
CO ₂ , water, foam or dr	ry chemicals
Unsuitable Extinguishin	g Media:
None	
Special Fire Fighting Pr	ocedures:
None	
Unusual Fire and Explos	ion Hazards:
None	
Fire and Explosive Propertie	
Hazardous Combustion CO, CO ₂ , NOx and SO	
Other Properties:	<u>'A</u>
None	
SECTION 6 ACCIDE	NTAL RELEASE MEASURES
Personal Precautions:	
Avoid contact with skin,	eyes and clothing.
Environmental Precautions:	
	surface water or ground water.
Method for Cleaning Up:	
Wipe off with wet cloth of	or paper.
SECTION 7 HANDLE	ING AND STORAGE
Handling:	
Use with adequate ventil	
Avoid contact with skin,	
	out the contaminated area immediately.
Storage:	Dodge of from and load
Keep in a cool and dry pi	ace. Protect from sunlight.
Keep out of the reach of	
Specific Uses:	
Ink for Ink Jet Printer.	
For more information, pl	ease refer to the instruction of this product.
SECTION 8 EXPOSU	URE CONTROLS / PERSONAL PROTECTION
Exposure Guidelines:	
_	nk. (See also SECTION 2)
Engineering Controls:	
Use adequate ventilation	l.
Personal Protection Equipm	nent(s):
Respiratory Protection:	
	☑ Not Required
Eye/Face Protection:	Required
an 1 - 2 - 2	Not Required
Skin Protection:	Required
	☑ Not Required

Page 4 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1457-0202
Product Code: 0624B

SECTION 9 PHYSICAL AND CHI	EMICAL PROPERTIES
Appearance:	Cyan liquid
Odor:	Slight odor
pH:	7 - 9
Boiling Point/Range(${}^{\circ}C$):	Not available
Melting Point/Range($^{\circ}$ C):	Not available
Decomposition Temperature (°C):	Not available
Flash Point(°C):	61.2 (Tag. Closed Cup. Combustion is not sustainable.)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ($^{\circ}$ C):	Not available
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.
Explosive Properties:	Estimate: None
Oxidizing Properties:	Estimate: None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.0 - 1.1
Water Solubility :	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1-3
SECTION 10 STABILITY AND RE.	ACTIVITY
Stability:	
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None

Page 5 of 8



MATERIAL SAFETY DATA SHEET

IC1457-0202 MSDS #:

Product Code: 0624B **SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity: Inhalation:** Not available **Ingestion:** $LD_{50} > 2000 \text{ mg/kg (rat)}$ OECD Guidelines No.423 (2001), 96/54/EC Method B1 tris Eye: Slightly irritating (rabbit) OECD Guidelines No.405 (2002), 92/69/EEC Method B5 Skin: Not irritant (rabbit) OECD Guidelines No.404 (2002), 92/69/EEC Method B4 **Sensitization:** Non-sensitizer (guinea pig) OECD Guidelines No.406 (1992), 96/54/EC Method B6 **Mutagenicity:** Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1457-0202
Product Code: 0624B

SECTION 12	ECOLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effe	Not available Not available
SECTION 13	DISPOSAL CONSIDERATIONS
Method of Disposal	
Disposal should	be subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name	None None
UN Classification:	None
UN Packing Group:	None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
Special Precaution	S: None
SECTION 15 < EU Information > Information on the l	REGULATORY INFORMATION Label:
Symbol & Indic	ation: Not required
R-Phrase:	140t required
Not required	
S-Phrase:	
Not required	
Dangerous Com Not required	
Special Precaut	tions under 1999/45/EC Annex V:
Not required	
Specific Provisions i	in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000	Not regulated
(EC)304/2003:	Not regulated
Others:	None

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1457-0202
Product Code: 0624B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

 Chemical Name
 Weight %

 "Ethylene glycol" (107-21-1)
 5 - 10

 "Copper Compounds"
 1 - 5

 (as Cu)
 (< 0.35)</td>

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Section 2, 9, 11 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1457-0202
Product Code: 0624B

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.