

# Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 15

SDS No.: 707105

V002.0 Revision: 01.07.2023

printing date: 16.08.2023

Replaces version from: 14.07.2022

Unibond NMN Original Tube

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Unibond NMN Original Tube

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Assembly adhesive, dispersion

### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Adhesives

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

# 2.2. Label elements

#### Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains: 1,2-Benzisothiazol-3(2H)-one; Isothiazolinone mixture (C(M)IT/MIT (3:1))

May produce an allergic reaction.

**Precautionary statement:** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

**Precautionary statement:** 

Prevention

P262 Do not get in eyes, on skin, or on clothing.

#### 2.3. Other hazards

None if used properly.

Following substances are present in a concentration ≥ the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration  $\geq$  the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	Concentration	Classification	Specific Conc. Limits, M-	Add.
CAS-No.			factors and ATEs	Information
EC Number				
REACH-Reg No.				
1,2-Benzisothiazol-3(2H)-one	0,005-< 0,05 %	Aquatic Acute 1, H400	Skin Sens. 1; H317; C >= 0,05 %	
2634-33-5	( 50 ppm- < 500	Aquatic Chronic 2, H411	=====	
220-120-9	ppm)	Acute Tox. 4, Oral, H302	M acute = 1	
01-2120761540-60		Skin Irrit. 2, H315		
		Skin Sens. 1, H317		
		Eye Dam. 1, H318		
		Acute Tox. 2, Inhalation, H330		
Isothiazolinone mixture	0,0001-< 0,0015	Aquatic Chronic 1, H410	Skin Irrit. 2; H315; C 0,06 - < 0,6	
(C(M)IT/MIT (3:1))	%	Skin Corr. 1C, H314	%	
55965-84-9	( 1 ppm- < 15 ppm)	Acute Tox. 2, Dermal, H310	Skin Corr. 1C; H314; C >= 0,6 %	
01-2120764691-48		Acute Tox. 3, Oral, H301	Eye Irrit. 2; H319; C 0,06 - < 0,6	
		Eye Dam. 1, H318	%	
		Acute Tox. 2, Inhalation, H330	Eye Dam. 1; H318; C >= 0,6 %	
		Aquatic Acute 1, H400	Skin Sens. 1A; H317; C >=	
		Skin Sens. 1A, H317	0,0015 %	
			=====	
			M acute = 100	
			M chronic = 100	

If no ATE values are displayed, please refer to LD/LC50 values in Section 11. For full text of the H - statements and other abbreviations see section 16 "Other information".

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

#### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

#### 5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Avoid contact with skin and eyes.

### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to Section 13.

Remove mechanically.

#### 6.4. Reference to other sections

See advice in section 8

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid skin and eye contact.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place.
Keep only in original container.
Storage at 0 to 30°C is recommended.
Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

# 7.3. Specific end use(s)

Assembly adhesive, dispersion

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Occupational Exposure Limits**

Valid for

Great Britain

Ingredient [Regulated substance]	ppm	mg/m³	• •	Short term exposure limit category / Remarks	Regulatory list
Dolomite 16389-88-1 [DUST, INHALABLE DUST]		10	Time Weighted Average (TWA):		EH40 WEL
Dolomite 16389-88-1 IDUST RESPIRABLE DUSTI		4	Time Weighted Average (TWA):		EH40 WEL

# **Occupational Exposure Limits**

Valid for

Ireland

Ingredient [Regulated substance]	ppm	mg/m³	Value type	Short term exposure limit category / Remarks	Regulatory list
Dolomite 16389-88-1 [DUSTS NON-SPECIFIC]		4	Time Weighted Average (TWA):		IR_OEL
Dolomite 16389-88-1 [DUSTS NON-SPECIFIC]		10	Time Weighted Average (TWA):		IR_OEL

# $\label{eq:predicted} \textbf{Predicted No-Effect Concentration (PNEC):}$

Name on list	Environmental Compartment	Exposure period	Value				Remarks
	Compartment	periou	mg/l	ppm	mg/kg	others	
1,2-Benzisothiazol-3(2H)-one	aqua		0,00403	PP	25/5	- CLICES	
2634-33-5	(freshwater)		mg/l				
1,2-Benzisothiazol-3(2H)-one	aqua (marine		0,000403				
2634-33-5	water)		mg/l				
1,2-Benzisothiazol-3(2H)-one	aqua		0,0011				
2634-33-5	(intermittent		mg/l				
	releases)		8				
1,2-Benzisothiazol-3(2H)-one	sewage		1,03 mg/l				
2634-33-5	treatment plant		, ,				
	(STP)						
1,2-Benzisothiazol-3(2H)-one	sediment				0,0499		
2634-33-5	(freshwater)				mg/kg		
1,2-Benzisothiazol-3(2H)-one	sediment				0,00499		
2634-33-5	(marine water)				mg/kg		
1,2-Benzisothiazol-3(2H)-one	Soil				3 mg/kg		
2634-33-5					- 8 8		
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	aqua		0,00339				
mixt. with 2-methyl-3(2H)-isothiazolone	(freshwater)		mg/l				
(3:1)							
55965-84-9							
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	aqua (marine		0,00339				
mixt. with 2-methyl-3(2H)-isothiazolone	water)		mg/l				
(3:1)							
55965-84-9							
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	sewage		0,23 mg/l				
mixt. with 2-methyl-3(2H)-isothiazolone	treatment plant						
(3:1)	(STP)						
55965-84-9							
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	sediment				0,027		
mixt. with 2-methyl-3(2H)-isothiazolone	(freshwater)				mg/kg		
(3:1)							
55965-84-9							
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	sediment				0,027		
mixt. with 2-methyl-3(2H)-isothiazolone	(marine water)				mg/kg		
(3:1)							
55965-84-9	G '1				0.01 #		
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	Soil				0,01 mg/kg		
mixt. with 2-methyl-3(2H)-isothiazolone (3:1)							
55965-84-9							
3(2H)-Isothiazolone, 5-chloro-2-methyl-,	0.000		0.00339	+			
mixt. with 2-methyl-3(2H)-isothiazolone	aqua (intermittent		- ,				
(3:1)	releases)		mg/l				
(3:1) 55965-84-9	releases)						
JJ70J-0 <del>1</del> -7	_1						

# **Derived No-Effect Level (DNEL):**

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Workers	inhalation	Long term exposure - systemic effects		6,81 mg/m3	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Workers	dermal	Long term exposure - systemic effects		0,966 mg/kg	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	General population	inhalation	Long term exposure - systemic effects		1,2 mg/m3	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	General population	dermal	Long term exposure - systemic effects		0,345 mg/kg	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	Workers	inhalation	Long term exposure - local effects		0,02 mg/m3	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	Workers	inhalation	Acute/short term exposure - local effects		0,04 mg/m3	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	General population	inhalation	Long term exposure - local effects		0,02 mg/m3	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	General population	inhalation	Acute/short term exposure - local effects		0,04 mg/m3	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	General population	oral	Long term exposure - systemic effects		0,09 mg/kg	
3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	General population	oral	Acute/short term exposure - systemic effects		0,11 mg/kg	

### **Biological Exposure Indices:**

None

# 8.2. Exposure controls:

Respiratory protection:

Ensure adequate ventilation.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Goggles which can be tightly sealed.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

 $\begin{array}{lll} \mbox{Delivery form} & \mbox{paste} \\ \mbox{Colour} & \mbox{white} \\ \mbox{Odor} & \mbox{specific} \\ \mbox{Physical state} & \mbox{solid} \\ \mbox{Melting point} & \mbox{0 °C (32 °F)} \\ \end{array}$ 

Solidification temperature Not applicable, Product is a solid.

Initial boiling point 100 °C (212 °F)

Flammability The product is not flammable.

Explosive limits Flash point

Auto-ignition temperature

Decomposition temperature

(20 °C (68 °F); Conc.: 100 %; Solvent: Water)

Viscosity (kinematic) Solubility (qualitative)

(20 °C (68 °F); Solvent: Water) Partition coefficient: n-octanol/water

Vapour pressure (20 °C (68 °F)) Density (20 °C (68 °F))

Relative vapour density:

Particle characteristics

Not applicable, Product is a solid. Not applicable, Product is a solid. Not applicable, Product is a solid.

Not applicable, Substance/mixture is not self-reactive, no organic peroxide and does not decompose under foreseen conditions of use

Not applicable, Product is a solid.

Partially miscible

Not applicable Mixture 23 hPa

1,37 g/cm3 Density of sealants (Erichsen Cup)

Not applicable, Product is a solid.

Particle Size Not applicable, mixture is a paste.

#### 9.2. Other information

Other information not applicable for this product

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None if used for intended purpose.

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

See section reactivity

### 10.4. Conditions to avoid

None if used for intended purpose.

### 10.5. Incompatible materials

None if used properly.

# 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

#### General toxicological information:

An allergic reaction cannot be excluded after repeated skin contact.

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
1,2-Benzisothiazol-3(2H)-	LD50	490 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral
one				Toxicity)
2634-33-5				
Isothiazolinone mixture	LD50	66 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
(C(M)IT/MIT (3:1))				
55965-84-9				

# Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
1,2-Benzisothiazol-3(2H)-	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
one				
2634-33-5				
Isothiazolinone mixture	LD50	87,12 mg/kg	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
(C(M)IT/MIT (3:1))				
55965-84-9				

### Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Test atmosphere	Exposure	Species	Method
CAS-No.	type			time		
1,2-Benzisothiazol-3(2H)-	LC50	0,4 mg/l	dust/mist	4 h	rat	OECD Guideline 403 (Acute
one						Inhalation Toxicity)
2634-33-5						
Isothiazolinone mixture	LC50	0,171 mg/l	dust/mist	4 h	rat	OECD Guideline 403 (Acute
(C(M)IT/MIT (3:1))						Inhalation Toxicity)
55965-84-9						•

### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	moderately	4 h	rabbit	EPA OPP 81-5 (Acute Dermal Irritation)
one	irritating			
2634-33-5				
Isothiazolinone mixture	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
(C(M)IT/MIT (3:1))				
55965-84-9				

# Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	corrosive	3 h	rabbit	EPA OPP 81-4 (Acute Eye Irritation)
one				
2634-33-5				
Isothiazolinone mixture	Category 1		rabbit	not specified
(C(M)IT/MIT (3:1))	(irreversible			
55965-84-9	effects on the			
	eye)			

### Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
1,2-Benzisothiazol-3(2H)- one 2634-33-5	sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
1,2-Benzisothiazol-3(2H)- one 2634-33-5	sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	sensitising	Mouse local lymphnode assay (LLNA)	mouse	not specified

# Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
1,2-Benzisothiazol-3(2H)-	negative	bacterial reverse	with and without		OECD Guideline 471
one		mutation assay (e.g			(Bacterial Reverse Mutation
2634-33-5		Ames test)			Assay)
1,2-Benzisothiazol-3(2H)-	negative	mammalian cell	with and without		OECD Guideline 476 (In vitro
one		gene mutation assay			Mammalian Cell Gene
2634-33-5					Mutation Test)
1,2-Benzisothiazol-3(2H)-	positive	in vitro mammalian	with and without		OECD Guideline 473 (In vitro
one	without	chromosome			Mammalian Chromosome
2634-33-5	metabolic	aberration test			Aberration Test)
	activation				
Isothiazolinone mixture	ambiguous	bacterial reverse	with and without		equivalent or similar to OECD
(C(M)IT/MIT (3:1))		mutation assay (e.g			Guideline 471 (Bacterial
55965-84-9		Ames test)			Reverse Mutation Assay)
Isothiazolinone mixture	positive	in vitro mammalian	with and without		EPA OPP 84-2 (Mutagenicity
(C(M)IT/MIT (3:1))		chromosome			Testing)
55965-84-9		aberration test			
Isothiazolinone mixture	positive	mammalian cell	with and without		OECD Guideline 476 (In vitro
(C(M)IT/MIT (3:1))		gene mutation assay			Mammalian Cell Gene
55965-84-9					Mutation Test)
Isothiazolinone mixture	negative	DNA damage and	not applicable		OECD Guideline 482 (Genetic
(C(M)IT/MIT (3:1))		repair assay,			Toxicology: DNA Damage
55965-84-9		unscheduled DNA			and Repair, Unscheduled
		synthesis in			DNA Synthesis in Mammalian
		mammalian cells in			Cells In Vitro)
		vitro			
1,2-Benzisothiazol-3(2H)-	negative	oral: gavage		mouse	OECD Guideline 474
one					(Mammalian Erythrocyte
2634-33-5					Micronucleus Test)
1,2-Benzisothiazol-3(2H)-	negative	oral: unspecified		rat	OECD Guideline 486
one		•			(Unscheduled DNA Synthesis
2634-33-5					(UDS) Test with Mammalian
					Liver Cells in vivo)
Isothiazolinone mixture	negative	oral: gavage		mouse	OECD Guideline 474
(C(M)IT/MIT (3:1))					(Mammalian Erythrocyte
55965-84-9					Micronucleus Test)
Isothiazolinone mixture	negative	oral: gavage		mouse	OECD Guideline 475
(C(M)IT/MIT (3:1))					(Mammalian Bone Marrow
55965-84-9					Chromosome Aberration Test)
Isothiazolinone mixture	negative	oral: feed		Drosophila	OECD Guideline 477 (Genetic
(C(M)IT/MIT (3:1))				melanogaster	Toxicology: Sex-linked
55965-84-9					Recessive Lethal Test in
					Drosophila melanogaster)
Isothiazolinone mixture	negative	oral: gavage		rat	OECD Guideline 486
(C(M)IT/MIT (3:1))					(Unscheduled DNA Synthesis
55965-84-9					(UDS) Test with Mammalian
					Liver Cells in vivo)
Isothiazolinone mixture	negative	oral: gavage		rat	EPA OPP 84-2 (Mutagenicity
(C(M)IT/MIT (3:1))		Juli Suruge			Testing)
55965-84-9					resumg)
22,33 01,7	1	1	l	1	

# Carcinogenicity

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Sex	Method
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	not carcinogenic	oral: drinking water	2 y daily	rat	male/female	OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

# Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Test type	Route of	Species	Method
CAS-No.			application		
1,2-Benzisothiazol-3(2H)- one 2634-33-5	NOAEL P 112 mg/kg NOAEL F1 56,6 mg/kg NOAEL F2 56,6 mg/kg	Two generation study	oral: feed	rat	EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	NOAEL P 30 ppm NOAEL F1 300 ppm NOAEL F2 300 ppm	Two generation study	oral: drinking water	rat	OECD Guideline 416 (Two- Generation Reproduction Toxicity Study)

# STOT-single exposure:

No data available.

# STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result / Value	Route of	Exposure time /	Species	Method
CAS-No.		application	Frequency of		
			treatment		
1,2-Benzisothiazol-3(2H)-	NOAEL 150 mg/kg	oral: gavage	28 days	rat	OECD Guideline 407
one			daily		(Repeated Dose 28-Day
2634-33-5					Oral Toxicity in Rodents)
1,2-Benzisothiazol-3(2H)-	NOAEL 69 mg/kg	oral: feed	90 days	rat	EPA OPP 82-1 (90-Day
one			daily		Oral Toxicity)
2634-33-5					
Isothiazolinone mixture	NOAEL 16,3 mg/kg	oral:	90 d	rat	OECD Guideline 408
(C(M)IT/MIT (3:1))		drinking	daily		(Repeated Dose 90-Day
55965-84-9		water			Oral Toxicity in Rodents)
Isothiazolinone mixture	NOAEL 0.34 mg/m3	inhalation:	90 d	rat	OECD Guideline 413
(C(M)IT/MIT (3:1))		aerosol	6 h/d, 5 d/w		(Subchronic Inhalation
55965-84-9					Toxicity: 90-Day)
Isothiazolinone mixture	NOAEL 2,625 mg/kg	dermal	90 d	rat	EPA OPP 82-3
(C(M)IT/MIT (3:1))			6 h/d		(Subchronic Dermal
55965-84-9					Toxicity 90 Days)

### **Aspiration hazard:**

No data available.

# 11.2 Information on other hazards

not applicable

# **SECTION 12: Ecological information**

#### **General ecological information:**

Do not empty into drains, soil or bodies of water.

### 12.1. Toxicity

# **Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
1,2-Benzisothiazol-3(2H)-one	LC50	2,15 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
2634-33-5					Acute Toxicity Test)
1,2-Benzisothiazol-3(2H)-one	NOEC	0,21 mg/l	30 d	Oncorhynchus mykiss	OECD Guideline 215 (Fish,
2634-33-5					Juvenile Growth Test)
Isothiazolinone mixture	LC50	0,22 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
(C(M)IT/MIT (3:1))					Acute Toxicity Test)
55965-84-9					
Isothiazolinone mixture	NOEC	0,098 mg/l	28 d	Oncorhynchus mykiss	OECD Guideline 210 (fish
(C(M)IT/MIT (3:1))					early lite stage toxicity test)
55965-84-9					

### **Toxicity (aquatic invertebrates):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
1,2-Benzisothiazol-3(2H)-one	EC50	2,9 mg/l	48 h	Daphnia magna	OECD Guideline 202
2634-33-5					(Daphnia sp. Acute
					Immobilisation Test)
Isothiazolinone mixture	EC50	0,12 mg/l	48 h	Daphnia magna	OECD Guideline 202
(C(M)IT/MIT (3:1))					(Daphnia sp. Acute
55965-84-9					Immobilisation Test)

#### **Chronic toxicity (aquatic invertebrates):**

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	NOEC	1,2 mg/l	21 d	1 0	OECD 211 (Daphnia magna, Reproduction Test)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	NOEC	0,0036 mg/l	21 d	1 0	OECD 211 (Daphnia magna, Reproduction Test)

# Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50	0,1087 mg/l	24 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC10	0,0264 mg/l	24 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	NOEC	0,00064 mg/l	48 h		OECD Guideline 201 (Alga, Growth Inhibition Test)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	EC50	0,0063 mg/l	72 h		OECD Guideline 201 (Alga, Growth Inhibition Test)

# Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
1,2-Benzisothiazol-3(2H)-one	EC50	23 mg/l	3 h	activated sludge of a	OECD Guideline 209
2634-33-5				predominantly domestic sewage	(Activated Sludge,
					Respiration Inhibition Test)
Isothiazolinone mixture	EC20	0,97 mg/l	3 h	activated sludge	OECD Guideline 209
(C(M)IT/MIT (3:1))					(Activated Sludge,
55965-84-9					Respiration Inhibition Test)

### 12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	not readily biodegradable.	aerobic	42,1 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	inherently biodegradable	aerobic	100 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	readily biodegradable	aerobic	> 60 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

# 12.3. Bioaccumulative potential

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Bioconcentratio n factor (BCF)	Exposure time	Temperature	Species	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	6,62	56 d		not specified	other guideline:
Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9	3,6			calculation	QSAR (Quantitative Structure Activity Relationship)

### 12.4. Mobility in soil

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	LogPow	Temperature	Method
CAS-No.			
1,2-Benzisothiazol-3(2H)-one	0,7	20 °C	EU Method A.8 (Partition Coefficient)
2634-33-5			
Isothiazolinone mixture	> -0,71 - 0,75	20 °C	OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC
(C(M)IT/MIT (3:1))			Method)
55965-84-9			

### 12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	PBT / vPvB
CAS-No.	
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
2634-33-5	Bioaccumulative (vPvB) criteria.
Isothiazolinone mixture (C(M)IT/MIT (3:1))	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
55965-84-9	Bioaccumulative (vPvB) criteria.

# 12.6. Endocrine disrupting properties

not applicable

### 12.7. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code 080410

# **SECTION 14: Transport information**

### 14.1. UN number or ID number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

### 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

# 14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

#### 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

### 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

No information available:

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Not applicable Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Not applicable Persistent organic pollutants (Regulation (EU) 2019/1021): Not applicable

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

ED: Substance identified as having endocrine disrupting properties

EU OEL:

Substance with a Union workplace exposure limit

EU EXPLD 1:

Substance listed in Annex I, Reg (EC) No. 2019/1148

EU EXPLD 2

Substance listed in Annex II, Reg (EC) No. 2019/1148

SVHC:

Substance of very high concern (REACH Candidate List)

PBT:

Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

#### **Further information:**

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

### Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.