

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

Revision date 11-Nov-2022 Revision Number 3.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Coatings and paints, thinners, paint removers

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity — single exposure	Category 3 - (H335, H336)
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Contains Hydrocarbons, C9, aromatics



Signal word Warning

United Kingdom - BE Page 1 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

Revision date 11-Nov-2022 Revision Number 3.01

Hazard statements

H335 - May cause respiratory irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

H226 - Flammable liquid and vapour.

EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing vapours

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P312 - Call a POISON ČENTER or doctor if you feel unwell

P391 - Collect spillage

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Toxic to aquatic life. In use, may form flammable/explosive vapour-air mixture.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C9, aromatics	918-668-5	64742-95-6	40 - <80	Flam. Liq. 3 (H226) STOT SE 3 (H335) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) (EUH066)	-	01-2119455851- 35-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 2 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact

Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Remove all sources of ignition. Ensure that medical personnel are aware of the Self-protection of the first aider

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more

Revision date 11-Nov-2022

Revision Number 3.01

information

4.2. Most important symptoms and effects, both acute and delayed

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, **Symptoms**

tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. **Suitable Extinguishing Media**

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

> section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all

United Kingdom - BE Page 3/12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled

Revision date 11-Nov-2022

Revision Number 3.01

material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or **Environmental precautions**

spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A **Methods for containment**

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing Advice on safe handling

vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient

ventilation, wear suitable respiratory equipment.

Do not eat, drink or smoke when using this product. Contaminated work clothing should **General hygiene considerations**

not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from **Storage Conditions**

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep from

freezing.

Recommended storage temperature

Do not freeze. Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

United Kingdom - BE Page 4/12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

Revision date 11-Nov-2022 **Revision Number** 3.01

Specific use(s)

Coatings and paints, thinners, paint removers.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	European Union	United Kingdom
Asphalt	-	TWA: 5 mg/m ³
8052-42-4		STEL: 10 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)					
Hydrocarbons, C9, aromatics (64)	Hydrocarbons, C9, aromatics (64742-95-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	150 mg/m ³			
worker Long term Systemic health effects	Dermal	25 mg/kg bw/d			

Derived No Effect Level (DNEL)					
Hydrocarbons, C9, aromatic	Hydrocarbons, C9, aromatics (64742-95-6)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	32 mg/m³			
Consumer Long term Systemic health effects	Dermal	11 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	11 mg/kg bw/d			

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be **Engineering controls**

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the **Hand protection**

breakthrough time of the glove material is not exceeded. Refer to glove supplier for

United Kingdom - BE Page 5/12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be

Revision date 11-Nov-2022

Revision Number 3.01

replaced regularly and if there is any sign of damage to the glove material.

Gloves made of plastic or rubber. Antistatic footwear. Wear fire/flame resistant/retardant Skin and body protection

clothina.

In case of inadequate ventilation wear respiratory protection. In case of mist, spray or Respiratory protection

aerosol exposure wear suitable personal respiratory protection and protective suit.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water. Local authorities

should be advised if significant spillages cannot be contained. Prevent product from

None known

entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous Liquid

Colour Black

Odour Characteristic.

Odour threshold No information available

Remarks • Method Property Values

Melting point / freezing point No data available >= 153 °C

Initial boiling point and boiling

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

> 39 °C Flash point 200 °C **Autoignition temperature**

Decomposition temperature None known

Not applicable. Insoluble in water. No data available

pH (as aqueous solution) No data available None known Kinematic viscosity $> 370 \text{ mm}^2/\text{s}$ @ 40°C

Dynamic viscosity No data available Water solubility Insoluble in water.

Solubility(ies) No data available None known **Partition coefficient** No data available None known

kPa Vapour pressure No data available

Relative density No data available None known

Bulk Density No data available **Liquid Density** No data available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

United Kingdom - BE Page 6/12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Revision date 11-Nov-2022

Revision Number 3.01

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Supercedes Date: 05-Oct-2022

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep from freezing. Heat, flames and sparks. Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation May cause drowsiness or dizziness. Specific test data for the substance or mixture is not

available. May cause irritation of respiratory tract.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

United Kingdom - BE Page 7 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

Revision date 11-Nov-2022 Revision Number 3.01

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C9, aromatics	LD50 =3492 mg/kg (Rattus)	LD50 > 3160 mg/kg	>6193 mg/m³ (Rattus) 4 h
		(Oryctolagus cuniculus) OECD	(OECD 403)
		402	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Hydrocarbons, C9, aromatics	Muta. 1B

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
	piarito		microorganisms			(long-term)
Hydrocarbons, C9,	ErL50 (72h) =	LL50 (96h) = 9.2	-	EL50 (48h) = 3.2		

United Kingdom - BE Page 8 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022 Revision Number 3.01

Revision date 11-Nov-2022

aromatics	2.9 mg/L	mg/L	mg/L (Daphnia	
64742-95-6	(Pseudokirchner	(Oncorhynchus	magna) OECD	
	iella subcapitata)	mykiss) OECD	202	
	OECD 201	203		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Hydrocarbons, C9, aromatics	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or

weld containers.

European Waste Catalogue

17 03 02 bituminous mixtures other than those mentioned in 17 03 01

15 01 10*: Packaging containing residues of or contaminated by dangerous substances 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Keep from freezing.

United Kingdom - BE Page 9 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022 Revision Number 3.01

Revision date 11-Nov-2022

Land transport (ADR/RID)

14.1 UN number or ID number UN1999 **14.2 Proper Shipping Name** UN1999 Tars, liquid

14.3 Transport hazard class(es) 3 Labels 3 14.4 Packing group III

Description UN1999, Tars, liquid, 3, III, (D/E), Environmentally Hazardous

14.5 Environmental hazards
14.6 Special Provisions
Classification code
Tunnel restriction code
Limited quantity (LQ)
ADR Hazard Id (Kemmler

Yes
None
(D/E)
5 L
30

Number)

IMDG

14.1 UN number or ID number UN1999 **14.2 Proper Shipping Name** UN1999 Tars, liquid

14.3 Transport hazard class(es) 3 14.4 Packing group ||||

Description UN1999, Tars, liquid (Hydrocarbons, C9, aromatics), 3, III, (39°C c.c.), Marine Pollutant

14.5 Marine pollutant P
14.6 Special Provisions 955
Limited Quantity (LQ) 5 L
EmS-No F-E, S-E
14.7 Maritime transport in bulk Not applicable

according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number14.2 Proper Shipping NameUN1999Tars, liquid

14.3 Transport hazard class(es) 3 14.4 Packing group III

Description UN1999, Tars, liquid, 3, III

14.5 Environmental hazards Yes 14.6 Special Provisions A3 Limited quantity (LQ) 10 L ERG Code 3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

United Kingdom - BE Page 10 / 12

Revision date 11-Nov-2022

Revision Number 3.01

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Supercedes Date: 05-Oct-2022

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrocarbons, C9, aromatics - 64742-95-6		25000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

United Kingdom - BE Page 11 / 12

BOSTIK FELTFIX BITUMINOUS FELT ADHESIVE

Revision date 11-Nov-2022

Revision Number 3.01

Key literature references and sources for data

No information available

Supercedes Date: 05-Oct-2022

Prepared By Product Safety & Regulatory Affairs

Revision date 11-Nov-2022

Indication of changes

Revision note SDS sections updated, 2, 3, 4, 5, 6, 7, 8, 10, 12, 13, 15.

Training Advice Provide adequate information, instruction, and training for operator

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 12 / 12