

# Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 10

Jeyes Drain Unblocker

SDS No. : 598470 V001.1 Revision: 13.08.2019 printing date: 06.01.2020 Replaces version from: -

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Jeyes Drain Unblocker

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Intended use: Hard Surface Cleaners (HSC)

## 1.3. Details of the supplier of the safety data sheet

Henkel Ltd. Wood Lane End, Hemel Hempstead HP2 4RQ Hertfordshire Phone: +44 (0) 1442 278000

consumer.response@henkel.com

## 1.4. Emergency telephone number

Henkel Hemel Hempstead: +44 1442 278000 / 0845 490 0176 (Monday to Friday from 9.00 to 17:00)

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP): Met. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

# 2.2. Label elements

Signal word:

Label elements (CLP):

Hazard pictogram:



Hazard statement:H290 May be corrosive to metals.H314 Causes severe skin burns and eye damage.

Precautionary statement:P101 If medical advice is needed, have product container or label at hand.<br/>P102 Keep out of reach of children.<br/>P234 Keep only in original packaging.<br/>P280 Wear protective gloves/eye protection.<br/>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.<br/>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.<br/>Rinse skin with water [or shower].<br/>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove<br/>contact lenses, if present and easy to do. Continue rinsing.<br/>P310 Immediately call a POISON CENTER/doctor.<br/>P390 Absorb spillage to prevent material damage.<br/>P405 Store locked up.<br/>P501 Dispose of contents/container in accordance with national regulation.

# **Contains:**

Sodium hydroxide, Alkyl EO sulfate-Na C12-14 2+2,35EO

### 2.3. Other hazards

Use child-resistant fastening. tactile warning of danger

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sodium hydroxide 1310-73-2	215-185-5	01-2119457892-27	>= 5-< 10 %	Corrosive to metals 1 H290 Skin corrosion 1A H314 Serious eye damage 1 H318
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	500-234-8	01-2119488639-16	>= 1-< 5%	Skin irritation 2 H315 Serious eye damage 1 H318 Chronic hazards to the aquatic environment 3 H412

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### General information:

In case of adverse health effects seek medical advice.

### Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advise.

#### Skin contact:

Rinse under running water. Remove all contaminated clothing. Consult skin specialist if necessary.

#### Eye contact:

Rinse immediately under running water (for 10 minutes), thereafter seek immediate specialist medical advise.

#### Ingestion:

Do not induce vomiting, seek medical advice immediately. Rinse mouth with water, (only if the person is conscious).

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible. After eye contact: Corrosive, may cause permanent damage to eyes (impairment of vision).

After ingestion: Corrosivity may cause immediately pain, burning, swelling, and redness in mouth and throat. Nausea and vomiting may occur. Risk of serious damage to the mouth, throat and esophagus.

### 4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: Inhalation may cause hyperacidity of the organism with following shortness of breath. After skin contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea). After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

After skin contact: If irritation persists, seek medical advice.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

### Extinguishing media which must not be used for safety reasons:

None

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

### 5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Ensure adequate ventilation. Danger of slipping on spilled product. If large amounts are released contact the fire service.

## 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

### 6.4. Reference to other sections

See advice in section 8

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

No special measures required if used properly.

### **Hygiene measures:**

Protective equipment only required in case of industrial use or for large packs (not for household packs) Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

### 7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C. Do not use packing made of metal. Consider national regulations.

### 7.3. Specific end use(s)

Hard Surface Cleaners (HSC)

## **SECTION 8: Exposure controls/personal protection**

### Only relevant for professional/industrial use

### 8.1. Control parameters

Valid for

Great Britain

Ingredient [Regulated substance]	ppm	mg/m <sup>3</sup>	J. T. S.	Short term exposure limit category / Remarks	Remarks
SODIUM HYDROXIDE 1310-73-2		2	Short Term Exposure Limit (STEL):		EH40 WEL

### 8.2. Exposure controls

Respiratory protection: Not needed.

### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

### Eye protection:

Wear tight fitting goggles.

### Skin protection:

Protective clothing against chemicals. Observe manufacturer's instructions.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

### The following data apply to the whole mixture.

a) Appearance	liquid
	thick
	colourless
b) Odor	characteristic
c) Odour threshold	No data available / Not applicable
d) pH	Not applicable
e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	100 °C (212 °F)No flash point up to 100°C. Aqueous preparation.
h) Evaporation rate	No data available / Not applicable
i) Flammability (solid, gas)	No data available / Not applicable

- j) Upper / lower flammability or explosive limits
- k) Vapour pressure
- Vapor density
- m) Relative density Density
- 0
- n) Solubility (ies)
- o) Partition coefficient: n-octanol/water
- p) Auto-ignition temperature
- q) Decomposition temperature
- r) Viscosity
  - 0
- s) Explosive properties
- t) Oxidising properties

### 9.2. Other information

Not applicable

## **SECTION 10: Stability and reactivity**

No data available / Not applicable

1,053 - 1,083 g/cm3

1.000 - 1.400 mPa.s

soluble in water

### 10.1. Reactivity

Reaction with acids: production of heat and chlorine gas.

### 10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

# 10.3. Possibility of hazardous reactions

See section reactivity

**10.4. Conditions to avoid** Avoid heating.

### 10.5. Incompatible materials

None if used properly. Do not use packing made of metal.

# **10.6.** Hazardous decomposition products

Generation of oxygen

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium hydroxide 1310-73-2	LDLo	500 mg/kg	rabbit	not specified
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	LD50	2.870 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

### Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

## Acute inhalative toxicity:

No substance data available. No data available.

## Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium hydroxide 1310-73-2	corrosive		In vitro International Corrositex assay kit	OECD Guideline 435 (In Vitro Membrane Barrier Test Method for Skin Corrosion)
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

## Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Sodium hydroxide 1310-73-2	corrosive		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

## Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Sodium hydroxide 1310-73-2	not sensitising	Patch-Test	human	not specified

### Germ cell mutagenicity:

No data available.

# Carcinogenicity

No data available.

## **Reproductive toxicity:**

No data available.

## STOT-single exposure:

No data available.

## STOT-repeated exposure::

No data available.

### Aspiration hazard:

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

## Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium hydroxide	LC50	45,4 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
1310-73-2					Acute Toxicity Test)
Alkyl EO sulfate-Na C12-14	LC50	7,1 mg/l	96 h	Danio rerio (reported as	OECD Guideline 203 (Fish,
2+2,35EO				Brachydanio rerio)	Acute Toxicity Test)
68891-38-3					. ,
Alkyl EO sulfate-Na C12-14	NOEC	> 1 - 10 mg/l			OECD Guideline 204 (Fish,
2+2,35EO		-			Prolonged Toxicity Test:
68891-38-3					14-day Study)

# Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium hydroxide	EC50	40,4 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202
1310-73-2					(Daphnia sp. Acute
					Immobilisation Test)
Alkyl EO sulfate-Na C12-14	EC50	> 10 - 100 mg/l	48 h	Daphnia magna	OECD Guideline 202
2+2,35EO		c			(Daphnia sp. Acute
68891-38-3					Immobilisation Test)

## Chronic toxicity to aquatic invertebrates

No data available.

## Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	EC50	27,7 mg/l			OECD Guideline 201 (Alga, Growth Inhibition Test)
Alkyl EO sulfate-Na C12-14 2+2,35EO 68891-38-3	NOEC	0,95 mg/l	72 h	1 、	OECD Guideline 201 (Alga, Growth Inhibition Test)

### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Sodium hydroxide	EC0	> 100 mg/l	30 min	Pseudomonas putida	DIN 38412, part 27
1310-73-2		-		_	(Bacterial oxygen
					consumption test)
Alkyl EO sulfate-Na C12-14	EC0	> 100 mg/l	3 h		OECD Guideline 209
2+2,35EO		-			(Activated Sludge,
68891-38-3					Respiration Inhibition Test)

## 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Alkyl EO sulfate-Na C12-14 2+2,35EO	readily biodegradable	no data	> 60 %	28 d	OECD 301 A - F
68891-38-3					

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

No substance data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
Sodium hydroxide	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
1310-73-2	be conducted for inorganic substances.
Alkyl EO sulfate-Na C12-14 2+2,35EO	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
68891-38-3	Bioaccumulative (vPvB) criteria.

## 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

# **SECTION 14: Transport information**

14.1. UN number

ADR	1824
RID	1824
ADN	1824
IMDG	1824
[ATA	1824

# 14.2. UN proper shipping name

ADR	SODIUM HYDROXIDE SOLUTION
RID	SODIUM HYDROXIDE SOLUTION
ADN	SODIUM HYDROXIDE SOLUTION
IMDG	SODIUM HYDROXIDE SOLUTION
IATA	Sodium hydroxide solution

# 14.3. Transport hazard class(es)

ADR	8
RID	8
ADN	8
IMDG	8
IATA	8

## 14.4. Packing group

ADR	II
RID	II
ADN	II
IMDG	II
IATA	II

## 14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
	Tunnelcode: (E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Declaration of ingredients according to Detergent Regulation 648/2004/EC

< 5 %	
Further ingredients	

anionic surfactants Perfumes

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

### Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s): 1 - 16