

Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Gorilla All Conditions Sealant White (100% Silicone Sealant)

CAS No. Mixture. EC No. Mixture. REACH Registration No. Mixture.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Sealant.Uses Advised AgainstNone known.1.3 Details of the supplier of the safety data sheet

Company Identification Gorilla Glue Europe Ltd.

Address of Manufacturer 26 Eaton Ave Matrix Park

Buckshaw Village

Chorley, Lancashire, United Kingdom.

Postal code PR7 7NA
Telephone: 01257 241319
Fax 01257 273820

E-mail eusales@gorillaglue.com

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1257 241319 (During Business Hours) +1 651-603-3429 (Outside Business Hours)

National response center

Address National Poisons Information Service (Birmingham Centre)

City Hospital Dudley Road, Birmingham, United Kingdom

Emergency Phone No. +00 448 706 006 266 NHS Direct - 0845 4647 / 111

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Eye Irrit. 2: Causes serious eye irritation.

Skin Irrit. 2: Causes skin irritation.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Gorilla All Conditions Sealant White (100% Silicone Sealant)

Hazard Pictogram(s)



Signal Word(s) Warning.



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

Hazard Statement(s) H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary Statement(s) P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical advice/attention. P337+P31: If eye irritation persists: Get medical advice/attention. P362+P364: Take off contaminated clothing and wash it before reuse.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Silicon dioxide	7631-86-9	231-545-4 / 01-2119379499- 16-0000	7-13	Not classified	
Distillates (petroleum), hydrotreated middle Gasoil - unspecified	64742-46-7	265-148-2 / 01-2119489867- 12-0000	7-13	Not classified	
Titanium dioxide**	13463-67-7	236-675-5	1-5	Carc. 2 H351	GHS08
Triacetoxyethylsilane	17689-77-9	241-677-4 / 01-2119881778- 15-0000	0.1-1	Acute Tox. 4 H302 Skin Corr. 1B H314 Eye Dam. 1 H318	GHS07 GHS05
Methylsilanetriyl triacetate	4253-34-3	224-221-9 / 01-2119962266- 32-0000	0.1-1	Acute Tox. 4 H302 Skin Corr. 1C H314	GHS07 GHS05
Acetic acid	64-19-7	200-580-7 / 01-2119475328- 30-0000	< 0.1	Flam. Liq. 3 H226 Skin Corr. 1A H314	GHS02 GHS05
Acetic anhydride	108-24-7	203-564-8 / 01-2119486470- 36-0000	< 0.1	Flam. Liq. 3 H226 Acute Tox. 4 H302 Skin Corr. 1B H314 Acute Tox. 4 H332	GHS02 GHS07 GHS05
p- [(diiodomethyl)sulphonyl]toluen	20018-09-1	243-468-3	< 0.1	Eye Dam. 1 H318 Acute Tox. 3 H331	GHS05 GHS06



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

			•
		Aquatic Acute 1 H400	GHS09

^{**} Titanium dioxide is present in the product. However, the product does not present an inhalation hazard. This is because the TiO2 is inextricably bound in the polymeric matrix of the sealant and cannot be inhaled.

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

Skin Contact IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get

medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Ingestion Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Formaldehyde. Acetic acid is

formed upon contact with water or humid air.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear protective gloves/protective clothing/eye protection/face protection. Take off contaminated clothing

and wash it before reuse.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke at the work place.

7.2 Conditions for safe storage, including any incompatibilities

Keep container in a well-ventilated place.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials Strong oxidising agents.

7.3 Specific end use(s) Sealant.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Substances	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Silicon dioxide (Inhalable Dust)	7631-86-9	0	6	0	0	
Silicon dioxide (Respirable Dust)	7631-86-9	0	2.4	0	0	
Titanium dioxide total inhalable	13463-67-7	0	10	0	0	
Titanium dioxide respirable	13463-67-7	0	4	0	0	
Acetic anhydride	108-24-7	0.5	2.5	2	10	

Source: WEL: Workplace Exposure Limit (UK HSE EH40)

8.2 Exposure controls

8.2.1. Appropriate engineering

controls

Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be

present.

8.2.2. Personal protection equipment



Wear eye protection with side protection (EN166).

Eye Protection



Wear protective clothing and gloves: Impervious gloves (EN 374).

Skin protection



Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Respiratory protection



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186



Not applicable.

8.2.3. Environmental Exposure

rols

Do not release large quantities into the surface water or into drains.

Controls

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Paste. Colour White.

Odour Smells of acetic acid. Odour threshold Not established. Not available. Melting point/freezing point Not available. Initial boiling point and boiling range Not available. Flash Point Not applicable. **Evaporation** rate Not available. Flammability (solid, gas) Not applicable. Not applicable. Upper/lower flammability or

explosive limits

Vapour pressure Not available.
Vapour density Not available.
Density (g/ml) Not available.

Relative density 1.007

Solubility (ies) Solubility (Water) : Not known. Solubility (Other) : Not known.

Partition coefficient: n- Not available.

octanol/water

Auto-ignition temperature Not available.

Decomposition Temperature (°C) Not available.

Viscosity Not applicable.

Explosive properties Not explosive.

Oxidising properties Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Strong oxidising agents.



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

10.6 Hazardous decomposition products

No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Low acute toxicity.

Skin corrosion/irritation Causes skin irritation. No data.

Serious eye damage/irritation Causes serious eye irritation. No data.

Skin sensitisation data

Respiratory sensitisation data

Not classified.

Not classified.

Germ cell mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity.

Classified based on the conditions cited in Nota N (Regulation (EC) 1272/2008,

Annex VI, Part 3, Note N)

Reproductive toxicity
Lactation
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
Not classified.
None anticipated.
Not classified.

11.2 Other information

Not known.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Low toxicity to aquatic organisms.

12.2 Persistence and Degradation

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very Not listed.

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed.

subject to authorisation

REACH: Annex XVII Restrictions on Listed: Distillates (petroleum), hydrotreated middle Gasoil - unspecified

the manufacture, placing on the (CAS No.: 64742-46-7)

market and use of certain

dangerous substances, mixtures and

articles

Community Rolling Action Plan Listed: Silicon dioxide (CAS No.: 7631-86-9)

(CoRAP)

Regulation (EC) N° 850/2004 of the Not listed.

European Parliament and of the Council on persistent organic

pollutants

Regulation (EC) N° 2037/2000 on Not listed.

substances that deplete the ozone

layer

Regulation (EU) N° 649/2012 of the Not listed.

European Parliament and of the Council concerning the export and import of hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)



GHS05: GHS: corrosive GHS02: GHS: flame

GHS06: GHS: skull and crossbones GHS08: GHS: health hazard GHS09: GHS: fish and tree

Hazard Statement(s) H226: Flammable liquid and vapour.



Silicone Sealant)

Date Revised: 12/11/2019 Version 2.0

FOR CHEMICAL EMERGENCY:

During Business Hours: (800) 966-3458 | Outside Business Hours: (800) 420-7186

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H331: Toxic if inhaled. H332: Harmful if inhaled.

H351: Suspected of causing cancer. H400: Very toxic to aquatic life.

Precautionary Statement(s)

P264: Wash hands thoroughly after handling.

Acronyms CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long Term Exposure Limit

PBT: Persistent, Bioaccumulative and Toxic

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short Term Exposure Limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative RCRA: Resource Conservation and Recovery Act

Disclaimers

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which The Gorilla Glue Company assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.

Annex to the extended Safety Data Sheet (eSDS)

Not available.